

MASTER PHP TEMPLATE (USE FOR ALL)

```
<?php include "db.php"; ?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
<title>Management System</title>
```

```
</head>
```

```
<body>
```

```
<h2>Form</h2>
```

```
<form method="POST">
```

```
    <input type="text" name="field1" placeholder="Field 1"><br>
```

```
    <input type="text" name="field2" placeholder="Field 2"><br>
```

```
    <input type="text" name="field3" placeholder="Field 3"><br>
```

```
    <input type="text" name="field4" placeholder="Field 4"><br>
```

```
    <button type="submit" name="add">Add</button>
```

```
</form>
```

```
<?php
```

```
if(isset($_POST['add'])){
```

```
    $f1 = $_POST['field1'];
```

```
    $f2 = $_POST['field2'];
```

```
    $f3 = $_POST['field3'];
```

```
    $f4 = $_POST['field4'];
```

```
    // EMPTY CHECK
```

```
    if($f1=="" || $f2=="" || $f3=="" || $f4==""){
```

```
        echo "All fields required";
```

```
    }
```

```
    // CUSTOM VALIDATION (change based on question)
```

```
    else if(!is_numeric($f3)){ // example
```

```
        echo "Field must be numeric";
```

```
    }
```

```
    else{
```

```
        $sql = "INSERT INTO table_name(field1, field2, field3, field4)
```

```
VALUES('$f1','$f2','$f3','$f4');

if(mysqli_query($conn,$sql)){
    echo "Data added successfully";
}
else{
    echo "Error: " . mysqli_error($conn);
}
}
}
?>

</body>
</html>
```

HOW TO CONVERT FOR EACH QUESTION

Q10 (Registration)

table → users

fields → name, email, password, phone

add → email validation + password hash

Q11 (Student)

table → students

fields → roll_no, name, class, marks

validation → marks numeric

Q12 (Product)

table → products

fields → Name, Price, Quantity

validation → price > 0, quantity > 0

Q14 (Library)

table → books

fields → book_id, title, author, category

🌟 UNIVERSAL RULE

Change ONLY:

1. table_name
2. field names
3. validation

Everything else SAME 

🎯 EXTRA (for full marks)

Add this below form 

Display data

```
<?php
$result = mysqli_query($conn, "SELECT * FROM table_name");

while($row = mysqli_fetch_assoc($result)){
    echo $row['field1'] . " " . $row['field2'] . "<br>";
}
?>
```

Delete (optional)

```
<a href="?delete=<?php echo $row['id']; ?>">Delete</a>

if(isset($_GET['delete'])){
    $id = $_GET['delete'];
    mysqli_query($conn, "DELETE FROM table_name WHERE id=$id");
}
```

🧠 FINAL MEMORY

Form → Validate → Insert → Display → Delete

Universal AJAX Template Q20–Q29

```
<!DOCTYPE html>
<html>
<head>
<title>AJAX App</title>

<style>
body{
  font-family: Arial;
  padding: 20px;
}

input, button{
  padding: 8px;
  margin: 5px;
}

.card{
  border: 1px solid black;
  padding: 10px;
  margin: 8px;
}

#loading{
  display: none;
  color: blue;
}

#error{
  color: red;
}
</style>
</head>

<body>

<h2>AJAX Application</h2>

<input type="text" id="inputBox" placeholder="Enter value">
<button id="btn">Fetch Data</button>
```

```
<p id="loading">Loading...</p>
```

```
<p id="error"></p>
```

```
<div id="result"></div>
```

```
<script>
```

```
document.getElementById("btn").addEventListener("click", function(){
```

```
    let value = document.getElementById("inputBox").value;
```

```
    if(value == ""){
```

```
        document.getElementById("error").innerHTML = "Please enter value";
```

```
        return;
```

```
    }
```

```
    document.getElementById("loading").style.display = "block";
```

```
    document.getElementById("error").innerHTML = "";
```

```
    fetch("https://jsonplaceholder.typicode.com/users")
```

```
    .then(response => response.json())
```

```
    .then(data => {
```

```
        document.getElementById("loading").style.display = "none";
```

```
        let output = "";
```

```
        data.forEach(item => {
```

```
            output += `
```

```
                <div class="card">
```

```
                    <h3>${item.name}</h3>
```

```
                    <p>${item.email}</p>
```

```
                </div>
```

```
            `;
```

```
        });
```

```
        document.getElementById("result").innerHTML = output;
```

```
    })
```

```
    .catch(error => {
```

```
        document.getElementById("loading").style.display = "none";
```

```
        document.getElementById("error").innerHTML = "Error fetching data";
```

```
    });
```

```
});  
</script>
```

```
</body>  
</html>
```

How to convert it

QB Question	Change this
Q20 Weather	API URL + display temp/humidity
Q21 Live User Search	use oninput instead of button click
Q22 To-do AJAX	use GET, POST, DELETE
Q23 Dropdown	use change event
Q24 Login	validate email/password + POST
Q25 Comment	GET comments + POST new comment
Q26 News Feed	jQuery AJAX + slideDown
Q27 Cart	add/remove items + total
Q28 Infinite Scroll	fetch more when scrolling
Q29 Poll	submit vote + update count

Memory trick

event → validate → loading → fetch → display → catch error

That's the whole AJAX section.