

HTML & CSS Assignments

Complete Code Reference — All 22 Questions

Ready to copy and paste

Q1: College Information Web Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Springfield College</title>
  <style>
    /* Reset and base */
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background-color: #f0f4f8;
    }

    /* Header / Banner */
    .header {
      background: linear-gradient(135deg, #002855, #004a99);
      color: white;
      text-align: center;
      padding: 40px 20px;
    }
    .header h1 {
      font-size: 46px;
      font-weight: bold;
      letter-spacing: 1px;
    }
    .header p {
      font-size: 16px;
      margin-top: 8px;
      color: #c5d8f5;
    }

    /* Navigation bar */
    nav {
      background-color: #001f4d;
      text-align: center;
      padding: 10px 0;
    }
    nav a {
      color: #cce0ff;
      text-decoration: none;
      margin: 0 18px;
      font-size: 15px;
      font-weight: bold;
    }
    nav a:hover { color: #ffcc00; }

    /* Courses section */
    .courses {
      max-width: 800px;
      margin: 40px auto;
      padding: 0 20px;
    }
    .courses h2 {
```

```

        text-align: center;
        font-size: 30px;
        color: #002855;
        margin-bottom: 20px;
    }
    .course-list {
        list-style: none;
    }
    .course-list li {
        padding: 12px 20px;
        margin: 8px 0;
        border-radius: 6px;
        font-size: 18px;
        font-weight: bold;
        background: white;
        border-left: 6px solid;
    }

    /* Each course gets a different color and style */
    .c1 { color: #c0392b; border-color: #c0392b; font-style: italic; }
    .c2 { color: #27ae60; border-color: #27ae60; font-family: Georgia, serif; }
    .c3 { color: #2980b9; border-color: #2980b9; font-style: oblique; }
    .c4 { color: #8e44ad; border-color: #8e44ad; font-family: Verdana, sans-serif; }
    .c5 { color: #d35400; border-color: #d35400; font-family: "Courier New", monospace; }

    /* College image placeholder at bottom */
    .college-img {
        display: block;
        width: 80%;
        max-width: 700px;
        height: 280px;
        margin: 30px auto;
        background: linear-gradient(135deg, #c9d6ff, #e2e2e2);
        border-radius: 10px;
        display: flex;
        align-items: center;
        justify-content: center;
        font-size: 20px;
        color: #555;
        border: 2px dashed #aaa;
    }

    /* Footer */
    footer {
        text-align: center;
        padding: 16px;
        background: #002855;
        color: #aac8ff;
        font-size: 13px;
        margin-top: 20px;
    }
</style>
</head>
<body>

<!-- Top Banner -->
<div class="header">
    <h1>Springfield College of Technology</h1>

```


Q2: Styled Resume Web Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Resume - John Doe</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background-color: #eef2f7;
      padding: 30px;
    }

    /* Resume wrapper */
    .resume {
      max-width: 820px;
      margin: auto;
      background: white;
      border-radius: 8px;
      overflow: hidden;
      box-shadow: 0 4px 16px rgba(0,0,0,0.12);
      display: flex;
    }

    /* Left sidebar */
    .sidebar {
      background: #002855;
      color: white;
      width: 260px;
      min-width: 260px;
      padding: 30px 20px;
      text-align: center;
    }

    .profile-pic {
      width: 110px;
      height: 110px;
      border-radius: 50%;
      background: #aaa;
      margin: 0 auto 14px;
      display: flex;
      align-items: center;
      justify-content: center;
      font-size: 13px;
      color: #fff;
      border: 3px solid #cce0ff;
    }

    .sidebar h1 { font-size: 20px; color: #fff; }
    .sidebar p { font-size: 13px; color: #b0c8e8; margin-top: 4px; }
    .sidebar-section { margin-top: 24px; text-align: left; }
    .sidebar-section h3 {
      font-size: 13px;
      text-transform: uppercase;
      letter-spacing: 1px;
      color: #ffcc00;
    }
  </style>
</head>
<body>
  <div class="resume">
    <div class="profile-pic">
      <img alt="Profile picture placeholder" data-bbox="150 150 250 250"/>
    </div>
    <div class="sidebar">
      <h1>John Doe</h1>
      <p>Software Engineer</p>
      <div class="sidebar-section">
        <h3>Education</h3>
        <p>Bachelor's Degree in Computer Science</p>
      </div>
    </div>
    <div class="main-content">
      <h2>Work Experience</h2>
      <div class="work-item">
        <h3>Software Engineer</h3>
        <p>ABC Company | 2018 - Present</p>
        <ul>
          <li>Developed and maintained web applications using React and Node.js.</li>
          <li>Collaborated with cross-functional teams to deliver high-quality products.</li>
          <li>Optimized application performance, reducing load times by 20%.</li>
        </ul>
      </div>
      <div class="work-item">
        <h3>Junior Software Engineer</h3>
        <p>XYZ Corp | 2016 - 2018</p>
        <ul>
          <li>Assisted in the development of new features and bug fixes.</li>
          <li>Participated in code reviews and team meetings.</li>
        </ul>
      </div>
    </div>
  </div>
</body>
</html>
```

```

        border-bottom: 1px solid #ffffff30;
        padding-bottom: 4px;
        margin-bottom: 10px;
    }
    .sidebar-section p {
        font-size: 13px;
        color: #cce0ff;
        margin: 4px 0;
    }
    .skill-bar-wrap { margin: 6px 0; }
    .skill-label { font-size: 12px; color: #cce0ff; margin-bottom: 2px; }
    .skill-bar {
        background: #ffffff30;
        border-radius: 4px;
        height: 8px;
    }
    .skill-bar-fill {
        background: #ffcc00;
        border-radius: 4px;
        height: 8px;
    }

    /* Main content */
    .main {
        padding: 30px 28px;
        flex: 1;
    }
    .section { margin-bottom: 24px; }
    .section h2 {
        font-size: 18px;
        color: #002855;
        border-left: 4px solid #002855;
        padding-left: 10px;
        margin-bottom: 12px;
    }
    .entry { margin-bottom: 12px; }
    .entry h4 { font-size: 15px; color: #222; }
    .entry .meta { font-size: 12px; color: #888; margin: 2px 0 4px; }
    .entry p { font-size: 13px; color: #555; line-height: 1.5; }
    .tag {
        display: inline-block;
        background: #e8f0fe;
        color: #002855;
        font-size: 12px;
        padding: 3px 10px;
        border-radius: 12px;
        margin: 3px 3px 3px 0;
    }
</style>
</head>
<body>
<div class="resume">

    <!-- LEFT SIDEBAR -->
    <div class="sidebar">
        <div class="profile-pic">Photo</div>
        <h1>John Doe</h1>
        <p>Web Developer</p>

```

```

<div class="sidebar-section">
  <h3>Contact</h3>
  <p>johndoe@email.com</p>
  <p>+1 987-654-3210</p>
  <p>Springfield, USA</p>
</div>

<div class="sidebar-section">
  <h3>Skills</h3>
  <div class="skill-bar-wrap">
    <div class="skill-label">HTML / CSS</div>
    <div class="skill-bar"><div class="skill-bar-fill" style="width:90%"></div></div>
  </div>
  <div class="skill-bar-wrap">
    <div class="skill-label">JavaScript</div>
    <div class="skill-bar"><div class="skill-bar-fill" style="width:75%"></div></div>
  </div>
  <div class="skill-bar-wrap">
    <div class="skill-label">Python</div>
    <div class="skill-bar"><div class="skill-bar-fill" style="width:65%"></div></div>
  </div>
</div>
</div>

<!-- MAIN CONTENT -->
<div class="main">
  <div class="section">
    <h2>About Me</h2>
    <p style="font-size:14px; color:#444; line-height:1.6;">
      Motivated web developer with a passion for building clean, responsive websites.
      Quick learner with strong problem-solving skills and teamwork experience.
    </p>
  </div>

  <div class="section">
    <h2>Education</h2>
    <div class="entry">
      <h4>B.Sc. Computer Science</h4>
      <div class="meta">Springfield University &nbsp;|&nbsp;&nbsp; 2021 - 2024</div>
      <p>GPA: 3.8 / 4.0 &nbsp;|&nbsp;&nbsp; Dean's List 2022, 2023</p>
    </div>
    <div class="entry">
      <h4>Higher Secondary Certificate (HSC)</h4>
      <div class="meta">Springfield High School &nbsp;|&nbsp;&nbsp; 2021</div>
      <p>Percentage: 87% &nbsp;|&nbsp;&nbsp; Science Stream</p>
    </div>
  </div>

  <div class="section">
    <h2>Work Experience</h2>
    <div class="entry">
      <h4>Web Developer Intern</h4>
      <div class="meta">Tech Corp &nbsp;|&nbsp;&nbsp; June 2023 - August 2023</div>
      <p>Built responsive front-end pages using HTML, CSS, and JavaScript.
        Collaborated with the design team to improve UI/UX.</p>
    </div>
  </div>
</div>

```

```
<div class="section">
  <h2>Technical Skills</h2>
  <span class="tag">HTML5</span>
  <span class="tag">CSS3</span>
  <span class="tag">JavaScript</span>
  <span class="tag">Python</span>
  <span class="tag">Git</span>
  <span class="tag">Responsive Design</span>
</div>
</div>
```

```
</div>
</body>
</html>
```


Q3: Multi-Column Layout for a News Website

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Daily News Network</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; background: #f0f0f0; }

    /* Header */
    .header {
      background: #cc0000;
      color: white;
      text-align: center;
      padding: 18px;
    }
    .header h1 { font-size: 36px; letter-spacing: 2px; }
    .header p { font-size: 13px; color: #ffc; margin-top: 4px; }

    /* Date bar */
    .datebar {
      background: #222;
      color: #ccc;
      text-align: center;
      padding: 6px;
      font-size: 13px;
    }

    /* Two-column layout using flexbox */
    .layout {
      display: flex;
      gap: 16px;
      max-width: 1100px;
      margin: 20px auto;
      padding: 0 16px;
    }

    /* LEFT: Featured News (wider) */
    .left {
      flex: 2.5;
    }
    .section-title {
      background: #cc0000;
      color: white;
      padding: 8px 14px;
      font-size: 15px;
      font-weight: bold;
      margin-bottom: 12px;
    }
    .article {
      background: white;
      padding: 16px;
      margin-bottom: 14px;
      border-left: 4px solid #cc0000;
```

```

}
.article h3 { font-size: 17px; color: #111; margin-bottom: 6px; }
.article p { font-size: 14px; color: #555; line-height: 1.6; }
.article .tag {
  display: inline-block;
  background: #cc0000;
  color: white;
  font-size: 11px;
  padding: 2px 8px;
  border-radius: 3px;
  margin-bottom: 6px;
}

/* RIGHT: Sidebar (narrower) */
.right { flex: 1; }
.ad {
  background: #fffbcc;
  border: 1px dashed #bbb;
  padding: 20px;
  text-align: center;
  color: #888;
  font-size: 14px;
  margin-bottom: 14px;
}
.widget {
  background: white;
  padding: 14px;
  margin-bottom: 14px;
}
.widget h3 {
  font-size: 14px;
  font-weight: bold;
  color: #cc0000;
  border-bottom: 2px solid #cc0000;
  padding-bottom: 6px;
  margin-bottom: 10px;
}
.trending-item {
  display: flex;
  align-items: center;
  padding: 6px 0;
  border-bottom: 1px solid #eee;
  font-size: 13px;
  color: #333;
}
.trend-num {
  font-weight: bold;
  color: #cc0000;
  width: 24px;
}

footer {
  text-align: center;
  background: #222;
  color: #aaa;
  padding: 14px;
  font-size: 13px;
  margin-top: 20px;
}

```

```

    }
</style>
</head>
<body>

<div class="header">
    <h1>Daily News Network</h1>
    <p>Your trusted source for breaking news and analysis</p>
</div>
<div class="datebar">Wednesday, March 11, 2026</div>

<div class="layout">

    <!-- LEFT: News Articles -->
    <div class="left">
        <div class="section-title">Featured News</div>

        <div class="article">
            <span class="tag">SCIENCE</span>
            <h3>Scientists Discover New Earth-Like Planet</h3>
            <p>A team of astronomers has identified a new planet in the habitable zone of a nearby
star.
            The discovery could have major implications for the search for extraterrestrial
life.</p>
        </div>

        <div class="article">
            <span class="tag">BUSINESS</span>
            <h3>Stock Market Hits Record High</h3>
            <p>Global markets surged today as investors reacted positively to strong economic data
            from major economies. The S&P 500 closed at an all-time high.</p>
        </div>

        <div class="article">
            <span class="tag">CITY</span>
            <h3>City Launches New Metro Rail Project</h3>
            <p>The city government officially launched a $2 billion metro rail expansion project
            aimed at reducing traffic congestion and improving public transport.</p>
        </div>
    </div>

    <!-- RIGHT: Sidebar -->
    <div class="right">
        <div class="ad">Advertisement</div>

        <div class="widget">
            <h3>Trending Topics</h3>
            <div class="trending-item"><span class="trend-num">1</span> #Technology</div>
            <div class="trending-item"><span class="trend-num">2</span> #Sports</div>
            <div class="trending-item"><span class="trend-num">3</span> #Election2025</div>
            <div class="trending-item"><span class="trend-num">4</span> #Weather</div>
            <div class="trending-item"><span class="trend-num">5</span> #Movies</div>
        </div>

        <div class="widget">
            <h3>Categories</h3>
            <div class="trending-item">World News</div>
            <div class="trending-item">Business</div>
        </div>
    </div>

```

```
    <div class="trending-item">Technology</div>
    <div class="trending-item">Sports</div>
    <div class="trending-item">Entertainment</div>
  </div>
```

```
  <div class="ad">Advertisement</div>
</div>
```

```
</div>
```

```
<footer>&copy; 2025 Daily News Network. All Rights Reserved.</footer>
```

```
</body>
```

```
</html>
```

Q4: Product Showcase Web Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Product Showcase</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: #f4f6f9;
      padding: 30px;
    }
    h1 {
      text-align: center;
      font-size: 34px;
      color: #1a1a2e;
      margin-bottom: 6px;
    }
    .subtitle {
      text-align: center;
      color: #888;
      margin-bottom: 30px;
      font-size: 15px;
    }

    /* Product grid */
    .grid {
      display: grid;
      grid-template-columns: repeat(3, 1fr);
      gap: 24px;
      max-width: 960px;
      margin: auto;
    }

    /* Product card */
    .product {
      background: white;
      border-radius: 10px;
      overflow: hidden;
      box-shadow: 0 2px 10px rgba(0,0,0,0.08);
      transition: background-color 0.35s, transform 0.3s, box-shadow 0.3s;
    }
    .product:hover {
      background-color: #e8f4fd;
      transform: translateY(-4px);
      box-shadow: 0 8px 20px rgba(0,0,0,0.12);
    }

    /* Image placeholder */
    .product-img {
      width: 100%;
      height: 170px;
      background: linear-gradient(135deg, #c9d6ff, #e2e2e2);
      display: flex;
```

```

    align-items: center;
    justify-content: center;
    font-size: 15px;
    color: #777;
  }
  .product-info { padding: 16px; }
  .product-info h3 { font-size: 18px; color: #1a1a2e; margin-bottom: 6px; }
  .price {
    font-size: 20px;
    color: #27ae60;
    font-weight: bold;
    margin-bottom: 8px;
  }
  .desc { font-size: 13px; color: #666; line-height: 1.5; margin-bottom: 12px; }
  .btn {
    display: inline-block;
    padding: 8px 18px;
    background: #1a1a2e;
    color: white;
    border-radius: 5px;
    font-size: 13px;
    text-decoration: none;
    cursor: pointer;
    border: none;
  }
  .btn:hover { background: #003399; }
</style>
</head>
<body>

<h1>Our Products</h1>
<p class="subtitle">Hover over a product to highlight it</p>

<div class="grid">

  <div class="product">
    <div class="product-img">[ Product Image ]</div>
    <div class="product-info">
      <h3>Wireless Headphones</h3>
      <div class="price">$49.99</div>
      <p class="desc">High-quality sound with active noise cancellation and 20-hour battery
life.</p>
      <button class="btn">View Details</button>
    </div>
  </div>

  <div class="product">
    <div class="product-img">[ Product Image ]</div>
    <div class="product-info">
      <h3>Smartwatch Pro</h3>
      <div class="price">$99.99</div>
      <p class="desc">Track fitness, receive notifications, and monitor health metrics 24/7.</p>
      <button class="btn">View Details</button>
    </div>
  </div>

  <div class="product">
    <div class="product-img">[ Product Image ]</div>

```

```
<div class="product-info">
  <h3>Laptop Stand</h3>
  <div class="price">$29.99</div>
  <p class="desc">Ergonomic adjustable aluminum stand compatible with all laptops.</p>
  <button class="btn">View Details</button>
</div>
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Q5: Contact Us Form Styling

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Contact Us</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #dce8ff, #f0f4ff);
      min-height: 100vh;
      display: flex;
      align-items: center;
      justify-content: center;
      padding: 20px;
    }

    .card {
      background: white;
      border-radius: 12px;
      padding: 40px;
      width: 440px;
      box-shadow: 0 6px 24px rgba(0,0,50,0.12);
    }

    .card h2 {
      text-align: center;
      font-size: 26px;
      color: #002855;
      margin-bottom: 6px;
    }

    .card p.tagline {
      text-align: center;
      font-size: 13px;
      color: #888;
      margin-bottom: 24px;
    }

    label {
      display: block;
      font-size: 13px;
      font-weight: bold;
      color: #444;
      margin-top: 16px;
      margin-bottom: 5px;
    }

    input, textarea {
      width: 100%;
      padding: 10px 14px;
      border: 1.5px solid #ccc;
      border-radius: 8px;
      font-size: 14px;
      transition: border-color 0.3s;
```



```

        outline: none;
    }
    input:focus, textarea:focus {
        border-color: #003399;
    }

    textarea {
        height: 110px;
        resize: vertical;
    }

    button {
        margin-top: 22px;
        width: 100%;
        padding: 13px;
        background: #002855;
        color: white;
        border: none;
        border-radius: 8px;
        font-size: 16px;
        font-weight: bold;
        cursor: pointer;
        transition: background-color 0.3s;
    }
    button:hover {
        background-color: #0052cc;
    }
</style>
</head>
<body>
<div class="card">
    <h2>Contact Us</h2>
    <p class="tagline">We'd love to hear from you. Fill in the form below.</p>

    <label for="name">Full Name</label>
    <input type="text" id="name" placeholder="Enter your full name">

    <label for="email">Email Address</label>
    <input type="email" id="email" placeholder="Enter your email">

    <label for="phone">Phone Number</label>
    <input type="tel" id="phone" placeholder="Enter your phone number">

    <label for="message">Message</label>
    <textarea id="message" placeholder="Write your message here..."></textarea>

    <button type="submit">Send Message</button>
</div>
</body>
</html>

```

Q6: Responsive Navigation Bar

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Navigation Bar</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; }

    /* Sticky navbar */
    .navbar {
      background-color: #1a1a2e;
      position: sticky;
      top: 0;
      z-index: 999;
      display: flex;
      justify-content: space-between;
      align-items: center;
      padding: 0 30px;
      box-shadow: 0 2px 8px rgba(0,0,0,0.3);
    }

    /* Brand logo on the left */
    .brand {
      color: #ffcc00;
      font-size: 22px;
      font-weight: bold;
      padding: 14px 0;
    }

    /* Links on the right */
    .nav-links a {
      color: #cce0ff;
      text-decoration: none;
      padding: 18px 20px;
      display: inline-block;
      font-size: 15px;
      font-weight: bold;
      transition: color 0.3s, background-color 0.3s;
    }
    .nav-links a:hover {
      color: #ffcc00;
      background-color: rgba(255,255,255,0.05);
    }

    /* Page content to demonstrate scrolling */
    .section {
      padding: 80px 60px;
      min-height: 400px;
      border-bottom: 1px solid #ddd;
    }
    .section:nth-child(even) { background: #f4f4f4; }
    .section h2 { font-size: 28px; color: #1a1a2e; margin-bottom: 12px; }
    .section p { color: #555; font-size: 15px; line-height: 1.7; }
```

```
</style>
</head>
<body>

<nav class="navbar">
  <div class="brand">MySite</div>
  <div class="nav-links">
    <a href="#home">Home</a>
    <a href="#about">About</a>
    <a href="#services">Services</a>
    <a href="#contact">Contact</a>
  </div>
</nav>

<div id="home" class="section">
  <h2>Home</h2>
  <p>Scroll down to see the navbar remain fixed at the top of the page.</p>
</div>
<div id="about" class="section">
  <h2>About</h2>
  <p>This is the About section of the page.</p>
</div>
<div id="services" class="section">
  <h2>Services</h2>
  <p>This is the Services section of the page.</p>
</div>
<div id="contact" class="section">
  <h2>Contact</h2>
  <p>Reach us at contact@mysite.com</p>
</div>

</body>
</html>
```

Q7: Image Gallery with Hover Effects

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Photo Gallery</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: #1a1a2e;
      padding: 30px;
    }
    h1 {
      text-align: center;
      color: white;
      font-size: 34px;
      margin-bottom: 6px;
    }
    p.sub {
      text-align: center;
      color: #aaa;
      margin-bottom: 28px;
      font-size: 14px;
    }

    /* Gallery grid */
    .gallery {
      display: grid;
      grid-template-columns: repeat(3, 1fr);
      gap: 16px;
      max-width: 900px;
      margin: auto;
    }

    /* Each gallery item */
    .gallery-item {
      height: 200px;
      background: linear-gradient(135deg, #c9d6ff, #b0bec5);
      border: 3px solid #444;
      border-radius: 8px;
      box-shadow: 0 4px 12px rgba(0,0,0,0.4);
      display: flex;
      align-items: center;
      justify-content: center;
      font-size: 16px;
      color: #333;
      cursor: pointer;
      transition: transform 0.3s, border-color 0.3s, box-shadow 0.3s;
      overflow: hidden;
      position: relative;
    }

    /* Hover: scale up + bright border */
    .gallery-item:hover {
```

```

    transform: scale(1.07);
    border-color: #ffcc00;
    box-shadow: 0 8px 24px rgba(255,204,0,0.3);
}

/* Give each item a different gradient */
.gallery-item:nth-child(1) { background: linear-gradient(135deg, #a8edea, #fed6e3); }
.gallery-item:nth-child(2) { background: linear-gradient(135deg, #ffecd2, #fcb69f); }
.gallery-item:nth-child(3) { background: linear-gradient(135deg, #a1c4fd, #c2e9fb); }
.gallery-item:nth-child(4) { background: linear-gradient(135deg, #d4fc79, #96e6a1); }
.gallery-item:nth-child(5) { background: linear-gradient(135deg, #f093fb, #f5576c); color:
white; }
.gallery-item:nth-child(6) { background: linear-gradient(135deg, #4facfe, #00f2fe); color:
white; }
</style>
</head>
<body>

<h1>Photo Gallery</h1>
<p class="sub">Hover over an image to zoom in</p>

<div class="gallery">
  <div class="gallery-item">Image 1</div>
  <div class="gallery-item">Image 2</div>
  <div class="gallery-item">Image 3</div>
  <div class="gallery-item">Image 4</div>
  <div class="gallery-item">Image 5</div>
  <div class="gallery-item">Image 6</div>
</div>

</body>
</html>

```

Q8: Restaurant Menu Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Restaurant Menu</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Georgia, serif;
      background: #1c1c1c;
      color: #f0e6d3;
      padding: 30px;
    }

    /* Page title */
    .menu-title {
      text-align: center;
      font-size: 48px;
      color: #e2b97e;
      letter-spacing: 3px;
      margin-bottom: 6px;
    }
    .menu-sub {
      text-align: center;
      font-size: 14px;
      color: #aaa;
      letter-spacing: 2px;
      margin-bottom: 36px;
    }
    .divider {
      text-align: center;
      color: #e2b97e;
      font-size: 22px;
      margin-bottom: 30px;
    }

    /* Container */
    .menu-container { max-width: 700px; margin: auto; }

    /* Section heading */
    .category {
      font-size: 22px;
      color: #e2b97e;
      border-bottom: 1px solid #444;
      padding-bottom: 8px;
      margin-top: 32px;
      margin-bottom: 16px;
      text-transform: uppercase;
      letter-spacing: 2px;
    }

    /* Menu item */
    .item {
      display: flex;
```

```

        justify-content: space-between;
        align-items: flex-start;
        padding: 10px 0;
        border-bottom: 1px dotted #444;
    }
    .item-left { flex: 1; padding-right: 20px; }
    .item-name {
        font-weight: bold;
        font-size: 17px;
        color: #f5deb3;
    }
    .item-desc {
        font-size: 13px;
        color: #aaa;
        margin-top: 4px;
        font-style: italic;
        font-family: Arial, sans-serif;
    }
    .item-price {
        font-size: 16px;
        color: #e2b97e;
        font-weight: bold;
        white-space: nowrap;
    }
}
</style>
</head>
<body>

<div class="menu-container">
    <h1 class="menu-title">Our Menu</h1>
    <p class="menu-sub">Fresh ingredients &bull; Authentic flavors &bull; Crafted with love</p>
    <div class="divider">&#10022; &#10022; &#10022;</div>

    <h2 class="category">Starters</h2>
    <div class="item">
        <div class="item-left">
            <div class="item-name">Garlic Bread</div>
            <div class="item-desc">Toasted baguette with herb butter and roasted garlic.</div>
        </div>
        <div class="item-price">$3.99</div>
    </div>
    <div class="item">
        <div class="item-left">
            <div class="item-name">Tomato Basil Soup</div>
            <div class="item-desc">Slow-cooked tomato soup with fresh basil and cream.</div>
        </div>
        <div class="item-price">$4.99</div>
    </div>

    <h2 class="category">Main Course</h2>
    <div class="item">
        <div class="item-left">
            <div class="item-name">Grilled Chicken</div>
            <div class="item-desc">Served with mashed potatoes, grilled vegetables, and sauce.</div>
        </div>
        <div class="item-price">$12.99</div>
    </div>
    <div class="item">

```

```
<div class="item-left">
  <div class="item-name">Pasta Alfredo</div>
  <div class="item-desc">Creamy fettuccine with mushrooms, parmesan, and fresh herbs.</div>
</div>
<div class="item-price">$10.99</div>
</div>

<h2 class="category">Desserts</h2>
<div class="item">
  <div class="item-left">
    <div class="item-name">Chocolate Lava Cake</div>
    <div class="item-desc">Warm chocolate sponge with a molten center, served with ice
cream.</div>
  </div>
  <div class="item-price">$6.99</div>
</div>

<h2 class="category">Beverages</h2>
<div class="item">
  <div class="item-left">
    <div class="item-name">Fresh Lemonade</div>
    <div class="item-desc">Freshly squeezed lemon with mint leaves and ice.</div>
  </div>
  <div class="item-price">$2.99</div>
</div>
<div class="item">
  <div class="item-left">
    <div class="item-name">Cold Brew Coffee</div>
    <div class="item-desc">Smooth cold-brewed coffee served over ice with milk.</div>
  </div>
  <div class="item-price">$3.49</div>
</div>

</div>
</body>
</html>
```


Q9: CSS Animations for a Welcome Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Welcome Page</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #0f0c29, #302b63, #24243e);
      min-height: 100vh;
      display: flex;
      flex-direction: column;
      align-items: center;
      justify-content: center;
      text-align: center;
      padding: 20px;
    }

    /* Main heading fades in */
    h1 {
      font-size: 64px;
      color: white;
      animation: fadeIn 2s ease-in forwards;
      opacity: 0;
    }

    /* Subheading slides in from the left */
    h2 {
      font-size: 24px;
      color: #b0c8ff;
      margin-top: 16px;
      animation: slideInLeft 1.5s ease-out 0.5s forwards;
      opacity: 0;
    }

    /* Tagline fades in later */
    p.tagline {
      color: #888;
      font-size: 15px;
      margin-top: 10px;
      animation: fadeIn 2s ease-in 1.5s forwards;
      opacity: 0;
    }

    /* Button with color transition */
    .btn {
      margin-top: 40px;
      padding: 16px 50px;
      font-size: 18px;
      background: #e94560;
      color: white;
      border: none;
      border-radius: 8px;
    }
```

```
    cursor: pointer;
    animation: fadeIn 2s ease-in 1s forwards;
    opacity: 0;
    transition: background-color 0.4s, transform 0.2s;
}
.btn:hover {
    background-color: #c0392b;
    transform: scale(1.05);
}

/* Keyframe animations */
@keyframes fadeIn {
    from { opacity: 0; }
    to   { opacity: 1; }
}
@keyframes slideInLeft {
    from { transform: translateX(-120px); opacity: 0; }
    to   { transform: translateX(0);      opacity: 1; }
}
</style>
</head>
<body>

    <h1>Welcome!</h1>
    <h2>We are glad to have you here.</h2>
    <p class="tagline">Explore. Learn. Create.</p>
    <button class="btn">Get Started</button>

</body>
</html>
```

Q10: Multi-Section Landing Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Landing Page</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; color: #333; }

    /* — Hero Section — */
    .hero {
      background: linear-gradient(rgba(0,20,60,0.75), rgba(0,20,60,0.75)),
        linear-gradient(135deg, #1a1a2e, #16213e);
      color: white;
      text-align: center;
      padding: 120px 20px;
    }
    .hero h1 { font-size: 52px; margin-bottom: 14px; }
    .hero p { font-size: 20px; color: #b0c8e8; margin-bottom: 28px; }
    .hero button {
      padding: 14px 40px;
      font-size: 17px;
      background: #e94560;
      color: white;
      border: none;
      border-radius: 6px;
      cursor: pointer;
      transition: background 0.3s;
    }
    .hero button:hover { background: #c0392b; }

    /* — Shared section styles — */
    section { padding: 70px 120px; }
    section:nth-child(even) { background: #f4f6fa; }
    section h2 {
      font-size: 32px;
      color: #1a1a2e;
      margin-bottom: 16px;
      position: relative;
    }
    section h2::after {
      content: "";
      display: block;
      width: 50px;
      height: 4px;
      background: #e94560;
      margin-top: 8px;
    }
    section p { font-size: 16px; color: #555; line-height: 1.8; max-width: 700px; }

    /* — Services cards — */
    .services-grid {
      display: grid;
      grid-template-columns: repeat(3, 1fr);
```

```

        gap: 20px;
        margin-top: 20px;
    }
    .service-card {
        background: white;
        border-radius: 8px;
        padding: 24px;
        border-left: 4px solid #1a1a2e;
        box-shadow: 0 2px 8px rgba(0,0,0,0.07);
    }
    .service-card h3 { color: #1a1a2e; margin-bottom: 8px; font-size: 18px; }
    .service-card p { font-size: 14px; color: #666; line-height: 1.6; }

    /* — Contact info — */
    .contact-info { font-size: 16px; color: #555; line-height: 2; margin-top: 12px; }
    .contact-info span { font-weight: bold; color: #1a1a2e; }

    footer {
        background: #1a1a2e;
        color: #aaa;
        text-align: center;
        padding: 18px;
        font-size: 13px;
    }
</style>
</head>
<body>

<!-- HERO -->
<div class="hero">
    <h1>Welcome to Our Website</h1>
    <p>Building the future, one step at a time.</p>
    <button>Explore Now</button>
</div>

<!-- ABOUT US -->
<section id="about">
    <h2>About Us</h2>
    <p>We are a passionate team dedicated to delivering the best digital solutions.
        With years of experience, we help businesses grow and succeed online through
        innovation, creativity, and technical excellence.</p>
</section>

<!-- SERVICES -->
<section id="services">
    <h2>Our Services</h2>
    <div class="services-grid">
        <div class="service-card">
            <h3>Web Development</h3>
            <p>Custom websites built with the latest technologies for speed and reliability.</p>
        </div>
        <div class="service-card">
            <h3>Digital Marketing</h3>
            <p>Data-driven campaigns that increase visibility and drive real growth.</p>
        </div>
        <div class="service-card">
            <h3>SEO & Analytics</h3>
            <p>Optimize your search rankings and understand your audience with data.</p>
        </div>
    </div>

```

```
    </div>
  </div>
</section>
```

```
<!-- CONTACT -->
```

```
<section id="contact">
```

```
  <h2>Contact Us</h2>
```

```
  <div class="contact-info">
```

```
    <p><span>Email:</span> info@ourwebsite.com</p>
```

```
    <p><span>Phone:</span> +1 800-123-4567</p>
```

```
    <p><span>Address:</span> 456 Tech Street, Silicon Valley, CA</p>
```

```
  </div>
```

```
</section>
```

```
<footer>&copy; 2025 Our Website. All Rights Reserved.</footer>
```

```
</body>
```

```
</html>
```

Q11: Personal Portfolio Web Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Portfolio - Jane Smith</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; background: #f0f4f8; }

    /* Header */
    .header {
      background: linear-gradient(135deg, #1a1a2e, #16213e);
      color: white;
      text-align: center;
      padding: 50px 20px;
    }
    .profile-pic {
      width: 120px; height: 120px;
      border-radius: 50%;
      background: #aaa;
      margin: 0 auto 16px;
      display: flex;
      align-items: center;
      justify-content: center;
      font-size: 13px;
      color: #fff;
      border: 4px solid #ffcc00;
    }
    .header h1 { font-size: 32px; }
    .header p { color: #b0c8ff; margin-top: 6px; font-size: 16px; }

    /* Section wrapper */
    section {
      max-width: 860px;
      margin: 0 auto;
      padding: 40px 30px;
    }
    section:nth-child(even) { background: white; max-width: 100%; }
    section:nth-child(even) > div,
    section:nth-child(even) { padding-left: 0; padding-right: 0; }

    /* Section titles */
    .inner { max-width: 860px; margin: auto; padding: 0 30px; }
    h2 {
      font-size: 24px;
      color: #1a1a2e;
      border-left: 5px solid #e94560;
      padding-left: 12px;
      margin-bottom: 18px;
    }
    p.body-text { font-size: 15px; color: #555; line-height: 1.7; }

    /* Skills badges */
    .skills-list { display: flex; flex-wrap: wrap; gap: 10px; margin-top: 6px; }
```

```

.skill1 {
  padding: 7px 18px;
  border-radius: 20px;
  font-size: 14px;
  font-weight: bold;
}
.html { background: #ffe0e0; color: #c0392b; }
.css { background: #e0f7fa; color: #0277bd; }
.js { background: #fff9c4; color: #f57f17; }
.py { background: #e8f5e9; color: #2e7d32; }
.java { background: #ede7f6; color: #6ab9a; }
.git { background: #fce4ec; color: #ad1457; }

/* Projects */
.project-card {
  background: #f9f9f9;
  border: 1px solid #ddd;
  border-radius: 8px;
  padding: 16px 20px;
  margin-bottom: 12px;
  border-left: 4px solid #1a1a2e;
}
.project-card h3 { font-size: 17px; color: #1a1a2e; margin-bottom: 6px; }
.project-card p { font-size: 14px; color: #666; }

/* Contact */
.contact-info p { font-size: 15px; color: #555; margin: 6px 0; }

footer {
  background: #1a1a2e;
  color: #aaa;
  text-align: center;
  padding: 16px;
  font-size: 13px;
}
</style>
</head>
<body>

<div class="header">
  <div class="profile-pic">Photo</div>
  <h1>Jane Smith</h1>
  <p>Front-End Developer &bull; UI Designer</p>
</div>

<section>
  <h2>About Me</h2>
  <p class="body-text">
    I am a passionate front-end developer with a love for clean, responsive web design.
    I enjoy turning ideas into interactive and user-friendly experiences using
    modern HTML, CSS, and JavaScript.
  </p>
</section>

<section style="background: white; padding: 40px 0;">
  <div class="inner">
    <h2>Skills</h2>
    <div class="skills-list">

```

```
        <span class="skill html">HTML5</span>
        <span class="skill css">CSS3</span>
        <span class="skill js">JavaScript</span>
        <span class="skill py">Python</span>
        <span class="skill java">Java</span>
        <span class="skill git">Git</span>
    </div>
</div>
</section>

<section>
    <h2>Projects</h2>
    <div class="project-card">
        <h3>Personal Portfolio Website</h3>
        <p>A responsive portfolio built with HTML, CSS, and JavaScript to showcase my work.</p>
    </div>
    <div class="project-card">
        <h3>To-Do List App</h3>
        <p>A task management application with add, delete, and mark-complete features.</p>
    </div>
</section>

<section style="background: white; padding: 40px 0;">
    <div class="inner">
        <h2>Contact</h2>
        <div class="contact-info">
            <p>Email: jane@email.com</p>
            <p>Phone: +1 987-654-3210</p>
            <p>LinkedIn: linkedin.com/in/janesmith</p>
        </div>
    </div>
</section>

<footer>&copy; 2025 Jane Smith. All Rights Reserved.</footer>

</body>
</html>
```


Q12: Team Members Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Team Members</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: #f0f4f8;
      padding: 40px 20px;
    }
    h1 {
      text-align: center;
      font-size: 36px;
      color: #1a1a2e;
      margin-bottom: 8px;
    }
    .subtitle {
      text-align: center;
      color: #888;
      font-size: 15px;
      margin-bottom: 36px;
    }

    /* Centered grid of 4 members */
    .team {
      display: grid;
      grid-template-columns: repeat(4, 1fr);
      gap: 22px;
      max-width: 1020px;
      margin: auto;
    }

    /* Member card */
    .member {
      background: white;
      border-radius: 10px;
      padding: 28px 16px;
      text-align: center;
      box-shadow: 0 2px 12px rgba(0,0,0,0.08);
      transition: transform 0.3s, box-shadow 0.3s;
    }
    .member:hover {
      transform: translateY(-5px);
      box-shadow: 0 8px 24px rgba(0,0,0,0.13);
    }

    .pic {
      width: 86px;
      height: 86px;
      border-radius: 50%;
      background: linear-gradient(135deg, #c9d6ff, #b0bec5);
      margin: 0 auto 14px;
```

```

        display: flex;
        align-items: center;
        justify-content: center;
        color: #555;
        font-size: 12px;
        border: 3px solid #e0e8ff;
    }

.member h3 { font-size: 16px; color: #1a1a2e; margin-bottom: 4px; }
.role {
    font-size: 12px;
    color: #e94560;
    font-weight: bold;
    text-transform: uppercase;
    letter-spacing: 1px;
    margin-bottom: 10px;
}
.bio { font-size: 13px; color: #666; line-height: 1.5; }
</style>
</head>
<body>

<h1>Meet Our Team</h1>
<p class="subtitle">The people behind our success</p>

<div class="team">
    <div class="member">
        <div class="pic">Photo</div>
        <h3>Alice Johnson</h3>
        <p class="role">CEO</p>
        <p class="bio">Leads the company with 10+ years of strategic and leadership experience.</p>
    </div>
    <div class="member">
        <div class="pic">Photo</div>
        <h3>Bob Smith</h3>
        <p class="role">Developer</p>
        <p class="bio">Full-stack expert specializing in web and mobile application development.</p>
    </div>
    <div class="member">
        <div class="pic">Photo</div>
        <h3>Clara Davis</h3>
        <p class="role">UI Designer</p>
        <p class="bio">Creates beautiful, intuitive user interfaces and seamless experiences.</p>
    </div>
    <div class="member">
        <div class="pic">Photo</div>
        <h3>David Lee</h3>
        <p class="role">Marketing</p>
        <p class="bio">Drives brand growth through data-driven digital marketing strategies.</p>
    </div>
</div>

</body>
</html>

```

Q13: Pricing Table for a Website

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Pricing Table</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: #f0f4ff;
      padding: 40px 20px;
    }
    h1 { text-align: center; font-size: 34px; color: #1a1a2e; margin-bottom: 6px; }
    p.sub { text-align: center; color: #888; margin-bottom: 36px; font-size: 15px; }

    /* Three-column pricing layout */
    .pricing {
      display: flex;
      justify-content: center;
      gap: 24px;
      flex-wrap: wrap;
    }

    .plan {
      background: white;
      border: 1px solid #dde;
      border-radius: 12px;
      padding: 34px 28px;
      width: 230px;
      text-align: center;
      box-shadow: 0 2px 10px rgba(0,0,0,0.06);
      transition: transform 0.3s, box-shadow 0.3s;
    }
    .plan:hover {
      transform: translateY(-6px);
      box-shadow: 0 10px 28px rgba(0,0,0,0.12);
    }

    /* Highlighted middle plan */
    .plan.popular {
      background: #1a1a2e;
      color: white;
      border-color: #1a1a2e;
      transform: scale(1.04);
    }
    .popular-badge {
      background: #e94560;
      color: white;
      font-size: 11px;
      padding: 3px 12px;
      border-radius: 20px;
      font-weight: bold;
      display: inline-block;
      margin-bottom: 12px;
    }
```

```

    letter-spacing: 1px;
}

.plan h2 { font-size: 22px; color: #1a1a2e; margin-bottom: 10px; }
.plan.popular h2 { color: white; }

.price {
    font-size: 40px;
    font-weight: bold;
    color: #1a1a2e;
    margin: 12px 0;
}
.price span { font-size: 15px; font-weight: normal; color: #888; }
.plan.popular .price { color: #ffcc00; }
.plan.popular .price span { color: #aaa; }

ul {
    list-style: none;
    margin: 18px 0;
    text-align: left;
}
li {
    padding: 7px 0;
    border-bottom: 1px solid #eee;
    font-size: 14px;
    color: #555;
}
li::before { content: "✓ "; color: #27ae60; font-weight: bold; }
.plan.popular li { color: #cce0ff; border-color: rgba(255,255,255,0.1); }
.plan.popular li::before { color: #ffcc00; }

button {
    margin-top: 10px;
    width: 100%;
    padding: 11px;
    border: 2px solid #1a1a2e;
    background: transparent;
    color: #1a1a2e;
    border-radius: 6px;
    font-size: 15px;
    font-weight: bold;
    cursor: pointer;
    transition: background 0.3s, color 0.3s;
}
button:hover { background: #1a1a2e; color: white; }
.plan.popular button { border-color: white; color: white; }
.plan.popular button:hover { background: white; color: #1a1a2e; }
</style>
</head>
<body>

<h1>Choose Your Plan</h1>
<p class="sub">Flexible pricing for every need. No hidden fees.</p>

<div class="pricing">

    <div class="plan">
        <h2>Basic</h2>

```

```
<div class="price">$5<span>/mo</span></div>
<ul>
  <li>5 GB Storage</li>
  <li>1 Website</li>
  <li>Basic Support</li>
  <li>Free SSL</li>
</ul>
<button>Get Started</button>
</div>
```

```
<div class="plan popular">
  <div class="popular-badge">MOST POPULAR</div>
  <h2>Standard</h2>
  <div class="price">$15<span>/mo</span></div>
  <ul>
    <li>20 GB Storage</li>
    <li>5 Websites</li>
    <li>Priority Support</li>
    <li>Free Domain</li>
  </ul>
  <button>Get Started</button>
</div>
```

```
<div class="plan">
  <h2>Premium</h2>
  <div class="price">$30<span>/mo</span></div>
  <ul>
    <li>100 GB Storage</li>
    <li>Unlimited Websites</li>
    <li>24/7 Support</li>
    <li>Dedicated IP</li>
  </ul>
  <button>Get Started</button>
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Q14: CSS Hover Effects on Buttons

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Button Hover Effects</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #f0f4ff, #dce8ff);
      min-height: 100vh;
      display: flex;
      flex-direction: column;
      align-items: center;
      justify-content: center;
      gap: 20px;
      padding: 30px;
    }
    h1 { color: #1a1a2e; margin-bottom: 10px; font-size: 28px; }
    p.note { color: #888; font-size: 14px; margin-bottom: 20px; }

    /* Shared base */
    button {
      padding: 14px 50px;
      font-size: 17px;
      border-radius: 7px;
      cursor: pointer;
      font-weight: bold;
    }

    /* Button 1: Background color changes on hover */
    .btn1 {
      background-color: #1a1a2e;
      color: white;
      border: 2px solid #1a1a2e;
      transition: background-color 0.35s, color 0.35s;
    }
    .btn1:hover {
      background-color: #e94560;
      border-color: #e94560;
    }

    /* Button 2: Increases in size on hover */
    .btn2 {
      background-color: #27ae60;
      color: white;
      border: 2px solid #27ae60;
      transition: transform 0.3s ease;
    }
    .btn2:hover {
      transform: scale(1.18);
    }

    /* Button 3: Underline slides in on hover */
```

```

.btn3 {
  background: transparent;
  color: #1a1a2e;
  border: 2px solid #1a1a2e;
  position: relative;
  overflow: hidden;
  transition: color 0.3s;
}
.btn3::after {
  content: "";
  position: absolute;
  bottom: 0;
  left: 0;
  width: 0%;
  height: 3px;
  background: #e94560;
  transition: width 0.35s ease;
}
.btn3:hover::after { width: 100%; }
.btn3:hover { color: #e94560; border-color: #e94560; }

.label { font-size: 13px; color: #888; margin-top: -10px; }
</style>
</head>
<body>

<h1>CSS Hover Effects on Buttons</h1>
<p class="note">Hover over each button to see the effect</p>

<button class="btn1">Button 1 &mdash; Color Change</button>
<p class="label">Background changes from dark to red on hover</p>

<button class="btn2">Button 2 &mdash; Scale Up</button>
<p class="label">Button grows in size when hovered</p>

<button class="btn3">Button 3 &mdash; Underline Effect</button>
<p class="label">Animated underline slides in from the left</p>

</body>
</html>

```

Q15: Multi-Page Website with Navigation

```
<!-- ===== home.html ===== -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Home - MySite</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; }
    nav {
      background: #1a1a2e;
      display: flex;
      justify-content: space-between;
      align-items: center;
      padding: 0 30px;
    }
    .brand { color: #ffcc00; font-size: 20px; font-weight: bold; padding: 14px 0; }
    nav a {
      color: #cce0ff;
      text-decoration: none;
      padding: 16px 20px;
      display: inline-block;
      font-size: 15px;
      font-weight: bold;
    }
    nav a:hover { color: #ffcc00; }
    /* Active page is highlighted in red */
    nav a.active { background: #e94560; color: white; }
    .content { padding: 60px 80px; }
    .content h1 { color: #1a1a2e; font-size: 36px; margin-bottom: 14px; }
    .content p { color: #555; font-size: 16px; line-height: 1.7; }
  </style>
</head>
<body>
  <nav>
    <div class="brand">MySite</div>
    <div>
      <a href="home.html" class="active">Home</a>
      <a href="services.html">Services</a>
      <a href="contact.html">Contact</a>
    </div>
  </nav>
  <div class="content">
    <h1>Welcome to MySite</h1>
    <p>This is the home page. Use the navigation bar at the top to visit other pages.
      The currently active page is highlighted in red in the navigation bar.</p>
  </div>
</body>
</html>

<!-- ===== services.html ===== -->
<!DOCTYPE html>
<html lang="en">
<head>
```



```

<meta charset="UTF-8">
<title>Services - MySite</title>
<style>
  * { margin: 0; padding: 0; box-sizing: border-box; }
  body { font-family: Arial, sans-serif; }
  nav { background: #1a1a2e; display: flex; justify-content: space-between; align-items: center;
padding: 0 30px; }
  .brand { color: #ffcc00; font-size: 20px; font-weight: bold; padding: 14px 0; }
  nav a { color: #cce0ff; text-decoration: none; padding: 16px 20px; display: inline-block;
font-size: 15px; font-weight: bold; }
  nav a:hover { color: #ffcc00; }
  nav a.active { background: #e94560; color: white; }
  .content { padding: 60px 80px; }
  .content h1 { color: #1a1a2e; font-size: 36px; margin-bottom: 14px; }
  .content p { color: #555; font-size: 16px; line-height: 1.7; }
  .service-list { margin-top: 20px; }
  .service-list li { padding: 10px 0; border-bottom: 1px solid #eee; color: #555; font-size:
15px; }
</style>
</head>
<body>
  <nav>
    <div class="brand">MySite</div>
    <div>
      <a href="home.html">Home</a>
      <a href="services.html" class="active">Services</a>
      <a href="contact.html">Contact</a>
    </div>
  </nav>
  <div class="content">
    <h1>Our Services</h1>
    <p>We provide a range of professional digital services:</p>
    <ul class="service-list">
      <li>Web Design & Development</li>
      <li>Digital Marketing</li>
      <li>SEO & Analytics</li>
      <li>Mobile App Development</li>
    </ul>
  </div>
</body>
</html>

```

```

<!-- ===== contact.html ===== -->
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Contact - MySite</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; }
    nav { background: #1a1a2e; display: flex; justify-content: space-between; align-items: center;
padding: 0 30px; }
    .brand { color: #ffcc00; font-size: 20px; font-weight: bold; padding: 14px 0; }
    nav a { color: #cce0ff; text-decoration: none; padding: 16px 20px; display: inline-block;
font-size: 15px; font-weight: bold; }
    nav a:hover { color: #ffcc00; }
    nav a.active { background: #e94560; color: white; }

```

```
.content { padding: 60px 80px; }
.content h1 { color: #1a1a2e; font-size: 36px; margin-bottom: 14px; }
.content p { color: #555; font-size: 16px; line-height: 1.7; margin: 6px 0; }
</style>
</head>
<body>
  <nav>
    <div class="brand">MySite</div>
    <div>
      <a href="home.html">Home</a>
      <a href="services.html">Services</a>
      <a href="contact.html" class="active">Contact</a>
    </div>
  </nav>
  <div class="content">
    <h1>Contact Us</h1>
    <p>Email: contact@mysite.com</p>
    <p>Phone: +1 800-123-4567</p>
    <p>Address: 456 Tech Street, Silicon Valley, CA</p>
  </div>
</body>
</html>
```

Q16: Blog Post Layout with Side Panel

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Blog Post</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; background: #f0f4f8; }

    /* Top bar */
    .topbar {
      background: #1a1a2e;
      color: white;
      padding: 14px 30px;
      font-size: 20px;
      font-weight: bold;
    }
    .topbar span { color: #ffcc00; }

    /* Layout: main content + sidebar */
    .layout {
      display: flex;
      max-width: 1050px;
      margin: 28px auto;
      gap: 22px;
      padding: 0 18px;
    }

    /* MAIN blog content */
    .main {
      flex: 3;
      background: white;
      padding: 28px 32px;
      border-radius: 8px;
      box-shadow: 0 2px 8px rgba(0,0,0,0.07);
    }
    .post-title {
      font-size: 26px;
      color: #1a1a2e;
      margin-bottom: 6px;
    }
    .post-meta {
      font-size: 13px;
      color: #aaa;
      margin-bottom: 20px;
    }
    .main h2 {
      font-size: 20px;
      color: #1a1a2e;
      margin: 22px 0 10px;
      border-left: 4px solid #e94560;
      padding-left: 10px;
    }
    .main p {
```

```

font-size: 15px;
color: #555;
line-height: 1.8;
margin-bottom: 10px;
}

/* SIDEBAR */
.sidebar { flex: 1; }
.widget {
  background: white;
  border-radius: 8px;
  padding: 18px;
  margin-bottom: 18px;
  box-shadow: 0 2px 8px rgba(0,0,0,0.07);
}
.widget h3 {
  font-size: 15px;
  font-weight: bold;
  color: #1a1a2e;
  border-bottom: 2px solid #e94560;
  padding-bottom: 7px;
  margin-bottom: 12px;
}
.widget ul { list-style: none; padding: 0; }
.widget li {
  padding: 7px 0;
  border-bottom: 1px solid #eee;
  font-size: 13px;
  color: #555;
  cursor: pointer;
}
.widget li:hover { color: #e94560; }
.widget li::before { content: "> "; color: #e94560; font-weight: bold; }
</style>
</head>
<body>

<div class="topbar"><span>Tech</span>Blog</div>

<div class="layout">

  <!-- MAIN BLOG CONTENT -->
  <div class="main">
    <h1 class="post-title">Introduction to HTML and CSS</h1>
    <p class="post-meta">Published on March 11, 2025 &nbsp;&nbsp;  By Admin &nbsp;&nbsp;&nbsp;
Category: HTML Tutorials</p>

    <h2>What is HTML?</h2>
    <p>HTML stands for HyperText Markup Language. It is the standard markup language
      used to create and structure content on the web. Every webpage you visit is built
      using HTML at its core.</p>

    <h2>What is CSS?</h2>
    <p>CSS stands for Cascading Style Sheets. It controls how HTML elements look on screen,
      including colors, fonts, spacing, and layout. CSS is what makes a plain HTML document
      look visually appealing.</p>

    <h2>Why Learn Both?</h2>

```

<p>HTML and CSS work hand in hand. HTML provides the structure and CSS applies the styling. Together they form the foundation of front-end web development. Every web developer must know both to build professional websites.</p>

<h2>Conclusion</h2>

<p>Start with HTML to understand structure, then move to CSS to make your pages look great. Practice by building small projects and you will improve quickly.</p>

</div>

<!-- SIDEBAR -->

<div class="sidebar">

<div class="widget">

<h3>Categories</h3>

HTML Tutorials

CSS Tips & Tricks

JavaScript

Responsive Design

Web Projects

</div>

<div class="widget">

<h3>Recent Posts</h3>

Getting Started with HTML5

CSS Flexbox Complete Guide

Top 10 HTML Tags to Know

Responsive Design Tips

</div>

<div class="widget">

<h3>About This Blog</h3>

<p style="font-size:13px; color:#666; line-height:1.6;">

TechBlog is a beginner-friendly resource for web development tutorials and tips.

</p>

</div>

</div>

</div>

</body>

</html>

Q17: Event Registration Form

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Event Registration Form</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #1a1a2e, #16213e);
      min-height: 100vh;
      display: flex;
      align-items: center;
      justify-content: center;
      padding: 30px;
    }

    /* Form card */
    .form-card {
      background: white;
      border-radius: 12px;
      overflow: hidden;
      width: 520px;
      box-shadow: 0 8px 30px rgba(0,0,0,0.3);
    }

    /* Colored top banner */
    .card-header {
      background: linear-gradient(135deg, #e94560, #c0392b);
      color: white;
      padding: 28px 30px;
    }
    .card-header h2 { font-size: 24px; margin-bottom: 4px; }
    .card-header p { font-size: 14px; opacity: 0.85; }

    /* Form body */
    .form-body { padding: 28px 30px; }

    label {
      display: block;
      font-size: 13px;
      font-weight: bold;
      color: #444;
      margin-top: 16px;
      margin-bottom: 5px;
    }

    input[type="text"],
    input[type="email"],
    input[type="tel"],
    input[type="date"],
    select {
      width: 100%;
      padding: 10px 13px;
```

```

border: 1.5px solid #ccc;
border-radius: 7px;
font-size: 14px;
outline: none;
transition: border-color 0.3s;
}
input:focus, select:focus {
border-color: #e94560;
}

/* Row for two fields side by side */
.row {
display: flex;
gap: 14px;
}
.row > div { flex: 1; }

/* Radio buttons */
.radio-group {
display: flex;
gap: 20px;
margin-top: 8px;
}
.radio-group label {
font-weight: normal;
display: flex;
align-items: center;
gap: 6px;
margin-top: 0;
}

/* Submit button */
.btn-row {
display: flex;
gap: 12px;
margin-top: 22px;
}
.btn-submit {
flex: 1;
padding: 12px;
background: #e94560;
color: white;
border: none;
border-radius: 7px;
font-size: 15px;
font-weight: bold;
cursor: pointer;
transition: background 0.3s;
}
.btn-submit:hover { background: #c0392b; }
.btn-reset {
padding: 12px 22px;
background: white;
color: #555;
border: 1.5px solid #ccc;
border-radius: 7px;
font-size: 15px;
cursor: pointer;
}

```

```

        transition: background 0.3s;
    }
    .btn-reset:hover { background: #f4f4f4; }
</style>
</head>
<body>

<div class="form-card">

    <!-- Header banner -->
    <div class="card-header">
        <h2>Event Registration</h2>
        <p>Fill in the form below to register for the upcoming tech event.</p>
    </div>

    <!-- Form -->
    <div class="form-body">

        <!-- Name row -->
        <div class="row">
            <div>
                <label for="fname">First Name</label>
                <input type="text" id="fname" placeholder="First name">
            </div>
            <div>
                <label for="lname">Last Name</label>
                <input type="text" id="lname" placeholder="Last name">
            </div>
        </div>

        <label for="email">Email Address</label>
        <input type="email" id="email" placeholder="you@email.com">

        <label for="phone">Phone Number</label>
        <input type="tel" id="phone" placeholder="+1 800-000-0000">

        <label for="event">Select Event</label>
        <select id="event">
            <option value="">-- Choose an event --</option>
            <option>Web Development Workshop</option>
            <option>AI & Machine Learning Talk</option>
            <option>Cybersecurity Seminar</option>
            <option>App Development Bootcamp</option>
        </select>

        <label for="date">Preferred Date</label>
        <input type="date" id="date">

        <label>Attendance Mode</label>
        <div class="radio-group">
            <label><input type="radio" name="mode" value="online"> Online</label>
            <label><input type="radio" name="mode" value="offline"> In-Person</label>
        </div>

        <div class="btn-row">
            <button type="submit" class="btn-submit">Register Now</button>
            <button type="reset" class="btn-reset">Reset</button>
        </div>
    </div>
</div>

```



```
    </div>  
</div>
```

```
</body>  
</html>
```

Q18: E-commerce Product Listing

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>E-commerce Products</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: #f5f5f5;
      padding: 30px;
    }

    /* Store header */
    .store-header {
      text-align: center;
      margin-bottom: 30px;
    }
    .store-header h1 { font-size: 34px; color: #1a1a2e; }
    .store-header p { color: #888; font-size: 15px; margin-top: 4px; }

    /* Product grid - 4 columns */
    .grid {
      display: grid;
      grid-template-columns: repeat(4, 1fr);
      gap: 18px;
      max-width: 1020px;
      margin: auto;
    }

    /* Product card */
    .product {
      background: white;
      border-radius: 10px;
      overflow: hidden;
      box-shadow: 0 2px 10px rgba(0,0,0,0.08);
      transition: transform 0.3s, box-shadow 0.3s;
    }
    .product:hover {
      transform: translateY(-4px);
      box-shadow: 0 8px 20px rgba(0,0,0,0.13);
    }

    /* Image area */
    .product-img {
      width: 100%;
      height: 140px;
      background: linear-gradient(135deg, #c9d6ff, #e2e2e2);
      display: flex;
      align-items: center;
      justify-content: center;
      font-size: 14px;
      color: #777;
    }
```

```

.product-info { padding: 14px; }
.product-info h3 { font-size: 16px; color: #1a1a2e; margin-bottom: 5px; }
.price {
  font-size: 20px;
  color: #27ae60;
  font-weight: bold;
  margin-bottom: 12px;
}

/* Add to Cart button */
.btn-cart {
  width: 100%;
  padding: 9px;
  background: #e94560;
  color: white;
  border: none;
  border-radius: 5px;
  font-size: 14px;
  font-weight: bold;
  cursor: pointer;
  transition: background 0.3s;
}
.btn-cart:hover { background: #c0392b; }
</style>
</head>
<body>

<div class="store-header">
  <h1>Our Products</h1>
  <p>Browse our latest collection of tech accessories</p>
</div>

<div class="grid">

  <div class="product">
    <div class="product-img">[ Image ]</div>
    <div class="product-info">
      <h3>Mechanical Keyboard</h3>
      <div class="price">$29.99</div>
      <button class="btn-cart">Add to Cart</button>
    </div>
  </div>

  <div class="product">
    <div class="product-img">[ Image ]</div>
    <div class="product-info">
      <h3>Gaming Mouse</h3>
      <div class="price">$19.99</div>
      <button class="btn-cart">Add to Cart</button>
    </div>
  </div>

  <div class="product">
    <div class="product-img">[ Image ]</div>
    <div class="product-info">
      <h3>27" Monitor</h3>
      <div class="price">$149.99</div>
    </div>
  </div>

```

```
        <button class="btn-cart">Add to Cart</button>
    </div>
</div>
```

```
<div class="product">
    <div class="product-img">[ Image ]</div>
    <div class="product-info">
        <h3>USB-C Hub</h3>
        <div class="price">$14.99</div>
        <button class="btn-cart">Add to Cart</button>
    </div>
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Q19: Testimonial Section (Static)

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Customer Testimonials</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #f0f4ff, #dce8ff);
      padding: 40px 20px;
    }
    h1 { text-align: center; font-size: 34px; color: #1a1a2e; margin-bottom: 6px; }
    p.sub { text-align: center; color: #888; font-size: 15px; margin-bottom: 36px; }

    /* Testimonial cards row */
    .testimonials {
      display: flex;
      justify-content: center;
      gap: 24px;
      flex-wrap: wrap;
    }

    .card {
      background: white;
      border-radius: 12px;
      padding: 28px 24px;
      width: 270px;
      box-shadow: 0 4px 16px rgba(0,0,0,0.09);
      text-align: center;
      position: relative;
    }

    /* Quote mark decoration */
    .card::before {
      content: open-quote;
      font-size: 60px;
      color: #e94560;
      position: absolute;
      top: 10px;
      left: 18px;
      line-height: 1;
    }

    .pic {
      width: 72px; height: 72px;
      border-radius: 50%;
      background: linear-gradient(135deg, #c9d6ff, #b0bec5);
      margin: 0 auto 12px;
      display: flex;
      align-items: center;
      justify-content: center;
      font-size: 12px;
      color: #555;
    }
```

```

        border: 3px solid #e0e8ff;
    }
    .name {
        font-weight: bold;
        font-size: 16px;
        color: #1a1a2e;
        margin-bottom: 4px;
    }
    .role { font-size: 12px; color: #aaa; margin-bottom: 12px; }
    .review {
        font-size: 14px;
        color: #555;
        font-style: italic;
        line-height: 1.6;
        margin-bottom: 14px;
    }
    .stars { color: #f39c12; font-size: 20px; }
</style>
</head>
<body>

<h1>What Our Customers Say</h1>
<p class="sub">Real reviews from real customers</p>

<div class="testimonials">

    <div class="card">
        <div class="pic">Photo</div>
        <div class="name">Sarah M.</div>
        <div class="role">Small Business Owner</div>
        <div class="review">Absolutely love the service! Fast, reliable, and the team is always
helpful.</div>
        <div class="stars">&#9733;&#9733;&#9733;&#9733;&#9733;</div>
    </div>

    <div class="card">
        <div class="pic">Photo</div>
        <div class="name">James K.</div>
        <div class="role">Software Developer</div>
        <div class="review">Outstanding experience from start to finish. I highly recommend this to
everyone.</div>
        <div class="stars">&#9733;&#9733;&#9733;&#9733;&#9733;</div>
    </div>

    <div class="card">
        <div class="pic">Photo</div>
        <div class="name">Linda P.</div>
        <div class="role">Designer</div>
        <div class="review">Top quality products and excellent customer support. Will definitely
shop again!</div>
        <div class="stars">&#9733;&#9733;&#9733;&#9733;&#9733;</div>
    </div>

</div>

</body>
</html>

```


Q20: Footer Design for a Website

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Footer Design</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body { font-family: Arial, sans-serif; background: #f4f4f4; }

    /* Page content area */
    .content {
      padding: 60px;
      min-height: 300px;
    }
    .content h2 { color: #1a1a2e; margin-bottom: 10px; }

    /* — FOOTER — */
    .footer-main {
      background: #1a1a2e;
      color: white;
      padding: 40px 60px;
      display: flex;
      justify-content: space-between;
      align-items: flex-start;
      flex-wrap: wrap;
      gap: 30px;
    }

    /* Left: Logo and tagline */
    .footer-logo .logo-name {
      font-size: 24px;
      font-weight: bold;
      color: white;
    }
    .footer-logo .logo-name span { color: #e94560; }
    .footer-logo p {
      color: #8899bb;
      font-size: 13px;
      margin-top: 6px;
      max-width: 200px;
      line-height: 1.6;
    }

    /* Center: Quick links */
    .footer-links h4 {
      font-size: 14px;
      text-transform: uppercase;
      letter-spacing: 1px;
      color: #ffcc00;
      margin-bottom: 14px;
    }
    .footer-links a {
      display: block;
      color: #8899bb;
```



```

        text-decoration: none;
        font-size: 14px;
        margin-bottom: 8px;
    }
    .footer-links a:hover { color: white; }

    /* Right: Social media */
    .footer-social h4 {
        font-size: 14px;
        text-transform: uppercase;
        letter-spacing: 1px;
        color: #ffcc00;
        margin-bottom: 14px;
    }
    .social-icons { display: flex; gap: 12px; flex-wrap: wrap; }
    .social-icons a {
        display: inline-block;
        padding: 8px 14px;
        background: rgba(255,255,255,0.08);
        color: #cce0ff;
        text-decoration: none;
        border-radius: 5px;
        font-size: 13px;
        transition: background 0.3s;
    }
    .social-icons a:hover { background: #e94560; color: white; }

    /* Copyright bar */
    .footer-bottom {
        background: #111;
        color: #666;
        text-align: center;
        padding: 12px;
        font-size: 13px;
    }
</style>
</head>
<body>

<div class="content">
    <h2>Website Content Area</h2>
    <p>Scroll down to see the footer design.</p>
</div>

<!-- FOOTER -->
<div class="footer-main">

    <!-- LEFT: Logo -->
    <div class="footer-logo">
        <div class="logo-name"><span>My</span><span>Company</span></div>
        <p>Building innovative digital solutions for a better connected world.</p>
    </div>

    <!-- CENTER: Quick Links -->
    <div class="footer-links">
        <h4>Quick Links</h4>
        <a href="#">Home</a>
        <a href="#">About</a>

```

```
    <a href="#">Services</a>
    <a href="#">Contact</a>
</div>
```

```
<!-- RIGHT: Social Media -->
<div class="footer-social">
    <h4>Follow Us</h4>
    <div class="social-icons">
        <a href="#">Facebook</a>
        <a href="#">Twitter</a>
        <a href="#">Instagram</a>
    </div>
</div>
```

```
</div>
<div class="footer-bottom">&copy; 2025 MyCompany. All Rights Reserved.</div>
```

```
</body>
</html>
```

Q21: My Village Page

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>My Village</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      /* Background image - replace the url() with your actual image path */
      background-image: url('village-bg.jpg');
      background-color: #2d6a4f; /* Fallback color if image not loaded */
      background-size: cover;
      background-attachment: fixed;
      background-position: center;
      min-height: 100vh;
      padding: 30px 20px;
    }

    /* Dark overlay so text is readable on any background */
    .overlay {
      background: rgba(0, 0, 0, 0.60);
      max-width: 680px;
      margin: auto;
      border-radius: 12px;
      padding: 36px 40px;
    }

    /* Village name - large text at the top */
    h1 {
      font-size: 52px;
      color: #ffdd57;
      text-align: center;
      margin-bottom: 8px;
      text-shadow: 2px 2px 6px rgba(0,0,0,0.5);
    }

    /* Address - smaller size below name */
    .address {
      text-align: center;
      font-size: 15px;
      color: #ddd;
      margin-bottom: 30px;
    }

    /* Section headings */
    h2 {
      font-size: 20px;
      color: #ffdd57;
      border-bottom: 1px solid rgba(255,255,255,0.2);
      padding-bottom: 8px;
      margin-bottom: 16px;
    }
  </style>
</head>
<body>
  <div class="overlay">
    <h1>My Village</h1>
    <div class="address">
      123 Main Street
    </div>
  </div>
</body>
</html>
```

```

/* Friends - each in a different color, style, and typeface */
.friends p {
    font-size: 18px;
    padding: 5px 0;
}
.f1 {
    color: #ff6b6b;
    font-style: italic;
    font-family: Georgia, serif;
}
.f2 {
    color: #69db7c;
    font-weight: bold;
    font-family: Verdana, sans-serif;
}
.f3 {
    color: #74c0fc;
    font-style: oblique;
    font-family: "Courier New", monospace;
}
.f4 {
    color: #ffd43b;
    font-family: Impact, sans-serif;
    letter-spacing: 1px;
}

/* Scrolling marquee text */
.marquee-box {
    margin-top: 28px;
    background: rgba(255, 255, 255, 0.1);
    border: 1px solid rgba(255,255,255,0.2);
    border-radius: 6px;
    padding: 12px 16px;
}
.marquee-box p {
    font-size: 13px;
    color: #aaa;
    margin-bottom: 4px;
    text-transform: uppercase;
    letter-spacing: 1px;
}
marquee {
    font-size: 18px;
    color: #ffdd57;
    font-weight: bold;
}
</style>
</head>
<body>

<div class="overlay">

    <!-- Village name and address -->
    <h1>Greenfield Village</h1>
    <p class="address">123 Village Road, Greenfield District, State - 400101, India</p>

    <!-- Friends list in different colors, styles, typefaces -->
    <h2>My Friends</h2>

```

```
<div class="friends">
  <p class="f1">&#10022; Ravi Kumar</p>
  <p class="f2">&#10022; Priya Sharma</p>
  <p class="f3">&#10022; Amir Khan</p>
  <p class="f4">&#10022; Sneha Patil</p>
</div>
```

```
<!-- Scrolling message -->
<div class="marquee-box">
  <p>Scrolling Message:</p>
  <marquee behavior="scroll" direction="left" scrollamount="5">
    Welcome to beautiful Greenfield Village! A place of peace, nature, warm hearts,
    and lifelong friendships. Come visit us and experience village life!
  </marquee>
</div>
```

```
</div>
```

```
</body>
```

```
</html>
```

Q22: Customer Information Form

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <title>Customer Information Form</title>
  <style>
    * { margin: 0; padding: 0; box-sizing: border-box; }
    body {
      font-family: Arial, sans-serif;
      background: linear-gradient(135deg, #dce8ff, #f0f4ff);
      min-height: 100vh;
      display: flex;
      align-items: center;
      justify-content: center;
      padding: 30px;
    }

    /* Outer card */
    .form-card {
      background: white;
      border-radius: 12px;
      overflow: hidden;
      width: 560px;
      box-shadow: 0 6px 28px rgba(0,0,50,0.13);
    }

    /* Colored header */
    .card-header {
      background: linear-gradient(135deg, #002855, #004a99);
      color: white;
      padding: 26px 30px;
    }
    .card-header h2 { font-size: 22px; margin-bottom: 4px; }
    .card-header p { font-size: 13px; opacity: 0.80; }

    /* Form body */
    .form-body { padding: 24px 30px 28px; }

    label {
      display: block;
      font-size: 13px;
      font-weight: bold;
      color: #444;
      margin-top: 16px;
      margin-bottom: 5px;
    }

    input[type="text"],
    input[type="tel"],
    select,
    textarea {
      width: 100%;
      padding: 10px 13px;
      border: 1.5px solid #ccc;
    }
```

```

border-radius: 7px;
font-size: 14px;
outline: none;
transition: border-color 0.3s;
}
input:focus, select:focus, textarea:focus {
border-color: #004a99;
}
textarea { height: 95px; resize: vertical; }

/* Checkbox group for preferred days */
.check-group {
display: flex;
flex-wrap: wrap;
gap: 12px;
margin-top: 8px;
}
.check-group label {
font-weight: normal;
display: flex;
align-items: center;
gap: 6px;
margin-top: 0;
font-size: 14px;
color: #444;
}

/* Buttons */
.btn-row {
display: flex;
gap: 14px;
margin-top: 24px;
}
.btn-submit {
flex: 1;
padding: 12px;
background: #002855;
color: white;
border: none;
border-radius: 7px;
font-size: 15px;
font-weight: bold;
cursor: pointer;
transition: background 0.3s;
}
.btn-submit:hover { background: #0052cc; }
.btn-reset {
padding: 12px 26px;
background: white;
color: #e74c3c;
border: 2px solid #e74c3c;
border-radius: 7px;
font-size: 15px;
font-weight: bold;
cursor: pointer;
transition: background 0.3s, color 0.3s;
}
.btn-reset:hover { background: #e74c3c; color: white; }

```

```

</style>
</head>
<body>

<div class="form-card">

  <!-- Header -->
  <div class="card-header">
    <h2>Customer Information Form</h2>
    <p>Please fill in your details. We value your feedback!</p>
  </div>

  <!-- Form -->
  <div class="form-body">
    <form>

      <label for="cname">Full Name</label>
      <input type="text" id="cname" name="name" placeholder="Enter your full name">

      <label for="phone">Contact Phone Number</label>
      <input type="tel" id="phone" name="phone" placeholder="e.g. +1 800-000-0000">

      <label>Preferred Days of Purchasing</label>
      <div class="check-group">
        <label><input type="checkbox" name="day" value="Mon"> Monday</label>
        <label><input type="checkbox" name="day" value="Wed"> Wednesday</label>
        <label><input type="checkbox" name="day" value="Fri"> Friday</label>
        <label><input type="checkbox" name="day" value="Sat"> Saturday</label>
        <label><input type="checkbox" name="day" value="Sun"> Sunday</label>
      </div>

      <label for="item">Favorite Item Category</label>
      <select id="item" name="item">
        <option value="">-- Select a category --</option>
        <option value="electronics">Electronics</option>
        <option value="clothing">Clothing & Apparel</option>
        <option value="groceries">Groceries & Food</option>
        <option value="furniture">Furniture & Home</option>
        <option value="stationery">Stationery & Books</option>
        <option value="sports">Sports & Fitness</option>
        <option value="beauty">Beauty & Personal Care</option>
      </select>

      <label for="suggestions">Suggestions / Comments</label>
      <textarea id="suggestions" name="suggestions"
        placeholder="Write your suggestions or feedback here..."></textarea>

      <div class="btn-row">
        <button type="submit" class="btn-submit">Submit</button>
        <button type="reset" class="btn-reset">Reset</button>
      </div>

    </form>
  </div>
</div>

</body>
</html>

```


