

The FREQ Procedure

Outcomes: Version number				
version	Frequency	Percent	Cumulative Frequency	Cumulative Percent
14	4796	100.00	4796	100.00

Outcomes: Most recent OAI contact				
V99RNTCNT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	115	2.47	115	2.47
2: 18-month	3	0.06	118	2.54
3: 24-month	88	1.89	206	4.43
4: 30-month	8	0.17	214	4.60
5: 36-month	109	2.34	323	6.95
6: 48-month	286	6.15	609	13.10
7: 60-month	84	1.81	693	14.90
8: 72-month	55	1.18	748	16.09
9: 84-month	112	2.41	860	18.49
10: 96-month	261	5.61	1121	24.11
11: 108-month	452	9.72	1573	33.83
12: 120-month	442	9.51	2015	43.33
13: Year 14	380	8.17	2395	51.51
14: Year 16	2255	48.49	4650	100.00
Frequency Missing = 146				

Outcomes: right knee, date flag, date of follow-up knee replacement from self report or adjudicated from medical records (calc)				
V99ERKFLDT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Self-report	17	3.62	17	3.62
1: Medical records	453	96.38	470	100.00
Frequency Missing = 4326				

Outcomes: right knee, follow-up knee replacement adjudication/confirmation status (calc)				
V99ERKRPCF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Replacement adjudicated, failed to confirm	9	1.88	9	1.88
1: Self-reported replacement	16	3.34	25	5.22
3: Replacement adjudicated, confirmed	454	94.78	479	100.00
Frequency Missing = 4317				

The FREQ Procedure

Outcomes: right knee, total or partial follow-up knee replacement (calc)				
V99ERKTLPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Total	427	94.05	427	94.05
2: Partial	27	5.95	454	100.00
Frequency Missing = 4342				

Outcomes: right knee, type of partial follow-up knee replacement (calc)				
V99ERKTPPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Partial lateral	1	3.70	1	3.70
2: Partial medial	24	88.89	25	92.59
3: Partial patello-femoral	2	7.41	27	100.00
Frequency Missing = 4769				

Outcomes: right knee, knee replacement seen on baseline OAI x-ray (calc)				
V99ERKBLRP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No	4758	99.21	4758	99.21
1: Yes	38	0.79	4796	100.00

Outcomes: right knee, OAI visit follow-up knee replacement self-reported at (calc)				
V99ERKVS RP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	17	3.70	17	3.70
2: 18-month	1	0.22	18	3.91
3: 24-month	18	3.91	36	7.83
5: 36-month	26	5.65	62	13.48
6: 48-month	27	5.87	89	19.35
7: 60-month	34	7.39	123	26.74
8: 72-month	33	7.17	156	33.91
9: 84-month	32	6.96	188	40.87
10: 96-month	46	10.00	234	50.87
11: 108-month	33	7.17	267	58.04
12: 120-month	21	4.57	288	62.61
13: Year 14	128	27.83	416	90.43
14: Year 16	44	9.57	460	100.00
Frequency Missing = 4336				

The FREQ Procedure

Outcomes: right knee, primary pre-operative diagnosis (calc)				
V99ERKPODX	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Osteoarthritis or degenerative arthritis	439	96.70	439	96.70
2: Rheumatoid arthritis	2	0.44	441	97.14
4: Post-traumatic arthritis (old trauma)	9	1.98	450	99.12
7: Unable to determine from doc provided	4	0.88	454	100.00
Frequency Missing = 4342				

Outcomes: right knee, closest OAI contact prior to follow-up knee replacement (calc)				
V99ERKVSPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	18	3.83	18	3.83
1: 12-month	20	4.26	38	8.09
2: 18-month	3	0.64	41	8.72
3: 24-month	21	4.47	62	13.19
4: 30-month	6	1.28	68	14.47
5: 36-month	29	6.17	97	20.64
6: 48-month	41	8.72	138	29.36
7: 60-month	33	7.02	171	36.38
8: 72-month	38	8.09	209	44.47
9: 84-month	36	7.66	245	52.13
10: 96-month	46	9.79	291	61.91
11: 108-month	99	21.06	390	82.98
12: 120-month	42	8.94	432	91.91
13: Year 14	37	7.87	469	99.79
14: Year 16	1	0.21	470	100.00
Frequency Missing = 4326				

The FREQ Procedure

Outcomes: right knee, closest OAI contact after follow-up knee replacement (calc)				
V99ERKVSAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	17	3.87	17	3.87
2: 18-month	1	0.23	18	4.10
3: 24-month	18	4.10	36	8.20
4: 30-month	1	0.23	37	8.43
5: 36-month	28	6.38	65	14.81
6: 48-month	26	5.92	91	20.73
7: 60-month	34	7.74	125	28.47
8: 72-month	32	7.29	157	35.76
9: 84-month	35	7.97	192	43.74
10: 96-month	37	8.43	229	52.16
11: 108-month	36	8.20	265	60.36
12: 120-month	22	5.01	287	65.38
13: Year 14	110	25.06	397	90.43
14: Year 16	42	9.57	439	100.00
Frequency Missing = 4357				

Outcomes: right knee, knee replacement seen on follow-up OAI x-ray (calc)				
V99ERKRPSN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No replacement seen on any FU xray	12	2.55	12	2.55
1: Yes, replacement seen on FU xray	2	0.43	14	2.98
2: No FU xrays of this knee (or hip)	456	97.02	470	100.00
Frequency Missing = 4326				

Outcomes: right knee, closest OAI visit with knee x-ray prior to follow-up knee replacement (calc)				
V99ERKXRPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	15	3.25	15	3.25
1: 12-month	29	6.28	44	9.52
3: 24-month	31	6.71	75	16.23
5: 36-month	37	8.01	112	24.24
6: 48-month	89	19.26	201	43.51
8: 72-month	70	15.15	271	58.66
Frequency Missing = 4334				

The FREQ Procedure

Outcomes: right knee, closest OAI visit with knee x-ray prior to follow-up knee replacement (calc)				
V99ERKXRPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10: 96-month	144	31.17	415	89.83
12: 120-month	47	10.17	462	100.00
Frequency Missing = 4334				

Outcomes: right knee, closest OAI visit with knee x-ray after follow-up knee replacement (calc)					
V99ERKXRAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
1: 12-month	12	2.55	12	2.55	
3: 24-month	15	3.19	27	5.74	
5: 36-month	18	3.83	45	9.57	
6: 48-month	15	3.19	60	12.77	
8: 72-month	32	6.81	92	19.57	
10: 96-month	41	8.72	133	28.30	
12: 120-month	16	3.40	149	31.70	
66: No post-replacement follow-up x-ray	321	68.30	470	100.00	
Frequency Missing = 4326					

Outcomes: left knee, date flag, date of follow-up knee replacement from self report or adjudicated from medical records (calc)				
V99ELKFLDT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Self-report	21	4.52	21	4.52
1: Medical records	444	95.48	465	100.00
Frequency Missing = 4331				

Outcomes: left knee, follow-up knee replacement adjudication/confirmation status (calc)					
V99ELKRPCF	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
0: Replacement adjudicated, failed to confirm	3	0.64	3	0.64	
1: Self-reported replacement	18	3.83	21	4.47	
3: Replacement adjudicated, confirmed	449	95.53	470	100.00	
Frequency Missing = 4326					

The FREQ Procedure

Outcomes: left knee, total or partial follow-up knee replacement (calc)				
V99ELKTLPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Total	412	91.76	412	91.76
2: Partial	37	8.24	449	100.00
Frequency Missing = 4347				

Outcomes: left knee, type of partial follow-up knee replacement (calc)				
V99ELKTPPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Partial lateral	5	13.51	5	13.51
2: Partial medial	29	78.38	34	91.89
3: Partial patello-femoral	3	8.11	37	100.00
Frequency Missing = 4759				

Outcomes: left knee, knee replacement seen on baseline OAI x-ray (calc)				
V99ELKBLRP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No	4771	99.48	4771	99.48
1: Yes	25	0.52	4796	100.00

Outcomes: left knee, OAI visit follow-up knee replacement self-reported at (calc)				
V99ELKVS RP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	9	1.97	9	1.97
3: 24-month	21	4.59	30	6.55
4: 30-month	3	0.66	33	7.21
5: 36-month	34	7.42	67	14.63
6: 48-month	34	7.42	101	22.05
7: 60-month	35	7.64	136	29.69
8: 72-month	30	6.55	166	36.24
9: 84-month	36	7.86	202	44.10
10: 96-month	33	7.21	235	51.31
11: 108-month	29	6.33	264	57.64
12: 120-month	16	3.49	280	61.14
13: Year 14	135	29.48	415	90.61
14: Year 16	43	9.39	458	100.00
Frequency Missing = 4338				

The FREQ Procedure

Outcomes: left knee, primary pre-operative diagnosis (calc)				
V99ELKPODX	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Osteoarthritis or degenerative arthritis	429	95.76	429	95.76
4: Post-traumatic arthritis (old trauma)	7	1.56	436	97.32
5: Osteonecrosis	1	0.22	437	97.54
7: Unable to determine from doc provided	9	2.01	446	99.55
8: Other	2	0.45	448	100.00
Frequency Missing = 4348				

Outcomes: left knee, closest OAI contact prior to follow-up knee replacement (calc)				
V99ELKVSPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	14	3.01	14	3.01
1: 12-month	19	4.09	33	7.10
2: 18-month	1	0.22	34	7.31
3: 24-month	35	7.53	69	14.84
4: 30-month	4	0.86	73	15.70
5: 36-month	34	7.31	107	23.01
6: 48-month	41	8.82	148	31.83
7: 60-month	31	6.67	179	38.49
8: 72-month	37	7.96	216	46.45
9: 84-month	30	6.45	246	52.90
10: 96-month	36	7.74	282	60.65
11: 108-month	106	22.80	388	83.44
12: 120-month	39	8.39	427	91.83
13: Year 14	35	7.53	462	99.35
14: Year 16	3	0.65	465	100.00
Frequency Missing = 4331				

The FREQ Procedure

Outcomes: left knee, closest OAI contact after follow-up knee replacement (calc)				
V99ELKVSAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	9	2.05	9	2.05
3: 24-month	21	4.77	30	6.82
4: 30-month	3	0.68	33	7.50
5: 36-month	35	7.95	68	15.45
6: 48-month	33	7.50	101	22.95
7: 60-month	35	7.95	136	30.91
8: 72-month	31	7.05	167	37.95
9: 84-month	36	8.18	203	46.14
10: 96-month	28	6.36	231	52.50
11: 108-month	29	6.59	260	59.09
12: 120-month	21	4.77	281	63.86
13: Year 14	121	27.50	402	91.36
14: Year 16	38	8.64	440	100.00
Frequency Missing = 4356				

Outcomes: left knee, knee replacement seen on follow-up OAI x-ray (calc)				
V99ELKRPSN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No replacement seen on any FU xray	9	1.93	9	1.93
1: Yes, replacement seen on FU xray	4	0.86	13	2.78
2: No FU xrays of this knee (or hip)	454	97.22	467	100.00
Frequency Missing = 4329				

Outcomes: left knee, closest OAI visit with knee x-ray prior to follow-up knee replacement (calc)				
V99ELKXRPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	14	3.08	14	3.08
1: 12-month	25	5.49	39	8.57
3: 24-month	39	8.57	78	17.14
5: 36-month	41	9.01	119	26.15
6: 48-month	83	18.24	202	44.40
8: 72-month	60	13.19	262	57.58
Frequency Missing = 4341				

The FREQ Procedure

Outcomes: left knee, closest OAI visit with knee x-ray prior to follow-up knee replacement (calc)				
V99ELKXRPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10: 96-month	143	31.43	405	89.01
12: 120-month	50	10.99	455	100.00
Frequency Missing = 4341				

Outcomes: left knee, closest OAI visit with knee x-ray after follow-up knee replacement (calc)					
V99ELKXRAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
1: 12-month	6	1.29	6	1.29	
3: 24-month	16	3.44	22	4.73	
5: 36-month	26	5.59	48	10.32	
6: 48-month	28	6.02	76	16.34	
8: 72-month	32	6.88	108	23.23	
10: 96-month	34	7.31	142	30.54	
12: 120-month	15	3.23	157	33.76	
66: No post-replacement follow-up x-ray	308	66.24	465	100.00	
Frequency Missing = 4331					

Outcomes: right hip, date flag, date of follow-up hip replacement from self report or adjudicated from medical records (calc)				
V99ERHFLDT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Self-report	5	2.42	5	2.42
1: Medical records	202	97.58	207	100.00
Frequency Missing = 4589				

Outcomes: right hip, follow-up hip replacement adjudication/confirmation (calc)					
V99ERHRPCF	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
0: Replacement adjudicated, failed to confirm	2	0.95	2	0.95	
1: Self-reported replacement	7	3.32	9	4.27	
3: Replacement adjudicated, confirmed	202	95.73	211	100.00	
Frequency Missing = 4585					

The FREQ Procedure

Outcomes: right hip, primary pre-operative diagnosis (calc)				
V99ERHPODX	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Osteoarthritis or degenerative arthritis	183	90.59	183	90.59
3: Acute fracture or acute trauma	13	6.44	196	97.03
4: Post-traumatic arthritis (old trauma)	1	0.50	197	97.52
5: Osteonecrosis	4	1.98	201	99.50
8: Other	1	0.50	202	100.00
Frequency Missing = 4594				

Outcomes: right hip, closest OAI contact prior to follow-up hip replacement (calc)				
V99ERHVSPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	12	5.83	12	5.83
1: 12-month	9	4.37	21	10.19
2: 18-month	1	0.49	22	10.68
3: 24-month	15	7.28	37	17.96
5: 36-month	12	5.83	49	23.79
6: 48-month	18	8.74	67	32.52
7: 60-month	15	7.28	82	39.81
8: 72-month	9	4.37	91	44.17
9: 84-month	20	9.71	111	53.88
10: 96-month	12	5.83	123	59.71
11: 108-month	27	13.11	150	72.82
12: 120-month	33	16.02	183	88.83
13: Year 14	22	10.68	205	99.51
14: Year 16	1	0.49	206	100.00
Frequency Missing = 4590				

The FREQ Procedure

Outcomes: right hip, closest OAI contact after follow-up hip replacement (calc)				
V99ERHVSAP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	11	5.58	11	5.58
3: 24-month	8	4.06	19	9.64
5: 36-month	16	8.12	35	17.77
6: 48-month	12	6.09	47	23.86
7: 60-month	13	6.60	60	30.46
8: 72-month	12	6.09	72	36.55
9: 84-month	10	5.08	82	41.62
10: 96-month	22	11.17	104	52.79
11: 108-month	11	5.58	115	58.38
12: 120-month	7	3.55	122	61.93
13: Year 14	49	24.87	171	86.80
14: Year 16	26	13.20	197	100.00
Frequency Missing = 4599				

Outcomes: right hip, hip replacement seen on follow-up OAI x-ray (calc)				
V99ERHRPSN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No replacement seen on any FU xray	1	0.48	1	0.48
2: No FU xrays of this knee (or hip)	208	99.52	209	100.00
Frequency Missing = 4587				

Outcomes: right hip, closest OAI visit with hip x-ray prior to follow-up hip replacement (calc)				
V99ERHXRP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	32	18.93	32	18.93
1: 12-month	2	1.18	34	20.12
6: 48-month	52	30.77	86	50.89
10: 96-month	83	49.11	169	100.00
Frequency Missing = 4627				

The FREQ Procedure

Outcomes: right hip, closest OAI visit with hip x-ray after follow-up hip replacement (calc)				
V99ERHXRAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
6: 48-month	29	14.01	29	14.01
10: 96-month	29	14.01	58	28.02
66: No post-replacement follow-up x-ray	149	71.98	207	100.00
Frequency Missing = 4589				

Outcomes: right hip, OAI visit follow-up hip replacement self-reported at (calc)				
V99ERHVS RP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	1	0.49	1	0.49
1: 12-month	10	4.85	11	5.34
3: 24-month	8	3.88	19	9.22
5: 36-month	15	7.28	34	16.50
6: 48-month	11	5.34	45	21.84
7: 60-month	13	6.31	58	28.16
8: 72-month	12	5.83	70	33.98
9: 84-month	11	5.34	81	39.32
10: 96-month	26	12.62	107	51.94
11: 108-month	10	4.85	117	56.80
12: 120-month	5	2.43	122	59.22
13: Year 14	56	27.18	178	86.41
14: Year 16	28	13.59	206	100.00
Frequency Missing = 4590				

Outcomes: right hip, hip replacement seen on baseline OAI x-ray (calc)				
V99ERHBLRP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No	4793	99.94	4793	99.94
1: Yes	3	0.06	4796	100.00

The FREQ Procedure

Outcomes: left hip, date flag, date of follow-up hip replacement from self report or adjudicated from medical records (calc)				
V99ELHFLDT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Self-report	13	6.31	13	6.31
1: Medical records	193	93.69	206	100.00
Frequency Missing = 4590				

Outcomes: left hip, follow-up hip replacement adjudication/confirmation status (calc)				
V99ELHRPCF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Replacement adjudicated, failed to confirm	4	1.90	4	1.90
1: Self-reported replacement	13	6.16	17	8.06
3: Replacement adjudicated, confirmed	194	91.94	211	100.00
Frequency Missing = 4585				

Outcomes: left hip, primary pre-operative diagnosis (calc)				
V99ELHPODX	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: Osteoarthritis or degenerative arthritis	172	88.66	172	88.66
3: Acute fracture or acute trauma	12	6.19	184	94.85
4: Post-traumatic arthritis (old trauma)	3	1.55	187	96.39
5: Osteonecrosis	4	2.06	191	98.45
7: Unable to determine from doc provided	2	1.03	193	99.48
8: Other	1	0.52	194	100.00
Frequency Missing = 4602				

The FREQ Procedure

Outcomes: left hip, closest OAI contact prior to follow-up hip replacement (calc)				
V99ELHVSPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	9	4.37	9	4.37
1: 12-month	11	5.34	20	9.71
2: 18-month	1	0.49	21	10.19
3: 24-month	9	4.37	30	14.56
4: 30-month	1	0.49	31	15.05
5: 36-month	17	8.25	48	23.30
6: 48-month	15	7.28	63	30.58
7: 60-month	11	5.34	74	35.92
8: 72-month	14	6.80	88	42.72
9: 84-month	15	7.28	103	50.00
10: 96-month	17	8.25	120	58.25
11: 108-month	34	16.50	154	74.76
12: 120-month	27	13.11	181	87.86
13: Year 14	24	11.65	205	99.51
14: Year 16	1	0.49	206	100.00
Frequency Missing = 4590				

Outcomes: left hip, closest OAI contact after follow-up hip replacement (calc)				
V99ELHVSAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	7	3.65	7	3.65
3: 24-month	10	5.21	17	8.85
5: 36-month	10	5.21	27	14.06
6: 48-month	15	7.81	42	21.88
7: 60-month	13	6.77	55	28.65
8: 72-month	9	4.69	64	33.33
9: 84-month	15	7.81	79	41.15
10: 96-month	14	7.29	93	48.44
11: 108-month	13	6.77	106	55.21
12: 120-month	13	6.77	119	61.98
13: Year 14	48	25.00	167	86.98
14: Year 16	25	13.02	192	100.00
Frequency Missing = 4604				

The FREQ Procedure

Outcomes: left hip, hip replacement seen on follow-up OAI x-ray (calc)				
V99ELHRPSN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No replacement seen on any FU xray	1	0.48	1	0.48
2: No FU xrays of this knee (or hip)	206	99.52	207	100.00
Frequency Missing = 4589				

Outcomes: left hip, closest OAI visit with hip x-ray prior to follow-up hip replacement (calc)				
V99ELHXRP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	35	20.71	35	20.71
1: 12-month	1	0.59	36	21.30
6: 48-month	52	30.77	88	52.07
10: 96-month	81	47.93	169	100.00
Frequency Missing = 4627				

Outcomes: left hip, closest OAI visit with hip x-ray after follow-up hip replacement (calc)				
V99ELHXRAF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	1	0.49	1	0.49
6: 48-month	30	14.56	31	15.05
10: 96-month	27	13.11	58	28.16
66: No post-replacement follow-up x-ray	148	71.84	206	100.00
Frequency Missing = 4590				

Outcomes: left hip, OAI visit follow-up hip replacement self-reported at (calc)				
V99ELHVS RP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	6	2.97	6	2.97
3: 24-month	9	4.46	15	7.43
5: 36-month	9	4.46	24	11.88
6: 48-month	16	7.92	40	19.80
7: 60-month	14	6.93	54	26.73
8: 72-month	9	4.46	63	31.19
9: 84-month	15	7.43	78	38.61
10: 96-month	19	9.41	97	48.02
11: 108-month	14	6.93	111	54.95
Frequency Missing = 4594				

The FREQ Procedure

Outcomes: left hip, OAI visit follow-up hip replacement self-reported at (calc)				
V99ELHVS RP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
12: 120-month	11	5.45	122	60.40
13: Year 14	55	27.23	177	87.62
14: Year 16	25	12.38	202	100.00
Frequency Missing = 4594				

Outcomes: left hip, hip replacement seen on baseline OAI x-ray (calc)				
V99ELHBLRP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No	4794	99.96	4794	99.96
1: Yes	2	0.04	4796	100.00

Outcomes: last visit with central reading follow-up knee x-ray SQ (KL or JSN) data (calc)					
V99EXLVSQD	Frequency	Percent	Cumulative Frequency	Cumulative Percent	
0: No FU knee x-ray or SQ (KL or JSN) data	289	6.03	289	6.03	
1: Last SQ data at 12 mo visit	200	4.17	489	10.20	
2: Last SQ data at 24 mo visit	202	4.21	691	14.41	
3: Last SQ data at 36 mo visit	271	5.65	962	20.06	
4: Last SQ data at 48 mo visit	1275	26.58	2237	46.64	
5: Last SQ data at 72 mo visit	184	3.84	2421	50.48	
6: Last SQ data at 96 mo visit	618	12.89	3039	63.37	
7: Last SQ data at 120/132 mo visit	1757	36.63	4796	100.00	

Outcomes: right knee, summary incident TF ROA KL >= 2 (calc)				
V99ERXIOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: KL>=2 at BL	1997	44.67	1997	44.67
2: KL0-1 at BL, follow-up x-rays but no incident KL >= 2	1987	44.44	3984	89.11
3: KL0-1 at BL, incident KL2 at 12 mo	97	2.17	4081	91.28
4: KL0-1 at BL, incident KL2 at 24 mo	45	1.01	4126	92.28
5: KL0-1 at BL, incident KL2 at 36 mo	57	1.27	4183	93.56
6: KL0-1 at BL, incident KL2 at 48 mo	40	0.89	4223	94.45
7: KL0-1 at BL, incident KL2 at 72 mo	93	2.08	4316	96.53
Frequency Missing = 325				

The FREQ Procedure

Outcomes: right knee, summary incident TF ROA KL >= 2 (calc)				
V99ERXIOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8: KL0-1 at BL, incident KL2 at 96 mo	55	1.23	4371	97.76
9: KL0-1 at BL, incident KL2 at 120/132 mo	100	2.24	4471	100.00
Frequency Missing = 325				

Outcomes: right knee, summary incident TF ROA KL >= 2 with JSN (calc)				
V99ERXIOAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No follow-up knee x-rays or KL data	15	0.34	15	0.34
1: KL>=2 with JSN at BL	1570	35.12	1585	35.45
2: KL0-1 with JSN at BL, FU xrays but no incid KL>=2 with JSN	2441	54.60	4026	90.05
3: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 12m	71	1.59	4097	91.63
4: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 24m	51	1.14	4148	92.78
5: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 36m	47	1.05	4195	93.83
6: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 48m	44	0.98	4239	94.81
7: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 72m	76	1.70	4315	96.51
8: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 96m	61	1.36	4376	97.88
9: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 120m	95	2.12	4471	100.00
Frequency Missing = 325				

Outcomes: right knee, last visit KL < 2 (calc)				
V99ERXNOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	85	3.42	85	3.42
1: 12-month	143	5.76	228	9.19
3: 24-month	139	5.60	367	14.79
5: 36-month	127	5.12	494	19.90
6: 48-month	318	12.81	812	32.72
8: 72-month	153	6.16	965	38.88
10: 96-month	418	16.84	1383	55.72
12: 120-month	1099	44.28	2482	100.00
Frequency Missing = 2314				

The FREQ Procedure

Outcomes: right knee, last visit KL < 2 or KL=2 with no JSN (calc)				
V99ERXNOAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	71	2.46	71	2.46
1: 12-month	171	5.91	242	8.37
3: 24-month	146	5.05	388	13.42
5: 36-month	158	5.46	546	18.88
6: 48-month	484	16.74	1030	35.62
8: 72-month	172	5.95	1202	41.56
10: 96-month	464	16.04	1666	57.61
12: 120-month	1226	42.39	2892	100.00
Frequency Missing = 1904				

Outcomes: right knee, last visit with OA (KLG>=2) (calc)				
V99ERKLOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	110	4.37	110	4.37
3: 24-month	116	4.61	226	8.97
5: 36-month	193	7.66	419	16.63
6: 48-month	1139	45.22	1558	61.85
8: 72-month	67	2.66	1625	64.51
10: 96-month	279	11.08	1904	75.59
12: 120-month	615	24.41	2519	100.00
Frequency Missing = 2277				

Outcomes: right knee, last visit with OA (KLG>=2 and JSN>=1) (calc)				
V99ERKLOAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	89	4.31	89	4.31
3: 24-month	102	4.94	191	9.25
5: 36-month	162	7.85	353	17.09
6: 48-month	948	45.91	1301	63.00
8: 72-month	52	2.52	1353	65.52
10: 96-month	224	10.85	1577	76.37
12: 120-month	488	23.63	2065	100.00
Frequency Missing = 2731				

The FREQ Procedure

Outcomes: left knee, summary incident TF ROA KL >= 2 (calc)				
V99ELXIOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: KL>=2 at BL	1912	42.64	1912	42.64
2: KL0-1 at BL, follow-up x-rays but no incident KL >= 2	2076	46.30	3988	88.94
3: KL0-1 at BL, incident KL2 at 12 mo	98	2.19	4086	91.12
4: KL0-1 at BL, incident KL2 at 24 mo	49	1.09	4135	92.22
5: KL0-1 at BL, incident KL2 at 36 mo	54	1.20	4189	93.42
6: KL0-1 at BL, incident KL2 at 48 mo	35	0.78	4224	94.20
7: KL0-1 at BL, incident KL2 at 72 mo	91	2.03	4315	96.23
8: KL0-1 at BL, incident KL2 at 96 mo	72	1.61	4387	97.84
9: KL0-1 at BL, incident KL2 at 120/132 mo	97	2.16	4484	100.00
Frequency Missing = 312				

Outcomes: left knee, summary incident TF ROA KL >= 2 with JSN (calc)				
V99ELXIOAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No follow-up knee x-rays or KL data	13	0.29	13	0.29
1: KL>=2 with JSN at BL	1476	32.92	1489	33.21
2: KL0-1 with JSN at BL, FU xrays but no incid KL>=2 with JSN	2548	56.82	4037	90.03
3: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 12m	82	1.83	4119	91.86
4: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 24m	45	1.00	4164	92.86
5: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 36m	43	0.96	4207	93.82
6: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 48m	36	0.80	4243	94.63
7: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 72m	79	1.76	4322	96.39
8: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 96m	68	1.52	4390	97.90
9: KL0-1 or KL2 with no JSN at BL, incident KL>=2 w/JSN at 120m	94	2.10	4484	100.00
Frequency Missing = 312				

Outcomes: left knee, last visit KL < 2 (calc)				
V99ELXNOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	93	3.60	93	3.60
1: 12-month	132	5.11	225	8.71
3: 24-month	134	5.19	359	13.89
5: 36-month	136	5.26	495	19.16
6: 48-month	324	12.54	819	31.70
8: 72-month	164	6.35	983	38.04
Frequency Missing = 2212				

The FREQ Procedure

Outcomes: left knee, last visit KL < 2 (calc)				
V99ELXNOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10: 96-month	443	17.14	1426	55.19
12: 120-month	1158	44.81	2584	100.00
Frequency Missing = 2212				

Outcomes: left knee, last visit KL < 2 or KL=2 with no JSN (calc)				
V99ELXNOAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	91	3.02	91	3.02
1: 12-month	145	4.82	236	7.84
3: 24-month	153	5.08	389	12.92
5: 36-month	159	5.28	548	18.20
6: 48-month	506	16.81	1054	35.00
8: 72-month	173	5.75	1227	40.75
10: 96-month	503	16.71	1730	57.46
12: 120-month	1281	42.54	3011	100.00
Frequency Missing = 1785				

Outcomes: left knee, last visit with OA (KLG>=2) (calc)				
V99ELKLOA	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	107	4.40	107	4.40
3: 24-month	117	4.81	224	9.21
5: 36-month	187	7.69	411	16.90
6: 48-month	1134	46.63	1545	63.53
8: 72-month	67	2.75	1612	66.28
10: 96-month	262	10.77	1874	77.06
12: 120-month	558	22.94	2432	100.00
Frequency Missing = 2364				

The FREQ Procedure

Outcomes: left knee, last visit with OA (KLG>=2 and JSN>=1) (calc)				
V99ELKLOAN	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1: 12-month	92	4.69	92	4.69
3: 24-month	99	5.05	191	9.74
5: 36-month	159	8.11	350	17.86
6: 48-month	928	47.35	1278	65.20
8: 72-month	52	2.65	1330	67.86
10: 96-month	195	9.95	1525	77.81
12: 120-month	435	22.19	1960	100.00
Frequency Missing = 2836				

Outcomes: right knee, summary medial JSN progression to 120/132 mo visit (calc)				
V99ERXJSNM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No follow-up knee x-rays or readings	326	6.80	326	6.80
1: BL JSN=3 or BL TKR	98	2.04	424	8.84
2: BL JSN<3, no JSN increase	3499	72.96	3923	81.80
3: BL JSN<3, within grade JSN increase	193	4.02	4116	85.82
4: BL JSN<3, >= full grade JSN increase	637	13.28	4753	99.10
5: BL JSN<3, no worsening but has FU TKR	43	0.90	4796	100.00

Outcomes: right knee, summary lateral JSN progression to 120/132 mo visit (calc)				
V99ERXJSNL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No follow-up knee x-rays or readings	326	6.80	326	6.80
1: BL JSN=3 or BL TKR	53	1.11	379	7.90
2: BL JSN<3, no JSN increase	3988	83.15	4367	91.06
3: BL JSN<3, within grade JSN increase	63	1.31	4430	92.37
4: BL JSN<3, >= full grade JSN increase	307	6.40	4737	98.77
5: BL JSN<3, no worsening but has FU TKR	59	1.23	4796	100.00

Outcomes: left knee, summary medial JSN progression to 120/132 mo visit (calc)				
V99ELXJSNM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No follow-up knee x-rays or readings	313	6.53	313	6.53
1: BL JSN=3 or BL TKR	105	2.19	418	8.72
2: BL JSN<3, no JSN increase	3538	73.77	3956	82.49
3: BL JSN<3, within grade JSN increase	215	4.48	4171	86.97

The FREQ Procedure

Outcomes: left knee, summary medial JSN progression to 120/132 mo visit (calc)				
V99ELXJSNM	Frequency	Percent	Cumulative Frequency	Cumulative Percent
4: BL JSN<3, >= full grade JSN increase	589	12.28	4760	99.25
5: BL JSN<3, no worsening but has FU TKR	36	0.75	4796	100.00

Outcomes: left knee, summary lateral JSN progression to 120/132 mo visit (calc)				
V99ELXJSNL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: No follow-up knee x-rays or readings	313	6.53	313	6.53
1: BL JSN=3 or BL TKR	41	0.85	354	7.38
2: BL JSN<3, no JSN increase	4012	83.65	4366	91.03
3: BL JSN<3, within grade JSN increase	62	1.29	4428	92.33
4: BL JSN<3, >= full grade JSN increase	289	6.03	4717	98.35
5: BL JSN<3, no worsening but has FU TKR	79	1.65	4796	100.00

Outcomes: right knee, first visit with JSN progression (partial grade or more) (calc)				
V99ERJSFP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3186	73.87	3186	73.87
1: 12-month	351	8.14	3537	82.01
3: 24-month	163	3.78	3700	85.79
5: 36-month	120	2.78	3820	88.57
6: 48-month	115	2.67	3935	91.24
8: 72-month	148	3.43	4083	94.67
10: 96-month	123	2.85	4206	97.52
12: 120-month	107	2.48	4313	100.00
Frequency Missing = 483				

Outcomes: right knee, last visit with JSN progression (partial grade or more) (calc)				
V99ERJSLP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3186	73.87	3186	73.87
1: 12-month	37	0.86	3223	74.73
3: 24-month	50	1.16	3273	75.89
5: 36-month	79	1.83	3352	77.72
6: 48-month	351	8.14	3703	85.86
Frequency Missing = 483				

The FREQ Procedure

Outcomes: right knee, last visit with JSN progression (partial grade or more) (calc)				
V99ERJSLP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
8: 72-month	57	1.32	3760	87.18
10: 96-month	116	2.69	3876	89.87
12: 120-month	437	10.13	4313	100.00
Frequency Missing = 483				

Outcomes: right knee, last visit with no JSN progression (partial grade or more) (calc)				
V99ERNJSLP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	327	7.58	327	7.58
1: 12-month	306	7.09	633	14.68
3: 24-month	279	6.47	912	21.15
5: 36-month	342	7.93	1254	29.07
6: 48-month	1069	24.79	2323	53.86
8: 72-month	288	6.68	2611	60.54
10: 96-month	93	2.16	2704	62.69
12: 120-month	1609	37.31	4313	100.00
Frequency Missing = 483				

Outcomes: right knee, TF compartment with initial JSN progression (partial grade or more) (calc)				
V99ERJSTFP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: None	3186	73.87	3186	73.87
1: Lateral	311	7.21	3497	81.08
2: Medial	808	18.73	4305	99.81
3: Medial and Lateral	8	0.19	4313	100.00
Frequency Missing = 483				

The FREQ Procedure

Outcomes: right knee, first visit with JSN progression (whole grade or more) (calc)				
V99ERJSFW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3441	79.78	3441	79.78
1: 12-month	203	4.71	3644	84.49
3: 24-month	105	2.43	3749	86.92
5: 36-month	108	2.50	3857	89.43
6: 48-month	108	2.50	3965	91.93
8: 72-month	129	2.99	4094	94.92
10: 96-month	114	2.64	4208	97.57
12: 120-month	105	2.43	4313	100.00
Frequency Missing = 483				

Outcomes: right knee, last visit with JSN progression (whole grade or more) (calc)				
V99ERJSLW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3441	79.78	3441	79.78
1: 12-month	21	0.49	3462	80.27
3: 24-month	32	0.74	3494	81.01
5: 36-month	53	1.23	3547	82.24
6: 48-month	238	5.52	3785	87.76
8: 72-month	51	1.18	3836	88.94
10: 96-month	93	2.16	3929	91.10
12: 120-month	384	8.90	4313	100.00
Frequency Missing = 483				

Outcomes: right knee, last visit with no JSN progression (whole grade or more) (calc)				
V99ERNJSLW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	199	4.61	199	4.61
1: 12-month	288	6.68	487	11.29
3: 24-month	276	6.40	763	17.69
5: 36-month	347	8.04	1110	25.73
6: 48-month	1157	26.82	2267	52.55
8: 72-month	279	6.47	2546	59.02
Frequency Missing = 482				

The FREQ Procedure

Outcomes: right knee, last visit with no JSN progression (whole grade or more) (calc)				
V99ERNJSLW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10: 96-month	86	1.99	2632	61.01
12: 120-month	1682	38.99	4314	100.00
Frequency Missing = 482				

Outcomes: right knee, TF compartment with initial JSN progression (whole grade or more) (calc)				
V99ERJSTFW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: None	3441	79.78	3441	79.78
1: Lateral	249	5.77	3690	85.56
2: Medial	617	14.31	4307	99.86
3: Medial and Lateral	6	0.14	4313	100.00
Frequency Missing = 483				

Outcomes: left knee, first visit with JSN progression (partial grade or more) (calc)				
V99ELJSFP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3273	75.54	3273	75.54
1: 12-month	333	7.69	3606	83.22
3: 24-month	170	3.92	3776	87.15
5: 36-month	116	2.68	3892	89.82
6: 48-month	117	2.70	4009	92.52
8: 72-month	135	3.12	4144	95.64
10: 96-month	96	2.22	4240	97.85
12: 120-month	93	2.15	4333	100.00
Frequency Missing = 463				

The FREQ Procedure

Outcomes: left knee, last visit with JSN progression (partial grade or more) (calc)				
V99ELJSLP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3273	75.54	3273	75.54
1: 12-month	36	0.83	3309	76.37
3: 24-month	40	0.92	3349	77.29
5: 36-month	93	2.15	3442	79.44
6: 48-month	370	8.54	3812	87.98
8: 72-month	55	1.27	3867	89.25
10: 96-month	107	2.47	3974	91.71
12: 120-month	359	8.29	4333	100.00
Frequency Missing = 463				

Outcomes: left knee, last visit with no JSN progression (partial grade or more) (calc)				
V99ELNJSPL	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	310	7.15	310	7.15
1: 12-month	304	7.02	614	14.17
3: 24-month	291	6.72	905	20.89
5: 36-month	353	8.15	1258	29.03
6: 48-month	1033	23.84	2291	52.87
8: 72-month	269	6.21	2560	59.08
10: 96-month	91	2.10	2651	61.18
12: 120-month	1682	38.82	4333	100.00
Frequency Missing = 463				

Outcomes: left knee, TF compartment with initial JSN progression (partial grade or more) (calc)				
V99ELJSTFP	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: None	3273	75.54	3273	75.54
1: Lateral	260	6.00	3533	81.54
2: Medial	793	18.30	4326	99.84
3: Medial and Lateral	7	0.16	4333	100.00
Frequency Missing = 463				

The FREQ Procedure

Outcomes: left knee, first visit with JSN progression (whole grade or more) (calc)				
V99ELJSFW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3547	81.86	3547	81.86
1: 12-month	165	3.81	3712	85.67
3: 24-month	115	2.65	3827	88.32
5: 36-month	96	2.22	3923	90.54
6: 48-month	116	2.68	4039	93.21
8: 72-month	120	2.77	4159	95.98
10: 96-month	88	2.03	4247	98.02
12: 120-month	86	1.98	4333	100.00
Frequency Missing = 463				

Outcomes: left knee, last visit with JSN progression (whole grade or more) (calc)				
V99ELJSLW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	3547	81.86	3547	81.86
1: 12-month	21	0.48	3568	82.34
3: 24-month	22	0.51	3590	82.85
5: 36-month	58	1.34	3648	84.19
6: 48-month	245	5.65	3893	89.85
8: 72-month	45	1.04	3938	90.88
10: 96-month	79	1.82	4017	92.71
12: 120-month	316	7.29	4333	100.00
Frequency Missing = 463				

Outcomes: left knee, last visit with no JSN progression (whole grade or more) (calc)				
V99ELNJSLW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	157	3.62	157	3.62
1: 12-month	284	6.55	441	10.18
3: 24-month	287	6.62	728	16.80
5: 36-month	382	8.82	1110	25.62
6: 48-month	1134	26.17	2244	51.79
8: 72-month	262	6.05	2506	57.84
Frequency Missing = 463				

The FREQ Procedure

Outcomes: left knee, last visit with no JSN progression (whole grade or more) (calc)				
V99ELNJSLW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
10: 96-month	80	1.85	2586	59.68
12: 120-month	1747	40.32	4333	100.00
Frequency Missing = 463				

Outcomes: left knee, TF compartment with initial JSN progression (whole grade or more) (calc)				
V99ELJSTFW	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: None	3547	81.86	3547	81.86
1: Lateral	209	4.82	3756	86.68
2: Medial	573	13.22	4329	99.91
3: Medial and Lateral	4	0.09	4333	100.00
Frequency Missing = 463				

Outcomes: death adjudication/confirmation status (calc)				
V99EDDCF	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Death reported,no documentation available	14	1.99	14	1.99
2: Death adjudicated, confirmed	689	98.01	703	100.00
Frequency Missing = 4093				

Outcomes: date flag, date of death from documentation or from reported date of death (calc)				
V99EDDFLDT	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Reported death	12	1.72	12	1.72
1: Confirmed date from documentation	687	98.28	699	100.00
Frequency Missing = 4097				

The FREQ Procedure

Outcomes: Year of death				
V99EDDYEAR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
2005	9	1.29	9	1.29
2006	16	2.29	25	3.58
2007	20	2.86	45	6.44
2008	17	2.43	62	8.87
2009	23	3.29	85	12.16
2010	35	5.01	120	17.17
2011	39	5.58	159	22.75
2012	38	5.44	197	28.18
2013	49	7.01	246	35.19
2014	47	6.72	293	41.92
2015	49	7.01	342	48.93
2016	71	10.16	413	59.08
2017	69	9.87	482	68.96
2018	78	11.16	560	80.11
2019	54	7.73	614	87.84
2020	58	8.30	672	96.14
2021	25	3.58	697	99.71
2022	2	0.29	699	100.00
Frequency Missing = 4097				

Outcomes: closest OAI contact prior to death (calc)				
V99EDDVSPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
0: Baseline	22	3.15	22	3.15
1: 12-month	26	3.72	48	6.87
2: 18-month	1	0.14	49	7.01
3: 24-month	28	4.01	77	11.02
4: 30-month	5	0.72	82	11.73
5: 36-month	27	3.86	109	15.59
6: 48-month	62	8.87	171	24.46
7: 60-month	44	6.29	215	30.76
8: 72-month	36	5.15	251	35.91
9: 84-month	56	8.01	307	43.92
10: 96-month	75	10.73	382	54.65
Frequency Missing = 4097				

The FREQ Procedure

Outcomes: closest OAI contact prior to death (calc)				
V99EDDVSPR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
11: 108-month	150	21.46	532	76.11
12: 120-month	102	14.59	634	90.70
13: Year 14	65	9.30	699	100.00
Frequency Missing = 4097				

The FREQ Procedure

Outcomes: NDI Cause of death (ICD-10)				
V99EDCOD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
A41.5	1	0.30	1	0.30
A41.9	4	1.19	5	1.49
A81.0	1	0.30	6	1.79
B20.7	1	0.30	7	2.08
B23.8	1	0.30	8	2.38
C07	1	0.30	9	2.68
C15.9	1	0.30	10	2.98
C16.9	1	0.30	11	3.27
C18.9	7	2.08	18	5.36
C20	1	0.30	19	5.65
C22.0	2	0.60	21	6.25
C22.1	3	0.89	24	7.14
C22.9	2	0.60	26	7.74
C23	1	0.30	27	8.04
C25.9	11	3.27	38	11.31
C32.0	1	0.30	39	11.61
C32.9	1	0.30	40	11.90
C34.9	25	7.44	65	19.35
C43.9	5	1.49	70	20.83
C44.9	1	0.30	71	21.13
C48.2	1	0.30	72	21.43
C49.9	1	0.30	73	21.73
C50.9	9	2.68	82	24.40
C54.1	2	0.60	84	25.00
C55	1	0.30	85	25.30
C56	4	1.19	89	26.49
C60.9	1	0.30	90	26.79
C61	6	1.79	96	28.57
C64	5	1.49	101	30.06
C67.9	4	1.19	105	31.25
C71.9	7	2.08	112	33.33
C78.7	1	0.30	113	33.63
C79.8	1	0.30	114	33.93
C80	5	1.49	119	35.42
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: NDI Cause of death (ICD-10)				
V99EDCOD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
C85.9	3	0.89	122	36.31
C90.0	6	1.79	128	38.10
C92.0	4	1.19	132	39.29
C95.0	1	0.30	133	39.58
C95.9	1	0.30	134	39.88
C97	1	0.30	135	40.18
D38.1	1	0.30	136	40.48
D46.9	1	0.30	137	40.77
D47.1	1	0.30	138	41.07
D61.9	1	0.30	139	41.37
E11.2	1	0.30	140	41.67
E14.9	1	0.30	141	41.96
E78.0	1	0.30	142	42.26
E78.5	1	0.30	143	42.56
E85.4	1	0.30	144	42.86
F01.9	1	0.30	145	43.15
F03	9	2.68	154	45.83
F10.2	1	0.30	155	46.13
G12.2	4	1.19	159	47.32
G20	2	0.60	161	47.92
G23.9	2	0.60	163	48.51
G30.9	11	3.27	174	51.79
G31.8	3	0.89	177	52.68
G93.1	1	0.30	178	52.98
I10	4	1.19	182	54.17
I11.9	9	2.68	191	56.85
I12.0	1	0.30	192	57.14
I21.9	11	3.27	203	60.42
I25.0	9	2.68	212	63.10
I25.1	18	5.36	230	68.45
I25.5	1	0.30	231	68.75
I34.0	1	0.30	232	69.05
I35.1	1	0.30	233	69.35
I42.1	1	0.30	234	69.64
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: NDI Cause of death (ICD-10)				
V99EDCOD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
I42.9	3	0.89	237	70.54
I48	2	0.60	239	71.13
I49.0	1	0.30	240	71.43
I49.8	1	0.30	241	71.73
I50.0	2	0.60	243	72.32
I50.9	1	0.30	244	72.62
I60.9	2	0.60	246	73.21
I61.3	1	0.30	247	73.51
I61.9	2	0.60	249	74.11
I62.0	2	0.60	251	74.70
I62.9	1	0.30	252	75.00
I63.2	1	0.30	253	75.30
I64	4	1.19	257	76.49
I69.4	1	0.30	258	76.79
I69.8	1	0.30	259	77.08
I70.9	1	0.30	260	77.38
I71.0	1	0.30	261	77.68
I71.3	2	0.60	263	78.27
I71.4	1	0.30	264	78.57
I73.9	1	0.30	265	78.87
I95.9	1	0.30	266	79.17
J11.0	1	0.30	267	79.46
J18.0	1	0.30	268	79.76
J18.9	6	1.79	274	81.55
J44.0	1	0.30	275	81.85
J44.1	2	0.60	277	82.44
J44.9	7	2.08	284	84.52
J45.9	1	0.30	285	84.82
J69.0	2	0.60	287	85.42
J80	1	0.30	288	85.71
J84.1	3	0.89	291	86.61
J90	1	0.30	292	86.90
J93.0	1	0.30	293	87.20
K26.4	1	0.30	294	87.50
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: NDI Cause of death (ICD-10)				
V99EDCOD	Frequency	Percent	Cumulative Frequency	Cumulative Percent
K46.9	1	0.30	295	87.80
K55.0	1	0.30	296	88.10
K55.9	1	0.30	297	88.39
K56.6	1	0.30	298	88.69
K57.8	1	0.30	299	88.99
K57.9	1	0.30	300	89.29
K70.3	2	0.60	302	89.88
K74.6	2	0.60	304	90.48
K76.9	2	0.60	306	91.07
K85.9	2	0.60	308	91.67
K92.2	1	0.30	309	91.96
N17.9	1	0.30	310	92.26
N18.5	1	0.30	311	92.56
N19	3	0.89	314	93.45
N20.0	1	0.30	315	93.75
N39.0	3	0.89	318	94.64
Q21.3	1	0.30	319	94.94
R13	1	0.30	320	95.24
V18.2	1	0.30	321	95.54
V47.5	1	0.30	322	95.83
V49.9	1	0.30	323	96.13
V89.2	1	0.30	324	96.43
W10	1	0.30	325	96.73
W11	1	0.30	326	97.02
W13	1	0.30	327	97.32
W17	1	0.30	328	97.62
W30	1	0.30	329	97.92
W69	1	0.30	330	98.21
W80	1	0.30	331	98.51
X44	1	0.30	332	98.81
X64	2	0.60	334	99.40
X70	1	0.30	335	99.70
X99	1	0.30	336	100.00
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: Recode COD to 358 ICD-10 grps				
V99EDCODR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
02300	5	1.49	5	1.49
04900	1	0.30	6	1.79
05200	1	0.30	7	2.08
05400	1	0.30	8	2.38
07500	1	0.30	9	2.68
07700	1	0.30	10	2.98
07800	1	0.30	11	3.27
08100	7	2.08	18	5.36
08200	1	0.30	19	5.65
08500	4	1.19	23	6.85
08600	3	0.89	26	7.74
08700	1	0.30	27	8.04
08800	11	3.27	38	11.31
09200	2	0.60	40	11.90
09300	25	7.44	65	19.35
09800	5	1.49	70	20.83
09900	1	0.30	71	21.13
10300	2	0.60	73	21.73
10400	9	2.68	82	24.40
10800	3	0.89	85	25.30
10900	4	1.19	89	26.49
11300	6	1.79	95	28.27
11500	1	0.30	96	28.57
11700	5	1.49	101	30.06
11800	4	1.19	105	31.25
12200	7	2.08	112	33.33
12500	8	2.38	120	35.71
12900	3	0.89	123	36.61
13200	6	1.79	129	38.39
13500	4	1.19	133	39.58
13700	2	0.60	135	40.18
14500	3	0.89	138	41.07
15100	1	0.30	139	41.37
15900	2	0.60	141	41.96
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: Recode COD to 358 ICD-10 grps				
V99EDCODR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
17300	3	0.89	144	42.86
17500	10	2.98	154	45.83
17800	1	0.30	155	46.13
18800	2	0.60	157	46.73
18900	11	3.27	168	50.00
19400	10	2.98	178	52.98
20600	4	1.19	182	54.17
20700	9	2.68	191	56.85
20800	1	0.30	192	57.14
21100	11	3.27	203	60.42
21400	9	2.68	212	63.10
21500	19	5.65	231	68.75
22400	1	0.30	232	69.05
22500	1	0.30	233	69.35
22700	4	1.19	237	70.54
22800	4	1.19	241	71.73
23000	2	0.60	243	72.32
23100	1	0.30	244	72.62
23500	2	0.60	246	73.21
23600	6	1.79	252	75.00
23700	1	0.30	253	75.30
23800	4	1.19	257	76.49
23900	2	0.60	259	77.08
24100	1	0.30	260	77.38
24200	4	1.19	264	78.57
24300	1	0.30	265	78.87
24600	1	0.30	266	79.17
25300	1	0.30	267	79.46
25700	7	2.08	274	81.55
26700	10	2.98	284	84.52
26800	1	0.30	285	84.82
27300	2	0.60	287	85.42
27700	1	0.30	288	85.71
27800	5	1.49	293	87.20
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: Recode COD to 358 ICD-10 grps				
V99EDCODR	Frequency	Percent	Cumulative Frequency	Cumulative Percent
28500	1	0.30	294	87.50
29100	1	0.30	295	87.80
29300	3	0.89	298	88.69
29400	2	0.60	300	89.29
29800	2	0.60	302	89.88
30000	2	0.60	304	90.48
30100	2	0.60	306	91.07
30400	2	0.60	308	91.67
30600	1	0.30	309	91.96
32700	5	1.49	314	93.45
32800	1	0.30	315	93.75
33000	3	0.89	318	94.64
36900	1	0.30	319	94.94
38000	1	0.30	320	95.24
39200	1	0.30	321	95.54
39300	1	0.30	322	95.83
39700	1	0.30	323	96.13
39900	1	0.30	324	96.43
40500	4	1.19	328	97.62
40900	1	0.30	329	97.92
41000	1	0.30	330	98.21
42000	1	0.30	331	98.51
42300	1	0.30	332	98.81
42500	2	0.60	334	99.40
42800	1	0.30	335	99.70
43600	1	0.30	336	100.00
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: Recode COD to 113 ICD-10 grps				
V99EDCODR2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
010	5	1.49	5	1.49
016	2	0.60	7	2.08
018	1	0.30	8	2.38
020	1	0.30	9	2.68
021	1	0.30	10	2.98
022	1	0.30	11	3.27
023	8	2.38	19	5.65
024	7	2.08	26	7.74
025	11	3.27	37	11.01
026	2	0.60	39	11.61
027	25	7.44	64	19.05
028	5	1.49	69	20.54
029	9	2.68	78	23.21
031	3	0.89	81	24.11
032	4	1.19	85	25.30
033	6	1.79	91	27.08
034	5	1.49	96	28.57
035	4	1.19	100	29.76
036	7	2.08	107	31.85
039	3	0.89	110	32.74
040	6	1.79	116	34.52
041	6	1.79	122	36.31
043	13	3.87	135	40.18
044	3	0.89	138	41.07
045	1	0.30	139	41.37
046	2	0.60	141	41.96
051	2	0.60	143	42.56
052	11	3.27	154	45.83
056	9	2.68	163	48.51
059	11	3.27	174	51.79
062	9	2.68	183	54.46
063	19	5.65	202	60.12
067	3	0.89	205	61.01
068	10	2.98	215	63.99
Frequency Missing = 4460				

The FREQ Procedure

Outcomes: Recode COD to 113 ICD-10 grps				
V99EDCODR2	Frequency	Percent	Cumulative Frequency	Cumulative Percent
069	5	1.49	220	65.48
070	15	4.46	235	69.94
071	1	0.30	236	70.24
073	4	1.19	240	71.43
074	1	0.30	241	71.73
075	1	0.30	242	72.02
077	1	0.30	243	72.32
078	7	2.08	250	74.40
085	1	0.30	251	74.70
086	10	2.98	261	77.68
088	2	0.60	263	78.27
089	6	1.79	269	80.06
090	1	0.30	270	80.36
092	1	0.30	271	80.65
094	2	0.60	273	81.25
095	2	0.60	275	81.85
100	5	1.49	280	83.33
109	1	0.30	281	83.63
110	1	0.30	282	83.93
111	38	11.31	320	95.24
114	3	0.89	323	96.13
115	1	0.30	324	96.43
118	4	1.19	328	97.62
120	1	0.30	329	97.92
122	1	0.30	330	98.21
123	2	0.60	332	98.81
126	3	0.89	335	99.70
129	1	0.30	336	100.00
Frequency Missing = 4460				

The UNIVARIATE Procedure

Variable: V99ERKDATE (Outcomes: right knee, date of follow-up knee replacement (calc))

Moments			
N	470	Sum Weights	470
Mean	19396.0383	Sum Observations	9116138
Std Deviation	1553.35588	Variance	2412914.48
Skewness	0.09513739	Kurtosis	-0.9246444
Uncorrected SS	1.77949E11	Corrected SS	1131656891
Coeff Variation	8.00862451	Std Error Mean	71.6509637

Basic Statistical Measures			
Location		Variability	
Mean	19396.04	Std Deviation	1553
Median	19282.00	Variance	2412914
Mode	16895.00	Range	6307
		Interquartile Range	2464

Note: The mode displayed is the smallest of 2 modes with a count of 3.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	270.7017	Pr > t 	<.0001
Sign	M	235	Pr >= M 	<.0001
Signed Rank	S	55342.5	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	22690.0
99%	22531.0
95%	21921.0
90%	21613.0
75% Q3	20676.0
50% Median	19282.0
25% Q1	18212.0
10%	17258.5
5%	16895.0
1%	16524.0
0% Min	16383.0

The UNIVARIATE Procedure

Variable: V99ERKDATE (Outcomes: right knee, date of follow-up knee replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16383	2428	22531	485
16385	1583	22540	1375
16460	3630	22596	3917
16510	3521	22600	4251
16524	239	22690	3646

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4326	90.20	100.00

The UNIVARIATE Procedure

Variable: V99ERKDAY5 (Outcomes: right knee, days between enrollment visit and follow-up knee replacement (calc))

Moments			
N	470	Sum Weights	470
Mean	2925.05957	Sum Observations	1374778
Std Deviation	1538.84786	Variance	2368052.74
Skewness	0.07020415	Kurtosis	-0.9827236
Uncorrected SS	5131924288	Corrected SS	1110616736
Coeff Variation	52.6091118	Std Error Mean	70.9817589

Basic Statistical Measures			
Location		Variability	
Mean	2925.060	Std Deviation	1539
Median	2872.000	Variance	2368053
Mode	203.000	Range	5949
		Interquartile Range	2493

Note: The mode displayed is the smallest of 15 modes with a count of 2.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	41.20861	Pr > t 	<.0001
Sign	M	235	Pr >= M 	<.0001
Signed Rank	S	55342.5	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5965.0
99%	5800.0
95%	5468.0
90%	5116.0
75% Q3	4196.0
50% Median	2872.0
25% Q1	1703.0
10%	810.5
5%	471.0
1%	145.0
0% Min	16.0

The UNIVARIATE Procedure

Variable: V99ERKDAY\$ (Outcomes: right knee, days between enrollment visit and follow-up knee replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16	2362	5800	1375
106	335	5855	485
119	239	5860	3917
142	609	5896	2047
145	2428	5965	3646

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4326	90.20	100.00

The UNIVARIATE Procedure

Variable: V99ELKDATE (Outcomes: left knee, date of follow-up knee replacement (calc))

Moments			
N	465	Sum Weights	465
Mean	19403.7892	Sum Observations	9022762
Std Deviation	1593.87466	Variance	2540436.43
Skewness	0.1343883	Kurtosis	-1.0745121
Uncorrected SS	1.76255E11	Corrected SS	1178762501
Coeff Variation	8.21424433	Std Error Mean	73.9141674

Basic Statistical Measures			
Location		Variability	
Mean	19403.79	Std Deviation	1594
Median	19291.00	Variance	2540436
Mode	17833.00	Range	6183
		Interquartile Range	2699

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	262.5179	Pr > t 	<.0001
Sign	M	232.5	Pr >= M 	<.0001
Signed Rank	S	54172.5	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	22650
99%	22446
95%	21984
90%	21616
75% Q3	20752
50% Median	19291
25% Q1	18053
10%	17302
5%	17017
1%	16575
0% Min	16467

The UNIVARIATE Procedure

Variable: V99ELKDATE (Outcomes: left knee, date of follow-up knee replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16467	1591	22446	3865
16498	2113	22452	4722
16530	1144	22489	2417
16573	1691	22593	1032
16575	4081	22650	4101

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4331	90.30	100.00

The UNIVARIATE Procedure

Variable: V99ELKDAY5 (Outcomes: left knee, days between enrollment visit and follow-up knee replacement (calc))

Moments			
N	465	Sum Weights	465
Mean	2934.2043	Sum Observations	1364405
Std Deviation	1582.68093	Variance	2504878.91
Skewness	0.13396165	Kurtosis	-1.1259862
Uncorrected SS	5165706835	Corrected SS	1162263816
Coeff Variation	53.9390159	Std Error Mean	73.3950705

Basic Statistical Measures			
Location		Variability	
Mean	2934.204	Std Deviation	1583
Median	2845.000	Variance	2504879
Mode	561.000	Range	5875
		Interquartile Range	2684

Note: The mode displayed is the smallest of 19 modes with a count of 2.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	39.97822	Pr > t	<.0001
Sign	M	232.5	Pr >= M	<.0001
Signed Rank	S	54172.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5957
99%	5855
95%	5565
90%	5110
75% Q3	4288
50% Median	2845
25% Q1	1604
10%	866
5%	567
1%	258
0% Min	82

The UNIVARIATE Procedure

Variable: V99ELKDAY5 (Outcomes: left knee, days between enrollment visit and follow-up knee replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
82	2769	5855	2355
126	1691	5860	2417
196	4081	5871	1032
247	2113	5871	3865
258	2238	5957	4360

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4331	90.30	100.00

The UNIVARIATE Procedure

Variable: V99ERHDATE (Outcomes: right hip, date of follow-up hip replacement (calc))

Moments			
N	207	Sum Weights	207
Mean	19501.8454	Sum Observations	4036882
Std Deviation	1692.37856	Variance	2864145.18
Skewness	0.03145113	Kurtosis	-1.2067004
Uncorrected SS	7.93167E10	Corrected SS	590013907
Coeff Variation	8.67804314	Std Error Mean	117.628441

Basic Statistical Measures			
Location		Variability	
Mean	19501.85	Std Deviation	1692
Median	19372.00	Variance	2864145
Mode	16735.00	Range	6130
		Interquartile Range	3120

Note: The mode displayed is the smallest of 7 modes with a count of 2.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	165.7919	Pr > t 	<.0001
Sign	M	103.5	Pr >= M 	<.0001
Signed Rank	S	10764	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	22538
99%	22349
95%	22125
90%	21837
75% Q3	21164
50% Median	19372
25% Q1	18044
10%	17345
5%	16735
1%	16607
0% Min	16408

The UNIVARIATE Procedure

Variable: V99ERHDATE (Outcomes: right hip, date of follow-up hip replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16408	3214	22329	2590
16553	4746	22342	2123
16607	1870	22349	1166
16609	25	22394	1733
16628	4459	22538	4664

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4589	95.68	100.00

The UNIVARIATE Procedure

Variable: V99ERHDAYS (Outcomes: right hip, days between enrollment visit and follow-up hip replacement (calc))

Moments			
N	207	Sum Weights	207
Mean	2994.51208	Sum Observations	619864
Std Deviation	1700.33685	Variance	2891145.4
Skewness	0.04006251	Kurtosis	-1.2344846
Uncorrected SS	2451766186	Corrected SS	595575952
Coeff Variation	56.7817662	Std Error Mean	118.181581

Basic Statistical Measures			
Location		Variability	
Mean	2994.512	Std Deviation	1700
Median	2737.000	Variance	2891145
Mode	5282.000	Range	6128
		Interquartile Range	3103

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	25.33823	Pr > t 	<.0001
Sign	M	102.5	Pr >= M 	<.0001
Signed Rank	S	10757	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5935
99%	5856
95%	5736
90%	5257
75% Q3	4607
50% Median	2737
25% Q1	1504
10%	747
5%	400
1%	91
0% Min	-193

The UNIVARIATE Procedure

Variable: V99ERHDAYS (Outcomes: right hip, days between enrollment visit and follow-up hip replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
-193	4746	5803	2800
72	1623	5839	337
91	3694	5856	2624
100	3214	5873	2590
159	1870	5935	4664

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4589	95.68	100.00

The UNIVARIATE Procedure

Variable: V99ELHDATE (Outcomes: left hip, date of follow-up hip replacement (calc))

Moments			
N	206	Sum Weights	206
Mean	19541.1699	Sum Observations	4025481
Std Deviation	1621.04896	Variance	2627799.72
Skewness	0.09401424	Kurtosis	-0.9953212
Uncorrected SS	7.92013E10	Corrected SS	538698943
Coeff Variation	8.29555736	Std Error Mean	112.943833

Basic Statistical Measures			
Location		Variability	
Mean	19541.17	Std Deviation	1621
Median	19517.50	Variance	2627800
Mode	17205.00	Range	6186
		Interquartile Range	2716

Note: The mode displayed is the smallest of 8 modes with a count of 2.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	173.0167	Pr > t 	<.0001
Sign	M	103	Pr >= M 	<.0001
Signed Rank	S	10660.5	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	22592.0
99%	22512.0
95%	22264.0
90%	21942.0
75% Q3	20828.0
50% Median	19517.5
25% Q1	18112.0
10%	17389.0
5%	17051.0
1%	16604.0
0% Min	16406.0

The UNIVARIATE Procedure

Variable: V99ELHDATE (Outcomes: left hip, date of follow-up hip replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16406	4313	22452	1441
16540	2279	22473	1377
16604	2618	22512	488
16623	3965	22537	1408
16667	1602	22592	3232

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4590	95.70	100.00

The UNIVARIATE Procedure

Variable: V99ELHDAYS (Outcomes: left hip, days between enrollment visit and follow-up hip replacement (calc))

Moments			
N	206	Sum Weights	206
Mean	3045.24272	Sum Observations	627320
Std Deviation	1619.43976	Variance	2622585.13
Skewness	0.05758921	Kurtosis	-1.0389523
Uncorrected SS	2447971614	Corrected SS	537629952
Coeff Variation	53.1793328	Std Error Mean	112.831714

Basic Statistical Measures			
Location		Variability	
Mean	3045.243	Std Deviation	1619
Median	3008.500	Variance	2622585
Mode	980.000	Range	5817
		Interquartile Range	2616

Note: The mode displayed is the smallest of 3 modes with a count of 2.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	26.98924	Pr > t 	<.0001
Sign	M	103	Pr >= M 	<.0001
Signed Rank	S	10660.5	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5935.0
99%	5913.0
95%	5780.0
90%	5425.0
75% Q3	4304.0
50% Median	3008.5
25% Q1	1688.0
10%	874.0
5%	535.0
1%	160.0
0% Min	118.0

The UNIVARIATE Procedure

Variable: V99ELHDAYS (Outcomes: left hip, days between enrollment visit and follow-up hip replacement (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
118	4313	5881	2747
159	1602	5888	3232
160	640	5913	4484
198	812	5935	1408
246	3694	5935	3880

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4590	95.70	100.00

The UNIVARIATE Procedure
Variable: V99EDDDATE (Outcomes: date of death (calc))

Moments			
N	697	Sum Weights	697
Mean	20205.7217	Sum Observations	14083388
Std Deviation	1484.25273	Variance	2203006.18
Skewness	-0.5136421	Kurtosis	-0.6290759
Uncorrected SS	2.86098E11	Corrected SS	1533292302
Coeff Variation	7.34570514	Std Error Mean	56.2200812

Basic Statistical Measures			
Location		Variability	
Mean	20205.72	Std Deviation	1484
Median	20480.00	Variance	2203006
Mode	20186.00	Range	6205
		Interquartile Range	2232

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	359.404	Pr > t 	<.0001
Sign	M	348.5	Pr >= M 	<.0001
Signed Rank	S	121626.5	Pr >= S 	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	22702
99%	22516
95%	22262
90%	21999
75% Q3	21409
50% Median	20480
25% Q1	19177
10%	18015
5%	17390
1%	16744
0% Min	16497

The UNIVARIATE Procedure
Variable: V99EDDDATE (Outcomes: date of death (calc))

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16497	3808	22603	2224
16581	1986	22608	2054
16622	3170	22618	2080
16626	2206	22669	2691
16635	988	22702	1379

Missing Values			
Missing Value	Count	Percent Of	
		All Obs	Missing Obs
A	4097	85.43	99.95
I	2	0.04	0.05
Total	4099	85.47	100.00