

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01BROHRCV (SV:Q12d.Brother had hip replacement surgery (calc))**

Moments			
N	4736	Sum Weights	4736
Mean	0.01034628	Sum Observations	49
Std Deviation	0.10119981	Variance	0.0102414
Skewness	9.68105779	Kurtosis	91.7616304
Uncorrected SS	49	Corrected SS	48.4930321
Coeff Variation	978.127101	Std Error Mean	0.00147053

Basic Statistical Measures			
Location		Variability	
Mean	0.010346	Std Deviation	0.10120
Median	0.000000	Variance	0.01024
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.035753	Pr > t	<.0001
Sign	M	24.5	Pr >= M	<.0001
Signed Rank	S	612.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01BROHRCV (SV:Q12d.Brother had hip replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4379
0	4795	1	4399
0	4794	1	4579
0	4793	1	4611
0	4792	1	4733

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	60	1.25	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01BROKRCV (SV:Q13d.Brother had knee replacement surgery (calc))**

Moments			
N	4732	Sum Weights	4732
Mean	0.01880811	Sum Observations	89
Std Deviation	0.13586122	Variance	0.01845827
Skewness	7.08657491	Kurtosis	48.2399326
Uncorrected SS	89	Corrected SS	87.3260778
Coeff Variation	722.35425	Std Error Mean	0.00197503

Basic Statistical Measures			
Location		Variability	
Mean	0.018808	Std Deviation	0.13586
Median	0.000000	Variance	0.01846
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.522964	Pr > t	<.0001
Sign	M	44.5	Pr >= M	<.0001
Signed Rank	S	2002.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01BROKRCV (SV:Q13d.Brother had knee replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4423
0	4795	1	4451
0	4794	1	4475
0	4793	1	4696
0	4792	1	4777

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	64	1.33	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: P01CLAU (SV:Q4.Have claustrophobia)

Moments			
N	4697	Sum Weights	4697
Mean	0.10432191	Sum Observations	490
Std Deviation	0.30571023	Variance	0.09345874
Skewness	2.58968531	Kurtosis	4.70847469
Uncorrected SS	490	Corrected SS	438.882265
Coeff Variation	293.045092	Std Error Mean	0.00446067

Basic Statistical Measures			
Location		Variability	
Mean	0.104322	Std Deviation	0.30571
Median	0.000000	Variance	0.09346
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	23.38707	Pr > t	<.0001
Sign	M	245	Pr >= M	<.0001
Signed Rank	S	60147.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: P01CLAU (SV:Q4.Have claustrophobia)

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4737
0	4794	1	4742
0	4793	1	4753
0	4792	1	4769
0	4791	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	99	2.06	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01DADHRCV (SV:Q12b.Father had hip replacement surgery (calc))**

Moments			
N	4736	Sum Weights	4736
Mean	0.01963682	Sum Observations	93
Std Deviation	0.13876341	Variance	0.01925529
Skewness	6.92640952	Kurtosis	45.9945721
Uncorrected SS	93	Corrected SS	91.1737753
Coeff Variation	706.648958	Std Error Mean	0.00201636

Basic Statistical Measures			
Location		Variability	
Mean	0.019637	Std Deviation	0.13876
Median	0.000000	Variance	0.01926
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.738725	Pr > t	<.0001
Sign	M	46.5	Pr >= M	<.0001
Signed Rank	S	2185.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01DADHRCV (SV:Q12b.Father had hip replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4546
0	4795	1	4570
0	4794	1	4601
0	4793	1	4770
0	4792	1	4773

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	60	1.25	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01DADKRCV (SV:Q13b.Father had knee replacement surgery (calc))**

Moments			
N	4728	Sum Weights	4728
Mean	0.0285533	Sum Observations	135
Std Deviation	0.16656493	Variance	0.02774388
Skewness	5.66321142	Kurtosis	30.0846896
Uncorrected SS	135	Corrected SS	131.145305
Coeff Variation	583.347406	Std Error Mean	0.00242239

Basic Statistical Measures			
Location		Variability	
Mean	0.028553	Std Deviation	0.16656
Median	0.000000	Variance	0.02774
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	11.78722	Pr > t	<.0001
Sign	M	67.5	Pr >= M	<.0001
Signed Rank	S	4590	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01DADKRCV (SV:Q13b.Father had knee replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4702
0	4795	1	4723
0	4794	1	4780
0	4793	1	4785
0	4792	1	4787

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	68	1.42	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01FAMHR (SV:Q12.Mother, father, sister, or brother (blood relative) had hip replacement surgery for arthritis, where all or part of hip joint replaced)

Moments			
N	4738	Sum Weights	4738
Mean	0.09054453	Sum Observations	429
Std Deviation	0.2869906	Variance	0.0823636
Skewness	2.85464665	Kurtosis	6.15160405
Uncorrected SS	429	Corrected SS	390.156395
Coeff Variation	316.960714	Std Error Mean	0.00416937

Basic Statistical Measures			
Location		Variability	
Mean	0.090545	Std Deviation	0.28699
Median	0.000000	Variance	0.08236
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	21.71661	Pr > t	<.0001
Sign	M	214.5	Pr >= M	<.0001
Signed Rank	S	46117.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01FAMHR (SV:Q12.Mother, father, sister, or brother (blood relative) had hip replacement surgery for arthritis, where all or part of hip joint replaced)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4766
0	4795	1	4770
0	4794	1	4773
0	4793	1	4781
0	4792	1	4782

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	58	1.21	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01FAMKR (SV:Q13.Mother, father, sister, or brother (blood relative) had knee replacement surgery for arthritis, where all or part of knee joint replaced)

Moments			
N	4733	Sum Weights	4733
Mean	0.14008029	Sum Observations	663
Std Deviation	0.34710698	Variance	0.12048326
Skewness	2.07470253	Kurtosis	2.30536458
Uncorrected SS	663	Corrected SS	570.126769
Coeff Variation	247.791454	Std Error Mean	0.00504539

Basic Statistical Measures			
Location		Variability	
Mean	0.140080	Std Deviation	0.34711
Median	0.000000	Variance	0.12048
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	27.76399	Pr > t	<.0001
Sign	M	331.5	Pr >= M	<.0001
Signed Rank	S	110058	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01FAMKR (SV:Q13.Mother, father, sister, or brother (blood relative) had knee replacement surgery for arthritis, where all or part of knee joint replaced)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4780
0	4795	1	4781
0	4794	1	4785
0	4793	1	4787
0	4791	1	4792

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
D	63	1.31	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01LXRKOA (SV:Left knee baseline radiographic OA (definite osteophytes, calc, used in OAI definition of symptomatic knee OA))

Moments			
N	4770	Sum Weights	4770
Mean	0.44947589	Sum Observations	2144
Std Deviation	0.49749292	Variance	0.2474992
Skewness	0.20320009	Kurtosis	-1.9595315
Uncorrected SS	2144	Corrected SS	1180.32369
Coeff Variation	110.682892	Std Error Mean	0.00720324

Basic Statistical Measures			
Location		Variability	
Mean	0.449476	Std Deviation	0.49749
Median	0.000000	Variance	0.24750
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	62.39915	Pr > t	<.0001
Sign	M	1072	Pr >= M	<.0001
Signed Rank	S	1149720	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01LXRKOA (SV:Left knee baseline radiographic OA (definite osteophytes, calc, used in OAI definition of symptomatic knee OA))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4790
0	4791	1	4792
0	4787	1	4793
0	4779	1	4794
0	4776	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	1	0.02	3.85
P	25	0.52	96.15
Total	26	0.54	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01LXRKOA2 (SV:Left knee baseline x-ray: osteophytes and JSN (calc))**

Moments			
N	4770	Sum Weights	4770
Mean	2.93165618	Sum Observations	13984
Std Deviation	1.88402027	Variance	3.54953238
Skewness	-0.2252206	Kurtosis	-1.1165218
Uncorrected SS	57924	Corrected SS	16927.7199
Coeff Variation	64.2647074	Std Error Mean	0.02727887

Basic Statistical Measures			
Location		Variability	
Mean	2.931656	Std Deviation	1.88402
Median	3.000000	Variance	3.54953
Mode	2.000000	Range	6.00000
		Interquartile Range	3.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	107.4699	Pr > t	<.0001
Sign	M	1925	Pr >= M	<.0001
Signed Rank	S	3706588	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	6
99%	6
95%	6
90%	5
75% Q3	5
50% Median	3
25% Q1	2
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01LXRKOA2 (SV:Left knee baseline x-ray: osteophytes and JSN (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4776	6	4759
0	4774	6	4766
0	4769	6	4782
0	4764	6	4786
0	4750	6	4789

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	1	0.02	3.85
P	25	0.52	96.15
Total	26	0.54	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MOMHRCV (SV:Q12a.Mother had hip replacement surgery (calc))**

Moments			
N	4735	Sum Weights	4735
Mean	0.04561774	Sum Observations	216
Std Deviation	0.20867668	Variance	0.04354596
Skewness	4.35673268	Kurtosis	16.9882951
Uncorrected SS	216	Corrected SS	206.146568
Coeff Variation	457.446343	Std Error Mean	0.00303259

Basic Statistical Measures			
Location		Variability	
Mean	0.045618	Std Deviation	0.20868
Median	0.000000	Variance	0.04355
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	15.04249	Pr > t	<.0001
Sign	M	108	Pr >= M	<.0001
Signed Rank	S	11718	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MOMHRCV (SV:Q12a.Mother had hip replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4755
0	4795	1	4759
0	4794	1	4766
0	4793	1	4781
0	4792	1	4782

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
D	61	1.27	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MOMKRCV (SV:Q13a.Mother had knee replacement surgery (calc))**

Moments			
N	4730	Sum Weights	4730
Mean	0.06723044	Sum Observations	318
Std Deviation	0.25044714	Variance	0.06272377
Skewness	3.45743708	Kurtosis	9.95808162
Uncorrected SS	318	Corrected SS	296.620719
Coeff Variation	372.520438	Std Error Mean	0.00364154

Basic Statistical Measures			
Location		Variability	
Mean	0.067230	Std Deviation	0.25045
Median	0.000000	Variance	0.06272
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	18.46207	Pr > t	<.0001
Sign	M	159	Pr >= M	<.0001
Signed Rank	S	25360.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MOMKRCV (SV:Q13a.Mother had knee replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4731
0	4795	1	4753
0	4794	1	4770
0	4793	1	4781
0	4791	1	4792

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
D	66	1.38	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MRCMP (SV:Q1b.Able to complete MRI scan)**

Moments			
N	3065	Sum Weights	3065
Mean	0.9954323	Sum Observations	3051
Std Deviation	0.06744123	Variance	0.00454832
Skewness	-14.70186	Kurtosis	214.284524
Uncorrected SS	3051	Corrected SS	13.9360522
Coeff Variation	6.77506979	Std Error Mean	0.00121818

Basic Statistical Measures			
Location		Variability	
Mean	0.995432	Std Deviation	0.06744
Median	1.000000	Variance	0.00455
Mode	1.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	817.1494	Pr > t	<.0001
Sign	M	1525.5	Pr >= M	<.0001
Signed Rank	S	2327913	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MRCMP (SV:Q1b.Able to complete MRI scan)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4728	1	4791
0	4312	1	4792
0	3788	1	4793
0	3087	1	4795
0	3007	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	1731	36.09	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: P01MRIB4 (SV:Q1.Ever had MRI before)

Moments			
N	4697	Sum Weights	4697
Mean	0.65254418	Sum Observations	3065
Std Deviation	0.47621272	Variance	0.22677856
Skewness	-0.6409285	Kurtosis	-1.5898878
Uncorrected SS	3065	Corrected SS	1064.9521
Coeff Variation	72.9778516	Std Error Mean	0.00694849

Basic Statistical Measures			
Location		Variability	
Mean	0.652544	Std Deviation	0.47621
Median	1.000000	Variance	0.22678
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	93.91159	Pr > t	<.0001
Sign	M	1532.5	Pr >= M	<.0001
Signed Rank	S	2349323	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: P01MRIB4 (SV:Q1.Ever had MRI before)

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4794	1	4791
0	4790	1	4792
0	4788	1	4793
0	4784	1	4795
0	4783	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	99	2.06	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01MRKCBCV (SV:Q1c.Knees fit comfortably inside knee coil with coil completely closed (calc))

Moments			
N	4794	Sum Weights	4794
Mean	3.00563204	Sum Observations	14409
Std Deviation	0.22601877	Variance	0.05108448
Skewness	1.17255088	Kurtosis	59.7162165
Uncorrected SS	43553	Corrected SS	244.847935
Coeff Variation	7.51984167	Std Error Mean	0.00326434

Basic Statistical Measures			
Location		Variability	
Mean	3.005632	Std Deviation	0.22602
Median	3.000000	Variance	0.05108
Mode	3.000000	Range	4.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	920.747	Pr > t	<.0001
Sign	M	2397	Pr >= M	<.0001
Signed Rank	S	5746808	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5
99%	4
95%	3
90%	3
75% Q3	3
50% Median	3
25% Q1	3
10%	3
5%	3

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01MRKCBCV (SV:Q1c.Knees fit comfortably inside knee coil with coil completely closed (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	3
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4761	5	4052
1	4086	5	4141
1	3935	5	4226
1	3711	5	4268
1	3616	5	4312

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	2	0.04	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MRPRBCV (SV:Q1a.Any problems related to the MRI scan (calc))**

Moments			
N	4695	Sum Weights	4695
Mean	0.0457934	Sum Observations	215
Std Deviation	0.20905901	Variance	0.04370567
Skewness	4.34709954	Kurtosis	16.9044753
Uncorrected SS	215	Corrected SS	205.15442
Coeff Variation	456.526543	Std Error Mean	0.00305106

Basic Statistical Measures			
Location		Variability	
Mean	0.045793	Std Deviation	0.20906
Median	0.000000	Variance	0.04371
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	15.009	Pr > t	<.0001
Sign	M	107.5	Pr >= M	<.0001
Signed Rank	S	11610	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01MRPRBCV (SV:Q1a.Any problems related to the MRI scan (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4718
0	4795	1	4732
0	4794	1	4746
0	4793	1	4763
0	4792	1	4774

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	101	2.11	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01OAGRDL (SV:Left knee baseline x-ray: composite OA grade (calc))**

Moments			
N	4769	Sum Weights	4769
Mean	1.57706018	Sum Observations	7521
Std Deviation	1.1749206	Variance	1.38043842
Skewness	0.3615883	Kurtosis	-0.8831187
Uncorrected SS	18443	Corrected SS	6581.93038
Coeff Variation	74.5006827	Std Error Mean	0.01701355

Basic Statistical Measures			
Location		Variability	
Mean	1.577060	Std Deviation	1.17492
Median	1.000000	Variance	1.38044
Mode	1.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	92.69438	Pr > t	<.0001
Sign	M	1924.5	Pr >= M	<.0001
Signed Rank	S	3704663	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	3
75% Q3	3
50% Median	1
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01OAGRDL (SV:Left knee baseline x-ray: composite OA grade (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4776	4	4759
0	4774	4	4766
0	4769	4	4782
0	4764	4	4786
0	4750	4	4789

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	2	0.04	7.41
P	25	0.52	92.59
Total	27	0.56	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01OAGRDR (SV:Right knee baseline x-ray: composite OA grade (calc))**

Moments			
N	4757	Sum Weights	4757
Mean	1.60899727	Sum Observations	7654
Std Deviation	1.17843809	Variance	1.38871634
Skewness	0.33133306	Kurtosis	-0.9035496
Uncorrected SS	18920	Corrected SS	6604.73492
Coeff Variation	73.240528	Std Error Mean	0.01708599

Basic Statistical Measures			
Location		Variability	
Mean	1.608997	Std Deviation	1.17844
Median	1.000000	Variance	1.38872
Mode	1.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	94.17055	Pr > t	<.0001
Sign	M	1936.5	Pr >= M	<.0001
Signed Rank	S	3751001	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	3
75% Q3	3
50% Median	1
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01OAGRDR (SV:Right knee baseline x-ray: composite OA grade (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4792	4	4648
0	4789	4	4651
0	4776	4	4663
0	4774	4	4747
0	4769	4	4768

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	1	0.02	2.56
P	38	0.79	97.44
Total	39	0.81	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01RXRKO A (SV:Right knee baseline radiographic OA (definite osteophytes, calc, used in OAI definition of symptomatic knee OA))

Moments			
N	4757	Sum Weights	4757
Mean	0.46289678	Sum Observations	2202
Std Deviation	0.49867387	Variance	0.24867563
Skewness	0.14887013	Kurtosis	-1.9786698
Uncorrected SS	2202	Corrected SS	1182.70128
Coeff Variation	107.728955	Std Error Mean	0.0072302

Basic Statistical Measures			
Location		Variability	
Mean	0.462897	Std Deviation	0.49867
Median	0.000000	Variance	0.24868
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	64.02272	Pr > t	<.0001
Sign	M	1101	Pr >= M	<.0001
Signed Rank	S	1212752	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01RXRKOA (SV:Right knee baseline radiographic OA (definite osteophytes, calc, used in OAI definition of symptomatic knee OA))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4793	1	4788
0	4792	1	4790
0	4791	1	4794
0	4789	1	4795
0	4787	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	1	0.02	2.56
P	38	0.79	97.44
Total	39	0.81	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01RXRKO2 (SV:Right knee baseline x-ray: osteophytes and JSN (calc))**

Moments			
N	4757	Sum Weights	4757
Mean	2.98612571	Sum Observations	14205
Std Deviation	1.87929963	Variance	3.53176709
Skewness	-0.2636427	Kurtosis	-1.0851402
Uncorrected SS	59215	Corrected SS	16797.0843
Coeff Variation	62.9343776	Std Error Mean	0.02724768

Basic Statistical Measures			
Location		Variability	
Mean	2.986126	Std Deviation	1.87930
Median	3.000000	Variance	3.53177
Mode	2.000000	Range	6.00000
		Interquartile Range	3.00000

Note: The mode displayed is the smallest of 2 modes with a count of 997.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	109.5919	Pr > t	<.0001
Sign	M	1936.5	Pr >= M	<.0001
Signed Rank	S	3751001	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	6
99%	6
95%	6
90%	5
75% Q3	5
50% Median	3
25% Q1	2
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01RXRKO2 (SV:Right knee baseline x-ray: osteophytes and JSN (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4792	6	4648
0	4789	6	4651
0	4776	6	4663
0	4774	6	4747
0	4769	6	4768

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	1	0.02	2.56
P	38	0.79	97.44
Total	39	0.81	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SISHRCV (SV:Q12c.Sister had hip replacement surgery (calc))**

Moments			
N	4736	Sum Weights	4736
Mean	0.01668074	Sum Observations	79
Std Deviation	0.12808575	Variance	0.01640596
Skewness	7.54999578	Kurtosis	55.0256732
Uncorrected SS	79	Corrected SS	77.6822213
Coeff Variation	767.865983	Std Error Mean	0.00186121

Basic Statistical Measures			
Location		Variability	
Mean	0.016681	Std Deviation	0.12809
Median	0.000000	Variance	0.01641
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.962319	Pr > t	<.0001
Sign	M	39.5	Pr >= M	<.0001
Signed Rank	S	1580	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SISHRCV (SV:Q12c.Sister had hip replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4416
0	4795	1	4461
0	4794	1	4530
0	4793	1	4557
0	4792	1	4733

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	60	1.25	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SISKRCV (SV:Q13c.Sister had knee replacement surgery (calc))**

Moments			
N	4731	Sum Weights	4731
Mean	0.03255126	Sum Observations	154
Std Deviation	0.17747769	Variance	0.03149833
Skewness	5.26991795	Kurtosis	25.7829345
Uncorrected SS	154	Corrected SS	148.987106
Coeff Variation	545.225299	Std Error Mean	0.00258028

Basic Statistical Measures			
Location		Variability	
Mean	0.032551	Std Deviation	0.17748
Median	0.000000	Variance	0.03150
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	12.61538	Pr > t	<.0001
Sign	M	77	Pr >= M	<.0001
Signed Rank	S	5967.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SISKRCV (SV:Q13c.Sister had knee replacement surgery (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4611
0	4795	1	4623
0	4794	1	4628
0	4793	1	4706
0	4792	1	4730

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	65	1.36	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: P01SVDATE (SV:Date Screening Visit completed)

Moments			
N	4796	Sum Weights	4796
Mean	16492.0163	Sum Observations	79095710
Std Deviation	193.475596	Variance	37432.8064
Skewness	0.13745298	Kurtosis	-0.7493185
Uncorrected SS	1.30463E12	Corrected SS	179490307
Coeff Variation	1.17314701	Std Error Mean	2.79374399

Basic Statistical Measures			
Location		Variability	
Mean	16492.02	Std Deviation	193.47560
Median	16495.00	Variance	37433
Mode	16489.00	Range	886.00000
		Interquartile Range	301.00000

Note: The mode displayed is the smallest of 2 modes with a count of 21.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5903.195	Pr > t	<.0001
Sign	M	2398	Pr >= M	<.0001
Signed Rank	S	5751603	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	16989
99%	16908
95%	16831
90%	16749
75% Q3	16630
50% Median	16495
25% Q1	16329
10%	16236
5%	16194

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVDATE (SV:Date Screening Visit completed)**

Quantiles (Definition 5)	
Level	Quantile
1%	16127
0% Min	16103

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16103	1727	16961	1559
16105	1774	16967	1549
16105	1741	16967	1584
16110	2514	16968	1332
16111	2531	16989	4458

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01SVLKJSL (SV:Left knee baseline x-ray: evidence of knee lateral joint space narrowing (calc))

Moments			
N	4771	Sum Weights	4771
Mean	0.14776776	Sum Observations	705
Std Deviation	0.39195894	Variance	0.15363181
Skewness	2.64959764	Kurtosis	6.61239389
Uncorrected SS	837	Corrected SS	732.823727
Coeff Variation	265.253346	Std Error Mean	0.00567461

Basic Statistical Measures			
Location		Variability	
Mean	0.147768	Std Deviation	0.39196
Median	0.000000	Variance	0.15363
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	26.04017	Pr > t	<.0001
Sign	M	319.5	Pr >= M	<.0001
Signed Rank	S	102240	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure

Variable: P01SVLKJSL (SV:Left knee baseline x-ray: evidence of knee lateral joint space narrowing (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	2	4174
0	4795	2	4259
0	4794	2	4322
0	4793	2	4471
0	4792	2	4638

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	25	0.52	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01SVLKJSM (SV:Left knee baseline x-ray: evidence of knee medial joint space narrowing (calc))

Moments			
N	4770	Sum Weights	4770
Mean	0.35555556	Sum Observations	1696
Std Deviation	0.56585179	Variance	0.32018825
Skewness	1.33708629	Kurtosis	0.80130485
Uncorrected SS	2130	Corrected SS	1526.97778
Coeff Variation	159.145817	Std Error Mean	0.00819301

Basic Statistical Measures			
Location		Variability	
Mean	0.355556	Std Deviation	0.56585
Median	0.000000	Variance	0.32019
Mode	0.000000	Range	2.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	43.39742	Pr > t	<.0001
Sign	M	739.5	Pr >= M	<.0001
Signed Rank	S	547230	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure

Variable: P01SVLKJSM (SV:Left knee baseline x-ray: evidence of knee medial joint space narrowing (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4795	2	4759
0	4794	2	4766
0	4792	2	4782
0	4791	2	4786
0	4790	2	4789

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	25	0.52	96.15
M	1	0.02	3.85
Total	26	0.54	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVLKMI (SV:Left knee baseline x-ray: evidence of knee metal artifacts (calc))**

Moments			
N	4796	Sum Weights	4796
Mean	0.01563803	Sum Observations	75
Std Deviation	0.12408342	Variance	0.01539669
Skewness	7.81029498	Kurtosis	59.0253219
Uncorrected SS	75	Corrected SS	73.8271476
Coeff Variation	793.47208	Std Error Mean	0.00179174

Basic Statistical Measures			
Location		Variability	
Mean	0.015638	Std Deviation	0.12408
Median	0.000000	Variance	0.01540
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.727863	Pr > t	<.0001
Sign	M	37.5	Pr >= M	<.0001
Signed Rank	S	1425	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVLKMI (SV:Left knee baseline x-ray: evidence of knee metal artifacts (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4457
0	4795	1	4465
0	4794	1	4512
0	4793	1	4665
0	4792	1	4772

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVLKOST (SV:Left knee baseline x-ray: evidence of knee osteophytes (calc))**

Moments			
N	4770	Sum Weights	4770
Mean	1.23563941	Sum Observations	5894
Std Deviation	0.77968832	Variance	0.60791388
Skewness	-0.4372101	Kurtosis	-1.2324709
Uncorrected SS	10182	Corrected SS	2899.1413
Coeff Variation	63.0999881	Std Error Mean	0.01128917

Basic Statistical Measures			
Location		Variability	
Mean	1.235639	Std Deviation	0.77969
Median	1.000000	Variance	0.60791
Mode	2.000000	Range	2.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	109.4536	Pr > t	<.0001
Sign	M	1875	Pr >= M	<.0001
Signed Rank	S	3516563	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	1
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure

Variable: P01SVLKOST (SV:Left knee baseline x-ray: evidence of knee osteophytes (calc))

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4776	2	4790
0	4774	2	4792
0	4769	2	4793
0	4764	2	4794
0	4750	2	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	25	0.52	96.15
M	1	0.02	3.85
Total	26	0.54	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01SVRKJSL (SV:Right knee baseline x-ray: evidence of knee lateral joint space narrowing (calc))

Moments			
N	4758	Sum Weights	4758
Mean	0.16435477	Sum Observations	782
Std Deviation	0.42456486	Variance	0.18025532
Skewness	2.61084007	Kurtosis	6.3454722
Uncorrected SS	986	Corrected SS	857.474569
Coeff Variation	258.322202	Std Error Mean	0.00615505

Basic Statistical Measures			
Location		Variability	
Mean	0.164355	Std Deviation	0.42456
Median	0.000000	Variance	0.18026
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	26.70241	Pr > t	<.0001
Sign	M	340	Pr >= M	<.0001
Signed Rank	S	115770	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01SVRKJSL (SV:Right knee baseline x-ray: evidence of knee lateral joint space narrowing (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	2	4475
0	4795	2	4516
0	4794	2	4541
0	4793	2	4651
0	4792	2	4747

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	38	0.79	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01SVRKJSM (SV:Right knee baseline x-ray: evidence of knee medial joint space narrowing (calc))

Moments			
N	4759	Sum Weights	4759
Mean	0.34944316	Sum Observations	1663
Std Deviation	0.55732276	Variance	0.31060866
Skewness	1.33440882	Kurtosis	0.80565813
Uncorrected SS	2059	Corrected SS	1477.87602
Coeff Variation	159.488818	Std Error Mean	0.00807884

Basic Statistical Measures			
Location		Variability	
Mean	0.349443	Std Deviation	0.55732
Median	0.000000	Variance	0.31061
Mode	0.000000	Range	2.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	43.25413	Pr > t	<.0001
Sign	M	732.5	Pr >= M	<.0001
Signed Rank	S	536922.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P01SVRKJSM (SV:Right knee baseline x-ray: evidence of knee medial joint space narrowing (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	2	4556
0	4795	2	4591
0	4792	2	4648
0	4790	2	4663
0	4789	2	4768

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	37	0.77	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVRKMI (SV:Right knee baseline x-ray: evidence of knee metal artifacts (calc))**

Moments			
N	4796	Sum Weights	4796
Mean	0.0145955	Sum Observations	70
Std Deviation	0.11993943	Variance	0.01438547
Skewness	8.09753728	Kurtosis	63.5966306
Uncorrected SS	70	Corrected SS	68.9783153
Coeff Variation	821.756447	Std Error Mean	0.0017319

Basic Statistical Measures			
Location		Variability	
Mean	0.014595	Std Deviation	0.11994
Median	0.000000	Variance	0.01439
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.427455	Pr > t	<.0001
Sign	M	35	Pr >= M	<.0001
Signed Rank	S	1242.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVRKMI (SV:Right knee baseline x-ray: evidence of knee metal artifacts (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4211
0	4795	1	4506
0	4794	1	4512
0	4793	1	4709
0	4792	1	4737

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVRKOST (SV:Right knee baseline x-ray: evidence of knee osteophytes (calc))**

Moments			
N	4758	Sum Weights	4758
Mean	1.25767129	Sum Observations	5984
Std Deviation	0.7759382	Variance	0.60208009
Skewness	-0.4813955	Kurtosis	-1.1901465
Uncorrected SS	10390	Corrected SS	2864.095
Coeff Variation	61.6964231	Std Error Mean	0.01124903

Basic Statistical Measures			
Location		Variability	
Mean	1.257671	Std Deviation	0.77594
Median	1.000000	Variance	0.60208
Mode	2.000000	Range	2.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	111.8027	Pr > t	<.0001
Sign	M	1890.5	Pr >= M	<.0001
Signed Rank	S	3574936	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	1
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVRKOST (SV:Right knee baseline x-ray: evidence of knee osteophytes (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4792	2	4788
0	4789	2	4790
0	4776	2	4794
0	4774	2	4795
0	4769	2	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	37	0.77	97.37
M	1	0.02	2.63
Total	38	0.79	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVXRELK (SV:Baseline knee x-ray: knee(s) eligible for MRI based on x-ray (calc))**

Moments			
N	4794	Sum Weights	4794
Mean	2.97851481	Sum Observations	14279
Std Deviation	0.18315627	Variance	0.03354622
Skewness	-9.2601175	Kurtosis	89.6512928
Uncorrected SS	42691	Corrected SS	160.787025
Coeff Variation	6.14924819	Std Error Mean	0.00264529

Basic Statistical Measures			
Location		Variability	
Mean	2.978515	Std Deviation	0.18316
Median	3.000000	Variance	0.03355
Mode	3.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	1125.97	Pr > t	<.0001
Sign	M	2397	Pr >= M	<.0001
Signed Rank	S	5746808	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	3
50% Median	3
25% Q1	3
10%	3
5%	3

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVXRELK (SV:Baseline knee x-ray: knee(s) eligible for MRI based on x-ray (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	2
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4312	3	4792
1	4268	3	4793
1	4226	3	4794
1	4141	3	4795
1	3899	3	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	2	0.04	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVXRLKR (SV:Left knee baseline x-ray: evidence of knee replacement (calc))**

Moments			
N	4796	Sum Weights	4796
Mean	0.00521268	Sum Observations	25
Std Deviation	0.07201796	Variance	0.00518659
Skewness	13.7463971	Kurtosis	187.041431
Uncorrected SS	25	Corrected SS	24.8696831
Coeff Variation	1381.59256	Std Error Mean	0.00103992

Basic Statistical Measures			
Location		Variability	
Mean	0.005213	Std Deviation	0.07202
Median	0.000000	Variance	0.00519
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5.01256	Pr > t	<.0001
Sign	M	12.5	Pr >= M	<.0001
Signed Rank	S	162.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVXRLKR (SV:Left knee baseline x-ray: evidence of knee replacement (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	3899
0	4795	1	4141
0	4794	1	4226
0	4793	1	4268
0	4792	1	4312

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVXRRKR (SV:Right knee baseline x-ray: evidence of knee replacement (calc))**

Moments			
N	4796	Sum Weights	4796
Mean	0.00792327	Sum Observations	38
Std Deviation	0.08866866	Variance	0.00786213
Skewness	11.1038566	Kurtosis	121.346234
Uncorrected SS	38	Corrected SS	37.6989158
Coeff Variation	1119.09177	Std Error Mean	0.00128036

Basic Statistical Measures			
Location		Variability	
Mean	0.007923	Std Deviation	0.08867
Median	0.000000	Variance	0.00786
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.188336	Pr > t	<.0001
Sign	M	19	Pr >= M	<.0001
Signed Rank	S	370.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01SVXRRKR (SV:Right knee baseline x-ray: evidence of knee replacement (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	3858
0	4795	1	3993
0	4794	1	4019
0	4793	1	4209
0	4792	1	4737

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01XRKOA (SV:Baseline radiographic knee OA status by person (calc))**

Moments			
N	4795	Sum Weights	4795
Mean	1.35370177	Sum Observations	6491
Std Deviation	1.34435281	Variance	1.80728448
Skewness	0.1973993	Kurtosis	-1.758202
Uncorrected SS	17451	Corrected SS	8664.12179
Coeff Variation	99.309378	Std Error Mean	0.01941418

Basic Statistical Measures			
Location		Variability	
Mean	1.353702	Std Deviation	1.34435
Median	1.000000	Variance	1.80728
Mode	0.000000	Range	3.00000
		Interquartile Range	3.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	69.72749	Pr > t	<.0001
Sign	M	1339.5	Pr >= M	<.0001
Signed Rank	S	1794930	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	3
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P01XRKOA (SV:Baseline radiographic knee OA status by person (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4791	3	4786
0	4787	3	4788
0	4779	3	4790
0	4776	3	4794
0	4774	3	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	1	0.02	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02ACTRISK (IEI:Engage in at least one frequent knee bending activity (calc, used for study eligibility initially))

Moments			
N	4765	Sum Weights	4765
Mean	0.72612802	Sum Observations	3460
Std Deviation	0.44599088	Variance	0.19890786
Skewness	-1.0144735	Kurtosis	-0.9712513
Uncorrected SS	3460	Corrected SS	947.597062
Coeff Variation	61.4204201	Std Error Mean	0.00646092

Basic Statistical Measures			
Location		Variability	
Mean	0.726128	Std Deviation	0.44599
Median	1.000000	Variance	0.19891
Mode	1.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	112.3877	Pr > t	<.0001
Sign	M	1730	Pr >= M	<.0001
Signed Rank	S	2993765	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02ACTRISK (IEI:Engage in at least one frequent knee bending activity (calc, used for study eligibility initially))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4789	1	4791
0	4787	1	4792
0	4785	1	4794
0	4784	1	4795
0	4778	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	31	0.65	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02DATE (IEI:Date Initial Eligibility Interview completed)**

Moments			
N	4796	Sum Weights	4796
Mean	16469.2563	Sum Observations	78986553
Std Deviation	192.742827	Variance	37149.7973
Skewness	0.15618455	Kurtosis	-0.7114187
Uncorrected SS	1.30103E12	Corrected SS	178133278
Coeff Variation	1.17031895	Std Error Mean	2.78316297

Basic Statistical Measures			
Location		Variability	
Mean	16469.26	Std Deviation	192.74283
Median	16474.00	Variance	37150
Mode	16454.00	Range	873.00000
		Interquartile Range	295.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5917.46	Pr > t	<.0001
Sign	M	2398	Pr >= M	<.0001
Signed Rank	S	5751603	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	16959
99%	16901
95%	16812
90%	16733
75% Q3	16603
50% Median	16474
25% Q1	16308
10%	16209
5%	16175

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02DATE (IEI:Date Initial Eligibility Interview completed)**

Quantiles (Definition 5)	
Level	Quantile
1%	16112
0% Min	16086

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16086	1727	16954	1503
16091	1741	16957	1523
16092	1749	16957	1549
16097	1754	16957	1559
16098	976	16959	1584

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02ELGRISK (IEI:Knee symptoms, risk factors, or both, status at IEI/SV (calc))**

Moments			
N	4796	Sum Weights	4796
Mean	2.99165972	Sum Observations	14348
Std Deviation	1.42271652	Variance	2.02412229
Skewness	0.27986262	Kurtosis	-1.0244538
Uncorrected SS	52630	Corrected SS	9705.66639
Coeff Variation	47.5560944	Std Error Mean	0.02054371

Basic Statistical Measures			
Location		Variability	
Mean	2.991660	Std Deviation	1.42272
Median	3.000000	Variance	2.02412
Mode	2.000000	Range	5.00000
		Interquartile Range	3.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	145.6242	Pr > t	<.0001
Sign	M	2337	Pr >= M	<.0001
Signed Rank	S	5462738	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5
99%	5
95%	5
90%	5
75% Q3	5
50% Median	3
25% Q1	2
10%	2
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02ELGRISK (IEI:Knee symptoms, risk factors, or both, status at IEI/SV (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4764	5	4768
0	4510	5	4777
0	4458	5	4778
0	4429	5	4782
0	4426	5	4789

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02FAMHXKR (IEI:Q15.Mother, father, sister, or brother (blood relative) had knee repl surgery where all/part of knee replaced (used for study eligibility))

Moments			
N	4748	Sum Weights	4748
Mean	0.15101095	Sum Observations	717
Std Deviation	0.35809727	Variance	0.12823365
Skewness	1.9499513	Kurtosis	1.80306939
Uncorrected SS	717	Corrected SS	608.725147
Coeff Variation	237.133308	Std Error Mean	0.00519692

Basic Statistical Measures			
Location		Variability	
Mean	0.151011	Std Deviation	0.35810
Median	0.000000	Variance	0.12823
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	29.0578	Pr > t	<.0001
Sign	M	358.5	Pr >= M	<.0001
Signed Rank	S	128701.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02FAMHXKR (IEI:Q15.Mother, father, sister, or brother (blood relative) had knee repl surgery where all/part of knee replaced (used for study eligibility))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4780
0	4795	1	4781
0	4794	1	4785
0	4793	1	4787
0	4791	1	4792

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
D	48	1.00	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR1 (IEI:Q42.How heard about OAI: brochure)**

Moments			
N	1123	Sum Weights	1123
Mean	1	Sum Observations	1123
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	1123	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	561.5 Pr >= M	<.0001
Signed Rank	S	315563 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR1 (IEI:Q42.How heard about OAI: brochure)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4790	1	4764
1	4787	1	4773
1	4784	1	4784
1	4773	1	4787
1	4764	1	4790

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3672	76.56	99.97
M	1	0.02	0.03
Total	3673	76.58	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR10 (IEI:Q42.How heard about OAI: don't know/don't remember)**

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	4673	97.44	97.44
D	122	2.54	2.54
M	1	0.02	0.02
Total	4796	100.00	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR11 (IEI:Q42.How heard about OAI: refused)**

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	4795	99.98	99.98
M	1	0.02	0.02
Total	4796	100.00	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR2 (IEI:Q42.How heard about OAI: doctor)**

Moments			
N	60	Sum Weights	60
Mean	1	Sum Observations	60
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	60	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	30 Pr >= M	<.0001
Signed Rank	S	915 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR2 (IEI:Q42.How heard about OAI: doctor)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4748	1	4526
1	4730	1	4677
1	4719	1	4719
1	4677	1	4730
1	4526	1	4748

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4735	98.73	99.98
M	1	0.02	0.02
Total	4736	98.75	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR3 (IEI:Q42.How heard about OAI: flyer)**

Moments			
N	137	Sum Weights	137
Mean	1	Sum Observations	137
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	137	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	.	Pr > t
Sign	M	68.5	Pr >= M
Signed Rank	S	4726.5	Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR3 (IEI:Q42.How heard about OAI: flyer)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	1	4528
1	4716	1	4560
1	4600	1	4600
1	4560	1	4716
1	4528	1	4796

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	4658	97.12	99.98
M	1	0.02	0.02
Total	4659	97.14	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR4 (IEI:Q42.How heard about OAI: friend/family)**

Moments			
N	458	Sum Weights	458
Mean	1	Sum Observations	458
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	458	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	229 Pr >= M	<.0001
Signed Rank	S	52555.5 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR4 (IEI:Q42.How heard about OAI: friend/family)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4795	1	4768
1	4783	1	4769
1	4770	1	4770
1	4769	1	4783
1	4768	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4337	90.43	99.98
M	1	0.02	0.02
Total	4338	90.45	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR5 (IEI:Q42.How heard about OAI: mail)**

Moments			
N	2414	Sum Weights	2414
Mean	1	Sum Observations	2414
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	2414	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic	p Value	
Student's t	t	. Pr > t	.
Sign	M	1207 Pr >= M	<.0001
Signed Rank	S	1457453 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR5 (IEI:Q42.How heard about OAI: mail)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4794	1	4790
1	4793	1	4791
1	4792	1	4792
1	4791	1	4793
1	4790	1	4794

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	2381	49.65	99.96
M	1	0.02	0.04
Total	2382	49.67	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR6 (IEI:Q42.How heard about OAI: newspaper)**

Moments			
N	371	Sum Weights	371
Mean	1	Sum Observations	371
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	371	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	.	Pr > t
Sign	M	185.5	Pr >= M
Signed Rank	S	34503	Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR6 (IEI:Q42.How heard about OAI: newspaper)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4789	1	4710
1	4779	1	4738
1	4741	1	4741
1	4738	1	4779
1	4710	1	4789

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4424	92.24	99.98
M	1	0.02	0.02
Total	4425	92.26	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR7 (IEI:Q42.How heard about OAI: radio advertisement)**

Moments			
N	91	Sum Weights	91
Mean	1	Sum Observations	91
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	91	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	.	Pr > t
Sign	M	45.5	Pr >= M
Signed Rank	S	2093	Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR7 (IEI:Q42.How heard about OAI: radio advertisement)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4742	1	4698
1	4722	1	4700
1	4702	1	4702
1	4700	1	4722
1	4698	1	4742

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4704	98.08	99.98
M	1	0.02	0.02
Total	4705	98.10	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR8 (IEI:Q42.How heard about OAI: television)**

Moments			
N	125	Sum Weights	125
Mean	1	Sum Observations	125
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	125	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	62.5 Pr >= M	<.0001
Signed Rank	S	3937.5 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR8 (IEI:Q42.How heard about OAI: television)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4771	1	4590
1	4733	1	4655
1	4663	1	4663
1	4655	1	4733
1	4590	1	4771

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4670	97.37	99.98
M	1	0.02	0.02
Total	4671	97.39	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR9 (IEI:Q42.How heard about OAI: other)**

Moments			
N	797	Sum Weights	797
Mean	1	Sum Observations	797
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	797	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	398.5 Pr >= M	<.0001
Signed Rank	S	159001.5 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02HR9 (IEI:Q42.How heard about OAI: other)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	1	4772
1	4793	1	4780
1	4788	1	4788
1	4780	1	4793
1	4772	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3998	83.36	99.97
M	1	0.02	0.03
Total	3999	83.38	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02IKPRISK (IEI:Either knee symptom status at IEI (calc, used for study eligibility))**

Moments			
N	4795	Sum Weights	4795
Mean	1.37601668	Sum Observations	6598
Std Deviation	0.69940107	Variance	0.48916185
Skewness	-0.669282	Kurtosis	-0.7428456
Uncorrected SS	11424	Corrected SS	2345.04192
Coeff Variation	50.8279496	Std Error Mean	0.01010025

Basic Statistical Measures			
Location		Variability	
Mean	1.376017	Std Deviation	0.69940
Median	2.000000	Variance	0.48916
Mode	2.000000	Range	2.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	136.2359	Pr > t	<.0001
Sign	M	2092.5	Pr >= M	<.0001
Signed Rank	S	4379603	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	2
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02IKPRISK (IEI:Either knee symptom status at IEI (calc, used for study eligibility))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	2	4778
0	4795	2	4779
0	4774	2	4791
0	4770	2	4792
0	4769	2	4793

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	1	0.02	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02JBMP (IEI:Q16.Observe obvious hard bumps on joints closest to fingertips)**

Moments			
N	4771	Sum Weights	4771
Mean	0.3141899	Sum Observations	1499
Std Deviation	0.46424108	Variance	0.21551978
Skewness	0.80082541	Kurtosis	-1.3592486
Uncorrected SS	1499	Corrected SS	1028.02934
Coeff Variation	147.758118	Std Error Mean	0.00672108

Basic Statistical Measures			
Location		Variability	
Mean	0.314190	Std Deviation	0.46424
Median	0.000000	Variance	0.21552
Mode	0.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	46.74696	Pr > t	<.0001
Sign	M	749.5	Pr >= M	<.0001
Signed Rank	S	562125	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02JBMP (IEI:Q16.Observed obvious hard bumps on joints closest to fingertips)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4793	1	4787
0	4792	1	4788
0	4790	1	4794
0	4789	1	4795
0	4784	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	25	0.52	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02JBMPCV (IEI:Q16a.Hard bumps on fingers of right hand, left hand or both hands (calc, if=3 used for study eligibility))

Moments			
N	4768	Sum Weights	4768
Mean	0.75713087	Sum Observations	3610
Std Deviation	1.22082118	Variance	1.49040435
Skewness	1.16342372	Kurtosis	-0.4815579
Uncorrected SS	9838	Corrected SS	7104.75755
Coeff Variation	161.243085	Std Error Mean	0.01768007

Basic Statistical Measures			
Location		Variability	
Mean	0.757131	Std Deviation	1.22082
Median	0.000000	Variance	1.49040
Mode	0.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	42.82398	Pr > t	<.0001
Sign	M	748	Pr >= M	<.0001
Signed Rank	S	559878	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02JBMPCV (IEI:Q16a.Hard bumps on fingers of right hand, left hand or both hands (calc, if=3 used for study eligibility))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4793	3	4785
0	4792	3	4788
0	4790	3	4794
0	4789	3	4795
0	4784	3	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	28	0.58	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02KRS3 (IEI:Q13.Either knee, considering knee replacement surgery, next 3 years)**

Moments			
N	4553	Sum Weights	4553
Mean	0.01515484	Sum Observations	69
Std Deviation	0.12218205	Variance	0.01492845
Skewness	7.9399264	Kurtosis	61.0692571
Uncorrected SS	69	Corrected SS	67.9543158
Coeff Variation	806.224432	Std Error Mean	0.00181075

Basic Statistical Measures			
Location		Variability	
Mean	0.015155	Std Deviation	0.12218
Median	0.000000	Variance	0.01493
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	8.369372	Pr > t	<.0001
Sign	M	34.5	Pr >= M	<.0001
Signed Rank	S	1207.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02KRS3 (IEI:Q13.Either knee, considering knee replacement surgery, next 3 years)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4652
0	4795	1	4655
0	4794	1	4682
0	4793	1	4698
0	4792	1	4748

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	66	1.38	27.16
D	177	3.69	72.84
Total	243	5.07	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02KRS3CV (IEI:Q13a.Which knee considering having replaced, next 3 years (calc))**

Moments			
N	4553	Sum Weights	4553
Mean	0.02130463	Sum Observations	97
Std Deviation	0.18209232	Variance	0.03315761
Skewness	9.29351922	Kurtosis	90.4015607
Uncorrected SS	153	Corrected SS	150.93345
Coeff Variation	854.707549	Std Error Mean	0.00269863

Basic Statistical Measures			
Location		Variability	
Mean	0.021305	Std Deviation	0.18209
Median	0.000000	Variance	0.03316
Mode	0.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	7.894621	Pr > t	<.0001
Sign	M	34.5	Pr >= M	<.0001
Signed Rank	S	1207.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02KRS3CV (IEI:Q13a.Which knee considering having replaced, next 3 years (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	2	3957
0	4795	2	4052
0	4794	2	4081
0	4793	2	4202
0	4792	2	4655

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	66	1.38	27.16
D	177	3.69	72.84
Total	243	5.07	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA1 (IEI:Q14a.Climb up total of 10 or more flights of stairs on most days)**

Moments			
N	4772	Sum Weights	4772
Mean	0.5601425	Sum Observations	2673
Std Deviation	0.49642172	Variance	0.24643452
Skewness	-0.2424057	Kurtosis	-1.9420536
Uncorrected SS	2673	Corrected SS	1175.7391
Coeff Variation	88.6241839	Std Error Mean	0.00718622

Basic Statistical Measures			
Location		Variability	
Mean	0.560142	Std Deviation	0.49642
Median	1.000000	Variance	0.24643
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	77.94674	Pr > t	<.0001
Sign	M	1336.5	Pr >= M	<.0001
Signed Rank	S	1786901	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA1 (IEI:Q14a.Climb up total of 10 or more flights of stairs on most days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4793	1	4791
0	4789	1	4792
0	4787	1	4794
0	4785	1	4795
0	4784	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	24	0.50	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA2 (IEI:Q14b.Kneel for 30 minutes or more on most days)**

Moments			
N	4777	Sum Weights	4777
Mean	0.11429768	Sum Observations	546
Std Deviation	0.31820577	Variance	0.10125491
Skewness	2.42524748	Kurtosis	3.88345106
Uncorrected SS	546	Corrected SS	483.593469
Coeff Variation	278.400912	Std Error Mean	0.00460395

Basic Statistical Measures			
Location		Variability	
Mean	0.114298	Std Deviation	0.31821
Median	0.000000	Variance	0.10125
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	24.82601	Pr > t	<.0001
Sign	M	273	Pr >= M	<.0001
Signed Rank	S	74665.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA2 (IEI:Q14b.Kneel for 30 minutes or more on most days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4777
0	4794	1	4781
0	4793	1	4783
0	4792	1	4788
0	4791	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	19	0.40	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA3 (IEI:Q14c.Squat or deep knee bend for 30 minutes or more on most days)**

Moments			
N	4762	Sum Weights	4762
Mean	0.12473751	Sum Observations	594
Std Deviation	0.33045573	Variance	0.10920099
Skewness	2.2721359	Kurtosis	3.16393021
Uncorrected SS	594	Corrected SS	519.905922
Coeff Variation	264.92091	Std Error Mean	0.00478871

Basic Statistical Measures			
Location		Variability	
Mean	0.124738	Std Deviation	0.33046
Median	0.000000	Variance	0.10920
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	26.04824	Pr > t	<.0001
Sign	M	297	Pr >= M	<.0001
Signed Rank	S	88357.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA3 (IEI:Q14c.Squat or deep knee bend for 30 minutes or more on most days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4774
0	4794	1	4781
0	4793	1	4783
0	4791	1	4792
0	4790	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	34	0.71	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA4 (IEI:Q14d.Lift or move objects weighing 25 lbs. or more by hand on most days)**

Moments			
N	4751	Sum Weights	4751
Mean	0.36350242	Sum Observations	1727
Std Deviation	0.48105833	Variance	0.23141712
Skewness	0.56772767	Kurtosis	-1.678392
Uncorrected SS	1727	Corrected SS	1099.23132
Coeff Variation	132.339788	Std Error Mean	0.00697919

Basic Statistical Measures			
Location		Variability	
Mean	0.363502	Std Deviation	0.48106
Median	0.000000	Variance	0.23142
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	52.08373	Pr > t	<.0001
Sign	M	863.5	Pr >= M	<.0001
Signed Rank	S	746064	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02PA4 (IEI:Q14d.Lift or move objects weighing 25 lbs. or more by hand on most days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4788
0	4790	1	4791
0	4789	1	4792
0	4787	1	4794
0	4785	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	45	0.94	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02STMED (IEI:Q23.Participating in any research study that includes taking medications or supplements)

Moments			
N	4794	Sum Weights	4794
Mean	0.00876095	Sum Observations	42
Std Deviation	0.09319876	Variance	0.00868601
Skewness	10.5461505	Kurtosis	109.266876
Uncorrected SS	42	Corrected SS	41.6320401
Coeff Variation	1063.79727	Std Error Mean	0.00134605

Basic Statistical Measures			
Location		Variability	
Mean	0.008761	Std Deviation	0.09320
Median	0.000000	Variance	0.00869
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.508638	Pr > t	<.0001
Sign	M	21	Pr >= M	<.0001
Signed Rank	S	451.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: P02STMED (IEI:Q23.Participating in any research study that includes taking medications or supplements)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4423
0	4795	1	4488
0	4794	1	4643
0	4793	1	4699
0	4792	1	4730

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	1	0.02	50.00
M	1	0.02	50.00
Total	2	0.04	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02STMEDCV (IEI:Q23a.Told what study medications taken for research study (calc))**

Moments			
N	4792	Sum Weights	4792
Mean	0.00834725	Sum Observations	40
Std Deviation	0.09099064	Variance	0.0082793
Skewness	10.8111787	Kurtosis	114.929552
Uncorrected SS	40	Corrected SS	39.6661102
Coeff Variation	1090.06787	Std Error Mean	0.00131443

Basic Statistical Measures			
Location		Variability	
Mean	0.008347	Std Deviation	0.09099
Median	0.000000	Variance	0.00828
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.350455	Pr > t	<.0001
Sign	M	20	Pr >= M	<.0001
Signed Rank	S	410	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	0
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02STMEDCV (IEI:Q23a.Told what study medications taken for research study (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4423
0	4795	1	4488
0	4794	1	4643
0	4793	1	4699
0	4792	1	4730

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	3	0.06	75.00
M	1	0.02	25.00
Total	4	0.08	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02WTGA (IEI:Above weight cut-off for age/gender group (calc, used for study eligibility))**

Moments			
N	4796	Sum Weights	4796
Mean	0.33548791	Sum Observations	1609
Std Deviation	0.47220998	Variance	0.22298226
Skewness	0.69706585	Kurtosis	-1.514731
Uncorrected SS	1609	Corrected SS	1069.19996
Coeff Variation	140.753205	Std Error Mean	0.00681861

Basic Statistical Measures			
Location		Variability	
Mean	0.335488	Std Deviation	0.47221
Median	0.000000	Variance	0.22298
Mode	0.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	49.20183	Pr > t	<.0001
Sign	M	804.5	Pr >= M	<.0001
Signed Rank	S	647622.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: P02WTGA (IEI:Above weight cut-off for age/gender group (calc, used for study eligibility))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4778
0	4795	1	4781
0	4794	1	4784
0	4792	1	4787
0	4791	1	4793

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00AGE (EV:Age (calc, used for study eligibility))**

Moments			
N	4796	Sum Weights	4796
Mean	61.1584654	Sum Observations	293316
Std Deviation	9.1901199	Variance	84.4583037
Skewness	0.11887784	Kurtosis	-1.0876514
Uncorrected SS	18343734	Corrected SS	404977.566
Coeff Variation	15.026734	Std Error Mean	0.13270326

Basic Statistical Measures			
Location		Variability	
Mean	61.15847	Std Deviation	9.19012
Median	61.00000	Variance	84.45830
Mode	53.00000	Range	34.00000
		Interquartile Range	16.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	460.8663	Pr > t	<.0001
Sign	M	2398	Pr >= M	<.0001
Signed Rank	S	5751603	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	79
99%	78
95%	76
90%	74
75% Q3	69
50% Median	61
25% Q1	53
10%	49
5%	47

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00AGE (EV:Age (calc, used for study eligibility))**

Quantiles (Definition 5)	
Level	Quantile
1%	45
0% Min	45

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
45	4637	79	4643
45	4601	79	4703
45	4587	79	4772
45	4436	79	4773
45	4430	79	4782

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00CEMPLOY (EV:Current employment (calc))**

Moments			
N	4772	Sum Weights	4772
Mean	2.07585918	Sum Observations	9906
Std Deviation	1.3947035	Variance	1.94519786
Skewness	0.57410527	Kurtosis	-1.6101069
Uncorrected SS	29844	Corrected SS	9280.53898
Coeff Variation	67.1868071	Std Error Mean	0.02018978

Basic Statistical Measures			
Location		Variability	
Mean	2.075859	Std Deviation	1.39470
Median	1.000000	Variance	1.94520
Mode	1.000000	Range	3.00000
		Interquartile Range	3.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	102.8173	Pr > t	<.0001
Sign	M	2386	Pr >= M	<.0001
Signed Rank	S	5694189	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	4
75% Q3	4
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00CEMPLOY (EV:Current employment (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	4	4788
1	4793	4	4790
1	4792	4	4791
1	4789	4	4794
1	4786	4	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	17	0.35	70.83
M	6	0.13	25.00
R	1	0.02	4.17
Total	24	0.50	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00CUREMP (EV:Q45.Currently work for pay (include self employed work for pay; answer Yes if on leave from work, expect to return within 6 months))

Moments			
N	4793	Sum Weights	4793
Mean	0.61402045	Sum Observations	2943
Std Deviation	0.48687657	Variance	0.2370488
Skewness	-0.4685707	Kurtosis	-1.7811849
Uncorrected SS	2943	Corrected SS	1135.93783
Coeff Variation	79.2932179	Std Error Mean	0.00703259

Basic Statistical Measures			
Location		Variability	
Mean	0.614020	Std Deviation	0.48688
Median	1.000000	Variance	0.23705
Mode	1.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	87.31074	Pr > t	<.0001
Sign	M	1471.5	Pr >= M	<.0001
Signed Rank	S	2166048	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00CUREMP (EV:Q45.Currently work for pay (include self employed work for pay; answer Yes if on leave from work, expect to return within 6 months))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4795	1	4786
0	4794	1	4789
0	4791	1	4792
0	4790	1	4793
0	4788	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	2	0.04	66.67
R	1	0.02	33.33
Total	3	0.06	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00EDCV (SAQ:Q6.Highest grade or year of school completed (calc))**

Moments			
N	4755	Sum Weights	4755
Mean	3.0851735	Sum Observations	14670
Std Deviation	1.53438398	Variance	2.35433419
Skewness	-0.0883036	Kurtosis	-1.1830388
Uncorrected SS	56452	Corrected SS	11192.5047
Coeff Variation	49.7341228	Std Error Mean	0.02225147

Basic Statistical Measures			
Location		Variability	
Mean	3.085174	Std Deviation	1.53438
Median	3.000000	Variance	2.35433
Mode	5.000000	Range	5.00000
		Interquartile Range	3.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	138.6503	Pr > t	<.0001
Sign	M	2293.5	Pr >= M	<.0001
Signed Rank	S	5261289	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5
99%	5
95%	5
90%	5
75% Q3	5
50% Median	3
25% Q1	2
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00EDCV (SAQ:Q6.Highest grade or year of school completed (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4791	5	4786
0	4723	5	4787
0	4674	5	4789
0	4670	5	4790
0	4635	5	4794

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	5	0.10	12.20
R	36	0.75	87.80
Total	41	0.85	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR1 (Enr Expn:Q1.Exception to eligibility criteria, no acceptable screening knee x-ray, can be for cohort assignment only)

Moments			
N	22	Sum Weights	22
Mean	1	Sum Observations	22
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	22	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	11 Pr >= M	<.0001
Signed Rank	S	126.5 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR1 (Enr Expn:Q1.Exception to eligibility criteria, no acceptable screening knee x-ray, can be for cohort assignment only)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4769	1	2713
1	3928	1	2867
1	3587	1	3587
1	2867	1	3928
1	2713	1	4769

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	4702	98.04	98.49
A	72	1.50	1.51
Total	4774	99.54	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR2 (Enr Expn:Q1.Exception to eligibility criteria, minimum MRI requirements for enrollment not met)

Moments			
N	13	Sum Weights	13
Mean	1	Sum Observations	13
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	13	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic	p Value	
Student's t	t	. Pr > t	.
Sign	M	6.5 Pr >= M	0.0002
Signed Rank	S	45.5 Pr >= S	0.0002

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR2 (Enr Expn:Q1.Exception to eligibility criteria, minimum MRI requirements for enrollment not met)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4703	1	3146
1	4418	1	3752
1	3876	1	3876
1	3752	1	4418
1	3146	1	4703

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	4702	98.04	98.31
A	81	1.69	1.69
Total	4783	99.73	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR3 (Enr Expn:Q1.Exception to eligibility criteria, minimum blood collection requirements for enrollment not met)

Moments			
N	46	Sum Weights	46
Mean	1	Sum Observations	46
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	46	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	.	Pr > t
Sign	M	23	Pr >= M
Signed Rank	S	540.5	Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR3 (Enr Expn:Q1.Exception to eligibility criteria, minimum blood collection requirements for enrollment not met)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4791	1	4558
1	4733	1	4582
1	4725	1	4725
1	4582	1	4733
1	4558	1	4791

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	4702	98.04	98.99
A	48	1.00	1.01
Total	4750	99.04	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR4 (Enr Expn:Q1.Exception to eligibility criteria, minimum urine collection requirements for enrollment not met)

Moments			
N	5	Sum Weights	5
Mean	1	Sum Observations	5
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	5	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic	p Value	
Student's t	t	. Pr > t	.
Sign	M	2.5 Pr >= M	0.0625
Signed Rank	S	7.5 Pr >= S	0.0625

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR4 (Enr Expn:Q1.Exception to eligibility criteria, minimum urine collection requirements for enrollment not met)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4503	1	7
1	3719	1	1072
1	3131	1	3131
1	1072	1	3719
1	7	1	4503

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	4702	98.04	98.14
A	89	1.86	1.86
Total	4791	99.90	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR5 (Enr Expn:Q1.Exception to eligibility criteria, minimum baseline requirements met but outside of designated window)

Moments			
N	2	Sum Weights	2
Mean	1	Sum Observations	2
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	2	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic	p Value	
Student's t	t	. Pr > t	.
Sign	M	1 Pr >= M	0.5000
Signed Rank	S	1.5 Pr >= S	0.5000

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR5 (Enr Expn:Q1.Exception to eligibility criteria, minimum baseline requirements met but outside of designated window)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	3534	1	287
1	287	1	3534

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	4702	98.04	98.08
A	92	1.92	1.92
Total	4794	99.96	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR6 (Enr Expn:Q1.Exception to eligibility criteria, did not fulfill risk-factor eligibility criteria for assigned cohort)

Moments			
N	8	Sum Weights	8
Mean	1	Sum Observations	8
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	8	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	4 Pr >= M	0.0078
Signed Rank	S	18 Pr >= S	0.0078

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00ENRCR6 (Enr Expn:Q1.Exception to eligibility criteria, did not fulfill risk-factor eligibility criteria for assigned cohort)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	3765	1	811
1	1956	1	1270
1	1774	1	1774
1	1270	1	1956
1	811	1	3765

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
.	4702	98.04	98.20
A	86	1.79	1.80
Total	4788	99.83	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00ENREXCP (Enr Expn:Participant has enrollment exception (calc))**

Moments			
N	4796	Sum Weights	4796
Mean	0.01959967	Sum Observations	94
Std Deviation	0.13863451	Variance	0.01921953
Skewness	6.93334953	Kurtosis	46.0905559
Uncorrected SS	94	Corrected SS	92.1576314
Coeff Variation	707.330959	Std Error Mean	0.00200185

Basic Statistical Measures			
Location		Variability	
Mean	0.019600	Std Deviation	0.13863
Median	0.000000	Variance	0.01922
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	9.790772	Pr > t	<.0001
Sign	M	47	Pr >= M	<.0001
Signed Rank	S	2232.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00ENREXCP (Enr Expn:Participant has enrollment exception (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4703
0	4795	1	4725
0	4794	1	4733
0	4793	1	4769
0	4792	1	4791

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00EVDAT (EV:Date Enrollment Visit completed)**

Moments			
N	4796	Sum Weights	4796
Mean	16525.053	Sum Observations	79254154
Std Deviation	195.999747	Variance	38415.9008
Skewness	0.15165304	Kurtosis	-0.7065464
Uncorrected SS	1.30986E12	Corrected SS	184204245
Coeff Variation	1.18607636	Std Error Mean	2.83019216

Basic Statistical Measures			
Location		Variability	
Mean	16525.05	Std Deviation	195.99975
Median	16524.00	Variance	38416
Mode	16502.00	Range	931.00000
		Interquartile Range	302.00000

Note: The mode displayed is the smallest of 2 modes with a count of 19.

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	5838.845	Pr > t	<.0001
Sign	M	2398	Pr >= M	<.0001
Signed Rank	S	5751603	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	17055
99%	16945
95%	16873
90%	16783
75% Q3	16666
50% Median	16524
25% Q1	16364
10%	16268
5%	16219

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00EVDATE (EV:Date Enrollment Visit completed)**

Quantiles (Definition 5)	
Level	Quantile
1%	16154
0% Min	16124

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
16124	2514	17034	1332
16124	1727	17035	1084
16126	2531	17036	1297
16126	2525	17041	1183
16126	1741	17055	1549

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HANDED (EV XR:Dominant hand for hand x-ray (calc))**

Moments			
N	4634	Sum Weights	4634
Mean	1.09646094	Sum Observations	5081
Std Deviation	0.33239445	Variance	0.11048607
Skewness	3.63790785	Kurtosis	13.5570508
Uncorrected SS	6083	Corrected SS	511.881959
Coeff Variation	30.3152111	Std Error Mean	0.00488288

Basic Statistical Measures			
Location		Variability	
Mean	1.096461	Std Deviation	0.33239
Median	1.000000	Variance	0.11049
Mode	1.000000	Range	2.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	224.5523	Pr > t	<.0001
Sign	M	2317	Pr >= M	<.0001
Signed Rank	S	5369648	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HANDED (EV XR:Dominant hand for hand x-ray (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	3	4443
1	4795	3	4498
1	4794	3	4634
1	4793	3	4728
1	4792	3	4777

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	7	0.15	4.32
M	155	3.23	95.68
Total	162	3.38	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HLTHCAR (SAQ:Q7a.Where usually go for health care or advice about health care)**

Moments			
N	4755	Sum Weights	4755
Mean	1.4042061	Sum Observations	6677
Std Deviation	1.08214521	Variance	1.17103826
Skewness	2.9421296	Kurtosis	8.25185055
Uncorrected SS	14943	Corrected SS	5567.11588
Coeff Variation	77.0645571	Std Error Mean	0.01569316

Basic Statistical Measures			
Location		Variability	
Mean	1.404206	Std Deviation	1.08215
Median	1.000000	Variance	1.17104
Mode	1.000000	Range	5.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	89.47889	Pr > t	<.0001
Sign	M	2377.5	Pr >= M	<.0001
Signed Rank	S	5653695	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	6
99%	6
95%	4
90%	3
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HLTHCAR (SAQ:Q7a.Where usually go for health care or advice about health care)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	6	4713
1	4795	6	4720
1	4794	6	4732
1	4792	6	4753
1	4791	6	4793

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	5	0.10	12.20
R	36	0.75	87.80
Total	41	0.85	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HLTHCOV (SAQ:Q8.Currently have any kind of health care coverage)**

Moments			
N	4748	Sum Weights	4748
Mean	0.96440607	Sum Observations	4579
Std Deviation	0.185295	Variance	0.03433424
Skewness	-5.0147254	Kurtosis	23.1572247
Uncorrected SS	4579	Corrected SS	162.984625
Coeff Variation	19.2133799	Std Error Mean	0.00268911

Basic Statistical Measures			
Location		Variability	
Mean	0.964406	Std Deviation	0.18530
Median	1.000000	Variance	0.03433
Mode	1.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	358.6341	Pr > t	<.0001
Sign	M	2289.5	Pr >= M	<.0001
Signed Rank	S	5242955	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HLTHCOV (SAQ:Q8.Currently have any kind of health care coverage)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4781	1	4792
0	4748	1	4793
0	4646	1	4794
0	4623	1	4795
0	4582	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	6	0.13	12.50
M	6	0.13	12.50
R	36	0.75	75.00
Total	48	1.00	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT1 (EV:Household activities: light housework, past 7 days)**

Moments			
N	4794	Sum Weights	4794
Mean	0.92803504	Sum Observations	4449
Std Deviation	0.25845683	Variance	0.06679994
Skewness	-3.3136186	Kurtosis	8.98381611
Uncorrected SS	4449	Corrected SS	320.17209
Coeff Variation	27.8499003	Std Error Mean	0.00373284

Basic Statistical Measures			
Location		Variability	
Mean	0.928035	Std Deviation	0.25846
Median	1.000000	Variance	0.06680
Mode	1.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	248.6139	Pr > t	<.0001
Sign	M	2224.5	Pr >= M	<.0001
Signed Rank	S	4949513	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT1 (EV:Household activities: light housework, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4789	1	4792
0	4771	1	4793
0	4768	1	4794
0	4767	1	4795
0	4733	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	1	0.02	50.00
R	1	0.02	50.00
Total	2	0.04	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT2 (EV:Household activities: heavy housework, past 7 days)**

Moments			
N	4792	Sum Weights	4792
Mean	0.71994992	Sum Observations	3450
Std Deviation	0.44907028	Variance	0.20166412
Skewness	-0.979988	Kurtosis	-1.0400577
Uncorrected SS	3450	Corrected SS	966.172788
Coeff Variation	62.3752113	Std Error Mean	0.00648718

Basic Statistical Measures			
Location		Variability	
Mean	0.719950	Std Deviation	0.44907
Median	1.000000	Variance	0.20166
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	110.9804	Pr > t	<.0001
Sign	M	1725	Pr >= M	<.0001
Signed Rank	S	2976488	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT2 (EV:Household activities: heavy housework, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4790	1	4792
0	4787	1	4793
0	4776	1	4794
0	4775	1	4795
0	4771	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	3	0.06	75.00
M	1	0.02	25.00
Total	4	0.08	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT3 (EV:Household activities: home repairs, past 7 days)**

Moments			
N	4793	Sum Weights	4793
Mean	0.22511997	Sum Observations	1079
Std Deviation	0.41770488	Variance	0.17447737
Skewness	1.31669412	Kurtosis	-0.2664279
Uncorrected SS	1079	Corrected SS	836.095556
Coeff Variation	185.547684	Std Error Mean	0.00603345

Basic Statistical Measures			
Location		Variability	
Mean	0.225120	Std Deviation	0.41770
Median	0.000000	Variance	0.17448
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	37.31197	Pr > t	<.0001
Sign	M	539.5	Pr >= M	<.0001
Signed Rank	S	291330	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT3 (EV:Household activities: home repairs, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4795	1	4786
0	4792	1	4788
0	4791	1	4793
0	4790	1	4794
0	4789	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	3	0.06	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT4 (EV:Household activities: lawn work/yard care, past 7 days)**

Moments			
N	4793	Sum Weights	4793
Mean	0.50803255	Sum Observations	2435
Std Deviation	0.49998763	Variance	0.24998764
Skewness	-0.0321444	Kurtosis	-1.9998014
Uncorrected SS	2435	Corrected SS	1197.94075
Coeff Variation	98.4164572	Std Error Mean	0.00722197

Basic Statistical Measures			
Location		Variability	
Mean	0.508033	Std Deviation	0.49999
Median	1.000000	Variance	0.24999
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	70.34545	Pr > t	<.0001
Sign	M	1217.5	Pr >= M	<.0001
Signed Rank	S	1482915	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT4 (EV:Household activities: lawn work/yard care, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4795	1	4789
0	4793	1	4791
0	4790	1	4792
0	4787	1	4794
0	4786	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	3	0.06	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT5 (EV:Household activities: outdoor gardening, past 7 days)**

Moments			
N	4792	Sum Weights	4792
Mean	0.3827212	Sum Observations	1834
Std Deviation	0.48610183	Variance	0.23629499
Skewness	0.48272916	Kurtosis	-1.7677105
Uncorrected SS	1834	Corrected SS	1132.08932
Coeff Variation	127.011995	Std Error Mean	0.00702213

Basic Statistical Measures			
Location		Variability	
Mean	0.382721	Std Deviation	0.48610
Median	0.000000	Variance	0.23629
Mode	0.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	54.50215	Pr > t	<.0001
Sign	M	917	Pr >= M	<.0001
Signed Rank	S	841347.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT5 (EV:Household activities: outdoor gardening, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4785
0	4795	1	4788
0	4793	1	4789
0	4792	1	4791
0	4790	1	4794

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	3	0.06	75.00
M	1	0.02	25.00
Total	4	0.08	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT6 (EV:Household activities: caring for another person, past 7 days)**

Moments			
N	4792	Sum Weights	4792
Mean	0.33597663	Sum Observations	1610
Std Deviation	0.47238004	Variance	0.2231429
Skewness	0.6947451	Kurtosis	-1.517963
Uncorrected SS	1610	Corrected SS	1069.07763
Coeff Variation	140.599077	Std Error Mean	0.00682391

Basic Statistical Measures			
Location		Variability	
Mean	0.335977	Std Deviation	0.47238
Median	0.000000	Variance	0.22314
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	49.23523	Pr > t	<.0001
Sign	M	805	Pr >= M	<.0001
Signed Rank	S	648427.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00HOUACT6 (EV:Household activities: caring for another person, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4793	1	4787
0	4792	1	4791
0	4790	1	4794
0	4789	1	4795
0	4788	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	4	0.08	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00HOURWK (EV:Q47.When worked how many hours per week usually work, past 12 months (include any overtime hours usually worked))

Moments			
N	2970	Sum Weights	2970
Mean	36.5191919	Sum Observations	108462
Std Deviation	15.5696309	Variance	242.413407
Skewness	-0.3207323	Kurtosis	0.06573984
Uncorrected SS	4680670	Corrected SS	719725.406
Coeff Variation	42.6341058	Std Error Mean	0.28569332

Basic Statistical Measures			
Location		Variability	
Mean	36.51919	Std Deviation	15.56963
Median	40.00000	Variance	242.41341
Mode	40.00000	Range	100.00000
Interquartile Range			20.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	127.8265	Pr > t	<.0001
Sign	M	1484	Pr >= M	<.0001
Signed Rank	S	2202998	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	100
99%	70
95%	60
90%	50
75% Q3	45
50% Median	40
25% Q1	25
10%	12
5%	6

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00HOURWK (EV:Q47.When worked how many hours per week usually work, past 12 months (include any overtime hours usually worked))

Quantiles (Definition 5)	
Level	Quantile
1 %	3
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3861	87	801
0	425	89	4545
1	4271	90	4100
1	2807	96	518
1	1981	100	1004

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	1798	37.49	98.47
D	28	0.58	1.53
Total	1826	38.07	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: V00INCOME (SAQ:Yearly income (calc))

Moments			
N	4434	Sum Weights	4434
Mean	3.67343257	Sum Observations	16288
Std Deviation	1.06129859	Variance	1.12635469
Skewness	-0.5599207	Kurtosis	-0.2753077
Uncorrected SS	64826	Corrected SS	4993.13036
Coeff Variation	28.8911956	Std Error Mean	0.01593822

Basic Statistical Measures			
Location		Variability	
Mean	3.673433	Std Deviation	1.06130
Median	4.000000	Variance	1.12635
Mode	4.000000	Range	4.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	230.4795	Pr > t	<.0001
Sign	M	2217	Pr >= M	<.0001
Signed Rank	S	4916198	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5
99%	5
95%	5
90%	5
75% Q3	4
50% Median	4
25% Q1	3
10%	2
5%	2

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: V00INCOME (SAQ:Yearly income (calc))

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4777	5	4778
1	4748	5	4786
1	4646	5	4794
1	4635	5	4795
1	4630	5	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	245	5.11	67.68
M	34	0.71	9.39
R	83	1.73	22.93
Total	362	7.55	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00INCOME2 (SAQ:Yearly income (>50K or <50K) (calc))**

Moments			
N	4571	Sum Weights	4571
Mean	1.61146357	Sum Observations	7366
Std Deviation	0.48747088	Variance	0.23762786
Skewness	-0.457514	Kurtosis	-1.791465
Uncorrected SS	12956	Corrected SS	1085.95931
Coeff Variation	30.2501953	Std Error Mean	0.00721013

Basic Statistical Measures			
Location		Variability	
Mean	1.611464	Std Deviation	0.48747
Median	2.000000	Variance	0.23763
Mode	2.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	223.4999	Pr > t	<.0001
Sign	M	2285.5	Pr >= M	<.0001
Signed Rank	S	5224653	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	2
99%	2
95%	2
90%	2
75% Q3	2
50% Median	2
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00INCOME2 (SAQ:Yearly income (>50K or <50K) (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4791	2	4792
1	4787	2	4793
1	4784	2	4794
1	4782	2	4795
1	4781	2	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	137	2.86	60.89
M	18	0.38	8.00
R	70	1.46	31.11
Total	225	4.69	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: V00LIVE1 (SAQ:Q5.Live with spouse)

Moments			
N	3075	Sum Weights	3075
Mean	1	Sum Observations	3075
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	3075	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	.	Pr > t	.
Sign	M	1537.5	Pr >= M	<.0001
Signed Rank	S	2364675	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVE1 (SAQ:Q5.Live with spouse)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	1	4791
1	4795	1	4792
1	4794	1	4794
1	4792	1	4795
1	4791	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	1681	35.05	97.68
M	6	0.13	0.35
R	34	0.71	1.98
Total	1721	35.88	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVE2 (SAQ:Q5.Live with romantic partner)**

Moments			
N	144	Sum Weights	144
Mean	1	Sum Observations	144
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	144	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	.	Pr > t
Sign	M	72	Pr >= M
Signed Rank	S	5220	Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVE2 (SAQ:Q5.Live with romantic partner)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4754	1	4458
1	4661	1	4485
1	4633	1	4633
1	4485	1	4661
1	4458	1	4754

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4612	96.16	99.14
M	6	0.13	0.13
R	34	0.71	0.73
Total	4652	97.00	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: V00LIVE3 (SAQ:Q5.Live with children)

Moments			
N	1105	Sum Weights	1105
Mean	1	Sum Observations	1105
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	1105	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	552.5 Pr >= M	<.0001
Signed Rank	S	305532.5 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: V00LIVE3 (SAQ:Q5.Live with children)

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4789	1	4777
1	4786	1	4778
1	4781	1	4781
1	4778	1	4786
1	4777	1	4789

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3651	76.13	98.92
M	6	0.13	0.16
R	34	0.71	0.92
Total	3691	76.96	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVE4 (SAQ:Q5.Live with other relatives or friends)**

Moments			
N	280	Sum Weights	280
Mean	1	Sum Observations	280
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	280	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	. Pr > t	.
Sign	M	140 Pr >= M	<.0001
Signed Rank	S	19670 Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVE4 (SAQ:Q5.Live with other relatives or friends)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4781	1	4722
1	4774	1	4748
1	4749	1	4749
1	4748	1	4774
1	4722	1	4781

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4476	93.33	99.11
M	6	0.13	0.13
R	34	0.71	0.75
Total	4516	94.16	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVE5 (SAQ:Q5.Live with someone else (not child, spouse, romantic partner))**

Moments			
N	43	Sum Weights	43
Mean	1	Sum Observations	43
Std Deviation	0	Variance	0
Skewness	.	Kurtosis	.
Uncorrected SS	43	Corrected SS	0
Coeff Variation	0	Std Error Mean	0

Basic Statistical Measures			
Location		Variability	
Mean	1.000000	Std Deviation	0
Median	1.000000	Variance	0
Mode	1.000000	Range	0
Interquartile Range			0

Tests for Location: Mu0=0			
Test	Statistic		p Value
Student's t	t	.	Pr > t
Sign	M	21.5	Pr >= M
Signed Rank	S	473	Pr >= S

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVE5 (SAQ:Q5.Live with someone else (not child, spouse, romantic partner))**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4747	1	4493
1	4732	1	4500
1	4722	1	4722
1	4500	1	4732
1	4493	1	4747

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4713	98.27	99.16
M	6	0.13	0.13
R	34	0.71	0.72
Total	4753	99.10	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVENO (SAQ:Q4.Besides self, how many other people live in household (calc))**

Moments			
N	4747	Sum Weights	4747
Mean	1.25700442	Sum Observations	5967
Std Deviation	1.11897161	Variance	1.25209747
Skewness	1.39043351	Kurtosis	2.3555117
Uncorrected SS	13443	Corrected SS	5942.4546
Coeff Variation	89.0189082	Std Error Mean	0.01624088

Basic Statistical Measures			
Location		Variability	
Mean	1.257004	Std Deviation	1.11897
Median	1.000000	Variance	1.25210
Mode	1.000000	Range	6.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	77.39757	Pr > t	<.0001
Sign	M	1846	Pr >= M	<.0001
Signed Rank	S	3408639	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	6
99%	5
95%	4
90%	3
75% Q3	2
50% Median	1
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00LIVENO (SAQ:Q4.Besides self, how many other people live in household (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4793	6	4541
0	4784	6	4614
0	4776	6	4679
0	4765	6	4708
0	4758	6	4732

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	9	0.19	18.37
R	40	0.83	81.63
Total	49	1.02	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00

The UNIVARIATE Procedure
Variable: V00MARITST (SAQ:Q3.Marital status)

Moments			
N	4755	Sum Weights	4755
Mean	1.78065195	Sum Observations	8467
Std Deviation	1.28289448	Variance	1.64581825
Skewness	1.48940787	Kurtosis	0.94359294
Uncorrected SS	22901	Corrected SS	7824.21998
Coeff Variation	72.046336	Std Error Mean	0.0186044

Basic Statistical Measures			
Location		Variability	
Mean	1.780652	Std Deviation	1.28289
Median	1.000000	Variance	1.64582
Mode	1.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	95.71133	Pr > t	<.0001
Sign	M	2377.5	Pr >= M	<.0001
Signed Rank	S	5653695	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5
99%	5
95%	5
90%	4
75% Q3	3
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00MARITST (SAQ:Q3.Marital status)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	5	4745
1	4795	5	4747
1	4794	5	4748
1	4792	5	4756
1	4791	5	4776

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	4	0.08	9.76
R	37	0.77	90.24
Total	41	0.85	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00MEDINS (SAQ:Q9.Have any health insurance plan that pays for all or part of cost of prescription medicines)

Moments			
N	4716	Sum Weights	4716
Mean	0.87892282	Sum Observations	4145
Std Deviation	0.32625154	Variance	0.10644007
Skewness	-2.323873	Kurtosis	3.40182834
Uncorrected SS	4145	Corrected SS	501.864928
Coeff Variation	37.119476	Std Error Mean	0.00475079

Basic Statistical Measures			
Location		Variability	
Mean	0.878923	Std Deviation	0.32625
Median	1.000000	Variance	0.10644
Mode	1.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	185.0057	Pr > t	<.0001
Sign	M	2072.5	Pr >= M	<.0001
Signed Rank	S	4296293	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00MEDINS (SAQ:Q9.Have any health insurance plan that pays for all or part of cost of prescription medicines)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4791
0	4789	1	4792
0	4781	1	4793
0	4772	1	4794
0	4748	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	37	0.77	46.25
M	7	0.15	8.75
R	36	0.75	45.00
Total	80	1.67	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00MISSWK (EV:Q48.About how many half or full workdays missed because of knee pain, aching or stiffness, past 3 months)

Moments			
N	2994	Sum Weights	2994
Mean	0.25684703	Sum Observations	769
Std Deviation	2.14691635	Variance	4.60924979
Skewness	15.5954051	Kurtosis	294.206133
Uncorrected SS	13993	Corrected SS	13795.4846
Coeff Variation	835.873542	Std Error Mean	0.03923641

Basic Statistical Measures			
Location		Variability	
Mean	0.256847	Std Deviation	2.14692
Median	0.000000	Variance	4.60925
Mode	0.000000	Range	54.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	6.54614	Pr > t	<.0001
Sign	M	70	Pr >= M	<.0001
Signed Rank	S	4935	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	54
99%	6
95%	0
90%	0
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00MISSWK (EV:Q48.About how many half or full workdays missed because of knee pain, aching or stiffness, past 3 months)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	30	3379
0	4793	30	4432
0	4792	39	2019
0	4789	45	2600
0	4786	54	1373

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	1798	37.49	99.78
D	4	0.08	0.22
Total	1802	37.57	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA130 (EV:Q33.Climb up a total of 10 or more flights of stairs during single day, past 30 days (one flight is about 10 steps))

Moments			
N	4792	Sum Weights	4792
Mean	0.62040902	Sum Observations	2973
Std Deviation	0.48533578	Variance	0.23555082
Skewness	-0.4963957	Kurtosis	-1.7543237
Uncorrected SS	2973	Corrected SS	1128.524
Coeff Variation	78.2283579	Std Error Mean	0.00701106

Basic Statistical Measures			
Location		Variability	
Mean	0.620409	Std Deviation	0.48534
Median	1.000000	Variance	0.23555
Mode	1.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	88.49	Pr > t	<.0001
Sign	M	1486.5	Pr >= M	<.0001
Signed Rank	S	2210426	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA130 (EV:Q33.Climb up a total of 10 or more flights of stairs during single day, past 30 days (one flight is about 10 steps))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4789	1	4792
0	4787	1	4793
0	4785	1	4794
0	4782	1	4795
0	4777	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	4	0.08	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA130CV (EV:Q33a.How often climb up total of 10 or more flights of stairs during typical week, past 30 days (calc))

Moments			
N	4787	Sum Weights	4787
Mean	2.07729267	Sum Observations	9944
Std Deviation	1.80444972	Variance	3.2560388
Skewness	-0.0941257	Kurtosis	-1.8035529
Uncorrected SS	36240	Corrected SS	15583.4017
Coeff Variation	86.8654548	Std Error Mean	0.02608033

Basic Statistical Measures			
Location		Variability	
Mean	2.077293	Std Deviation	1.80445
Median	2.000000	Variance	3.25604
Mode	4.000000	Range	4.00000
Interquartile Range			4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	79.64979	Pr > t	<.0001
Sign	M	1484	Pr >= M	<.0001
Signed Rank	S	2202998	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	4
75% Q3	4
50% Median	2
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA130CV (EV:Q33a.How often climb up total of 10 or more flights of stairs during typical week, past 30 days (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4789	4	4791
0	4787	4	4792
0	4785	4	4793
0	4782	4	4794
0	4777	4	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	7	0.15	77.78
M	2	0.04	22.22
Total	9	0.19	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA130NM (EV:Q34.How many flights of stairs have you climbed up, past 7 days (one flight equals 10 steps))

Moments			
N	4782	Sum Weights	4782
Mean	4.53283145	Sum Observations	21676
Std Deviation	1.03790788	Variance	1.07725276
Skewness	-2.1481285	Kurtosis	3.35351402
Uncorrected SS	103404	Corrected SS	5150.34546
Coeff Variation	22.8975617	Std Error Mean	0.01500908

Basic Statistical Measures			
Location		Variability	
Mean	4.532831	Std Deviation	1.03791
Median	5.000000	Variance	1.07725
Mode	5.000000	Range	4.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	302.006	Pr > t	<.0001
Sign	M	2391	Pr >= M	<.0001
Signed Rank	S	5718077	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	5
99%	5
95%	5
90%	5
75% Q3	5
50% Median	5
25% Q1	5
10%	3
5%	2

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA130NM (EV:Q34.How many flights of stairs have you climbed up, past 7 days (one flight equals 10 steps))

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4702	5	4792
1	4670	5	4793
1	4646	5	4794
1	4643	5	4795
1	4605	5	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	11	0.23	78.57
M	2	0.04	14.29
R	1	0.02	7.14
Total	14	0.29	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PA230 (EV:Q29.Kneel 30 minutes or more during single day, past 30 days)**

Moments			
N	4787	Sum Weights	4787
Mean	0.24858993	Sum Observations	1190
Std Deviation	0.43224068	Variance	0.18683201
Skewness	1.16377362	Kurtosis	-0.645901
Uncorrected SS	1190	Corrected SS	894.177982
Coeff Variation	173.876987	Std Error Mean	0.00624732

Basic Statistical Measures			
Location		Variability	
Mean	0.248590	Std Deviation	0.43224
Median	0.000000	Variance	0.18683
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	39.79144	Pr > t	<.0001
Sign	M	595	Pr >= M	<.0001
Signed Rank	S	354322.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PA230 (EV:Q29.Kneel 30 minutes or more during single day, past 30 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4794	1	4788
0	4793	1	4791
0	4790	1	4792
0	4789	1	4795
0	4787	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	7	0.15	77.78
R	2	0.04	22.22
Total	9	0.19	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA230CV (EV:Q29a.How often kneel 30 minutes or more during typical week, past 30 days (calc))

Moments			
N	4782	Sum Weights	4782
Mean	0.44332915	Sum Observations	2120
Std Deviation	0.91607027	Variance	0.83918473
Skewness	2.32322914	Kurtosis	5.04767903
Uncorrected SS	4952	Corrected SS	4012.1422
Coeff Variation	206.63434	Std Error Mean	0.0132472

Basic Statistical Measures			
Location		Variability	
Mean	0.443329	Std Deviation	0.91607
Median	0.000000	Variance	0.83918
Mode	0.000000	Range	4.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	33.46588	Pr > t	<.0001
Sign	M	592.5	Pr >= M	<.0001
Signed Rank	S	351352.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	2
90%	2
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA230CV (EV:Q29a.How often kneel 30 minutes or more during typical week, past 30 days (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4794	4	4542
0	4793	4	4578
0	4790	4	4581
0	4789	4	4599
0	4787	4	4792

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	10	0.21	71.43
M	2	0.04	14.29
R	2	0.04	14.29
Total	14	0.29	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PA330 (EV:Q30.Squat 30 minutes or more during single day, past 30 days)**

Moments			
N	4788	Sum Weights	4788
Mean	0.13972431	Sum Observations	669
Std Deviation	0.34673699	Variance	0.12022654
Skewness	2.07896046	Kurtosis	2.3230468
Uncorrected SS	669	Corrected SS	575.524436
Coeff Variation	248.157951	Std Error Mean	0.00501098

Basic Statistical Measures			
Location		Variability	
Mean	0.139724	Std Deviation	0.34674
Median	0.000000	Variance	0.12023
Mode	0.000000	Range	1.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	27.8836	Pr > t	<.0001
Sign	M	334.5	Pr >= M	<.0001
Signed Rank	S	112057.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PA330 (EV:Q30.Squat 30 minutes or more during single day, past 30 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4758
0	4795	1	4767
0	4794	1	4774
0	4793	1	4781
0	4791	1	4792

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	6	0.13	75.00
R	2	0.04	25.00
Total	8	0.17	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA330CV (EV:Q30a.How often squat for 30 minutes or more during typical week, past 30 days (calc))

Moments			
N	4784	Sum Weights	4784
Mean	0.27341137	Sum Observations	1308
Std Deviation	0.78192763	Variance	0.61141081
Skewness	3.21545285	Kurtosis	10.2439548
Uncorrected SS	3282	Corrected SS	2924.37793
Coeff Variation	285.989432	Std Error Mean	0.01130501

Basic Statistical Measures			
Location		Variability	
Mean	0.273411	Std Deviation	0.78193
Median	0.000000	Variance	0.61141
Mode	0.000000	Range	4.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	24.18497	Pr > t	<.0001
Sign	M	332.5	Pr >= M	<.0001
Signed Rank	S	110722.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	2
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA330CV (EV:Q30a.How often squat for 30 minutes or more during typical week, past 30 days (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	4	4443
0	4795	4	4488
0	4794	4	4517
0	4793	4	4581
0	4791	4	4588

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	7	0.15	58.33
M	3	0.06	25.00
R	2	0.04	16.67
Total	12	0.25	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA430 (EV:Q32.Lift or move objects weighing 25 pounds or more by hand during single day, past 30 days)

Moments			
N	4783	Sum Weights	4783
Mean	0.6903617	Sum Observations	3302
Std Deviation	0.46239283	Variance	0.21380713
Skewness	-0.823721	Kurtosis	-1.3220368
Uncorrected SS	3302	Corrected SS	1022.42567
Coeff Variation	66.978343	Std Error Mean	0.00668592

Basic Statistical Measures			
Location		Variability	
Mean	0.690362	Std Deviation	0.46239
Median	1.000000	Variance	0.21381
Mode	1.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	103.2561	Pr > t	<.0001
Sign	M	1651	Pr >= M	<.0001
Signed Rank	S	2726627	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA430 (EV:Q32.Lift or move objects weighing 25 pounds or more by hand during single day, past 30 days)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4787	1	4792
0	4785	1	4793
0	4773	1	4794
0	4772	1	4795
0	4770	1	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	11	0.23	84.62
M	1	0.02	7.69
R	1	0.02	7.69
Total	13	0.27	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA430CV (EV:Q32a.How often lift or move objects weighing 25 pounds or more by hand during a typical week, past 30 days (calc))

Moments			
N	4772	Sum Weights	4772
Mean	1.4469824	Sum Observations	6905
Std Deviation	1.30391174	Variance	1.70018582
Skewness	0.54743044	Kurtosis	-0.7577257
Uncorrected SS	18103	Corrected SS	8111.58655
Coeff Variation	90.112481	Std Error Mean	0.01887548

Basic Statistical Measures			
Location		Variability	
Mean	1.446982	Std Deviation	1.30391
Median	1.000000	Variance	1.70019
Mode	0.000000	Range	4.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	76.65937	Pr > t	<.0001
Sign	M	1645.5	Pr >= M	<.0001
Signed Rank	S	2708493	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	4
75% Q3	2
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA430CV (EV:Q32a.How often lift or move objects weighing 25 pounds or more by hand during a typical week, past 30 days (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4787	4	4768
0	4785	4	4769
0	4773	4	4774
0	4772	4	4780
0	4770	4	4788

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	19	0.40	79.17
M	4	0.08	16.67
R	1	0.02	4.17
Total	24	0.50	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA530 (EV:Q31.Get in and out of squatting position 10 or more times during single day, past 30 days)

Moments			
N	4780	Sum Weights	4780
Mean	0.29372385	Sum Observations	1404
Std Deviation	0.45551461	Variance	0.20749356
Skewness	0.90606313	Kurtosis	-1.1795433
Uncorrected SS	1404	Corrected SS	991.611715
Coeff Variation	155.082609	Std Error Mean	0.00658853

Basic Statistical Measures			
Location		Variability	
Mean	0.293724	Std Deviation	0.45551
Median	0.000000	Variance	0.20749
Mode	0.000000	Range	1.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	44.58111	Pr > t	<.0001
Sign	M	702	Pr >= M	<.0001
Signed Rank	S	493155	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA530 (EV:Q31.Get in and out of squatting position 10 or more times during single day, past 30 days)

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4784
0	4794	1	4788
0	4793	1	4790
0	4791	1	4792
0	4789	1	4795

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	13	0.27	81.25
M	1	0.02	6.25
R	2	0.04	12.50
Total	16	0.33	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA530CV (EV:Q31a.How often get in and out of squatting position 10 or more times during a typical week, past 30 days (calc))

Moments			
N	4776	Sum Weights	4776
Mean	0.66917923	Sum Observations	3196
Std Deviation	1.18430426	Variance	1.40257658
Skewness	1.63562201	Kurtosis	1.44475409
Uncorrected SS	8836	Corrected SS	6697.30318
Coeff Variation	176.978634	Std Error Mean	0.01713686

Basic Statistical Measures			
Location		Variability	
Mean	0.669179	Std Deviation	1.18430
Median	0.000000	Variance	1.40258
Mode	0.000000	Range	4.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	39.04913	Pr > t	<.0001
Sign	M	700	Pr >= M	<.0001
Signed Rank	S	490350	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	3
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PA530CV (EV:Q31a.How often get in and out of squatting position 10 or more times during a typical week, past 30 days (calc))

Quantiles (Definition 5)	
Level	Quantile
1 %	0
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	4	4718
0	4794	4	4758
0	4793	4	4763
0	4791	4	4769
0	4789	4	4790

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	15	0.31	75.00
M	3	0.06	15.00
R	2	0.04	10.00
Total	20	0.42	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE (EV:Physical Activity Scale for the Elderly (PASE) score (calc))**

Moments			
N	4767	Sum Weights	4767
Mean	160.837844	Sum Observations	766714
Std Deviation	82.4822234	Variance	6803.31717
Skewness	0.62507934	Kurtosis	0.18197663
Uncorrected SS	155741236	Corrected SS	32424609.7
Coeff Variation	51.2828459	Std Error Mean	1.19464201

Basic Statistical Measures			
Location		Variability	
Mean	160.8378	Std Deviation	82.48222
Median	150.0000	Variance	6803
Mode	50.0000	Range	531.00000
		Interquartile Range	114.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	134.6327	Pr > t	<.0001
Sign	M	2380	Pr >= M	<.0001
Signed Rank	S	5665590	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	531
99%	381
95%	312
90%	275
75% Q3	213
50% Median	150
25% Q1	99
10%	60
5%	45

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE (EV:Physical Activity Scale for the Elderly (PASE) score (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	25
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4514	477	3789
0	3583	504	492
0	3484	516	2290
0	1440	526	1004
0	952	531	4459

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	21	0.44	72.41
M	6	0.13	20.69
R	2	0.04	6.90
Total	29	0.60	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE1 (EV:Leisure activities: sitting, past 7 days)**

Moments			
N	4794	Sum Weights	4794
Mean	2.8308302	Sum Observations	13571
Std Deviation	0.47244173	Variance	0.22320119
Skewness	-3.0143082	Kurtosis	9.17885161
Uncorrected SS	39487	Corrected SS	1069.8033
Coeff Variation	16.6891582	Std Error Mean	0.00682337

Basic Statistical Measures			
Location		Variability	
Mean	2.830830	Std Deviation	0.47244
Median	3.000000	Variance	0.22320
Mode	3.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	414.8724	Pr > t	<.0001
Sign	M	2389.5	Pr >= M	<.0001
Signed Rank	S	5710905	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	3
50% Median	3
25% Q1	3
10%	2
5%	2

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE1 (EV:Leisure activities: sitting, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4272	3	4792
0	4053	3	4793
0	4016	3	4794
0	3686	3	4795
0	3432	3	4796

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	2	0.04	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE1HR (EV:Leisure activities: sitting, hours per day, past 7 days)**

Moments			
N	4762	Sum Weights	4762
Mean	3.09554809	Sum Observations	14741
Std Deviation	0.78975875	Variance	0.62371889
Skewness	-0.5393475	Kurtosis	-0.2658535
Uncorrected SS	48601	Corrected SS	2969.52562
Coeff Variation	25.5127276	Std Error Mean	0.01144458

Basic Statistical Measures			
Location		Variability	
Mean	3.095548	Std Deviation	0.78976
Median	3.000000	Variance	0.62372
Mode	3.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	270.4816	Pr > t	<.0001
Sign	M	2381	Pr >= M	<.0001
Signed Rank	S	5670352	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	4
75% Q3	4
50% Median	3
25% Q1	3
10%	2
5%	2

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE1HR (EV:Leisure activities: sitting, hours per day, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4777	4	4779
1	4774	4	4781
1	4730	4	4782
1	4629	4	4783
1	4588	4	4791

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	16	0.33	47.06
D	12	0.25	35.29
M	6	0.13	17.65
Total	34	0.71	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE2 (EV:Leisure activities: walking, past 7 days)**

Moments			
N	4790	Sum Weights	4790
Mean	1.94175365	Sum Observations	9301
Std Deviation	1.11114903	Variance	1.23465218
Skewness	-0.5519649	Kurtosis	-1.1195658
Uncorrected SS	23973	Corrected SS	5912.74927
Coeff Variation	57.2239961	Std Error Mean	0.01605479

Basic Statistical Measures			
Location		Variability	
Mean	1.941754	Std Deviation	1.11115
Median	2.000000	Variance	1.23465
Mode	3.000000	Range	3.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	120.9455	Pr > t	<.0001
Sign	M	2030	Pr >= M	<.0001
Signed Rank	S	4121915	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	3
75% Q3	3
50% Median	2
25% Q1	1
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE2 (EV:Leisure activities: walking, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4785	3	4783
0	4781	3	4788
0	4777	3	4789
0	4772	3	4792
0	4767	3	4793

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	3	0.06	50.00
M	3	0.06	50.00
Total	6	0.13	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE2HR (EV:Leisure activities: walking, hours per day, past 7 days)**

Moments			
N	4056	Sum Weights	4056
Mean	1.71523669	Sum Observations	6957
Std Deviation	0.82860368	Variance	0.68658406
Skewness	0.97454642	Kurtosis	0.22056481
Uncorrected SS	14717	Corrected SS	2784.09837
Coeff Variation	48.3084165	Std Error Mean	0.01301062

Basic Statistical Measures			
Location		Variability	
Mean	1.715237	Std Deviation	0.82860
Median	2.000000	Variance	0.68658
Mode	1.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	131.8336	Pr > t	<.0001
Sign	M	2028	Pr >= M	<.0001
Signed Rank	S	4113798	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	2
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE2HR (EV:Leisure activities: walking, hours per day, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4796	4	4576
1	4795	4	4635
1	4792	4	4673
1	4784	4	4677
1	4782	4	4684

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	735	15.33	99.32
D	5	0.10	0.68
Total	740	15.43	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE3 (EV:Leisure activities: light sport/recreation, past 7 days)**

Moments			
N	4795	Sum Weights	4795
Mean	0.21668405	Sum Observations	1039
Std Deviation	0.57188059	Variance	0.32704741
Skewness	2.96011139	Kurtosis	8.88052046
Uncorrected SS	1793	Corrected SS	1567.86528
Coeff Variation	263.923718	Std Error Mean	0.00825869

Basic Statistical Measures			
Location		Variability	
Mean	0.216684	Std Deviation	0.57188
Median	0.000000	Variance	0.32705
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	26.2371	Pr > t	<.0001
Sign	M	366	Pr >= M	<.0001
Signed Rank	S	134139	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	1
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE3 (EV:Leisure activities: light sport/recreation, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	3	4302
0	4795	3	4306
0	4794	3	4517
0	4793	3	4646
0	4792	3	4658

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	1	0.02	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE3HR (EV:Leisure activities: light sport/recreation, hours per day, past 7 days)**

Moments			
N	727	Sum Weights	727
Mean	2.53782669	Sum Observations	1845
Std Deviation	1.01687536	Variance	1.03403549
Skewness	-0.1935625	Kurtosis	-1.081872
Uncorrected SS	5433	Corrected SS	750.709766
Coeff Variation	40.0687471	Std Error Mean	0.03771382

Basic Statistical Measures			
Location		Variability	
Mean	2.537827	Std Deviation	1.01688
Median	3.000000	Variance	1.03404
Mode	3.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	67.29169	Pr > t	<.0001
Sign	M	363.5	Pr >= M	<.0001
Signed Rank	S	132314	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	4
75% Q3	3
50% Median	3
25% Q1	2
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE3HR (EV:Leisure activities: light sport/recreation, hours per day, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4766	4	4577
1	4733	4	4636
1	4658	4	4642
1	4653	4	4718
1	4646	4	4746

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	4064	84.74	99.88
D	4	0.08	0.10
M	1	0.02	0.02
Total	4069	84.84	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE4 (EV:Leisure activities: moderate sport/recreation, past 7 days)**

Moments			
N	4796	Sum Weights	4796
Mean	0.24520434	Sum Observations	1176
Std Deviation	0.61126712	Variance	0.37364749
Skewness	2.74897377	Kurtosis	7.39098374
Uncorrected SS	2080	Corrected SS	1791.6397
Coeff Variation	249.288868	Std Error Mean	0.00882656

Basic Statistical Measures			
Location		Variability	
Mean	0.245204	Std Deviation	0.61127
Median	0.000000	Variance	0.37365
Mode	0.000000	Range	3.00000
Interquartile Range			0

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	27.78029	Pr > t	<.0001
Sign	M	404.5	Pr >= M	<.0001
Signed Rank	S	163822.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	2
90%	1
75% Q3	0
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE4 (EV:Leisure activities: moderate sport/recreation, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	3	4583
0	4795	3	4609
0	4794	3	4678
0	4793	3	4738
0	4792	3	4791

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PASE4HR (EV:Leisure activities: moderate sport/recreation, hours per day, past 7 days)

Moments			
N	807	Sum Weights	807
Mean	2.23791822	Sum Observations	1806
Std Deviation	0.91195513	Variance	0.83166216
Skewness	0.15200078	Kurtosis	-0.8831507
Uncorrected SS	4712	Corrected SS	670.319703
Coeff Variation	40.7501546	Std Error Mean	0.03210234

Basic Statistical Measures			
Location		Variability	
Mean	2.237918	Std Deviation	0.91196
Median	2.000000	Variance	0.83166
Mode	2.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	69.71199	Pr > t	<.0001
Sign	M	403.5	Pr >= M	<.0001
Signed Rank	S	163014	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	4
90%	3
75% Q3	3
50% Median	2
25% Q1	2
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PASE4HR (EV:Leisure activities: moderate sport/recreation, hours per day, past 7 days)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4791	4	4360
1	4782	4	4401
1	4753	4	4440
1	4743	4	4636
1	4646	4	4678

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	3987	83.13	99.95
D	2	0.04	0.05
Total	3989	83.17	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE5 (EV:Leisure activities: strenuous sport/recreation, past 7 days)**

Moments			
N	4795	Sum Weights	4795
Mean	0.54953076	Sum Observations	2635
Std Deviation	0.93700034	Variance	0.87796964
Skewness	1.47034742	Kurtosis	0.78172831
Uncorrected SS	5657	Corrected SS	4208.98644
Coeff Variation	170.50917	Std Error Mean	0.01353148

Basic Statistical Measures			
Location		Variability	
Mean	0.549531	Std Deviation	0.93700
Median	0.000000	Variance	0.87797
Mode	0.000000	Range	3.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	40.61127	Pr > t	<.0001
Sign	M	714.5	Pr >= M	<.0001
Signed Rank	S	510867.5	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	1
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE5 (EV:Leisure activities: strenuous sport/recreation, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	3	4750
0	4795	3	4755
0	4794	3	4759
0	4792	3	4763
0	4791	3	4782

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
M	1	0.02	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PASE5HR (EV:Leisure activities: strenuous sport/recreation, hours per day, past 7 days)

Moments			
N	1423	Sum Weights	1423
Mean	1.6978215	Sum Observations	2416
Std Deviation	0.75662254	Variance	0.57247767
Skewness	0.87671121	Kurtosis	0.2731646
Uncorrected SS	4916	Corrected SS	814.063247
Coeff Variation	44.5643161	Std Error Mean	0.0200575

Basic Statistical Measures			
Location		Variability	
Mean	1.697822	Std Deviation	0.75662
Median	2.000000	Variance	0.57248
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	84.64771	Pr > t	<.0001
Sign	M	711.5	Pr >= M	<.0001
Signed Rank	S	506588	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	2
50% Median	2
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PASE5HR (EV:Leisure activities: strenuous sport/recreation, hours per day, past 7 days)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4785	4	3669
1	4782	4	3724
1	4779	4	3743
1	4767	4	4161
1	4760	4	4459

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	3367	70.20	99.82
D	5	0.10	0.15
M	1	0.02	0.03
Total	3373	70.33	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE6 (EV:Leisure activities: muscle strength/endurance, past 7 days)**

Moments			
N	4794	Sum Weights	4794
Mean	0.80308719	Sum Observations	3850
Std Deviation	1.0418045	Variance	1.08535663
Skewness	0.9014951	Kurtosis	-0.6161768
Uncorrected SS	8294	Corrected SS	5202.11431
Coeff Variation	129.724956	Std Error Mean	0.01504656

Basic Statistical Measures			
Location		Variability	
Mean	0.803087	Std Deviation	1.04180
Median	0.000000	Variance	1.08536
Mode	0.000000	Range	3.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	53.37348	Pr > t	<.0001
Sign	M	1040.5	Pr >= M	<.0001
Signed Rank	S	1083161	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	3
99%	3
95%	3
90%	2
75% Q3	2
50% Median	0
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00PASE6 (EV:Leisure activities: muscle strength/endurance, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	3	4701
0	4794	3	4733
0	4792	3	4755
0	4791	3	4785
0	4790	3	4788

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	2	0.04	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PASE6HR (EV:Leisure activities: muscle strength/endurance, hours per day, past 7 days)

Moments			
N	2079	Sum Weights	2079
Mean	1.32419432	Sum Observations	2753
Std Deviation	0.54512143	Variance	0.29715738
Skewness	1.5242972	Kurtosis	1.77754847
Uncorrected SS	4263	Corrected SS	617.493025
Coeff Variation	41.1662716	Std Error Mean	0.01195545

Basic Statistical Measures			
Location		Variability	
Mean	1.324194	Std Deviation	0.54512
Median	1.000000	Variance	0.29716
Mode	1.000000	Range	3.00000
Interquartile Range			1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	110.7607	Pr > t	<.0001
Sign	M	1039.5	Pr >= M	<.0001
Signed Rank	S	1081080	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	3
95%	2
90%	2
75% Q3	2
50% Median	1
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00PASE6HR (EV:Leisure activities: muscle strength/endurance, hours per day, past 7 days)

Quantiles (Definition 5)	
Level	Quantile
1 %	1
0 % Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4795	3	4612
1	4789	4	492
1	4788	4	679
1	4787	4	2523
1	4785	4	3604

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
A	2714	56.59	99.89
D	1	0.02	0.04
M	2	0.04	0.07
Total	2717	56.65	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00WEEKWK (EV:Q46.About how many weeks worked, past 12 months (include paid vacation weeks as weeks worked))

Moments			
N	2976	Sum Weights	2976
Mean	45.8135081	Sum Observations	136341
Std Deviation	12.6136047	Variance	159.103024
Skewness	-2.1994032	Kurtosis	3.74739937
Uncorrected SS	6719591	Corrected SS	473331.497
Coeff Variation	27.5325014	Std Error Mean	0.23121859

Basic Statistical Measures			
Location		Variability	
Mean	45.81351	Std Deviation	12.61360
Median	52.00000	Variance	159.10302
Mode	52.00000	Range	52.00000
Interquartile Range			4.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	198.1394	Pr > t	<.0001
Sign	M	1487	Pr >= M	<.0001
Signed Rank	S	2211913	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	52
99%	52
95%	52
90%	52
75% Q3	52
50% Median	52
25% Q1	48
10%	25
5%	12

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure**

Variable: V00WEEKWK (EV:Q46.About how many weeks worked, past 12 months (include paid vacation weeks as weeks worked))

Quantiles (Definition 5)	
Level	Quantile
1 %	3
0 % Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	3861	52	4781
0	425	52	4783
1	4547	52	4786
1	4479	52	4792
1	3869	52	4793

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	1798	37.49	98.79
D	20	0.42	1.10
M	2	0.04	0.11
Total	1820	37.95	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00WKHR7CV (EV:Occupational activities: number of hours worked, past 7 days (calc))**

Moments			
N	4789	Sum Weights	4789
Mean	21.0862393	Sum Observations	100982
Std Deviation	20.9247038	Variance	437.84323
Skewness	0.52080483	Kurtosis	-0.9304564
Uncorrected SS	4225724	Corrected SS	2096393.38
Coeff Variation	99.2339294	Std Error Mean	0.30236875

Basic Statistical Measures			
Location		Variability	
Mean	21.08624	Std Deviation	20.92470
Median	15.00000	Variance	437.84323
Mode	0.00000	Range	110.00000
Interquartile Range			40.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	69.73683	Pr > t	<.0001
Sign	M	1671	Pr >= M	<.0001
Signed Rank	S	2793077	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	110
99%	70
95%	56
90%	50
75% Q3	40
50% Median	15
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00WKHR7CV (EV:Occupational activities: number of hours worked, past 7 days (calc))**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	87	801
0	4795	96	3789
0	4794	100	1004
0	4791	100	2368
0	4790	110	424

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	6	0.13	85.71
R	1	0.02	14.29
Total	7	0.15	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00WORK7 (EV:Occupational activities: work (pay/volunteer), past 7 days)**

Moments			
N	4793	Sum Weights	4793
Mean	0.6981014	Sum Observations	3346
Std Deviation	0.45912941	Variance	0.21079982
Skewness	-0.8633039	Kurtosis	-1.2552304
Uncorrected SS	3346	Corrected SS	1010.15272
Coeff Variation	65.7682986	Std Error Mean	0.0066318

Basic Statistical Measures			
Location		Variability	
Mean	0.698101	Std Deviation	0.45913
Median	1.000000	Variance	0.21080
Mode	1.000000	Range	1.00000
		Interquartile Range	1.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	105.2658	Pr > t	<.0001
Sign	M	1673	Pr >= M	<.0001
Signed Rank	S	2799766	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	1
99%	1
95%	1
90%	1
75% Q3	1
50% Median	1
25% Q1	0
10%	0
5%	0

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00WORK7 (EV:Occupational activities: work (pay/volunteer), past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	0
0% Min	0

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
0	4796	1	4786
0	4795	1	4788
0	4794	1	4789
0	4791	1	4792
0	4790	1	4793

Missing Values			
		Percent Of	
Missing Value	Count	All Obs	Missing Obs
D	2	0.04	66.67
R	1	0.02	33.33
Total	3	0.06	100.00

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00WORKAMT (EV:Occupational activities: occupational activity level, past 7 days)**

Moments			
N	3336	Sum Weights	3336
Mean	2.05155875	Sum Observations	6844
Std Deviation	0.83641483	Variance	0.69958977
Skewness	0.29978147	Kurtosis	-0.7120343
Uncorrected SS	16374	Corrected SS	2333.13189
Coeff Variation	40.7697236	Std Error Mean	0.01448134

Basic Statistical Measures			
Location		Variability	
Mean	2.051559	Std Deviation	0.83641
Median	2.000000	Variance	0.69959
Mode	2.000000	Range	3.00000
		Interquartile Range	2.00000

Tests for Location: Mu0=0				
Test	Statistic		p Value	
Student's t	t	141.6691	Pr > t	<.0001
Sign	M	1668	Pr >= M	<.0001
Signed Rank	S	2783058	Pr >= S	<.0001

Quantiles (Definition 5)	
Level	Quantile
100% Max	4
99%	4
95%	3
90%	3
75% Q3	3
50% Median	2
25% Q1	1
10%	1
5%	1

OAI 0.2.3 08/01/2017: Freqs/Univs for SubjectChar00**The UNIVARIATE Procedure****Variable: V00WORKAMT (EV:Occupational activities: occupational activity level, past 7 days)**

Quantiles (Definition 5)	
Level	Quantile
1%	1
0% Min	1

Extreme Observations			
Lowest		Highest	
Value	Obs	Value	Obs
1	4780	4	4748
1	4778	4	4761
1	4770	4	4768
1	4769	4	4774
1	4763	4	4792

Missing Values			
Percent Of			
Missing Value	Count	All Obs	Missing Obs
A	1450	30.23	99.32
D	8	0.17	0.55
M	2	0.04	0.14
Total	1460	30.44	100.00