

BORAMA HARDWARE

Content Guidelines & Design System

Typography • Colour • Components • Motion • Copy

The complete specification for every UI decision in the application

Version 1.0 • July 2025 • Confidential

Field	Value
Document type	Content Guidelines & Design System
Project	Borama Hardware Store
Version	1.0 — July 2025
Font	Inter (variable) via next/font/google
CSS framework	Tailwind CSS 3.4.14 + shadcn/ui
Icon library	lucide-react 0.454.0
Colour mode	Light only — no dark mode
Visual style	Clean & trustworthy — medium radius, strong hierarchy
Brand voice	Friendly & direct (EN) / Clear & respectful (SO)
Portals covered	Customer Store / Admin & Inventory / Staff POS

Table of Contents

#	Section	Pg
1	Design Principles	3
2	Colour System	3
3	Typography	6
4	Spacing System	8
5	Grid & Layout	9
6	Border Radius & Shadows	10
7	Icon System	11
8	Component Specifications	13
8.1	Buttons	13
8.2	Input Fields & Forms	14
8.3	Badges & Status Chips	15
8.4	Cards	16
8.5	Data Tables	17
8.6	Modals & Dialogs	17
8.7	Drawers / Bottom Sheets	18
8.8	Toast Notifications	18
8.9	Skeleton Loaders	19
8.10	Navigation — Header, Sidebar, Bottom Nav	19
8.11	Empty States	21
8.12	POS Components	21
9	Motion & Interaction Rules	22
10	Content & Copy Rules	24
11	Accessibility Rules	27
12	Image Handling	28
13	Portal-Specific Design Rules	29

1. Design Principles

These five principles govern every design decision in the application. When two rules conflict, the principle ranked higher takes precedence.

#	Principle	Meaning — What It Means in Practice
1	Clarity over cleverness	Every element must communicate its purpose immediately. No abstract icons without labels (below 12
2	Hardware context first	The UI must feel appropriate for a building-supply store. Dense information is expected and acceptable
3	Staff must be faster than paper	Every staff-facing interaction (POS, stock receive, pickup verify) must be completable in fewer steps th
4	Offline is a first-class state	Every screen must have a defined visual state for when the device is offline. No blank screens. No un
5	Both languages are equal	Somali is not a translation — it is an equal primary language. Every string must have an approved So

2. Colour System

Light mode only. Every colour token maps to an exact hex value and a Tailwind CSS class. Never use a colour value not listed in this section.

2.1 Brand Palette

Token	Hex	Tailwind class	Used for
brand-50	#FFF7ED	bg-orange-50	Hover background, info callout fills
brand-100	#FFEDD5	bg-orange-100	Empty-state icon circle, subtle highlight
brand-200	#FED7AA	bg-orange-200	Skeleton shimmer highlight (not used as text bg)
brand-500	#F97316	bg-orange-500	Primary brand — buttons, active states, links, header bar, icons
brand-600	#EA580C	bg-orange-600	Button hover, active pressed state, dark header variant
brand-700	#C2410C	bg-orange-700	Button active:pressed, focus ring colour on brand elements
brand-900	#7C2D12	text-orange-900	Dark text on brand-50/100 backgrounds

brand-50 #FFF7ED orange-50	brand-100 #FFEDD5 orange-100	brand-200 #FED7AA orange-200	brand-500 #F97316 orange-500	brand-600 #EA580C orange-600
---	---	---	---	---

2.2 Neutral Palette

Token	Hex	Tailwind class	Primary usage
neutral-50	#FAFAF9	bg-stone-50	Admin & Inventory page background (NOT customer store)
neutral-100	#F5F5F4	bg-stone-100	Alternating table rows, tag backgrounds, secondary card bg
neutral-200	#E7E5E4	bg-stone-200	Skeleton loader base colour, disabled input background
neutral-300	#D6D3D1	border-stone-300	All default borders — inputs, tables, cards, dividers
neutral-400	#A8A29E	text-stone-400	Placeholder text, disabled icons
neutral-500	#78716C	text-stone-500	Caption text, helper text, secondary labels, footer text
neutral-600	#57534E	text-stone-600	Secondary body text, table cell text
neutral-700	#44403C	text-stone-700	Primary body text, form labels, paragraph content
neutral-800	#292524	text-stone-800	Strong body text, card titles on light bg
neutral-900	#1C1917	text-stone-900	Page headings, sidebar background, darkest text

2.3 Semantic Colours

Role	Background	Border	Text	Tailwind classes — bg / border / text
Success	#F0FDF4	#22C55E	#16A34A	bg-green-50 / border-green-500 / text-green-600
Error	#FEF2F2	#EF4444	#DC2626	bg-red-50 / border-red-500 / text-red-600
Warning	#FFFBEB	#F59E0B	#D97706	bg-amber-50 / border-amber-500 / text-amber-600
Info	#EFF6FF	#3B82F6	#2563EB	bg-blue-50 / border-blue-500 / text-blue-600

2.4 Portal Background Colours

Portal	Page background	Sidebar / Nav bg	Content card bg
Customer Store	#FFFFFF (white)	white (no sidebar)	#FFFFFF with border-stone-200
Admin & Inventory	#FAFAF9 (stone-50)	#1C1917 (stone-900)	#FFFFFF with border-stone-200
Staff POS	#000000 (black)	#111111 (near-black)	#1C1917 with border-stone-700

2.5 Colour Usage Rules

- Never use colour as the only indicator of state.** Always pair colour with an icon or text label (e.g., a red error badge must also show an error icon or the word 'Error').
- Never use a hex value not in this palette.** All colours must come from the tokens above. No ad-hoc colours for one-off use cases.
- Orange text on white must be at least brand-600 (#EA580C).** brand-500 (#F97316) on white fails WCAG AA for normal text. Use brand-600 for text, brand-500 for icons and UI elements only.
- Never use orange text on an orange background.** This applies to any brand colour combination. Always check contrast ratio before pairing.
- Disabled state colour is neutral-400 for text and neutral-200 for backgrounds.** Applies to buttons, inputs, selects, and any interactive element in its disabled state.

Tailwind config: The Borama brand colours extend Tailwind's orange palette. Reference them as **text-orange-500**, **bg-orange-100**, etc. Neutral colours use Tailwind's **stone** palette (not gray, not zinc). This is set in tailwind.config.ts — see Tech Stack document Section 24.2.

3. Typography

3.1 Font Family

The application uses **Inter** as its sole typeface — a variable font optimised for screen readability at all sizes. Self-hosted via **next/font/google** for zero layout shift. No external Google Fonts request at runtime.

```
// src/app/layout.tsx
import { Inter } from 'next/font/google'

const inter = Inter({
  subsets: ['latin'],
  variable: '--font-inter',
  display: 'swap',
})

// Apply: <html className={inter.variable}>
// Tailwind class: font-sans (mapped to var(--font-inter) in config)
```

3.2 Type Scale

All sizes are in px (converted to rem by Tailwind). Line height is always specified — never rely on browser defaults.

Name	Size	Line-ht	Weight(s)	Tailwind classes	Used for
Display	36px	44px	700	text-4xl font-bold leading-[44px]	Hero banner headline, tier upgrade modal title
H1	30px	38px	700	text-3xl font-bold leading-[38px]	Page title (one per page only)
H2	24px	32px	700	text-2xl font-bold leading-8	Major section heading within a page
H3	20px	28px	600	text-xl font-semibold leading-7	Card title, sub-section heading, modal title
H4	16px	24px	600	text-base font-semibold leading-6	Table section heading, accordion title, sidebar title
H5	14px	20px	600	text-sm font-semibold leading-5	Form section heading, label above a group of inputs
Body-LG	16px	24px	400	text-base font-normal leading-6	Product description, help text, long-form content
Body	14px	20px	400	text-sm font-normal leading-5	Default UI text — table cells, form values, primary text
Body-SM	12px	16px	400	text-xs font-normal leading-4	Caption, timestamp, secondary metadata, table text
Label	14px	20px	500	text-sm font-medium leading-5	Form field labels, nav item labels
Label-SM	12px	16px	500	text-xs font-medium leading-4	Badge text, chip label, table column headers
Code	13px	20px	400	font-mono text-[13px] leading-5	Order numbers, SKU codes, pickup codes, error messages
Overline	11px	16px	600	text-[11px] font-semibold uppercase tracking-[0.2em]	Single-line category label, tag above a heading

3.3 Font Weight Reference

Weight	Value	Tailwind class	When to use
Regular	400	font-normal	Body text, table cells, descriptions, placeholder text
Medium	500	font-medium	Form labels, nav items, secondary emphasis
Semibold	600	font-semibold	Card titles, H3-H5, badge labels, button text (md/lg)
Bold	700	font-bold	Page headings H1-H2, Display, strong emphasis, price totals

3.4 Typography Rules

- Sentence case everywhere.** Headings, buttons, labels, and nav items all use sentence case. Never title case. Exception: the store name 'BORAMA HARDWARE' in the header is all-caps by design.
- One H1 per page.** Every page has exactly one H1. It is the primary page title. Admin dashboard → 'Dashboard'. Product listing → category name. Product detail → product name.
- Never shrink text below 12px.** 12px (text-xs) is the minimum. If content doesn't fit at 12px, truncate with ellipsis rather than going smaller.
- Truncate long strings with ellipsis.** Product names in cards: max 2 lines (line-clamp-2). Table cells: max 1 line (truncate). Always show full text in a tooltip on hover.
- Price text is always bold.** All SL\$H and USD prices use font-bold. The primary SL\$H price uses text-xl or larger. The secondary USD price uses text-sm font-normal text-stone-500.
- Pickup codes use font-mono, text-4xl, font-bold.** The 6-character alphanumeric pickup code is the most visually prominent element on the order confirmation screen. Never use a serif or sans-serif font for it — always monospace.

4. Spacing System

Base unit: **4px**. All spacing values are multiples of 4px. Use only the values in this scale — never use arbitrary pixel values in className.

Token	px	Tailwind	Common use
space-0	0px	p-0 / m-0 / gap-0	Reset / override
space-1	4px	p-1 / m-1 / gap-1	Icon internal padding, tight badge padding
space-2	8px	p-2 / m-2 / gap-2	Small badge px, chip gap, icon-to-label gap
space-3	12px	p-3 / m-3 / gap-3	Input padding-y, small button padding
space-4	16px	p-4 / m-4 / gap-4	Default button px, card inner padding-x, form field gap
space-5	20px	p-5 / m-5 / gap-5	Section gap within a card
space-6	24px	p-6 / m-6 / gap-6	Card padding (desktop), sidebar item padding-x, modal padding
space-8	32px	p-8 / m-8 / gap-8	Page section gap, large card padding
space-10	40px	p-10 / m-10 / gap-10	Vertical gap between major page sections
space-12	48px	p-12 / m-12 / gap-12	Top padding of page content below header
space-16	64px	p-16 / m-16 / gap-16	Large hero section padding
space-20	80px	p-20 / m-20 / gap-20	Cover/hero vertical rhythm
space-24	96px	p-24 / m-24 / gap-24	Empty-state icon circle size

4.1 Component-Level Spacing Rules

Component	Internal padding	Gap between elements	Notes
Button SM	py-1.5 px-3	—	h-8 (32px total)
Button MD	py-2 px-4	—	h-10 (40px total) — default
Button LG	py-2.5 px-6	—	h-12 (48px total)
Input MD	py-2 px-3	—	h-10 (40px total)
Input LG	py-3 px-4	—	h-12 (48px total) — POS only
Card	p-4 (mobile) p-6 (desktop)	gap-4 inside	border border-stone-200
Form group	—	gap-4 between fields	gap-2 between label and input
Page content	px-4 (mobile) px-6 (tablet) px-8 (desktop)	—	Max-width container centred
Sidebar item	px-3 py-2	gap-3 icon+label	h-10 per item

Component	Internal padding	Gap between elements	Notes
Table cell	px-4 py-3	—	Consistent across all data tables
Modal	p-6	gap-4	Header, body, footer each p-6
Toast	p-4	gap-3	Icon + message + close button

5. Grid & Layout

5.1 Breakpoints

Name	Min width	Tailwind prefix	Layout change at this breakpoint
xs (base)	0px	— (no prefix)	Single column. Bottom nav. Mobile-first default.
sm	640px	sm:	Some two-column layouts appear. Still mobile nav.
md	768px	md:	Tablet. Sidebar appears in admin. 2-col product grid.
lg	1024px	lg:	Desktop. Full 3-col product grid. Mini-cart drawer.
xl	1280px	xl:	Wide desktop. Max-width container stops growing.
2xl	1536px	2xl:	Ultra-wide. Container still capped. Extra whitespace.

5.2 Customer Store Layout

Zone	Height / Width	Tailwind classes	Notes
Header	64px	h-16 sticky top-0 z-40 bg-white border-b border-stone-200	Contains logo, search + lang toggle + cart + account
Bottom Nav	64px	h-16 fixed bottom-0 z-40 bg-white border-t border-stone-200	Mobile only. Hidden on md and hidden
Content area	calc(100vh - 64px - 64px)	pt-16 pb-16 md:pb-0	Scrollable. pt accounts for sticky header. pb for bottom nav
Container	max 1280px	max-w-screen-xl mx-auto px-4 sm:px-6 lg:px-8	Never wider than 1280px.
Product grid	3 cols desktop	grid grid-cols-2 sm:grid-cols-2 lg:grid-cols-3	3 columns on desktop. 2 on tablet. 1 on phone.

5.3 Admin & Inventory Layout

Zone	Size	Tailwind classes	Notes
Sidebar (expanded)	256px wide	w-64 fixed left-0 top-0 h-full bg-stone-900 z-50	Full height. Collapsed to 64px (w-16) on toggle.
Sidebar (collapsed)	64px wide	w-16 fixed left-0 top-0 h-full bg-stone-900 z-50	900px rail. Labels hidden.
Top bar	64px tall	h-16 fixed top-0 left-64 right-0 z-20 bg-white border-b border-stone-200	Shifts left with sidebar. Shows breadcrumb + user menu.
Content area	fluid	ml-64 pt-16 min-h-screen bg-stone-50	ml-16 when sidebar collapsed. p-6 on tablet.
Content max-width	1440px	max-w-[1440px]	Prevents data tables from becoming unreadably wide.

5.4 POS Layout

Zone	Size	Tailwind classes	Notes
Top bar	52px	h-[52px] bg-black border-b border-stone-700	Connection badge, cashier, location, session controls.

Zone	Size	Tailwind classes	Notes
Left panel	55% width	w-[55%] h-[calc(100vh-52px)] bg-black overflow-hidden flex-direction	Product search filter + product grid.
Right panel	45% width	w-[45%] h-[calc(100vh-52px)] bg-stone-900 flex flex-col	Cart + payment. Fixed — does not scroll as a unit.
Product tile	min 100px tall	min-h-[100px] p-3 rounded-lg bg-stone-800 columns-1	Does not target 1060×60px.
POS Cart scroll	flex-1	flex-1 overflow-y-auto	Only the item list scrolls inside the right panel.

6. Border Radius & Shadows

6.1 Border Radius Scale

Name	Value	Tailwind	Applied to
none	0px	rounded-none	POS product tiles borders, tables (no rounding on cells)
sm	4px	rounded-sm	Badges, chips, status pills, small tags, tooltip
md	8px	rounded-md	Buttons (all sizes), input fields, select, textarea, cards, modals, dropdowns, toasts
lg	12px	rounded-lg	Large cards (product cards on homepage hero), bottom sheet top edge
xl	16px	rounded-xl	Image placeholder blocks, POS payment modal
full	9999px	rounded-full	Avatar, loyalty card icon circle, empty-state icon circle, toggle switches, pagination dots

Rule: Never mix radius values within the same component. A card uses rounded-md on all four corners. If a child element (e.g., image at the top of a card) needs to visually extend to the edge, use rounded-t-md on the image and rounded-b-none, combined with overflow-hidden on the card.

6.2 Shadow Scale

Level	CSS value	Tailwind	Used for
none	none	shadow-none	Flat cards with border-stone-200 (default for most cards)
sm	0 1px 2px rgba(0,0,0,0.05)	shadow-sm	Input focus ring area, small tooltips
md	0 4px 6px -1px rgba(0,0,0,0.1), 0 2px 4px -2px rgba(0,0,0,0.1)	shadow-md	Dropdown menus, select option lists, floating mini-cart
lg	0 10px 15px -3px rgba(0,0,0,0.1), 0 4px 6px -4px rgba(0,0,0,0.1)	shadow-lg	Modals, popovers, date pickers
xl	0 20px 25px -5px rgba(0,0,0,0.1), 0 8px 10px -6px rgba(0,0,0,0.1)	shadow-xl	Full-screen drawers on desktop, sticky sidebar on scroll

Rule: Use border + shadow-none for most cards (clean, flat). Reserve shadow-md and above for elements that float above the page (dropdowns, modals, drawers). Never apply both a border and a shadow-lg on the same element.

7. Icon System

All icons come from **lucide-react 0.454.0**. No other icon library is used. Stroke width is always **1.5** (the lucide default). Never change stroke width. Icons are never decorative — every icon conveys meaning and must have an aria-label or accompanying visible label.

7.1 Icon Size Scale

Size	px	Tailwind class	Used for
xs	12px	size-3	Inline status dot inside badge text
sm	16px	size-4	Inside badges, inline with body text, breadcrumb separator
md	20px	size-5	Default — nav items, button icons, input prefix/suffix, table action icons
lg	24px	size-6	Header nav icons, sidebar icons, feature icons next to headings
xl	32px	size-8	Empty-state context icon (inside the circle), toast icons
2xl	48px	size-12	Empty-state primary icon (inside the 96px circle), onboarding icons

7.2 Icon Colour Rules

Context	Colour	Tailwind class
Default UI icon	neutral-500	text-stone-500
Active / selected icon	brand-500	text-orange-500
Icon inside orange button	white	text-white
Icon inside ghost button	neutral-700	text-stone-700
Danger / destructive icon	red-600	text-red-600
Success icon	green-600	text-green-600
Warning icon	amber-600	text-amber-600
Info icon	blue-600	text-blue-600
Disabled icon	neutral-400	text-stone-400
POS icon (dark bg)	white	text-white

7.3 Icon Assignment Reference

Every icon below is the mandatory choice for that concept. Do not substitute a different icon with similar meaning.

Concept	Lucide component	Concept	Lucide component
Cart / Add to cart	ShoppingCart	Search	Search

Concept	Lucide component	Concept	Lucide component
Order / Package	Package	Product / Item	Box
Checkout	CreditCard	Category	LayoutGrid
Payment confirmed	CheckCircle2	Payment pending	Clock
Mobile money	Smartphone	Cash	Banknote
Home / Store	Home	Location / Branch	MapPin
User / Account	User	Staff / Team	Users
Settings	Settings	Admin	ShieldCheck
Inventory	Warehouse	Stock alert	AlertTriangle
Receive stock	PackagePlus	Transfer stock	ArrowLeftRight
Stocktake	ClipboardList	Barcode	ScanBarcode
POS / Register	Monitor	Print receipt	Printer
Return / Refund	RotateCcw	Void transaction	XCircle
Loyalty / Points	Star	Tier / Badge	Award
AI / Estimate	Sparkles	Chatbot	MessageCircle
Language	Globe	Notifications	Bell
Filter	SlidersHorizontal	Sort	ArrowUpDown
Edit	Pencil	Delete	Trash2
Add / New	Plus	Remove / Close	X
Back / Previous	ChevronLeft	Forward / Next	ChevronRight
Expand / Open	ChevronDown	Collapse	ChevronUp
Download	Download	Upload	Upload
Export CSV	FileDown	Import CSV	FileUp
WhatsApp share	Share2	Copy to clipboard	Copy
Lock / PIN	Lock	Unlock	Unlock
Eye / Show	Eye	Eye-off / Hide	EyeOff
Offline	WifiOff	Online	Wifi
Error / Alert	AlertCircle	Info	Info
Calendar / Date	Calendar	Time / Clock	Clock
Phone	Phone	SMS	MessageSquare
Image / Photo	Image	Drag handle	GripVertical
Menu	Menu	Sidebar toggle	PanelLeft

Concept	Lucide component	Concept	Lucide component
Refresh / Retry	RefreshCw	Park transaction	PauseCircle

8. Component Specifications

8.1 Buttons

All buttons use the shadcn/ui Button component with the variants below. Never create a custom button from scratch — always use the Button component.

Variant	Default classes	Hover	Active:pressed	Disabled
Primary	bg-orange-500 text-white rounded-md hover:bg-orange-600	active:bg-orange-700	disabled:bg-stone-200	
Secondary	bg-white text-stone-700 border border-stone-300 rounded-md hover:bg-stone-100	active:scale-[0.98]	disabled:opacity-50	
Ghost	bg-transparent text-stone-700 rounded-md hover:bg-stone-100	active:bg-stone-200	disabled:opacity-40	
Destructive	bg-red-500 text-white rounded-md hover:bg-red-600	active:bg-red-700	disabled:opacity-50	
Link	text-orange-600 underline-offset-4 hover:underline	active:underline	disabled:text-stone-400	

Size	height	Tailwind padding	Font size	Icon size	Min touch target
sm	h-8 (32px)	px-3 py-1.5	text-xs	size-3.5	44px (add p-2 on icon-only sm buttons)
md	h-10 (40px)	px-4 py-2	text-sm	size-4	40px height already meets WCAG on desktop
lg	h-12 (48px)	px-6 py-2.5	text-base	size-5	48px — use this size in all POS screens

Loading state: Replace the left icon with `Loader2 className='size-4 animate-spin'`. Keep the button label unchanged. Set `disabled={true}` while loading. Never remove the button during loading — it must remain visible and in-place.

Icon-only buttons: Must have `aria-label` describing the action. Add a Tooltip component showing the label on hover. Minimum size h-10 w-10 (md) or h-8 w-8 (sm). Use Ghost variant for table row actions.

8.2 Input Fields & Forms

Element	Default classes	Focus	Error	Disabled
Text input	h-10 w-full rounded-md border border-stone-300 focus:ring-2 focus:ring-orange-500	focus:ring-2 focus:ring-orange-500	border-red-500	disabled:opacity-50
Textarea	min-h-[80px] w-full rounded-md border border-stone-300 focus:ring-2 focus:ring-orange-500	focus:ring-2 focus:ring-orange-500	border-red-500	disabled:opacity-50
Select	h-10 w-full rounded-md border border-stone-300 focus:ring-2 focus:ring-orange-500	focus:ring-2 focus:ring-orange-500	border-red-500	disabled:opacity-50
Checkbox	h-4 w-4 rounded-sm border-stone-300 text-stone-500	focus:ring-2 focus:ring-orange-500	border-red-500	disabled:opacity-50
Radio	h-4 w-4 border-stone-300 text-orange-500	focus:ring-2 focus:ring-orange-500	border-red-500	disabled:opacity-50
Switch (Toggle)	Radix Switch. Track: bg-stone-200, thumb: bg-white	focus:ring-2 focus:ring-orange-500	border-red-500	disabled:opacity-50

Form anatomy (from top to bottom):

Layer	Element	Tailwind classes	Notes
1	Field label	text-sm font-medium text-stone-700	Always above the input. Never floating. Required fields: append

Layer	Element	Tailwind classes	Notes
2	Input / Select	see table above	Full width of its grid column.
3	Helper text	text-xs text-stone-500 mt-1	Shown below input at all times when present. Hides when error is visible
4	Error message	text-xs text-red-600 mt-1 flex items-center gap-1	Replaces helper text. Prepend AlertCircle size-3.5. Never use red on its
5	Success hint	text-xs text-green-600 mt-1 flex items-center gap-1	Optional. Prepend CheckCircle2 size-3.5 prepended. Used for phone validation c

8.3 Badges & Status Chips

Badge type	Background	Text colour	Border	Tailwind classes
Order: Pending Verification	#FFFBEB	#D97706	#F59E0B	bg-amber-50 text-amber-700 border border-amber-300
Order: Confirmed	#EFF6FF	#2563EB	#3B82F6	bg-blue-50 text-blue-700 border border-blue-300
Order: Ready for Pickup	#F5F3FF	#7C3AED	#8B5CF6	bg-violet-50 text-violet-700 border border-violet-300
Order: Completed	#F0FDF4	#16A34A	#22C55E	bg-green-50 text-green-700 border border-green-300
Order: Cancelled	#F5F5F4	#57534E	#D6D3D1	bg-stone-100 text-stone-600 border border-stone-300
Stock: In Stock	#F0FDF4	#16A34A	#22C55E	bg-green-50 text-green-700 border border-green-300
Stock: Low Stock	#FFFBEB	#D97706	#F59E0B	bg-amber-50 text-amber-700 border border-amber-300
Stock: Out of Stock	#FEF2F2	#DC2626	#EF4444	bg-red-50 text-red-700 border border-red-300
Role: Admin	#FFF7ED	#EA580C	#F97316	bg-orange-50 text-orange-700 border border-orange-300
Role: Cashier	#EFF6FF	#2563EB	#3B82F6	bg-blue-50 text-blue-700 border border-blue-300
Role: Inventory Mgr	#F0FDF4	#16A34A	#22C55E	bg-green-50 text-green-700 border border-green-300
Loyalty: Bronze	#FFF7ED	#92400E	#F97316	bg-orange-50 text-orange-800 border border-orange-400
Loyalty: Silver	#F5F5F4	#44403C	#A8A29E	bg-stone-100 text-stone-700 border border-stone-400
Loyalty: Gold	#FFFBEB	#92400E	#F59E0B	bg-amber-50 text-amber-800 border border-amber-400
Payment: Verified	#F0FDF4	#16A34A	#22C55E	bg-green-50 text-green-700 border border-green-300
Payment: Pending	#FFFBEB	#D97706	#F59E0B	bg-amber-50 text-amber-700 border border-amber-300
OFFLINE (POS)	#FEF2F2	#DC2626	#EF4444	bg-red-50 text-red-700 border border-red-300 font-bo
ONLINE (POS)	#F0FDF4	#16A34A	#22C55E	bg-green-50 text-green-700 border border-green-300

Badge anatomy: inline-flex items-center gap-1 rounded-sm px-2 py-0.5 text-xs font-medium border. Optional: prepend a filled circle dot (div className='size-1.5 rounded-full bg-current') for colour-blind-friendly status indication.

8.4 Cards

Card type	Base classes	Hover / Interactive	Border	Use case
Default card	bg-white rounded-md border border-stone-200 p-4	—	1px stone-200	Admin content blocks, form sections, order cards
Clickable card	bg-white rounded-md border border-stone-200 p-4	hover:border-orange-300	1px stone-200	Product cards, customer cards, order cards
Product card	bg-white rounded-lg border border-stone-200 overflow-hidden	hover:shadow-md	1px stone-200	Customer store — product grid tiles
Alert / callout	rounded-md border p-4	—	semantic colour index	Error, warning note, tip section inside
Stat card (admin)	bg-white rounded-md border border-stone-200 p-4	flex flex-col gap-2	1px stone-200	Dashboard KPI cards — revenue, orders
POS product tile	bg-stone-800 rounded-lg border border-stone-700 p-4	hover:shadow-md	1px stone-700	POS product grid

Product card anatomy (customer store):

```
<div class='bg-white rounded-lg border border-stone-200 overflow-hidden
hover:border-orange-300 hover:shadow-md transition-all duration-150 group'>
  <!-- Image: aspect-square, object-cover, w-full -->
  <div class='aspect-square overflow-hidden bg-stone-100'>
    <img class='w-full h-full object-cover group-hover:scale-105 transition-transform
    duration-300' />
  </div>
  <!-- Body: p-3 flex flex-col gap-2 -->
  <div class='p-3 flex flex-col gap-2'>
    <p class='text-xs text-stone-500'>Brand name</p>
    <h3 class='text-sm font-semibold text-stone-900 line-clamp-2'>Product name</h3>
    <p class='text-base font-bold text-stone-900'>SLSH 145,000</p>
    <p class='text-xs text-stone-500'>$12.50</p>
    <!-- Add to Cart button: full width, size sm -->
  </div>
</div>
```

8.5 Data Tables (Admin)

All admin data tables follow this exact structure. Never create a one-off table style.

```
<table class='w-full text-sm border-collapse'>
  <thead class='bg-stone-900 text-white'>
    <tr>
      <th class='px-4 py-3 text-left text-xs font-semibold uppercase tracking-[0.05em]'>Col</th>
    </tr>
  </thead>
  <tbody class='divide-y divide-stone-200'>
    <tr class='bg-white hover:bg-stone-50 transition-colors duration-100'>
      <td class='px-4 py-3 text-stone-700'>Value</td>
    </tr>
  </tbody>
</table>
```

```
</tr>
<tr class='bg-stone-50 hover:bg-stone-100 transition-colors duration-100'>
<!-- alternating row -->
</tr>
</tbody>
</table>
```

Rule	Specification
Column header	bg-stone-900 text-white text-xs font-semibold uppercase tracking-[0.05em] px-4 py-3
Row hover	hover:bg-stone-50 (odd rows) / hover:bg-stone-100 (even rows). Duration 100ms.
Row alternating	odd:bg-white even:bg-stone-50
Sort icon	ChevronUp/ChevronDown size-3.5 ml-1 text-stone-400. Active sort: text-orange-500.
Row checkbox	First column. Checkbox size-4. Checked rows get bg-orange-50.
Action column	Last column. Right-aligned. Ghost icon buttons. Gap-1 between buttons.
Sticky header	sticky top-0 z-10 on thead. Required when table > 10 rows.
Empty table	Full-width empty state row spanning all columns. See Section 8.11.
Pagination	Below table. Previous / page numbers / Next. Current page: bg-orange-500 text-white.

8.6 Modals & Dialogs

Size	Max-width	Use case
sm	max-w-sm (384px)	Confirm delete, alert, 2-field form, OTP entry
md	max-w-md (448px)	Login, simple forms (3–5 fields), PIN entry
lg	max-w-lg (512px)	Complex forms, variant selector, return item picker
xl	max-w-xl (576px)	Product quick-view, order detail side panel preview
2xl	max-w-2xl (672px)	Bulk import preview, stocktake discrepancy review

```
<!-- Backdrop: fixed inset-0 bg-black/50 z-50 flex items-center justify-center p-4 -->
<!-- Panel: bg-white rounded-md shadow-lg w-full max-w-md flex flex-col -->
<!-- Header: flex items-center justify-between p-6 border-b border-stone-200 -->
<!-- Title: text-lg font-semibold text-stone-900 -->
<!-- Close: Ghost icon button, X icon, size-5, aria-label='Close' -->
<!-- Body: p-6 overflow-y-auto flex-1 -->
<!-- Footer: flex justify-end gap-3 p-6 border-t border-stone-200 -->
<!-- Cancel (Secondary) then Confirm (Primary or Destructive) -->
```

Behaviour: Close on Escape key. Close on backdrop click (except destructive confirmations). Focus trap inside modal. First focusable element receives focus on open. Scroll lock on body when modal is open. Mobile: modal becomes a bottom sheet (see 8.7).

8.7 Drawers / Bottom Sheets

Type	Desktop	Mobile	Width / Height
Mini-cart	Slides from right	Slides from bottom	Desktop: w-96 (384px). Mobile: h-[85vh] w-full.
Filter panel	Fixed left column (not a drawer)	Slides from bottom	Mobile: h-[90vh] with drag handle at top.
Admin detail	Slides from right	Full screen push	Desktop: w-[480px]. Mobile: 100vw.
Chatbot panel	Floating card (not a drawer)	Slides from bottom	Mobile: h-[80vh] w-full.

```
<!-- Backdrop: fixed inset-0 bg-black/40 z-40 -->
<!-- Right drawer: fixed inset-y-0 right-0 z-50 w-96 bg-white shadow-xl -->
<!-- Bottom sheet: fixed inset-x-0 bottom-0 z-50 bg-white rounded-t-lg shadow-xl -->
<!-- Drag handle: w-10 h-1 rounded-full bg-stone-300 mx-auto mt-3 mb-2 -->
```

8.8 Toast Notifications

Property	Specification
Position	Desktop: top-right, mt-16 (below header), mr-4. Mobile: bottom-center, mb-20 (above bottom nav), mx-4.
Max visible	3 toasts stacked. New toasts push existing ones down. Oldest auto-dismiss first.
Auto-dismiss	4000ms. Pause on hover. Resume on mouse-leave.
Width	Desktop: w-80 (320px) min. Mobile: w-full.
Structure	flex items-start gap-3 p-4 rounded-md border shadow-md bg-white
Icon	Semantic icon size-5, coloured per type (CheckCircle2=green, AlertCircle=red, AlertTriangle=amber, Info=blue)
Title	text-sm font-semibold text-stone-900
Description	text-sm text-stone-500 (optional)
Close button	Ghost X icon, size-4, ml-auto self-start, text-stone-400 hover:text-stone-600
Success toast	border-green-200 bg-white (not green bg — white with green icon)
Error toast	border-red-200 bg-white
Warning toast	border-amber-200 bg-white
Info toast	border-blue-200 bg-white

8.9 Skeleton Loaders

Show skeleton screens immediately while data is loading. Never show a spinner in place of a full-page layout.

Element	Skeleton classes	Dimensions
Text line (full)	h-4 w-full rounded bg-stone-200 animate-pulse	Matches body text height

Element	Skeleton classes	Dimensions
Text line (partial)	h-4 w-3/4 rounded bg-stone-200 animate-pulse	For second line of a paragraph
Text line (short)	h-4 w-1/2 rounded bg-stone-200 animate-pulse	For captions / labels
Avatar	h-10 w-10 rounded-full bg-stone-200 animate-pulse	Matches avatar size
Product image	aspect-square w-full rounded-lg bg-stone-200 animate-pulse	Fills card image area
Button	h-10 w-28 rounded-md bg-stone-200 animate-pulse	Matches md button
Stat card	h-24 w-full rounded-md bg-stone-200 animate-pulse	Dashboard KPI card
Table row	h-12 w-full rounded bg-stone-200 animate-pulse	One per expected row

Shimmer animation: Use Tailwind's **animate-pulse** as the base. For a shimmer (light sweep), add a custom CSS animation using a linear gradient background. Both are acceptable — **animate-pulse** is simpler and preferred for most cases.

8.10 Navigation Components

Customer Store Header

```
<!-- h-16 sticky top-0 z-40 bg-white border-b border-stone-200 shadow-sm -->
<!-- Inner: max-w-screen-xl mx-auto px-4 sm:px-6 lg:px-8 h-full flex items-center gap-4 -->
<!-- LEFT: Logo – text-xl font-bold text-orange-600 (or SVG logo) -->
<!-- CENTER: Search bar – flex-1 max-w-lg hidden sm:block -->
<!-- RIGHT: flex items-center gap-2 -->
<!-- Language toggle: 'EN / SO' pill – text-xs font-medium -->
<!-- Cart icon button: relative. Badge: absolute -top-1 -right-1 h-5 w-5 -->
<!-- Badge: rounded-full bg-orange-500 text-white text-[10px] font-bold -->
<!-- Account: User icon (logged-out) OR Avatar initials (logged-in) -->
```

Customer Store Bottom Navigation (mobile only)

```
<!-- h-16 fixed bottom-0 inset-x-0 z-40 bg-white border-t border-stone-200 md:hidden -->
<!-- Inner: grid grid-cols-5 h-full -->
<!-- Each tab: flex flex-col items-center justify-center gap-0.5 cursor-pointer -->
<!-- Icon: size-6. Label: text-[10px] font-medium -->
<!-- Inactive: text-stone-400. Active: text-orange-500 -->
<!-- Active indicator: 2px top border on parent td: border-t-2 border-orange-500 -->
```

Admin / Inventory Sidebar

```
<!-- w-64 fixed left-0 top-0 h-full bg-stone-900 z-30 flex flex-col -->
<!-- Logo area: h-16 px-6 flex items-center border-b border-stone-700 -->
<!-- Logo text: text-white font-bold text-lg -->
<!-- Nav: flex-1 overflow-y-auto py-4 px-3 flex flex-col gap-1 -->
<!-- Group label: text-[10px] font-semibold uppercase tracking-[0.1em] -->
<!-- text-stone-500 px-3 mb-1 mt-4 first:mt-0 -->
<!-- Nav item: flex items-center gap-3 px-3 py-2 rounded-md text-sm font-medium -->
<!-- Inactive: text-stone-400 hover:text-white hover:bg-stone-800 -->
<!-- Active: text-white bg-orange-500 (NOT stone-800 for active) -->
<!-- Icon: size-5 -->
<!-- Badge (count): ml-auto bg-orange-500 text-white text-[10px] rounded-full px-1.5 -->
<!-- Bottom: p-4 border-t border-stone-700 -->
<!-- User info: avatar + name + role badge -->
<!-- Logout button: Ghost, full width, text-stone-400 hover:text-white -->
```

Sidebar group structure (Admin)

Group label	Nav items
Overview	Dashboard
Store	Orders / Customers / Returns

Group label	Nav items
Catalogue	Products / Categories / Discounts / Banners
Operations	Staff / Locations / Payment Settings
Intelligence	AI Insights / Analytics / Audit Log
Settings	Exchange Rate / Loyalty Config

8.11 Empty States

```
<!-- Wrapper: flex flex-col items-center justify-center py-16 gap-4 -->
<!-- Icon circle: h-24 w-24 rounded-full bg-orange-100 flex items-center justify-center -->
<!-- Icon: size-12 text-orange-500 (specific Lucide icon per screen – see Section 7.3) -->
<!-- Title: text-lg font-semibold text-stone-900 text-center -->
<!-- Description: text-sm text-stone-500 text-center max-w-xs -->
<!-- CTA: Primary button (size md) – specific label per screen – see Section 10.7 -->
```

The empty state sits inside the same container as the content it replaces. It is never full-screen unless the entire page is empty (e.g., first-time admin login). Use the bilingual title/description pairs from the Screen State Matrix in the App Flow document.

8.12 POS-Specific Components

Component	Specification
Product tile (grid)	bg-stone-800 rounded-lg border border-stone-700 p-3 min-h-[100px] cursor-pointer hover:border-orange-500
POS Cart item row	flex items-center gap-3 py-3 border-b border-stone-700. Name: text-sm text-white. Qty stepper: bg-stone-700
POS Total bar	bg-stone-900 border-t border-stone-700 p-4. Total label: text-sm text-stone-400. Amount: text-2xl font-bold tex
PIN pad	grid grid-cols-3 gap-3 p-4. Each digit button: h-16 rounded-xl bg-stone-800 text-white text-2xl font-bold hover:l
Connection badge	inline-flex items-center gap-1.5 rounded-sm px-2 py-1 text-xs font-bold border. ONLINE: see badge table. OF
Cash change display	After entering tender amount — text-4xl font-bold. Positive change: text-green-400. Insufficient: text-red-400 w

9. Motion & Interaction Rules

No external animation library. All motion uses **Tailwind CSS transition utilities** with the duration and easing values in this section. Every animation must comply with **prefers-reduced-motion**.

9.1 Duration Scale

Name	Duration	Tailwind class	Used for
instant	0ms	duration-0	Immediate state changes (checkbox check, toggle flip)
fast	100ms	duration-100	Button hover background, row hover, focus ring appear
default	150ms	duration-150	Button active scale, badge appear, link colour change
moderate	200ms	duration-200	Toast slide-in, dropdown open, tab switch
slow	300ms	duration-300	Modal open/close, drawer slide, image hover scale
deliberate	500ms	duration-500	Success checkmark draw, skeleton-to-content crossfade

9.2 Easing Curves

Name	cubic-bezier	Tailwind class	Used for
ease-out	cubic-bezier(0,0,0.2,1)	ease-out	Elements entering — modal open, toast slide in, drawer open
ease-in	cubic-bezier(0.4,0,1,1)	ease-in	Elements leaving — modal close, toast dismiss, drawer close
ease-in-out	cubic-bezier(0.4,0,0.2,1)	ease-in-out	Value changes — colour transitions, opacity fades, scale
spring	cubic-bezier(0.32,0.72,0,1)	Custom CSS var	Drawer/bottom-sheet open (springy feel). Use in style prop.

9.3 Per-Component Motion Specification

Component	Enter	Exit	Properties animated
Button hover	100ms ease-in-out	—	background-color, box-shadow
Button active press	100ms ease-in	150ms ease-out	transform: scale(0.98)
Button loading	150ms ease-out	150ms ease-in	opacity (spinner fade in)
Input focus ring	100ms ease-out	100ms ease-in	box-shadow (ring), border-color
Dropdown open	200ms ease-out	150ms ease-in	opacity 0→1, translateY -4px→0
Modal open	300ms ease-out	200ms ease-in	opacity 0→1, scale 0.95→1
Right drawer open	300ms spring	200ms ease-in	translateX 100%→0
Bottom sheet open	300ms spring	200ms ease-in	translateY 100%→0
Backdrop fade	200ms ease-out	200ms ease-in	opacity 0→0.5

Component	Enter	Exit	Properties animated
Toast slide in (R)	200ms ease-out	200ms ease-in	opacity 0→1, translateX 100%→0
Toast slide in (B)	200ms ease-out	200ms ease-in	opacity 0→1, translateY 100%→0
Page transition	150ms ease-out	100ms ease-in	opacity 0→1
Product image hover	300ms ease-in-out	300ms ease-in-out	transform: scale(1→1.05)
Cart count badge	200ms ease-out	—	transform: scale(0.8→1.2→1)
Row hover	100ms ease-in-out	100ms ease-in-out	background-color
Skeleton shimmer	1500ms linear infinite	—	background-position (gradient sweep)
Success checkmark	600ms ease-out	—	stroke-dashoffset (SVG path draw)
Tier upgrade confetti	3000ms, auto-dismiss after 5000ms		canvas-confetti burst
Sidebar collapse	250ms ease-in-out	250ms ease-in-out	width 256px→64px
Accordion open	200ms ease-out	200ms ease-in	height 0→auto, opacity 0→1

9.4 prefers-reduced-motion Rules

Every animation must degrade gracefully when the user has enabled the 'Reduce Motion' system preference. Apply this Tailwind class pattern everywhere:

```
/* Tailwind approach – apply to every animated element: */
className='transition-all duration-300 motion-reduce:transition-none
motion-reduce:duration-0'

/* For CSS keyframe animations (shimmer, confetti, checkmark): */
@media (prefers-reduced-motion: reduce) {
  .skeleton { animation: none; background: #E7E5E4; }
  .confetti-canvas { display: none; }
  .checkmark-path { stroke-dashoffset: 0; transition: none; }
}

/* Instant state change replacement for reduced-motion: */
/* Modal: opacity goes 0→1 in 0ms. No scale. No translate. */
/* Toast: opacity goes 0→1 in 0ms. No translate. */
```

Tier upgrade modal (confetti): When prefers-reduced-motion is set, the confetti canvas is hidden. The loyalty tier badge still animates at 150ms ease-out. The modal still appears — just without the particle effect.

10. Content & Copy Rules

10.1 English Brand Voice

Principle	Do	Don't
Be direct	'Add to cart'	'Add this item to your shopping cart'
Use 'you'	'Your order is confirmed'	'The order has been confirmed'
Sentence case	'View all categories'	'View All Categories'
Active voice	'Staff confirmed your payment'	'Your payment was confirmed by staff'
Encourage on empty	'Start shopping to earn points'	'No loyalty transactions found'
Short errors	'Incorrect code. Try again.'	'The verification code you entered is incorrect. Please re-enter the code and try again.'
Verb-first CTAs	'Place order' 'Add to cart' 'Pay now'	'Order placement' 'Cart addition' 'Proceed to payment'
No jargon	'Your order is ready for collection'	'Order status updated to ready_for_pickup'
Numbers clear	'SLSH 145,000'	'SLSH145000' or '145k SLSH'

10.2 Somali Language Conventions

All Somali UI copy is written in standard Somali (af Soomaali) using the Latin script (Osmanya script is not used). Copy is not a direct translation — it is re-written for natural Somali expression.

Rule	Detail
No machine translation	Every Somali string is written by a fluent speaker. Never use Google Translate or AI-generated Somali for UI.
Formal register for errors	Error messages use formal address. Do not use very casual Somali expressions.
Numbers in English numerals	Somali uses the same Arabic numerals as English (0–9). Do not transliterate numbers.
Currency in Somali	SLSH stays as 'SLSH'. Dollar amount stays as '\$'. Amount numerals are unchanged.
Dates in Somali	Use Gregorian months in Somali: Jan=Jannaayo, Feb=Febraayo, Mar=Maarso, Apr=Abril, May=Maayo, Jun=Junis.
String expansion	Somali strings are typically 20–40% longer than English equivalents. All UI elements must accommodate this.
Character set	Standard Latin + diacritics used in Somali (c, x, dh, kh, sh). All fonts (Inter) support these characters.

10.3 Currency Formatting Rules

Context	Format	Example	Tailwind / Notes
Primary SLSH price	SLSH [amount with comma separator]	SLSH 145,000	text-xl font-bold text-stone-900 (product detail, cart total)
Secondary USD price	\$(amount with 2 decimal places)	\$12.50	text-sm font-normal text-stone-500 (below SLSH price)
Dual display	SLSH [amount] / \$(amount)	SLSH 145,000 / \$12.50	Slash separator. En-dash or slash. Single text-sm line.

Context	Format	Example	Tailwind / Notes
POS total	SLSH [amount with comma separator]	SLSH 1,250,000	text-2xl font-bold text-white (on dark POS bg)
Compact (table cell)	SLSH [amount]	SLSH 14,500	text-sm font-medium — no secondary USD in tables
Change due (POS)	SLSH [amount] change	SLSH 5,000 change	text-xl font-bold text-green-400 (positive) or text-red-400 (negative)
Loyalty points	[number] pts	250 pts	text-xs font-medium text-amber-600. Star icon prepended.
SLSH separator	Comma for thousands. No decimal separator.	1,250,000	Never write 1250000 or 1.250.000
USD separator	Period for decimal. Comma for thousands.	\$1,250.00	Standard US format
Zero amount	SLSH 0 (not 'Free' or 'N/A')	SLSH 0	Exception: shipping/delivery shown as 'Free' — In-store pickup

10.4 Date & Time Formatting

Context	Format	Example
Full date (current year)	D MMM	12 Jun
Full date (other year)	D MMM YYYY	12 Jun 2024
Date + time	D MMM, h:mm A	12 Jun, 2:30 PM
Relative (< 1 hour)	X minutes ago	14 minutes ago
Relative (< 24 hours)	X hours ago	3 hours ago
Relative (yesterday)	Yesterday	Yesterday
Relative (> 2 days)	D MMM	8 Jun
POS session timestamp	HH:MM AM/PM	09:45 AM
Countdown timer (OTP)	MM:SS	00:47
Opening hours	H:MM AM – H:MM PM	8:00 AM – 6:00 PM
Friday prayer break	1:00 PM – 2:30 PM (Prayer break)	Bilingual: 'Prayer break' / 'Cibaadada Jimce'

10.5 Phone Number Formatting

Context	Format	Example	Notes
Display in UI	+252 XX XXX XXXX	+252 63 123 4567	Space-separated groups for readability
Input field	User types without +252	63 123 4567	Auto-prefix +252 on save
Validation prefix list	063, 065, 068, 061, 062, 066		Validate in real-time as user types
SMS recipient format	+252XXXXXXXXX	+252631234567	No spaces. Full E.164 format for Twilio.

10.6 Error Message Copy Rules

Rule	Correct	Incorrect
Never blame the user	'That code has expired'	'You entered an expired code'
Explain what happened	'Could not connect to the server'	'Error 503'
Tell them what to do	'Check your connection and try again'	'Request failed'
Reassure on data safety	'Your order was not placed. Nothing was changed.'	'Transaction failed'
One sentence max	'Incorrect pickup code. Try again.'	'The 6-character code you entered does not match our records for this order.'
Same tone as voice	Friendly, not robotic	'Validation error: field required'

10.7 CTA Button Label Reference

Action	English label	Somali label
Add to cart	Add to cart	Ku dar baaskiidka
Place order	Place order	Dir dalabka
Confirm payment sent	I've sent the payment	Lacagta waan diray
Proceed to checkout	Proceed to checkout	U gudub xisaabinta
Continue shopping	Continue shopping	Sii wad xididdiga
Apply discount	Apply	Codso
Remove from cart	Remove	Ka saar
View order details	View details	Arag faahfaahinta
Cancel order	Cancel order	Jooji dalabka
Request return	Return items	Ceelin alaabta
Confirm (generic)	Confirm	Xaqiiji
Save changes	Save changes	Keydi isbeddelada
Add product	Add product	Ku dar alaab
Generate AI desc.	Generate with AI	Ku soo samar AI
Open POS session	Open session	Fur xiliyada
Close POS session	Close session	Xidh xiliyada
Charge customer	Charge	Lacag qaado
Complete sale	Complete sale	Dhammee iibka
Start shopping	Start shopping	Bilow xididdiga
Sign in	Sign in	Gal
Sign out	Sign out	Ka bax
Send code	Send code	Dir koodhka

Action	English label	Somali label
Verify	Verify	Xaqiiji
Install app	Install app	Rakib barnaamijka
Mark as ready	Mark as ready	Ku calaamadee diyaar
Verify pickup code	Verify code	Hubi koodhka
Approve return	Approve	Ansax
Reject return	Reject	Diid
Receive stock	Record delivery	Diwaanso raashinka
Start stocktake	Start stocktake	Bilow xisaabinta kaydka
Submit for approval	Submit	Gudbi

11. Accessibility Rules

The application targets **WCAG 2.1 AA** compliance. These rules are non-negotiable — every component must implement them.

Rule	Requirement	Implementation
Colour contrast — normal text	Minimum 4.5:1 ratio	brand-600 (#EA580C) on white = 4.54:1 ■. Never use brand-500 (#F97316) on white for text.
Colour contrast — large text	Minimum 3:1 ratio (18px+)	brand-500 (#F97316) on white = 3.08:1 ■ for large text only.
Colour contrast — UI elements	Minimum 3:1 ratio for borders	brand-400 (#A8A29E) on white = 3.02:1 ■ for borders.
Focus ring	2px solid orange-500 with 2px offset	focus:ring-2 focus:ring-orange-500 focus:ring-offset-2. Never remove.
Touch target	Minimum 44×44px	All interactive elements must be at least 44×44px. Add padding to small icons: p-2 on a
ARIA labels — icon buttons	All icon-only buttons need a label	<code>aria-label='Remove item from cart'><X /></button></code>
ARIA labels — status badges	Role and value must be accessible	<code>role='status' aria-label='Order status: Confirmed'>Confirmed</code>
Form inputs	Every input has an associated label	Use label. For on label matching input id. Never use placeholder as the only label.
Error messages	Linked to the field	<code>aria-describedby='field-error-id'</code> on the input. <code>aria-invalid='true'</code> on error state.
Loading states	Announced to screen readers	<code>div aria-busy='true' aria-label='Loading products...'>skeleton</div></code>
Modal	Focus trap + restore focus	When modal opens: trap focus inside. When closes: return focus to the trigger button.
Skip link	For keyboard nav on custom store	<code>main-content' className='sr-only focus:not-sr-only focus:absolute ...'>Skip to</code>
Images	Alt text on all product images	<code>image alt='[Product name] — [key visual detail]' /></code> . Decorative images: <code>alt=""</code> .
Language	html lang attribute	<code><html lang='en'></code> or <code><html lang='so'></code> based on current language preference. Switch dyn
Reduced motion	Apply everywhere	<code>className='... motion-reduce:transition-none motion-reduce:duration-0'</code> on all animated

12. Image Handling

All images are served through the **Next.js Image component** (next/image). Never use a raw `<img>` tag in the application. Product images are processed server-side by **Sharp** on upload.

Context	Aspect ratio	Rendered size	Tailwind classes	Notes
Product card thumbnail	1:1 (square)	300×300px	aspect-square object-cover rounded	All product images must be square. Enforce aspect-square in the UI.
Product detail primary	4:3	600×450px	aspect-[4/3] object-contain	
Product detail thumb	1:1	80×80px	aspect-square object-cover rounded	Strip of up to 5 thumbnails below main image.
Homepage banner	3:1	1200×400px	aspect-[3/1] object-cover w-full	Min upload resolution: 1200×400px.
Category icon	1:1	64×64px	h-16 w-16 object-contain	SVG preferred. PNG fallback with transparency.
Brand logo (admin/store)	Free	Auto	h-8 object-contain	Max height 32px in header.
Staff avatar	1:1 (circle)	40×40px	h-10 w-10 rounded-full object-cover	Fallback: initials in stone-900 bg, white text.
Barcode label	Rectangle	50mm×30mm	—	Print only. react-barcode SVG output.

12.1 Image Processing Pipeline

Step	Action	Output
Upload	Client sends file to POST /api/upload	FormData with file field
Validate	Server checks: type (jpg/png/webp only), 420 (max file size)	420 (max file size)
Resize	Sharp resizes to 1200px max width, preserving aspect ratio; smaller originals kept at natural size	1200px max width
Convert	Sharp converts to WebP with quality:85	WebP output reduces size ~30% vs JPEG
Store	Upload to Supabase Storage: products/[product-id]/[uid].webp	Products/[product-id]/[uid].webp
Thumbnail	Sharp generates 300×300 thumbnail at quality:85	products/[product-id]/thumb_[uuid].webp
Record	Insert URL into product_images table with First_image = primary	First_image = primary

12.2 Image Fallbacks & Placeholders

Scenario	Fallback behaviour
Product has no image	Show a stone-100 background with Package icon (size-12 text-stone-400) centred inside the image container.
Image fails to load	Next/image onError prop: swap src to the no-image placeholder above (inline SVG data URL).
Avatar has no photo	Show a stone-800 circle with the user's initials in white text-sm font-semibold. Background colour derived from user's name.
Image loading (blur)	Use placeholder='blur' on Next/image. blurDataURL: a 1×1 stone-200 data URL. Do not use 'empty' placeholder.
Offline image	Service worker caches all product thumbnails from the last 24 hours. Stale thumbnails served from cache with a 10-minute max-age.

13. Portal-Specific Design Rules

13.1 Customer Store Portal

The customer-facing store must feel welcoming and similar to a mainstream e-commerce platform. It uses the most visual hierarchy, the most whitespace, and the most animation of any portal.

Rule	Specification
Page background	Pure white (#FFFFFF). Never stone-50 or stone-100 as the page bg.
Primary text	stone-900. Body text stone-700. Captions stone-500.
Accent colour	orange-500 for all interactive highlights, active states, prices' loyalty points, and CTAs.
Search bar	Prominent. Full-width in header on desktop. Full-width page bar on /search. Has SearchIcon inside left: pl-10.
Product price display	SLSH price: text-xl font-bold text-stone-900. USD below: text-sm font-normal text-stone-500. On sale: original
Sale / discount	Red badge: bg-red-50 text-red-700 border-red-300 showing '- 15%'. Original price: line-through text-stone-400
Loyalty points display	text-xs text-amber-600 font-medium with Star size-3 prepended: '+250 pts'.
Mobile product grid	2 columns (grid-cols-2) on xs/sm. 3 columns (grid-cols-3) on lg. 4 columns on xl.
Add to Cart feedback	Button transitions to orange spinner for 300ms, then returns to 'Add to cart' state while the mini-cart slides in fr
Language toggle	Located in header. Pill style: 'EN SO'. Active side: bg-orange-500 text-white rounded-full. Inactive: text-stone
Footer	bg-stone-900 text-white. Four columns on desktop: About, Categories, Contact, Opening Hours. Single colum

13.2 Admin & Inventory Portal

The admin portal prioritises information density over visual marketing. It is designed for daily use by trained staff — not for first-time visitors.

Rule	Specification
Page background	stone-50 (#FAFAF9). Cards sit on top with bg-white and border-stone-200, creating a slight lift.
Sidebar	bg-stone-900, fixed left, w-64. See Section 8.10 for full spec. Collapsed to w-16 on toggle.
Top bar	bg-white border-b border-stone-200 h-16. Breadcrumb left. User menu + notification bell right.
Page title pattern	H1 (text-2xl font-bold text-stone-900) + optional description (text-sm text-stone-500). Placed above all content
Action bar pattern	Between page title and content: flex justify-between items-center. Left: filter/search controls. Right: primary ac
Data tables	bg-white rounded-md border border-stone-200 overflow-hidden. Header: bg-stone-900. See Section 8.5.
Stat cards	bg-white rounded-md border border-stone-200 p-4. Value: text-2xl font-bold. Label: text-xs text-stone-500 upp
AI-generated content	Always show an 'AI-generated — review before saving' banner below AI content. bg-amber-50 border border-
Exchange rate alert	bg-amber-50 border border-amber-200 rounded-md p-3 flex items-center gap-2 mb-6. AlertTriangle icon amb
Audit log entries	Monotone. No colour coding — all rows identical bg-white/stone-50. Change values use: old value in text-red-

Rule	Specification
Bulk actions bar	Appears above table when rows selected. bg-orange-50 border border-orange-200 rounded-md p-3. Shows 'X'

13.3 Staff POS Portal

The POS is designed for a countertop tablet in ambient store lighting conditions. Everything is larger, higher-contrast, and simplified for speed.

Rule	Specification
Page background	Pure black (#000000) for left panel. stone-900 (#1C1917) for right cart panel.
All text	White (#FFFFFF) primary. stone-400 for secondary/captions. Never use stone-700 or below on dark bg.
Price colour	orange-400 (#FB923C) for prices in the cart and product grid. Do not use orange-500 — it is harder to read on dark bg.
Font sizes	Minimum 14px for any text the cashier must read in 1 second. Product tile name: text-sm. POS total: text-2xl.
Touch targets	Minimum 60×60px for product tiles. Minimum 48px for all buttons. Minimum 44px for all other interactive elements.
Connection badge	Always visible in the POS top bar. Left-aligned. Never hidden or collapsed. Pulse animation on the dot. ONLINE
PIN pad buttons	h-16 w-full (inside a 3-col grid). Large digits. Haptic feedback if the device supports navigator.vibrate(50).
Cash change display	Dominant visual on the payment modal. text-4xl font-bold. Positive: text-green-400. Negative/insufficient: text-red-400.
Cart line items	Qty stepper uses bg-stone-700 rounded-md. Quantities are the most important data — text-base font-semibold.
Void watermark	On void receipts: 'VOID' text in red-600, opacity-30, font-black, text-[80px], rotated -30deg, absolute centered.
Offline cart items	Offline-queued sale items get a WifiOff badge in amber-500 in the cart item row. Tooltip: 'Will sync when online'.
POS session timer	Shown in top bar. Counts up from session open time. text-xs text-stone-400.

13.4 Staff Pickup & Returns Portal

Rule	Specification
Page background	stone-50 on desktop. White on mobile.
Pickup queue cards	bg-white rounded-md border border-stone-200 p-4. New orders animate in from top with slide-down + fade. W
Ready status card	border-green-300 bg-green-50 after 'Mark as ready' is clicked. Persists until pickup code verified.
Pickup code input	Large: text-4xl font-mono tracking-widest text-center border-2. Full-width. Numeric-friendly keyboard (inputmo
Return queue cards	Pending: border-amber-300. Approved: border-green-300. Rejected: border-stone-200 text-stone-400. Photos
Refund reference	After selecting mobile money refund: text input for transaction reference. Required before approve button ena

Borama Hardware Store
Content Guidelines & Design System
Borama, Somaliland

This document is the single source of truth for every
UI component, colour, spacing decision, and copy rule.

Version 1.0 — July 2025