

- A) `mysql> DELETE FROM pet WHERE name = 'Puffball';`
- B) `mysql> UPDATE pet SET birth = '1998-08-31' WHERE name = 'Bowser';`
- C) `mysql> UPDATE pet SET death = '2000-09-15' WHERE name = 'Chirpy';`
- D) `mysql> SELECT * FROM pet WHERE birth >= '1990-01-01';`

```
mysql> SELECT * FROM pet WHERE birth >= '1990-01-01'
-> ;
```

name	owner	species	sex	birth	death
Fluffy	Harold	cat	f	1993-02-04	NULL
Claws	Gwen	cat	m	1994-03-17	NULL
Fang	Benny	dog	m	1990-08-27	NULL
Bowser	Diane	dog	m	1998-08-31	NULL
Chirpy	Gwen	bird	f	1998-08-31	2000-09-15
Whistler	bird	null	m	1997-12-09	NULL
Whistler	Gwen	bird	f	1997-12-09	NULL
Fang	Benny	snake	m	1996-04-29	NULL

8 rows in set (0.00 sec)

- E) `mysql> SELECT * FROM pet WHERE sex = 'm';`

```
mysql> SELECT * FROM pet WHERE sex = 'm';
```

name	owner	species	sex	birth	death
Claws	Gwen	cat	m	1994-03-17	NULL
Fang	Benny	dog	m	1990-08-27	NULL
Bowser	Diane	dog	m	1998-08-31	NULL
Whistler	bird	null	m	1997-12-09	NULL
Fang	Benny	snake	m	1996-04-29	NULL

5 rows in set (0.00 sec)

- F) `mysql> SELECT name FROM pet WHERE (sex = 'm' AND species = 'dog');`

```
mysql> SELECT name FROM pet WHERE (sex = 'm' AND species = 'dog');
```

name
Fang
Bowser

2 rows in set (0.00 sec)

- G) `mysql> SELECT name, owner FROM pet WHERE (sex = 'm' AND species = 'dog');`

```
mysql> SELECT name, owner FROM pet WHERE (sex = 'm' AND species = 'dog');
```

name	owner
Fang	Benny
Bowser	Diane

2 rows in set (0.00 sec)