

```
mysql> select owner from pet;
```

owner
Harold
Gwen
Harold
Benny
Diane
Gwen
bird
Gwen
Benny

```
9 rows in set (0.00 sec)
```

a)

```
mysql> select distinct name from pet order by name;
```

name
Bowser
Buffy
Chirpy
Claws
Fang
Fluffy
Whistler

```
7 rows in set (0.00 sec)
```

b)

```
mysql> select * from pet where death is NULL;
```

name	owner	species	sex	birth	death
Fluffy	Harold	cat	f	1993-02-04	NULL
Claws	Gwen	cat	m	1994-03-17	NULL
Buffy	Harold	dog	f	1989-05-13	NULL
Fang	Benny	dog	m	1990-08-27	NULL
Bowser	Diane	dog	m	1998-08-31	NULL
Whistler	bird	null	m	1997-12-09	NULL
Whistler	Gwen	bird	f	1997-12-09	NULL
Fang	Benny	snake	m	1996-04-29	NULL

```
8 rows in set (0.00 sec)
```

c)

```
mysql> SELECT DISTINCT owner FROM pet WHERE owner LIKE "H%";
```

owner
Harold

```
1 row in set (0.00 sec)
```

d)

```
mysql> SELECT DISTINCT name FROM pet WHERE name LIKE "%ff%";
```

name
Fluffy
Buffy

```
2 rows in set (0.00 sec)
```

e)

```
mysql> SELECT DISTINCT name FROM pet WHERE name LIKE '____';
```

name
Fang

```
1 row in set (0.00 sec)
```

f)