

PROJECT DOCUMENTATION

EventForce Management System Using Salesforce

A CRM Platform for Event Booking, Venue Reservation, Vendor Coordination and Client Feedback

TEAM DETAILS

Team ID	SWTID-2026-7313
Team Lead	SAMBAVI A
Team Member 1	PRIYADHARSHINI D
Team Member 2	PRIYADHARSHINI R
Team Member 3	SAMYUKTHA S
Team Member 4	VASUTHA S T
Platform	Salesforce Developer Edition
Submission Date	03-10-2026
GitHub	Click here – GitHub Repository
Demo Video	Click here – Watch Demo Video

Naan Mudhalvan Project Documentation
Salesforce Developer Edition

EVENTFORCE MANAGEMENT SYSTEM

SALESFORCE IMPLEMENTATION

User Story:

The EventForce Management System is a Salesforce-based CRM built for **Event Planner Solutions**. It stores clients, events, venues, vendors and feedback in a single platform and automates the repetitive work around them: a client reminder is sent automatically three days before a confirmed event, cancellation requests move through an approval process, venues are reserved and released automatically, double bookings are blocked, and past events are closed every night. Role-based access ensures that event administrators, coordinators, vendor managers and clients see only what they should, while reports and a dashboard give management live visibility of upcoming events.

1. INTRODUCTION

1.1 Project Overview :

Event-management companies handle many clients, venues and vendors at the same time. When this information is kept in spreadsheets, e-mails and phone calls, bookings clash, reminders are forgotten, cancellations are not tracked properly and management has no clear picture of upcoming work. Each event requires coordination between the client who requests the service, the coordinator who plans it, the vendors who deliver catering, decor or logistics, and the venue that hosts it.

This project provides a Salesforce solution in which all of this information is stored in structured custom objects (**Event, Client, Vendor, Venue, Feedback and the Event Vendor junction object**). Salesforce Flow, Approval Processes, Validation Rules and Apex automate the key processes, a custom Lightning App called **Event Planner** gives users a single workspace, and Reports and Dashboards provide real-time insight. The complete solution was built and tested in a Salesforce Developer Edition org.

1.2 Purpose :

- Digitize and centralize client, event, venue, vendor and feedback data in one CRM platform.
- Automate event scheduling, cancellation approvals and client reminders.
- Prevent double booking of venues and keep venue availability accurate automatically.
- Ensure accurate data entry through validation rules and formula fields.
- Provide role-based security so each user sees only the data relevant to their job.
- Deliver reports and dashboards for event summary, upcoming events and business insight.
- Target outcomes: reduce manual processes by about 60%, improve booking efficiency by about 40% and improve client satisfaction through timely communication.

2. IDEATION PHASE

2.1 Problem Statement (Customer Problem Statement Template)

PS	I am (Customer)	I'm trying to	But	Because	Which makes me feel
PS-1	Event Coordinator	schedule events without clashes	bookings are tracked in spreadsheets and e-mails	there is no single view of events and venues	stressed
PS-2	Client	know that my event is confirmed and on track	I receive no timely reminders or updates	communication is manual and easily forgotten	anxious
PS-3	Vendor Manager	know which events need my vendors	event and vendor details are scattered	there is no shared, role-based view of events	confused
PS-4	Event Administrator	control who can see and change data	access is not consistently managed	there are no defined roles and sharing rules	worried
PS-5	Event Coordinator	handle event cancellations properly	cancellations are agreed informally	there is no approval trail or notification process	uncertain

2.2 Empathy Map Canvas

User Persona: Event Coordinator

- **Think & Feel:** Wants every event to run smoothly, venues to be free of clashes and clients to feel well informed.
- **Hear:** Client requests, vendor availability updates, change and cancellation requests from clients.
- **See:** Event dates, venue availability, event status, client details and upcoming workload.
- **Say & Do:** Schedules events, confirms bookings, communicates with clients and coordinates vendors.
- **Pain:** Double bookings, forgotten reminders, untracked cancellations and scattered information.
- **Gain:** Automatic reminders, clash prevention, approval workflow and one organized workspace.

2.3 Brainstorming

The team explored how Salesforce could replace manual event coordination. The brainstorming combined structured data modeling with declarative automation for predictable processes and Apex for logic that needs more control. The selected approach is summarised below.

- Use Salesforce as the central platform for all client, event, venue, vendor and feedback data.
- Create custom objects and model their relationships (Lookup, Master-Detail and Many-to-Many through a junction object).
- Use Flow for the 3-day client reminder and an Approval Process for event cancellation.
- Use Validation Rules and a Formula Field to protect data quality and calculate the event budget.
- Use Apex triggers to update venue availability and prevent double booking, and a scheduled Batch Apex job to complete past events.
- Secure the system with Profiles, Roles, Permission Sets and Sharing Rules.
- Provide an Event Planner Lightning App with Reports and a Dashboard for visibility.

3. DESIGN THINKING PHASE

3.1 Customer Journey Map

The journey begins when a client requests an event. The coordinator records the event, the system validates and protects the data, the event is confirmed and the venue is reserved, the client receives an automatic reminder, and after the event the client can provide feedback. If the client wishes to cancel, the request moves through an approval process.

Stage	Client / User Activity	System Response
Request	Client asks for an event service.	Client and Event records are created in Salesforce.
Planning	Coordinator selects client, venue and event type.	Event Budget is calculated; the trigger blocks a double booking on the same date.
Confirmation	Coordinator sets Event Status to Confirmed.	Venue Availability Status is updated to Reserved.
Reminder	Client prepares for the event.	Flow e-mails the client 3 days before the Event Date.
Change	Client requests cancellation (Pending Cancellation).	Approval process notifies the coordinator and manager; outcome e-mails are sent.
Completion	Event takes place.	Nightly batch job marks past events as Completed.
Feedback	Client gives rating and comments.	Feedback record is linked to the Client and Event.

3.2 Functional Requirements

- Custom objects: Event, Client, Vendor, Venue, Feedback and Event Vendor (junction).
- Relationship modeling: Lookup, Master-Detail and Many-to-Many (Event and Vendor).

- Validation Rule for a valid client e-mail address; Formula Field for event budget.
- Record-Triggered Flow for the 3-day client reminder e-mail.
- Approval Process with e-mail alerts and field updates for event cancellation.
- Apex trigger to update venue availability and a second trigger to prevent double booking.
- Batch and Schedulable Apex to complete past events every night.
- Lightning App, Reports and Dashboard for operations monitoring.
- Profiles, Roles, Permission Sets, Organization-Wide Defaults and Sharing Rules for security.

3.3 Data Flow Diagram

The flow starts when an event is created. Validation rules and the double-booking trigger check the data before it is saved. When the status becomes Confirmed, the venue is reserved and the 3-day reminder path is scheduled. A change to Pending Cancellation starts the approval process, and a scheduled Apex job completes past events each night.




Figure 1: Data flow and process diagram of the EventForce Management System

4. PROJECT DESIGN PHASE

4.1 Problem-Solution Fit

Problem	Solution Component	Expected Improvement
Scattered client, event and vendor data	Custom objects with relationships	Single source of truth for all event data.
Venue double booking	PreventDoubleBooking Apex trigger	Two events cannot use the same venue on the same date.
Venue status updated manually	VenueStatusHelper class and trigger	Venue is Reserved or Available automatically.
Forgotten client reminders	Record-Triggered Flow with scheduled path	Client is reminded 3 days before the event.
Informal cancellations	Approval Process with e-mail alerts	Documented, traceable cancellation decisions.
Incorrect data entry	Validation Rule and Formula Field	Valid e-mails and consistent budget values.
Unclear access	Profiles, Roles, Permission Sets, Sharing Rules	Each user sees only relevant data.
Poor visibility	Reports and Dashboard	Real-time view of upcoming events.

4.2 Proposed Solution

The proposed solution has five connected parts. First, the **data model** stores events, clients, vendors, venues and feedback. Second, the **automation layer** (Flow, Approval Process, Validation Rule, Apex) enforces business rules. Third, the **user interface** (Event Planner Lightning App) gives users one workspace. Fourth, **Reports and Dashboards** turn the data into insight. Fifth, the **security model** controls what each role can see and do.

4.3 Solution Architecture

The architecture separates users, interface, automation, data and security. Users work through the Event Planner app; automation components react to record changes; the data layer holds the custom objects; and the security model governs access across all layers.




Figure 2: Solution architecture of the EventForce Management System

5. PROJECT PLANNING & SCHEDULING

5.1 Project Planning

The project was organised into five phases so that the solution could be analysed, built, secured, tested and documented in a systematic order.

Phase	Major Activities	Output
Phase 1: Requirement Analysis & Planning	Identify stakeholders, scope and execution roadmap.	Requirements, functional scope, roadmap.
Phase 2: Backend Development & Configuration	Create objects, fields, relationships, validation, approval, Flow and Apex.	Working data model and automation.
Phase 3: UI/UX Development & Customization	Create Lightning App, reports and dashboard.	Event Planner app and analytics.
Phase 4: Data Migration, Testing & Security	Import data, create users, profiles, roles, permission sets, sharing rules; test.	Secure, validated system.
Phase 5: Deployment, Documentation & Maintenance	Prepare deployment approach, maintenance practices and documentation.	Final project report and demo video.

5.2 Sprint / Task Schedule

Task	Description	Status
Salesforce Account	Create and activate the Developer Edition org.	Completed
Data Model	Create custom objects, tabs, fields and relationships.	Completed
Validation & Approval	Create e-mail validation rule, e-mail templates and cancellation approval process.	Completed
Flow	Build 3-day client reminder Record-Triggered Flow.	Completed
Apex	Develop venue status helper, double-booking trigger, batch and scheduler.	Completed
UI & Analytics	Create Lightning App, report folder, report and dashboard.	Completed
Security	Create profiles, roles, users, permission set, OWD and sharing rule.	Completed
Testing	Validate objects, automation, security and reports.	Completed
Documentation	Prepare project documentation and demo video.	Completed

6. PROJECT DEVELOPMENT PHASE

6.1 Salesforce Developer Org Setup (Milestone 1)

Salesforce is a customer success platform that helps businesses sell, service, market, analyze and connect with their customers. All work in this project was done in a free Salesforce Developer Edition org.

Activity 1: Creating the Developer Account

1. Open <https://developer.salesforce.com/signup>.
2. Enter First name, Last name, Email, Role (Developer), Company (college name), Country (India), Postal Code and a unique Username in the format username@organization.com.
3. Click **Sign me up**.


The image shows the Salesforce Developer Edition sign-up page. On the left, there's a blue background with a white box containing the text "Build enterprise-quality apps fast to bring your ideas to life" and a list of features: "Build apps fast with drag and drop tools", "Customize your data model with clicks", "Go further with Apex code", "Integrate with anything using powerful APIs", "Stay protected with enterprise-grade security", and "Customize UI with clicks or any leading-edge web framework". On the right, there's a white sign-up form with the Salesforce logo at the top. The form title is "Sign up for your Salesforce Developer Edition" with a subtitle "A full-featured copy of the Platform, for free". Below this, it says "Complete the form to start your free trial. Our team will be in touch to help you make the most of your trial." The form fields include: "First Name*" and "Last Name*" (both with "Your first name" and "Your last name" placeholders), "Email*" (with "Your email address" placeholder), "Role*" (a dropdown menu with "Your job role" placeholder), "Company*" (with "Company Name" placeholder), "Country/Region*" (a dropdown menu), "Postal Code*" (with "Your postal code" placeholder), and "Username*" (with a placeholder "jane@company.sandbox"). Below the username field, there's a note: "Your username must be in the form of an email address (it does not have to be real). It must be unique and cannot be associated with another Salesforce sign-in method. Read more about username recommendations." and a checkbox "I agree to the Master Services Agreement - Developer Services and Salesforce Program Agreement." At the bottom right of the form is a blue button labeled "Sign me up".

Figure 3: Salesforce Developer Edition sign-up form

Activity 2: Account Activation

1. Open the inbox of the e-mail used for sign-up (the e-mail may take 5-10 minutes) and click **Verify Account**.
2. Set a password, answer the security question and click **Change Password**.
3. You are redirected to the Salesforce Setup page.




Figure 4: Verification e-mail received from Salesforce

6.2 Data Modelling (Data Architecture)

Six custom objects were created. Five are business objects and one (Event Vendor) is a junction object that implements the many-to-many relationship between Event and Vendor.

Object (API Name)	Fields
Event (Event__c)	Event Name, Event Date, Event Type, Event Status, Event Budget
Client (Client__c)	Client Name, Email, Phone, Address, Country, City
Vendor (Vendor__c)	Vendor Name, Email, Phone, Service Type, Status
Venue (Venue__c)	Venue Name, Address, Location (URL), Capacity, Availability Status
Feedback (Feedback__c)	Feedback ID (Auto Number), Rating, Comments
Event Vendor (EventVendor__c)	Junction object linking Event and Vendor

Relationships

Relationship	Type
Event to Client	Lookup
Event to Venue	Lookup
Feedback to Event	Lookup
Feedback to Client	Lookup
EventVendor to Event	Master-Detail
EventVendor to Vendor	Master-Detail




Figure 5: Entity relationship diagram of the EventForce data model

6.3 Creating the Custom Objects (Milestone 2)

A Salesforce object is a database table that stores data specific to an organization. It consists of fields (columns) and records (rows). In this application five custom objects are used directly (Event, Client, Vendor, Venue, Feedback) plus the Event Vendor junction object.

Activity 1: Create the Event Object

1. From Setup, open **Object Manager**, click **Create** and select **Custom Object**.
2. Enter Label = **Event**, Plural Label = **Events**, Record Name = **Event Name**, Data Type = **Text**.
3. In Optional Features select **Allow Reports**, **Allow Activities** and **Track Field History**.
4. Ensure Deployment Status = **Deployed** and Search Status = **Allow Search**.
5. Under Object Creation Options select **Add Notes and Attachments related list to default page layout**, then click **Save**.



Figure 6: Object Manager - Create > Custom Object

Custom Object Definition Edit [Save] [Save & New] [Cancel]

Custom Object Information ⓘ Required Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label: Example: Account

Plural Label: Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account

Description:

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name:

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name: Example: Account Name

Data Type: Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

Figure 7: New Custom Object definition (label, plural label, record name)

Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing ⓘ

Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

Deployment Status

☐ In Development
☒ Deployed

Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

- ☒ Allow Search

Object Creation Options (Available only when custom object is first created)

- ☒ Add Notes and Attachments related list to default page layout
- ☐ Launch New Custom Tab Wizard after saving this custom object

[Save] [Save & New] [Cancel]

Figure 8: Optional features, deployment status and search status

Activity 2-4: Create the Client, Vendor and Venue Objects

Repeat the same steps. For each object use the following values and select **Allow Reports, Allow Search** and **Add Notes and Attachments related list to default page layout**, then click Save.

Object	Label	Plural Label	Record Name	Data Type
Client	Client	Clients	Client Name	Text
Vendor	Vendor	Vendors	Vendor Name	Text
Venue	Venue	Venues	Venue Name	Text

Activity 5: Create the Feedback Object

1. Label = **Feedback**, Plural Label = **Feedbacks**, Record Name = **Feedback**.
2. Data Type = **Auto Number**, Display Format = **F-{0000}**, Starting Number = **0**.
3. Select Allow Reports, Allow Search and Add Notes and Attachments related list; click **Save**.

6.4 Tabs (Milestone 3)

Tabs let users view object data at a glance. Custom object tabs look and function like standard tabs. A custom tab was created for each of Event, Client, Vendor, Venue and Feedback.

1. Click the Home tab, type **Tabs** in Quick Find and select **Tabs**.
2. Under **Custom Object Tabs** click **New**.
3. For Object select the required object (Event, Client, Vendor, Venue or Feedback).
4. For Tab Style select any icon, leave defaults and click **Next, Next, Save**.




Figure 9: Custom Object Tabs page - New button




Figure 10: Creating a new custom object tab

6.5 Fields (Milestone 4)

Fields are the columns of an object. **Standard fields** (such as Created By, Last Modified By and Owner) exist on every object, while **custom fields** are added by the administrator to meet business requirements.

Event object fields

1. Object Manager > Event > **Fields & Relationships** > **New**.
2. Data Type **Picklist**, Field Label **Event Type**; enter the values below, then Next, Next, Save.
 - **Event Type:** Wedding, Corporate, Birthday, Anniversary, Festival, Concert, Other.
 - **Event Date:** Date field.
 - **Event Status:** Picklist - Planned, Confirmed, Completed, Pending Cancellation, Canceled, Rejected.



Figure 11: Creating the Event Type picklist field

Formula field: Event Budget

Event Budget is a Currency formula field that assigns an estimated budget according to the Event Type.

```
CASE(
  TEXT(Event_Type__c),
  "Wedding",      50000,
  "Corporate",    30000,
  "Birthday",     10000,
  "Anniversary",  20000,
  "Festival",     60000,
  "Concert",      40000,
  "Other",        15000,
  0
)
```

Event New Custom Field

Step 2 of 5: Choose output type

Field Label: Event Budget

Field Name: Event_Budget

Auto add to custom report type: ☒ Add this field to existing custom report types that contain this entity

Formula Return Type

☐ None Selected

☐ Checkbox

☒ Currency

☐ Date

☐ Date/Time

☐ Number

Select one of the data types below.

Calculate a boolean value
Example: `TODAY() > CloseDate`

Calculate a dollar or other currency amount and automatically format the field as a currency amount.
Example: `Gross Margin = Amount - Cost__c`

Calculate a date, for example, by adding or subtracting days to other dates.
Example: `Reminder Date = CloseDate - 7`

Calculate a date/time, for example, by adding a number of hours or days to another date/time.
Example: `Next = NOW() + 1`

Calculate a numeric value.
Example: `Fahrenheit = 1.8 * Celsius__c + 32`

Figure 12: Formula field - label and Currency return type

Simple Formula Advanced Formula

Insert Field

Use Formula Assistant Insert Operator

Event Budget (Currency) =

```
CASE(
  TEXT( Event_Type__c ),
  "Wedding", 50000,
  "Corporate", 30000,
  "Birthday", 10000,
  "Anniversary", 20000,
  "Festival", 60000,
  "Concert", 40000,
  "Other", 15000,
  0
)
```

Check Syntax No syntax errors in merge fields or functions. (Compiled size: 478 characters)

Functions

-- All Function Categories --

ABS

ACOS

ADDMONTHS

AND

ASCII

ASIN

Insert Selected Function

Figure 13: Event Budget formula with successful syntax check

Client object fields

- **Email** (Email), **Phone** (Phone), **Address** (Text Area).

- **Country** (Picklist): India, Philippines, Saudi Arabia, USA, Switzerland, Thailand, Maldives, Dubai, Sri Lanka, Bangkok, Singapore, Myanmar, France, Nepal.
- **City** (Picklist): Hyderabad, Mumbai, Delhi, Bangalore, Chennai, Alaminos, Angeles City, Palayan, Quezon City, San Juan, Riyadh, Jeddah, Tayma, Dammam, Medina, New York, Los Angeles, Chicago, Houston, Columbus, Geneva, Basel, Lausanne, Bern, Lucerne.

Vendor object fields

- **Service Type** (Multi-Select Picklist): Catering, Decor, Photography, Videography, Lighting, Stage Setup, Makeup Artist, DJ/Music, Transportation, Hosting/Anchor.
- **Email** (Email), **Phone** (Phone).
- **Status** (Picklist): Available, Booked, Cancelled.

Venue object fields

- **Address** (Text Area), **Location** (URL), **Capacity** (Number).
- **Availability Status** (Picklist): Available, Reserved, Not Available.

Feedback object fields

- **Rating** (Picklist): 1, 2, 3, 4, 5.
- **Comments** (Long Text Area).

6.6 Relationships

Lookup relationships on the Event object

1. Object Manager > Event > Fields & Relationships > New.
2. Select **Lookup Relationship**, click Next, choose the related object **Venue**, set Field Label = **Venue**, then Next, Next, Next, Save.
3. Repeat to create the **Client** lookup (Event to Client).




Figure 14: Choosing the Lookup Relationship data type




Figure 15: Entering the label and name of the Venue lookup field

Many-to-Many relationship (Event and Vendor)

Salesforce does not allow a direct many-to-many relationship, so the junction object **Event Vendor (EventVendor__c)** was created with two Master-Detail relationships.

1. Create a new custom object with Label = **Event Vendor** and Object Name = **EventVendor__c**.
2. On Event Vendor, create a **Master-Detail Relationship** to **Event** (Field Label = Event).
3. Create a second **Master-Detail Relationship** to **Vendor** (Field Label = Vendor).

Setup > Object Manager > New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permission sets or by editing custom profiles. [Tell me more!](#) [Don't show this message again](#)

Custom Object Definition Edit [Save] [Save & New] [Cancel]

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label: Example: Account

Plural Label: Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name: Example: Account

Description:

Context-Sensitive Help Setting: ☒ Open the standard Salesforce.com Help & Training window
☐ Open a window using a Visualforce page

Content Name:

Figure 16: Creating the Event Vendor junction object

Setup > OBJECT MANAGER > Event Vendor

Event Vendor

New Custom Field

Step 1. Choose the field type

Specify the type of information that the custom field will contain.

Data Type

☐ None Selected Select one of the data types below.

☐ Auto Number A system-generated sequence number that uses a display format you define. The number is automatically incremented for each new record.

☐ Formula A read-only field that derives its value from a formula expression you define. The formula field is updated when any of the source fields change.

☐ Roll-Up Summary A read-only field that displays the sum, minimum, or maximum value of a field in a related list or the record count of all records listed in a related list.

☐ Lookup Relationship Creates a relationship that links this object to another object. The relationship field allows users to click on a lookup icon to select a value from a popup list. The other object is the source of the values in the list.

☒ Master-Detail Relationship Creates a special type of parent-child relationship between this object (the child, or "detail") and another object (the parent, or "master") where:

- The relationship field is required on all detail records.
- The ownership and sharing of a detail record are determined by the master record.
- When a user deletes the master record, all detail records are deleted.
- You can create rollup summary fields on the master record to summarize the detail records.

The relationship field allows users to click on a lookup icon to select a value from a popup list. The master object is the source of the values in the list.

Figure 17: Selecting Master-Detail Relationship on the junction object

Lookup relationships on the Feedback object

- Feedback to **Event** - Lookup (Field Label = Event).
- Feedback to **Client** - Lookup (Field Label = Client).

Lookup filter

Scenario: When a Feedback record is created and a Client is selected, the Event lookup should list only that client's events.

- Setup > Object Manager > **Feedback** > Fields & Relationships > open the **Event** lookup field > **Edit**.
- In the Lookup Filter section click **Show Filter Settings**.
- Filter criteria: Field = **Event: Client**, Operator = **equals**, Value = Field **Feedback: Client**.

4. Tick **Enable this filter** and click **Save**.

Lookup Filter

Optionally, create a filter to limit the records available to users in the lookup field. [Tell me more!](#)

▼ **Hide Filter Settings**

Filter Criteria

Field: Feedback: Client Operator: equals Value / Field: Field Event: Client Clear Filter Criteria

AND: Begin typing to search for a field... --None-- Value Clear

Add Filter Logic...

Filter Type: ☒ **Required.** The user-entered value must match filter criteria.
 If it doesn't, display this error message on save:
 Value does not exist or does not match filter criteria.
 Reset to default message

☐ **Optional.** The user can remove the filter or enter values that don't match criteria.

Lookup Window Text: Add this informational message to the lookup window.

Active ☒ **Enable this filter.**

Figure 18: Lookup filter criteria on the Feedback Event field

6.7 Validation Rule (Milestone 5)

Validation rules run when a user saves a record. If the criteria are not met, an error is shown and the record is not saved. A validation rule was created on the Client object to ensure that a valid e-mail address is entered.

Property	Value
Object	Client (Client__c)
Rule Name	Email_Valid_Address
Active	Yes
Error Message	Please Enter Valid Email Address
Error Location	Field - Email

```
NOT(REGEX(Email__c, "[a-zA-Z0-9._]+@[a-zA-Z0-9._]+\.[a-zA-Z]{2,}$"))
```

6.8 Approval Process for Event Cancellation (Milestone 6)

When a client asks to cancel an event, the coordinator sets the Event Status to **Pending Cancellation**. This starts an approval process that notifies the coordinator and the manager and updates the status according to the decision. (Profiles, Roles and Users should be created before testing the approval process.)

Step A: Create the classic e-mail templates

Setup > Email Templates > Classic Email Templates > New Template > Text. Folder: Unfiled Public Email Templates. Four templates were created:

Template Name	Subject	Purpose
Event Cancellation Request Notification	Approval Request: Cancel Event {!Event__c.Name}	Sent when the request is submitted.
Email to Client After Cancellation	Event Cancellation Notice - {!Event__c.Name}	Informs the client after approval.
Approval Notification to Event Owner	Event Cancellation Approved: {!Event__c.Name}	Tells the owner the cancellation was approved.
Rejection Notification to Event Owner	Event Cancellation Rejected: {!Event__c.Name}	Tells the owner the cancellation was rejected.

Sample template body: Event Cancellation Request Notification

Hello!
 An approval request has been submitted to cancel the event:
 - Event Name: {!Event__c.Name}
 - Event Date: {!Event__c.Event_Date__c}
 Please review and take action.
 Thank you,
 EventForce Management System

Email Template Information

Folder: Unfiled Public Classic Email Templates

Available For Use: ☒

Email Template Name: Event Cancellation Request

Template Unique Name: Event_Cancellation_Request

Encoding: Unicode (UTF-8)

Description:

Subject: Approval Request: Cancel Event {!Event__c.Name}

Email Body:

Hello,
 An approval request has been submitted to cancel the event:
 - Event Name: {!Event__c.Name}
 - Event Date: {!Event__c.Event_Date__c}
 Please review and take action:
 Thank you,
 EventForce Management System

Save Save & New Cancel

Figure 19: Classic e-mail template - Event Cancellation Request Notification

Step B: Create the approval process

1. Setup > Approval Processes > select object **Event** > Create New Approval Process > **Use Standard Setup Wizard**.
2. **Step 1 - Name:** Event_Cancellation_Process.
3. **Entry criteria:** Event: Event Status **equals** Pending Cancellation.

4. **Approver:** automatically assign using the manager of the submitting user (or a specific user).
5. **Notification template:** Event Cancellation Request Notification.
6. **Fields displayed on the approval page:** Event Name, Owner, Client, Last Modified By, Created By, Event Budget, Event Date, Event Status, Event Type, Venue.
7. **Initial submitters:** Event Owner, then click Save.

SETUP
Approval Processes

Approval Process Edit
Event_Cancellation_Process

Step 1 of 6

Step 1. Enter Name and Description

Enter a name and description for your new approval process.

Enter Name and Description

Process Name: Event_Cancellation_Process

Unique Name: Event_Cancellation_Process

Description:

Save Next Cancel

Figure 20: Approval process name and unique name

Approval Process Edit
Event_Cancellation_Process

Step 2 of 6

Step 2. Specify Entry Criteria

If only certain types of records should enter this approval process, enter that criteria below. For example, only expense reports from employees at headquarters should use this approval process.

Specify Entry Criteria

Use this approval process if the following criteria are met

Field	Operator	Value	
Event.: Event Status	equals	Pending Cancellation	AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		AND
--None--	--None--		

Add Filter Logic...

Previous Save Next Cancel

Figure 21: Specifying the entry criteria (Event Status equals Pending Cancellation)

Approval Process Edit
Event_Cancellation_Process

Step 3. Specify Approver Field and Record Editability Properties

When you define approval steps, you can assign approval requests to different users. One of your options is to use a user field to automatically route these requests. If you want to use this option for any of your approval steps, select a field from the picklist below. Also, when a record is in the approval process, it will always be locked-- only an administrator will be able to edit it. However, you may choose to also allow the currently assigned approver to edit the record.

Select Field Used for Automated Approval Routing

Next Automated Approver Determined By: **Manager**

Use Approver Field of Event. Owner: ☐

Record Editability Properties

☐ Administrators **ONLY** can edit records during the approval process.

☒ Administrators **OR** the currently assigned approver can edit records during the approval process.

Figure 22: Selecting the approver field (Manager)

Approval Process Edit
Event_Cancellation_Process

Step 4. Select Notification Templates

Select the email template that will be used to notify approvers that an approval request has been assigned to them. Note that this template will be used for all steps for this process. [Create a new email template](#)

Email Template

Approval Assignment Email Template: **Event Cancellation Request**

Figure 23: Selecting the approval assignment e-mail template

SETUP
Approval Processes

Approval Process Edit
Event_Cancellation_Process

Step 5. Select Fields to Display on Approval Page Layout

The approval page is where an approver will actually approve or reject a request. Using the options below, choose the fields to display on this page.

Available Fields	Selected Fields
--None--	Event Name
	Owner
	Client
	Last Modified By
	Event Budget
	Event Date
	Event Status
	Event Type
	Venue

Click here to view an example

Figure 24: Fields selected for the approval page layout

SETUP Approval Processes

Approval Process Edit
Event_Cancellation_Process

Step 6. Specify Initial Submitters Step 6 of 6

Previous **Save** Cancel

Using the options below, specify which users are allowed to submit the initial request for approval. For example, expense reports should normally be submitted for approval only by their owners.

Initial Submitters

Submitter Type Search: Owner for: Find

Available Submitters
--None--

Allowed Submitters
Event. Owner

Add
Remove

Figure 25: Specifying Event Owner as the initial submitter

Step C: Initial submission, final approval and final rejection actions

Stage	Action	Configuration
Initial Submission	Email Alert	Alert - Event Cancellation Request; template Event Cancellation Request Notification; recipient Role: Event Coordinator; from Current User's e-mail.
Final Approval	Field Update	Event_Status_Update: Event Status = Canceled.
Final Approval	Email Alert	Alert - Cancellation Approved; template Approval Notification to Event Owner; recipient Event Owner.
Final Rejection	Email Alert	Alert - Cancellation Rejected; template Rejection Notification to Event Owner; recipient Event Owner.
Final Rejection	Field Update	Event_Status_To_Rejected: Event Status = Rejected.

Approval Processes

Event.: Event_Cancellation_Process

Process Definition Detail

Process Name	Event_Cancellation_Process	Active	☐
Unique Name	Event_Cancellation_Process	Next Automated Approver Determined By	Manager of Record Submitter
Description			
Entry Criteria	Event.: Event Status EQUALS Pending Cancellation		
Record Editability	Administrator OR Current Approver	Allow Submitters to Recall Approval Requests	☐
Approval Assignment Email Template	Event_Cancellation_Request_Notification		
Initial Submitters	Event Owner		
Created By	Sushanth Sush	9/22/2025, 11:12 PM	Modified By Sushanth Sush 9/23/2025, 7:14 AM

Initial Submission Actions

Action Type	Description
Record Lock	Lock the record

Approval Steps

You have not yet defined any approval steps

Figure 26: Approval process detail page - adding the initial submission e-mail alert

New Email Alert

Create an email alert to associate with one or more workflow rules, approval processes, or entitlement processes. When changing an email alert, any modifications will apply to all rules, approvals, or entitlement processes associated with it.

Email Alert Edit

Description: Alert - Event Cancellation Request

Unique Name: Alert_Event_Cancellation_Re

Object: Event

Email Template: Event Cancellation Request Notification

Protected Component: ☐

Recipient Type: Search: Role for: Find

Available Recipients:

- Role: Director Channel Sales
- Role: Director Direct Sales
- Role: Eastern Sales Team
- Role: Event Admin
- Role: Installation & Repair Services
- Role: Marketing Team
- Role: SVP Customer Service & Support
- Role: SVP Human Resources
- Role: SVP Sales & Marketing
- Role: VP International Sales
- Role: VP Marketing
- Role: VP North American Sales
- Role: Vendor Manager
- Role: Western Sales Team

Selected Recipients:

- Role: Event Coordinator

You can enter up to five (5) email addresses to be notified.

Additional Emails: sushanth285@gmail.com

From Email Address: Current User's email address

☐ Make this address the default From email address for this object's email alerts.

Figure 27: Email alert for the cancellation request

Edit Field Update
Event Status Update Help for this Page

Define the field update, including the object associated with the workflow rule, approval process, or entitlement process, the field to update, and the value to apply. Note that the field to update may be on a related object. Fields are shown only for the type that you select.

Field Update Edit Save Save & New Cancel

Identification Required Information

Name

Unique Name

Description

Object

Field to Update

Field Data Type

Re-evaluate Workflow Rules after Field Change ☐

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value

Figure 28: Field update: Event Status set to Canceled on final approval

Field Update Edit Save Save & New Cancel

Identification

Name

Unique Name

Description

Object

Field to Update

Field Data Type

Re-evaluate Workflow Rules after Field Change ☐

Specify New Field Value

Picklist Options

☐ The value above the current one

☐ The value below the current one

☒ A specific value

Save Save & New Cancel

Figure 29: Field update: Event Status set to Rejected on final rejection

Step D: Approval step and activation

1. Click **Add New Step**; Step Name = **Manager Review**.
2. Step criteria: **All records should enter this step**.
3. Assigned approver: automatically assign to a specific user / related user.
4. Open the process detail page and click **Activate**.

SETUP
Approval Processes

New Approval Step [Help for this Page](#)

Assistant **1. Enter Name and Description** Step 1 of 3 [Next](#) [Cancel](#)

Enter a name, description, and step number for your new approval step.

Enter Name and Description Required Information

Approval Process Name: Event_Cancellation_Process

Name:

Unique Name:

Description:

Step Number:

[Next](#) [Cancel](#)

Figure 30: Creating the Manager Review approval step

SETUP
Approval Processes

Step 3. Select Assigned Approver Step 3 of 3 [Previous](#) [Save](#) [Cancel](#)

Specify the user who should approve records that enter this step. Optionally, choose whether the approver's delegate is also allowed to approve these requests.

Select Approver

☐ Let the submitter choose the approver manually.

☐ Automatically assign using the user field selected earlier. (Manager)

☐ Automatically assign to queue.

☒ Automatically assign to approver(s).

User:

Add Row Remove Row

When multiple approvers are selected:

☒ Approve or reject based on the FIRST response.

☐ Require UNANIMOUS approval from all selected approvers.

☐ The approver's delegate may also approve this request.

Figure 31: Selecting the assigned approver for the step

SETUP
Approval Processes

Approval Processes
Event.: Event_Cancellation_Process [Help for this Page](#)

[Back to Approval Process List](#)

Process Definition Detail [Edit](#) [Clone](#) [Delete](#) [Activate](#)

Process Name: Event_Cancellation_Process Active ☐

Unique Name: Event_Cancellation_Process Next Automated Approver Determined By: Manager of Record Submitter

Description: Event.: Event Status EQUALS Pending Cancellation

Entry Criteria: Administrator OR Current Approver Allow Submitters to Recall Approval Requests ☐

Approval Assignment Email Template: [Event_Cancellation_Request_Notification](#)

Initial Submitters: Event. Owner

Created By: Sushanth Sush 9/22/2025, 11:12 PM Modified By: Sushanth Sush 9/23/2025, 9:47 AM

Figure 32: Approval process detail page with the Activate button

6.9 Flow - 3-Day Reminder Email to Client (Milestone 7)

Scenario: When an Event is created or updated with Status = Confirmed and has a client with a valid e-mail address, the system automatically sends a reminder to the client 3 days before the Event Date.

1. Setup > Flows > **New Flow** > **Record-Triggered Flow** > Create.
2. Object = **Event**; trigger = **A record is created or updated**.
3. Condition: Event Status **equals** Confirmed. Optimize the flow for **Actions and Related Records**; click Done.
4. Click the Start element > **Add Scheduled Path**: Path Label = **3_Days_Before**, Time Source = **Event__c: Event Date**, Offset Number = **3**, Offset Option = **Days Before**.
5. Toolbox > **New Resource** > **Text Template** named **Subject** with body: Reminder: Your Event {!\$Record.Name} is in 3 days.
6. Create a second Text Template named **Body** (shown below).
7. Under the 3_Days_Before path click + > **Action** > **Send Email**; Label = **Alert_Client_3Day_Reminder**.
8. Recipient Address List = Client Email; CC Recipient Address List = Event Owner email; Compose Email Content with Subject and Body resources.
9. Save with Flow Label **Client Reminder - 3 Days Before** and click **Activate**.

```

Hello {!$Record.Client__r.Name},
This is a reminder that your event "{!$Record.Name}" will take place on {!$Record.Event_Date__c}.
Venue: {!$Record.Venue__r.Name}
Type: {!$Record.Event_Type__c}
We look forward to seeing you!
- EventForce Team

```




Figure 33: Selecting Record-Triggered Flow in New Automation

Configure Start

Select Object
Select the object whose records trigger the flow when they're created, updated, or deleted.

* Object
Event.

Configure Trigger
Trigger the Flow When:
☐ A record is created
☐ A record is updated
☒ A record is created or updated
☐ A record is deleted

Set Entry Conditions
Specify entry conditions to reduce the number of records that trigger the flow and the number of times the flow is executed. Minimizing unnecessary flow executions helps to conserve your org's resources.

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

Figure 34: Configure Start - object and trigger

Configure Start

If you create a flow that's triggered when a record is updated, we recommend first defining entry conditions. Then select the **Only when a record is updated to meet the condition requirements** option for When to Run the Flow for Updated Records.

Condition Requirements
All Conditions Are Met (AND)

Field	Operator	Value
Event Status	Equals	Confirmed

+ Add Condition

When to Run the Flow for Updated Records
☒ Every time a record is updated and meets the condition requirements
☐ Only when a record is updated to meet the condition requirements

Optimize Flow
 Optimize the Flow for:
Fast Field Updates
 Update fields on the record that triggers the flow to run. This high-performance flow runs **before the record is saved** to the database.
Actions and Related Records
 Update any record and perform actions, like send an email. This more flexible flow runs **after the record is saved** to the database.

Figure 35: Entry condition: Event Status equals Confirmed; optimize for Actions and Related Records




Figure 36: Add Scheduled Paths on the Start element

Configure Scheduled Paths

SCHEDULED PATHS

[+](#)

Run Immediately

3_Days_Before

Add a scheduled path if you want a flow path to run a certain amount of time after the triggering record is created or updated. That time can be based on the triggering event or on a specified date or date/time field in the record. A separate flow interview runs for each scheduled path. Each scheduled path interview is queued to run at the scheduled time, but can be delayed until system resources become available. Path labels appear on connectors in the canvas.

SCHEDULED PATH DETAILS

[Delete Path](#)

* Path Label: **3_Days_Before**

* API Name: **X3_Days_Before**

* Time Source: **Event__c: Event Date**

* Offset Number: **3**

* Offset Options: **Days Before**

[Show advanced options](#)

Figure 37: Scheduled path 3_Days_Before configured (3 days before Event Date)

Edit Text Template

* API Name ⓘ

Subject

Description

* Body ⓘ

Insert a resource... 🔍 **View as Plain Text** ▼

Reminder: Your Event ({Record.Name}) is in 3 days

Cancel Done

Figure 38: Text template resource - Subject

Edit Text Template

* API Name ⓘ

Body

Description

* Body ⓘ

Insert a resource... 🔍 **View as Plain Text** ▼

Hello ({Record.Client_r_Name}),
 This is a reminder that your event "({Record.Name})" will take place on ({Record.Event_Date_c}).
 Venue: ({Record.Venue_r_Name})
 Type: ({Record.Event_Type_c})
 We look forward to seeing you!
 - EventForce Team

Cancel Done

Figure 39: Text template resource - Body

Send Email

later in the flow, store them in variables.

Set Input Values

▼ **Configure Recipient Details**

Recipient Address List

Triggering Event_c > Client > Email

Recipient Address Collection

Enter value or search resources...

CC Recipient Address List

Triggering Event_c > Owner ID (User) > Email

CC Recipient Address Collection

Enter value or search resources...

Figure 40: Send Email action - recipient and CC recipient

Send Email

▼ **Configure Email Content**

Compose Email Content

Set email details and compose message.

Use Email Template

Select an existing email template.

Subject

Subject

Body

Body

Rich-Text-Formatted Body

Enter value or search resources...

Figure 41: Send Email action - Compose Email Content




Figure 42: Completed Record-Triggered Flow with the scheduled path

6.10 Apex Class - VenueStatusHelper (Milestone 8)

Scenario: When an Event is confirmed, the Venue Availability Status must become **Reserved**. When the event is canceled, it must return to **Available**.

1. Click the gear icon > **Developer Console**.
2. File > New > **Apex Class**; name it **VenueStatusHelper**.
3. Enter the code below and save with Ctrl+S.
4. File > New > **Apex Trigger**; name it **EventTrigger13**, sObject = **Event__c**; enter the trigger code and save.

```

public with sharing class VenueStatusHelper {
    public static void updateVenueStatus(List<Event__c> events)
    { List<Venue__c> venues = new List<Venue__c>();
      for(Event__c ev : events)
      { if(ev.Venue__c != null){
          if(ev.Event_Status__c == 'Confirmed'){
              venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Reserved'));
          } else if(ev.Event_Status__c == 'Canceled'){
              venues.add(new Venue__c(Id=ev.Venue__c, Availability_Status__c='Available'));
          }
        }
      }
      if(!venues.isEmpty()) update venues;
    }
}
  
```

```

trigger EventTrigger13 on Event__c (after insert, after update) {
    VenueStatusHelper.updateVenueStatus(Trigger.new);
}
  
```




Figure 43: Opening the Developer Console from the gear icon




Figure 44: VenueStatusHelper Apex class in the Developer Console




Figure 45: Creating the EventTrigger13 Apex trigger on Event__c




Figure 46: EventTrigger13 trigger code

6.11 Apex Trigger - Prevent Double Booking (Milestone 9)

Scenario: Do not allow two events at the same venue on the same date. The trigger runs before insert and before update, collects the venue IDs, queries existing events at those venues and adds an error when another event is already booked on the same date.

```
trigger PreventDoubleBooking on Event__c (before insert, before update)
{
    Set<Id> venueIds = new Set<Id>();
    for(Event__c ev : Trigger.new){
        if(ev.Venue__c != null) venueIds.add(ev.Venue__c);
    }
    Map<Id, List<Event__c>> venueEventMap = new Map<Id, List<Event__c>>();
    for(Event__c e : [SELECT Id, Venue__c, Event_Date__c
                      FROM Event__c WHERE Venue__c IN :venueIds]){ if(!
        venueEventMap.containsKey(e.Venue__c)){
            venueEventMap.put(e.Venue__c, new List<Event__c>());
        }
        venueEventMap.get(e.Venue__c).add(e);
    }
    for(Event__c ev : Trigger.new){
        if(ev.Venue__c != null && venueEventMap.containsKey(ev.Venue__c))
        { for(Event__c existing : venueEventMap.get(ev.Venue__c)){
            if(existing.Event_Date__c == ev.Event_Date__c && existing.Id != ev.Id)
            { ev.addError('This Venue is already booked on this date.');
```




Figure 47: PreventDoubleBooking trigger code in the Developer Console

6.12 Batch and Schedulable Apex (Milestone 10)

Scenario: Mark all past events as **Completed** every night. A Batch Apex class does the work and a Schedulable class runs it automatically.

Step 1: Batch Apex class - BatchCompleteEvents

```

global class BatchCompleteEvents implements Database.Batchable<sObject>
{
    global Database.QueryLocator start(Database.BatchableContext bc){
        return Database.getQueryLocator(
            'SELECT Id, Event_Date__c, Event_Status__c FROM Event__c ' +
            'WHERE Event_Date__c < TODAY AND Event_Status__c != \'Completed\'' );
    }
    global void execute(Database.BatchableContext bc, List<Event__c> scope)
    {
        for(Event__c ev : scope){
            ev.Event_Status__c = 'Completed';
        }
        update scope;
    }
    global void finish(Database.BatchableContext bc)
    {
        System.debug('Past events marked as Completed');
    }
}

```

Step 2: Schedulable class - ScheduleCompleteEvents

```

global class ScheduleCompleteEvents implements Schedulable
{
    global void execute(SchedulableContext sc){
        Database.executeBatch(new BatchCompleteEvents(), 200);
    }
}

```

Step 3: Schedule the job

1. Setup > Apex Classes > **Schedule Apex**.
2. Job Name = **Daily Event Completion**; Apex Class = **ScheduleCompleteEvents**.
3. Frequency = Weekly, select all days; Preferred Start Time = **08:00 PM**; click **Save**.

Salesforce now runs BatchCompleteEvents every day at 8 PM and marks past events as Completed.




Figure 48: Apex Classes page showing the Schedule Apex button




Figure 49: Scheduling the Daily Event Completion job

6.13 The Lightning App - Event Planner (Milestone 11)

An app is a group of tabs that work together as a unit. The **Event Planner** Lightning App gives users one workspace for all modules.

1. Setup > **App Manager** > **New Lightning App**; App Name = **Event Planner**; upload an image; Next.
2. Leave App Options and Utility Items as default; Next.
3. Select **Event, Client, Vendor, Venue, Feedback, Reports and Dashboards** as navigation items; Next.
4. Add the **System Administrator** profile to Selected Profiles; click **Save & Finish**.
5. Verify through the App Launcher by searching **Event Planner**.




Figure 50: Lightning Experience App Manager - New Lightning App

The screenshot shows the 'New Lightning App' setup screen, specifically the 'App Details & Branding' section. It prompts the user to 'Give your Lightning app a name and description. Upload an image and choose the highlight color for its navigation bar.' The form is divided into two main sections: 'App Details' and 'App Branding'. In the 'App Details' section, the 'App Name' field is highlighted with a red box and contains the text 'Event Planner'. The 'Developer Name' field contains 'Event_Planner' and the 'Description' field is empty. In the 'App Branding' section, there is an 'Image' field with a red box around it, showing a colorful logo with the text 'EVENT PLANNER'. To the right of the image is a 'Primary Color Hex Value' field with a dropdown menu showing a blue color and the hex value '#0070D2'. At the bottom right, there is a 'Next' button.

Figure 51: App details and branding for Event Planner




Figure 52: Navigation items selected for the app




Figure 53: Assigning user profiles to the app

6.14 Reports (Milestone 12)

Report folder and sharing

1. App Launcher > Reports > **New Folder**; Folder Label = **EventForce Report**; Save.
2. Open the folder drop-down > **Share**; share with **Roles**: Event Coordinator and Vendor Manager with **View** access; Share > Done.




Figure 54: Sharing the EventForce Report folder with roles

Report: Upcoming Events by Month

Before creating the report, at least 10 records were created in every object with all fields filled.

1. Reports > **New Report**; choose the report type Events (with Client and Venue); Start Report.
2. Columns: Event Name, Event Date, Event Type, Client Name, Venue Name, Event Budget.
3. Filters: Show Me = All Events; Event Date greater than or equal to TODAY; Event Status not equal to Canceled.
4. Group rows by Event Date (Calendar Month); add summaries Row Count and SUM of Event Budget.
5. Add a Column/Line chart; save as **Upcoming Events by Month** in the EventForce Report folder and run it.




Figure 55: Upcoming Events by Month report with chart and summary

6.15 Dashboards (Milestone 13)

1. Open the Dashboards tab in the app > **New Dashboard**; Name = **EventForce Operations Dashboard**; Create.
2. Click + **Widget** and select the report **Upcoming Events by Month**.
3. Chart = **Donut**; Max Values Displayed = 6; Subtitle = Upcoming Events Overview; Widget Theme = Light; Save.




Figure 56: Upcoming Events by Month donut chart widget

6.16 Data Migration

Records for Events, Clients, Vendors, Venues and Feedback were imported using the **Data Import Wizard** after pre-validation checks to avoid duplicates and maintain consistency. At least ten records were loaded for every object so that reports and dashboards could be tested with meaningful data.

6.17 Profiles (Milestone 14)

A profile is a collection of settings and permissions that defines what a user can do in Salesforce (object permissions, field permissions, tab settings, app settings and more). A user can have only one profile.

Profile	Based on	Object permissions
Event Admin	System Administrator (clone)	Full access - Modify All Data, Customize Application, full CRUD on all objects.
Event Coordinator	Standard Platform User	Event: Create/Read/Edit/Delete; Client: Read/Edit; Vendor: Read; Venue: Read; Feedback: Create/Read.
Vendor Manager	Standard Platform User	Vendor: Create/Read/Edit/Delete; Event, Venue, Client and Feedback: Read only.
Client Profile	Standard Platform User	Event: Read only (own events); Feedback: Create/Read; Vendor and Venue: No access.

For the Event Coordinator, Vendor Manager and Client profiles the default custom app is set to **Event Planner**, session timeout is set to **2 hours of inactivity**, passwords are set to **never expire** and the minimum password length is **8**.

The screenshot shows the 'Clone Profile' interface in Salesforce. At the top, there's a 'SETUP Profiles' header. Below it, the title 'Clone Profile' is followed by the instruction 'Enter the name of the new profile.' A message box states 'You must select an existing profile to clone from.' The form contains three fields: 'Existing Profile' (a dropdown menu currently showing 'System Administrator'), 'User License' (a text field showing 'Salesforce'), and 'Profile Name' (a text field showing 'Event Admin'). At the bottom right, there are 'Save' and 'Cancel' buttons, with the 'Save' button highlighted by a red rectangular box.

Figure 57: Cloning the System Administrator profile as Event Admin

SETUP Profiles

Profile: **Event Coordinator**

Users with this profile have the permissions and page layouts listed below. Administrators can change a user's profile by editing that user's personal information.

If your organization uses Record Types, use the Edit links in the Record Type Settings section below to make one or more record types available to users with this profile.

[Login IP Ranges \(0\)](#) |
 [Enabled Apex Class Access \(0\)](#) |
 [Enabled Visualforce Page Access \(0\)](#) |
 [Enabled External Data Source Access \(0\)](#) |
 [Enabled Named Credential Access \(0\)](#) |
 [Enabled External Credential Principal Access \(0\)](#) |
 [Enabled Custom Metadata Type Access \(0\)](#) |
 [Enabled Custom Setting Definitions Access \(0\)](#) |
 [Enabled Flow Access \(0\)](#) |
 [Enabled Service Presence Status Access \(0\)](#) |
 [Enabled Custom Permissions \(0\)](#)

Profile Detail Edit Clone Delete View Users

Name	Event Coordinator	
User License	Salesforce Platform	Custom Profile ☒
Description		
Created By	Sushanth Sush	9/14/2025, 11:49 PM
Modified By	Sushanth Sush	9/14/2025, 11:49 PM

Figure 58: Event Coordinator profile detail page

Custom App Settings

	Visible	Default
Analytics Studio (standard__Insights)	☐	☐
App Launcher (standard__AppLauncher)	☐	☐
Event Planner (Event_Planner)	☒	☒
Platform (standard__Platform)	☒	☐
WDC (standard__Work)	☐	☐

Figure 59: Setting Event Planner as the default custom app

Custom Object Permissions

	Basic Access				Data Administration		
	Read	Create	Edit	Delete	View All Records	Modify All Records	View All Fields
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐
Clients	☒	☐	☒	☐	☐	☐	☐
Events	☒	☒	☒	☒	☐	☐	☐
Event Vendors	☐	☐	☐	☐	☐	☐	☐
Feedbacks	☒	☒	☐	☐	☐	☐	☐
Vendors	☒	☐	☐	☐	☐	☐	☐
Venues	☒	☐	☐	☐	☐	☐	☐

Figure 60: Custom object permissions for the Event Coordinator profile

Session Settings

Session Times Out After: 2 hours of inactivity

Session Security Level Required at Login: --None--

Password Policies

User passwords expire in: **Never expires**

Enforce password history: 3 passwords remembered

Minimum password length: 8

Password complexity requirement: Must include alpha and numeric characters

Password question requirement: Cannot contain password

Maximum invalid login attempts: 10

Lockout effective period: 15 minutes

Obscure secret answer for password resets: ☐

Require a minimum 1 day password lifetime: ☐

Don't immediately expire links in forgot password emails: ☐

Save Save & New Cancel

Figure 61: Session timeout and password policies

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields		
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐		
Clients	☒	☐	☐	☐	☐	☐	☐		
Events	☒	☐	☐	☐	☐	☐	☐		
Event Vendors	☒	☐	☐	☐	☐	☐	☐		

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields		
Feedbacks	☒	☐	☐	☐	☐	☐	☐		
Vendors	☒	☒	☒	☒	☐	☐	☐		
Venues	☒	☐	☐	☐	☐	☐	☐		

Figure 62: Custom object permissions for the Vendor Manager profile

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields		
ACME LOCATIONS	☐	☐	☐	☐	☐	☐	☐		
Clients	☐	☐	☐	☐	☐	☐	☐		
Events	☒	☐	☐	☐	☐	☐	☐		
Event Vendors	☐	☐	☐	☐	☐	☐	☐		

Custom Object Permissions									
	Basic Access				Data Administration				
	Read	Create	Edit	Delete	View All Records 1	Modify All Records 1	View All Fields		
Feedbacks	☒	☒	☐	☐	☐	☐	☐		
Vendors	☐	☐	☐	☐	☐	☐	☐		
Venues	☐	☐	☐	☐	☐	☐	☐		

Figure 63: Custom object permissions for the Client profile

6.18 Roles (Milestone 15)

Roles define the reporting hierarchy and determine which records users can see. Users in higher roles can access the records of users below them.

1. Setup > **Roles** > Set Up Roles > Expand All; click **Add Role** under CEO; Label = **Event Admin**; Save.
2. Under Event Admin add three roles: **Event Coordinator**, **Vendor Manager** and **Client**.

Role hierarchy
CEO
Event Admin
Event Coordinator
Vendor Manager
Client




Figure 64: Creating the role hierarchy (Add Role under CEO)




Figure 65: New Role - Event Admin

6.19 Users (Milestone 16)

A user is anyone who logs in to Salesforce. One user was created for each role. Because a Developer org has a limited number of Salesforce licenses, other users use the **Salesforce Platform** license.

User role	License	Profile
Event Admin	Salesforce	Event Admin
Event Coordinator	Salesforce Platform	Event Coordinator
Vendor Manager	Salesforce Platform	Vendor Manager
Client	Salesforce Platform	Client Profile

1. Setup > Users > New User.

2. Fill in First Name, Last Name, Alias, Email, a unique Username, Nickname, Role, User License and Profile.
3. Click **Save**; repeat for the remaining users.

Figure 66: Creating a new user with role, license and profile

6.20 Permission Set (Milestone 17)

A permission set grants additional permissions without changing the user's profile. A permission set named **Feedback Manager** was created to give extra access to the Feedback object.

1. Setup > **Permission Sets** > **New**; Label = **Feedback Manager**; Save.
2. Open **Object Settings** > Feedback > Edit; enable **Read, Create, Edit, Delete**; Save.
3. Click **Manage Assignments** > **Add Assignment**; select the Event Coordinator user; Next & Assign.




Figure 67: Creating the Feedback Manager permission set




Figure 68: Feedback object permissions enabled in the permission set




Figure 69: Assigning the permission set to the Event Coordinator user

6.21 Sharing Settings (Milestone 18)

Organization-Wide Defaults (OWD)

OWD is the baseline level of access to records. Options are **Private**, **Public Read Only**, **Public Read/Write** and **Controlled by Parent**. Other mechanisms (role hierarchy, sharing rules, manual sharing) can then extend access.

1. Setup > **Sharing Settings** > Edit (Organization-Wide Defaults).
2. For the **Event** object set Default Internal Access = **Private** and Default External Access = **Private**.
3. Click **Save**.




Figure 70: Sharing Settings page - Organization-Wide Defaults

Sharing Settings

Setting	Internal Access	External Access	Secure
Tableau Host Mapping	Public Read Only	Private	☒
User Presence	Public Read Only	Private	☒
Waitlist	Private	Private	☒
Web Cart Document	Private	Private	☒
Work Order	Private	Private	☒
Work Plan	Private	Private	☒
Work Plan Template	Private	Private	☒
Work Step Template	Private	Private	☒
Work Type	Private	Private	☒
Work Type Group	Public Read/Write	Private	☒
ACME LOCATION	Public Read/Write	Private	☒
Client	Public Read/Write	Private	☒
Event	Private	Private	☒
Feedback	Public Read/Write	Private	☒
Vendor	Public Read/Write	Private	☒
Venue	Public Read/Write	Private	☒

Other Settings

Standard Report Visibility ☒ Manual User Record Sharing ☐ Manager Groups ☐ Secure guest user record access ☐ Require permission to view record names in lookup fields ☐

Save **Cancel**

Figure 71: Event object set to Private for internal and external access

Sharing rule: Event_Sharing_For_Vendors

1. Sharing Settings > Event Sharing Rules > **New**.
2. Label = **Event_Sharing_For_Vendors** (rule name auto-populates).
3. Records owned by members of **Roles: Event Coordinator**.
4. Share with **Roles: Vendor Manager**.
5. Access level = **Read Only**; Save.

Sharing Settings

Note: "Roles and subordinates" includes all users in a role, and the roles below that role.
You can use sharing rules only to grant wider access to data, not to restrict access.

Step 1: Rule Name

Label: **Event_Sharing_For_Vendor**
Rule Name: **Event_Sharing_For_Vendor**
Description:

Step 2: Select your rule type

Rule Type: ☒ Based on record owner ☐ Based on criteria

Step 3: Select which records to be shared

Event: owned by members of **Roles** | **Event Coordinator**

Step 4: Select the users to share with

Share with: **Roles** | **Vendor Manager**

Step 5: Select the level of access for the users

Access Level: **Read Only**

Save **Cancel**

Figure 72: Creating the Event_Sharing_For_Vendors sharing rule

7. FUNCTIONAL & PERFORMANCE TESTING

7.1 Testing Approach

Testing validated data accuracy, automation behavior and user permissions. Each automation component was tested with representative records, and each user role was tested by logging in with the corresponding user. Test data consisted of at least ten records per object.

7.2 Functional Test Cases

Test ID	Scenario	Expected Result
FT-01	Enter an invalid e-mail address (for example "abc@") on a Client record.	Error "Please Enter Valid Email Address" is shown and the record is not saved.
FT-02	Enter a valid e-mail address on a Client record.	Record is saved successfully.
FT-03	Create an Event with Event Type = Wedding.	Event Budget formula shows 50,000.
FT-04	Create two events at the same Venue on the same Event Date.	Second event is rejected: "This Venue is already booked on this date."
FT-05	Set Event Status = Confirmed on an event that has a Venue.	Venue Availability Status becomes Reserved.
FT-06	Cancel a confirmed event (Status = Canceled).	Venue Availability Status becomes Available.
FT-07	Select a Client on a new Feedback record and open the Event lookup.	Only that client's events are listed.
FT-08	Confirm an event whose client has an e-mail address.	Reminder e-mail is scheduled and sent 3 days before the Event Date (CC to Event Owner).
FT-09	Set Event Status = Pending Cancellation.	Approval process starts; Event Coordinator role receives the request e-mail.
FT-10	Approver approves the cancellation.	Event Status = Canceled; approval e-mail sent to the Event Owner.
FT-11	Approver rejects the cancellation.	Event Status = Rejected; rejection e-mail sent to the Event Owner.
FT-12	Run the scheduled job (or execute the batch class) with past-dated events.	Past events are updated to Completed.
FT-13	Log in as Vendor Manager and open Vendor and Event records.	Vendor records can be created/edited; Event records are read only.
FT-14	Log in as a Client user and open Vendor and Venue tabs.	No access to Vendor and Venue; can create Feedback.
FT-15	Log in as Vendor Manager and view events owned by an Event Coordinator.	Events are visible read-only through Event_Sharing_For_Vendors.
FT-16	Open the EventForce Operations Dashboard.	Upcoming Events by Month donut chart is displayed.

7.3 Performance and Reliability Considerations

- The double-booking trigger and venue helper are written in bulk-safe form: the SOQL query runs once outside the loop and venue updates are collected and saved with a single DML statement.

- The nightly job uses Batch Apex with a scope of 200 records so large volumes stay within Salesforce governor limits.
- The reminder uses a scheduled path, so no custom polling is needed.
- Reliability depends on complete client e-mail addresses, correct venue and date values and correct role and profile assignment.

8. ADVANTAGES & DISADVANTAGES

8.1 Advantages

- Single CRM platform for clients, events, venues, vendors and feedback.
- Automatic 3-day reminders improve client communication and reduce missed follow-ups.
- Double bookings are blocked automatically and venue availability stays accurate.
- Structured, traceable cancellation approval with e-mail notifications.
- Validation rules and formula fields improve data quality.
- Role-based security with profiles, roles, permission sets and sharing rules.
- Real-time reports and dashboards for upcoming events.
- Built on standard Salesforce features, so it is scalable and extensible.

8.2 Disadvantages / Limitations

- The double-booking check compares only the venue and date; it does not consider time slots or the status of the existing event, so a canceled event can still block a venue on that date.
- The venue helper sets a venue to Available whenever any event at it is canceled, even if another confirmed event uses the same venue.
- The nightly batch marks every past event that is not Completed as Completed, including canceled or rejected events.
- Event Budget is an estimate based only on Event Type rather than actual vendor and venue costs.
- Approver assignment uses a fixed user; it is not yet dynamic by event value or type.
- The solution was built in a Developer Edition org and has not been deployed to a production environment.

9. CONCLUSION

The EventForce Management System demonstrates how Salesforce can streamline and automate event-planning operations through customized objects, automation and analytics. Custom objects and relationships provide a strong data model; validation rules, flows, approval processes and Apex enforce business rules; the Event Planner app, reports and dashboard provide a clear user experience; and profiles, roles, permission sets and sharing rules protect the data.

Although implemented in a Developer Org for academic purposes, the project reflects real-world CRM implementation practice. It also gave the team hands-on experience with declarative configuration, Apex development, security design and documentation, and provides a base for future enhancements.

10. FUTURE SCOPE

10.1 Smarter Booking Rules

Extend the double-booking check to time slots, ignore canceled events, and let the venue helper check for other active bookings before releasing a venue.

10.2 Additional Notifications

Add SMS or WhatsApp reminders, vendor assignment notifications and automatic feedback requests after an event is completed.

10.3 Client and Vendor Portals

Provide an Experience Cloud portal where clients can request events, track status and submit feedback, and vendors can view their assignments.

10.4 Payments and Budget Tracking

Integrate online payment, quotes and invoices, and replace the estimated budget with actual vendor and venue costs.

10.5 Advanced Analytics and AI

Add vendor performance dashboards, feedback rating trends and AI-based insights or an Agentforce assistant for event planners.

10.6 Production Deployment

Move the solution through sandbox, change sets or Salesforce DX with a CI/CD pipeline, and add Apex test classes to meet deployment coverage requirements.

11. APPENDIX

11.1 Project Information

Project Title	EventForce Management System - Salesforce Implementation
Business Name	EventForce Management System (Event Planner Solutions)
Team ID	[Enter your Team ID]
Team Lead	[Enter Team Lead name]
Team Members	[Enter team member names]
Platform	Salesforce Developer Edition
Submission Date	[DD-MM-YYYY]
GitHub	To be added
Demo Video	To be added

11.2 Key Configuration Names

Component	Name
Custom Objects	Event__c, Client__c, Vendor__c, Venue__c, Feedback__c, EventVendor__c
Lightning App	Event Planner
Validation Rule	Email_Valid_Address (Client__c)
Approval Process	Event_Cancellation_Process
Flow	Client Reminder - 3 Days Before (Record-Triggered, Event__c)
Apex Classes	VenueStatusHelper, BatchCompleteEvents, ScheduleCompleteEvents
Apex Triggers	EventTrigger13, PreventDoubleBooking
Scheduled Job	Daily Event Completion (8:00 PM)
Report / Dashboard	Upcoming Events by Month / EventForce Operations Dashboard
Profiles	Event Admin, Event Coordinator, Vendor Manager, Client Profile
Roles	Event Admin, Event Coordinator, Vendor Manager, Client
Permission Set	Feedback Manager
Sharing Rule	Event_Sharing_For_Vendors (Event Coordinator to Vendor Manager, Read Only)

11.3 Deployment, Maintenance and Documentation Summary

- **Deployment:** All configuration was built and tested in a Developer Edition org. Production deployment is not performed because developer orgs are standalone; real deployments use sandboxes, change sets, Salesforce DX or CI/CD pipelines.
- **Maintenance and monitoring:** Regularly monitor flows, Apex jobs and approval processes; resolve user-access and permission conflicts; debug triggers and flow logic; adjust validation rules and sharing settings as business needs change.
- **Documentation:** This report records the business overview, phase-wise implementation, data model, automation, security model and screenshots for future developers and administrators.

Thank You!!