

No.	Description	
1	75% CD REVIEW	2026-01
2	PERMIT SET / ISSUE FOR BID	2026-01

Project No: 26.75003.0
Sheet Title

CONSTRUCTION PLAN LEVEL 24

Original is 42 x 30. Do not scale contents of this drawing

Sheet Number

GENERAL PLAN NOTES

1. SEE SHEET G001 FOR GRAPHIC LEGEND INFORMATION.
2. SEE SHEET G002 FOR ADDITIONAL PLAN SPECIFIC GENERAL NOTES.
3. SEE SHEET G010 FOR WALL AND CEILING DEVICE ALIGNMENT DIAGRAMS. PROVIDE ADDITIONAL CONCEALED FRAMING FOR EXACT PLACEMENT.
4. SEE SHEET SERIES A75X FOR SCHEMATIC 3-DIMENSIONAL SPACE DEPICTIONS.
5. SEE ALSO SEPARATELY ISSUED SDS INTERIOR SIGNAGE AND GRAPHICS* FOR ADDITIONAL INFORMATION AND FOR SCOPE NOT DESCRIBED AT THIS DOCUMENTATION SET.

KEYNOTE LEGEND

0102 FIVE ADJUSTABLE PLASTIC LAMINATE SHELVES ON HONEY-DUTY SHELF STANDARDS, 8 FEET LONG.
0103 PROVIDE CONCEALED BLOWING. SEE DETAIL 7/AB65.

0105 AT ALL ALUMINUM AND GLASS ENTRY WALLS, SEE SEPARATE SIGNAGE VENEER DRAWINGS FOR
0106 EXISTING FILM DISTRACTION. PROVIDE 1/8" THICK POLY CARBONATE GLASS PANELS AND DOORS.
0107 AT ALL WALLS WITH COVERING, PROVIDE 1/6" FINISH, INCLUDING PAPER AND PAINT. TO
0108 BE HAND TROWELED AND SANDED LEVEL, 5 FINISH TO ELIMINATE APPEARANCE AND SHADOWING OF
0109 STUDS TELEGRAPHING THROUGH. PROVIDE 1/8" THICK POLY CARBONATE GLASS PANELS AND DOORS.
0110 COMPOUND WILL NOT BE ACCEPTED. COORDINATE WITH FINISH PLAN.

0112 FIRE EXTINGUISHER CABINETS TO BE FLUSH FACE DOOR, TYPE TO RECEIVE CUSTOM VINYL
0113 IDENTIFICATION GRAPHIC. SEE FDC DETAIL AT SHEET 2/AB212.

0115 EXISTING CONCEALED BY THE WALLS, SEE DETAIL 7/AB212. UNMOUNTED MOUNTINGS, PROVIDE
0116 ADDITIONAL FRAMING FOR EACH PLACEMENT OF RECEPTACLES. RECEPTACLES AND CABLES TO BE
0117 CONCEALED FROM VIEW.

0119 CENTERLINE OF NEW PARTITION TO ALIGN WITH CENTERLINE OF EXISTING BACKROOM OR EXTERIOR
0120 WALLS AS SHOWN. SEE TYPICAL PARTITION TO MILLION DETAIL 4/612.

0122 PROVIDE ADDITIONAL PARTITION CONSTRUCTION TO CLOSE GAP BETWEEN BACK FACE OF EXISTING
0123 CORNER OR BUILD-OUT AND EXISTING PERMANENT GLAZING SYSTEM. TO YIELD ACoustICAL
0124 BARRIER BETWEEN ADJACENT AREAS. SEE TYPICAL PARTITION TO MILLION DETAIL 4/612.

0126 PROVIDE HEAVY GAUGE METAL STUD FRAMING ABOVE CEILING FOR SUPPORT OF PIVOT DOOR
0127 HARDWARE. LATERALLY BRACE. SEE DETAIL 7/AB900.

0129 PROVIDE FLEXIBLE TUBE WATER CONNECTION WITH SEPARATE SHUT OFF FOR PRESTANDING
0130 CORNER MAKER. COORDINATE FINAL LOCATION OF PENETRATION IN MILLWORK ON SITE WITH
0131 REFER TO SEPARATE SIGNAGE VENEER DRAWINGS FOR NEW CUSTOM ADA COMPLIANT
0132 IDENTIFICATION SIGNAGE AT TOILET ROOMS). SIGNAGE TO INCORPORATE BRAILLE AND RAISED
0133 CHARACTERS. SEE UNIT SPECIFICATIONS FOR SIGNAGE. PROVIDE 1/8" THICK POLY CARBONATE GLASS
0134 COORDINATE WITH ENGINEERING REQUIREMENTS FOR SCORE NOT SHOWN AT THIS AREA.
0135 LOCATION OF TENANT PROVIDED DEBRILLATOR. COORDINATE MOUNTING LOCATION WITH
0136 ARCHITECT IN FIELD.

0138 EXISTING GWB FROM TENANT SIDE OF EXISTING PARTITION (VERIFY FULL HEIGHT)
0139 PROVIDE NEW SAFE FULL HEIGHT OF WALL CAVITY. REMOVE EXISTING INSULATION IF PRESENT.
0140 PROVIDE HORIZONTAL RESILIENT CHANNELS FROM OFFICE 2462 TO EXTERIOR WALL AND FINISH
0141 WITH 2" LAYERS SF GWB. FULL HEIGHT.

0143 ALUMINUM TYPICAL DETAIL OF EXISTING WALL AT AS REQUIRED TO ACHIEVE 1-HOUR FIRE RATED
0144 CONSTRUCTION.

Lege

	Description	Quantity	Unit
✓	Count Measurement	11	Count

