DOOR AND OPENING LEGEND

AS PER CODE TAGGED AT EACH DOOR LOCATION ON CONSTRUCTION PLANS


OPENING CODE	GENERAL DESCRIPTION	RATING	DOOR							FRAME					COMMENTS
			PANEL TYPE	MAT'L	FINISH	No. OF LEAVES	NOMINAL SIZE WIDTH	NOMINAL SIZE HEIGHT	NOMINAL SIZE THCKNS	TYPE	MAT'L	FINISH	SECTIONS JAMB	SECTIONS HEAD	
A	SINGLE FLUSH SWING	-	F	SC	PT	1	3'-0"	8'-0"	1-3/4"	01	HM	PT	2/A621	1/A621	-
A.1	SINGLE FLUSH SWING	-	F	MILLWORK	WDV-1	1	3'-0"	8'-0"	1-3/4"	01	WD	WDV-1	10/A621	9/A621	MILLWORK FRAME AND DOOR
A.2	SINGLE FLUSH SWING	90	EX	EX	PT	1	EX	EX	EX	01	HM	PT	EX	EX	NOTE 3
A.3	SINGLE FLUSH SWING	-	F	SC	PT	1	MATCH EXISTING	MATCH EXISTING	MATCH EXISTING	01	HM	PT	2/A621	1/A621	NOTE 2
B	PAIR FLUSH SWING	-	F	MILLWORK	PT	2	3'-0"/3'-0"	8'-11.5"	1-3/4"	01	WD	PT	8/A621	6/A621, SIM	-
B.1	PAIR FLUSH SWING	-	FP	SC	PT	2	3'-0"/3'-0"	8'-0"	1-3/4"	01	HM	PT	2/A621	1/A621	-
B.2	PAIR FLUSH SWING	-	FV	SC	PT	2	EX	EX	EX	01	HM	PT	2/A621	1/A621	-
C	CASED OPENING	-	-	-	-	-	3'-6"	8'-0"	-	02	HM	PT	4/A621	3/A621	-
D	DEMOUNTABLE OFFICE FRONT - SINGLE	-	D	AL/GL	FF	1	3'-0"	8'-10"	1-3/4"	-	AL	FF	A613	A613	-
D1	DEMOUNTABLE OFFICE FRONT - SINGLE	-	D1	AL/GL	FF	1	3'-3"	8'-11.5"	1-3/4"	-	AL	FF	A613	A613	-
D2	DEMOUNTABLE OFFICE FRONT - DOUBLE	-	D2	AL/GL	FF	2	3'-3"/3'-3"	8'-10"	1-3/4"	-	AL	FF	A613	A613	-
D3	DOUBLE SWING - FULL GLASS	-	FG	GL	FF	2	3'-3"/3'-3"	9'-0"	5/8"	-	-	-	-	7/A621	FRAMELESS GLASS DOOR BY OFFICE FRONT MANUFACTURER.
D4	SINGLE ENTRY SWING - FULL LITE	-	DE	AL/GL	FF	1	3'-0"	9'-0"	1-3/4"	-	-	-	-	-	FULL-LIGHT ALUM./GLASS DOOR BY DEMOUNTABLE DOOR MANUF.
F	SINGLE FLUSH	45	F	SC	PT	2	3'-0"	8'-0"	1-3/4"	01	HM	PT	2/A621	1/A621	-
G	SINGLE FLUSH SWING	-	F	MILLWORK	PT	1	3'-0"	8'-10"	1-3/4"	01	WD	PT	6 / A621	5 / A621	CONCEALED WOOD FRAME
H	SINGLE FLUSH	-	F	SC	PT	1	VIF	VIF	1-3/4"	EX	EX	PT	EX	EX	NOTE 1
H1	SINGLE FLUSH	-	F	SC	PT	1	VIF	VIF	1-3/4"	EX	EX	PT	EX	EX	NOTE 1
H2	SINGLE FLUSH	-	EX	EX	PT	1	VIF	VIF	1-3/4"	EX	EX	PT	EX	EX	NOTE 4
J	SINGLE FLUSH SWING	-	F	WOOD	STAIN	1	3'-0"	9'-0"	1-3/4"	01	HM	PT	2/A621	1/A621	TO MATCH EXISTING BUILDING STANDARD CORRIDOR DOORS AND FRAMES

ABBREVIATIONS


AL	ALUMINUM
EX	EXISTING
GL	GLASS
HM	HOLLOW METAL
MLLWRK	MILLWORK
MTL	METAL
PT	PAINT
SC	SOLID CORE DOOR
STC	SOUND TRANSMISSION CLASS
STL	STEEL
WD	WOOD

OPENING NOTES


1. EXISTING CORE TOILET ROOM STALL DOORS ON FLOOR 20 TO BE REPLACED WITH FLUSH, PAINT GRADE WOOD DOOR, SAME OVERALL SIZE AND THICKNESS. VERIFY EXISTING CONDITIONS IN FIELD. PROVIDE NEW HARDWARE TO MATCH EXISTING IN NEW PROJECT FINISH.
2. EXISTING CORE DOOR AND FRAME TO BE REPLACED WITH HM FRAME AND PAINT GRADE FLUSH WOOD DOOR OF SAME OVERALL SIZE. VERIFY EXISTING CONDITIONS IN FIELD.
3. EXISTING DOOR RATING COULD NOT BE CONFIRMED AT TIME OF ARCHITECTURAL SURVEY. CONFIRM DOOR ASSEMBLY HAS A 90 MINUTE RATING. IF EXISTING DOOR HAS A 90 MINUTE RATING, THEN EXISTING EGRESS STAIR DOOR, FRAME, AND HARDWARE TO REMAIN. PAINT EXISTING DOOR AND FRAME TO MATCH ADJACENT WALL SURFACE. IF DOOR ASSEMBLY CAN NOT BE VERIFIED, THEN REPLACE DOOR AND FRAME WITH NEW 90 MINUTE ASSEMBLY TO MATCH EXISTING OPENING WITH PAINT GRADE DOOR AND FRAME.
4. EXISTING TOILET ROOM DOOR TO REMAIN. REMOVE EXISTING HARDWARE AND REPLACE WITH NEW LIKE-FUNCTIONING HARDWARE IN NEW PROJECT FINISH. PREPARE DOOR AND FRAME TO RECEIVE NEW PAINT FINISH.




F
FLUSH PANEL - SINGLE




FP
FLUSH PANEL - PAIR




D
DEMOUNTABLE SYSTEM SINGLE SWING DOOR W/ SIDELITE AND FRAME. BASIS OF DESIGN: TRANSWALL ONE LP
FINISH: 491, DARK BRONZE
CLEAR TEMP. GLAZING.
MANUFACTURER'S STANDARD LEVERSET, ACOUSTIC SEALS AND DOOR STOP, TYPICAL




D1
DEMOUNTABLE SYSTEM SINGLE FRAMELESS SWING DOOR W/ SIDELITE AND FRAME. BASIS OF DESIGN: TRANSWALL ONE LP
FINISH: 491, DARK BRONZE
CLEAR TEMP. GLAZING.
MANUFACTURER'S STANDARD BAR PULLS




D2
DEMOUNTABLE SYSTEM DOUBLE FRAMELESS SWING DOOR W/ SIDELITE AND FRAME. BASIS OF DESIGN: TRANSWALL ONE LP
FINISH: 491, DARK BRONZE
CLEAR TEMP. GLAZING.
MANUFACTURER'S STANDARD BAR PULLS




DE
DELAYED EGRESS STOREFRONT
FINISH: DARK BRONZE.
CLEAR TEMP. GLAZING.
DELAYED EGRESS DEVICE W/ CARD READER



FG
DOUBLE FRAMELESS SWING DOOR
BASIS OF DESIGN: TRANSWALL ONE LP
FINISH: 491, DARK BRONZE
CLEAR TEMP. GLAZING.
MANUFACTURER'S STANDARD BAR PULLS



FV
FLUSH PANEL - VISION LITE




01
HM - HOLLOW METAL


02
HM - HOLLOW METAL CASED OPENING

3 DOOR AND FRAME TYPES


1/4" = 1'-0"




1-PERSON
PRIVATE OFFICE
(TYP. THROUGHOUT, see plans)



SHARED PRIVATE OFFICE
(see plans)



SHARED PRIVATE OFFICE
(SIDE OF COLUMN, see plans)



SHARED PRIVATE OFFICE
(SIDE OF COLUMN, see plans)

1.	PROVIDE AND INSTALL COAT HOOKS AS NOTED ON ELEVATIONS ABOVE.
2.	INSTALL PER MOUNTING LOCATIONS SHOWN ABOVE. IF LOCATION NOTED ABOVE CONFLICTS WITH EXISTING WALL MOUNTED DEVICES, BRING IT TO THE ATTENTION OF THE ARCHITECT FOR RESOLUTION PRIOR TO INSTALLING.
3.	PRICING FOR BOTH COAT HOOKS SPECIFIED. MORGAN STANLEY TO MAKE FINAL SELECTION PRIOR TO WORK BEING EXECUTED.

2 COAT HOOK LOCATION ELEVATIONS

1/4" = 1'-0"

HARDWARE TYPE EX
EXISTING DOOR AND FRAME TO REMAIN

INDICATES EXISTING HARDWARE SET. IF HARDWARE FINISHES MATCH PROJECT STANDARD, 613E, THEN REPLACE ANY NON-FUNCTIONING OR BROKEN DEVICES AT THIS LOCATION WITH NEW TO MATCH EXISTING. IF EXISTING HARDWARE DOES NOT MATCH PROJECT STANDARD, PROVIDE NEW HARDWARE WITH FUNCTIONS TO MATCH EXISTING HARDWARE FUNCTION AND KEYING AT SAME DOOR (i.e. AN EXISTING LOCKING DOOR IS TO RECEIVE A NEW SIMILARLY LOCKING HARDWARE SET), IN PROJECT STANDARD FINISH, 613E.

HARDWARE TYPE 1 - SINGLE FLUSH DOOR,PASSAGE

HINGES:	(4) by Stanley	FB1191	613E
OFFICE PASSAGE SET:	(1) by SCHLAGE	L9010-LATITUDE-B	613E
CONCEALED O.H. CLOSER:	(1) by LCN	3133	613E
FLOOR STOP:	(1) by ROCKWOOD	#446	613E
SILENCERS:	(3) by ROCKWOOD	#608/609	GREY

HARDWARE TYPE 1D - SINGLE DEMOUNTABLE SWING DOOR-PASSAGE

HINGES:	(1) PAIR TRANSWALL ONE LP	MANUF. STD.	491, DK BRONZE
OFFICE PASSAGE SET:	(1) by SCHLAGE 9010	LATITUDE LEVER, ROSE A	643, AGED BRZ.
FLOOR STOP:	(1) by ROCKWOOD	#446	US10BE
COAT HOOK(S):	AT OFFICES ONLY, PER DETAIL 2 ON THIS SHEET		

HARDWARE TYPE 2 - SINGLE FLUSH DOOR-LOCKING

HINGES:	(4) by Stanley	FB1191	613E
CLASSROOM LOCK SET:	(1) by SCHLAGE	L9070-LATITUDE-B	613E
O.H. CONCEALED STOP:	(1) by RIXSON	1-336 series	613E
SILENCERS:	(3) by ROCKWOOD	#608/609	GREY

HARDWARE TYPE 2D-CR - SINGLE DEMOUNTABLE SWING DOOR-with CARD READER

RAIL FITTINGS:	(1) pair by DORMAKABA	4" TOP RAIL, 4" TAPERED BOTTOM RAIL	613E 613E
HINGES:	(1) PAIR OFFSET PIVOTS	MANUF. STD.	491, DK BRONZE
TOP ELECTROMAGNETIC	(1) by SCHLAGE	M490P-ATS	**MATCH
US10BELOCK:	PROVIDE CUSTOM 613E FINISHED ALUMINUM COVER TO CONCEAL MAGLOCK		
PULL SET:	(1) pair by ROCKWOOD	RM3311-88**	US10BE
CLOSER:	(1) by DORMA	TS93	695
FLOOR STOP:	(1) by ROCKWOOD	#446	US10BE
CARD READER:	(1) by SECURITY VENDOR	SEE ADDITIONAL NOTES BELOW	

NOTE: BALANCE OF ELECTRONIC HARDWARE (INCLUDING CARD READER, MONITORING SWITCH, REQUEST TO EXIT BUTTON, MOTION SENSOR, ETC.) TO BE SPECIFIED BY SECURITY VENDOR. CONTRACTOR SHALL PROVIDE FULLY FUNCTIONING ASSEMBLY AT PROJECT COMPLETION.

HARDWARE TYPE 2D- SINGLE DEMOUNTABLE DOOR-LOCKING (OFFICE)

HINGES:	(1) PAIR TRANSWALL ONE LP	MANUF. STD.	491, DK BRONZE
OFFICE LOCKSET:	(1) by SCHLAGE 9000 SERIES	LATITUDE LEVER, ROSE A	643, AGED BRZ.
FLOOR STOP:	(1) by ROCKWOOD	#446	US10BE

HARDWARE TYPE 3 - SINGLE DOOR - COATS

HINGES:	(4) by Stanley	FB1191	613E
DUMMY TRIM:	(1) by SCHLAGE	L0170-LATITUDE-B	613E
O.H. CONCEALED STOP:	(1) by RIXSON	1-336 series	613E
ROLLER CATCH:	(1) by IVES	#RL30	613E
SILENCERS:	(4) by ROCKWOOD	#608/609	GREY

HARDWARE TYPE 3A - DOOR PAIR - CLOSETS & COATS

OFFSET PIVOTS:	(2) by RIXSON	XXX	626
INTERMEDIATE HINGE:	(1) by RIXSON	XXX	626
DUMMY TRIM:	(2) by SCHLAGE	L0170-LATITUDE-B	626
O.H. CONCEALED STOP:	(2) by RIXSON	1-330 series	626
ROLLER CATCH:	(2) by IVES	#RL30	626
SILENCERS:	(2) by ROCKWOOD	#608/609	GREY

HARDWARE TYPE 4 - NOT USED

HARDWARE TYPE 5 - SINGLE FLUSH LOCKING with CARD READER, (FAIL SECURE)
COMM ROOM, OPS, SECONDARY ENTRY

HINGES:	(3) by Stanley	FB1191	613E
ELECTRIFIED HINGE:	(1) by Stanley		613E
ELECTRIC LOCK SET:	(1) by SCHLAGE	L9090EU-LATITUDE-B	613E
OVERHEAD CLOSER:	(1) by LCN	#4010 series, parallel arm	613E
CARD READER SYSTEM:	(1) by SECURITY VENDOR		
SILENCERS:	(4) by ROCKWOOD	#608/609	GREY

NOTE: NO EXPOSED FASTENERS AT EITHER FACE OF DOOR WILL BE ACCEPTED.

NOTE: BALANCE OF ELECTRONIC HARDWARE (INCLUDING CARD READER, MONITORING SWITCH, REQUEST TO EXIT BUTTON, MOTION SENSOR, ETC.) TO BE PROVIDED AND INSTALLED BY SECURITY VENDOR. CONTRACTOR IS RESPONSIBLE TO COORDINATE WITH SECURITY VENDOR AND SHALL PROVIDE A FULLY FUNCTIONING ASSEMBLY AT PROJECT COMPLETION. REFER TO ENGINEERING DRAWINGS FOR ADDTIONAL INFORMATION.

HARDWARE TYPE 5A - PAIR, FLUSH LOCKING with CARD READER, (FAIL SAFE)
FREIGHT ELEVATOR LOBBY

HINGES:	(7) by Stanley	FB1191	613E
ELECTRIFIED HINGE:	(1) by Stanley		613E
ELECTRIC LOCK SET:	(1) by SCHLAGE	L9090EL-LATITUDE-B	613E
FLUSH BOLTS:	(1) PAIR by ROCKWOOD		UB10BE
SURFACE CLOSER:	(2) by LCN	#4010 series, parallel arm	613E
CARD READER SYSTEM:	(1) by SECURITY VENDOR		
SILENCERS:	(6) by ROCKWOOD	#608/609	GREY

NOTE: NO EXPOSED FASTENERS AT EITHER FACE OF DOOR WILL BE ACCEPTED.

NOTE: BALANCE OF ELECTRONIC HARDWARE (INCLUDING CARD READER, MONITORING SWITCH, REQUEST TO EXIT BUTTON, MOTION SENSOR, ETC.) TO BE SPECIFIED BY SECURITY VENDOR. CONTRACTOR IS RESPONSIBLE TO COORDINATE WITH SECURITY VENDOR AND SHALL PROVIDE A FULLY FUNCTIONING ASSEMBLY AT PROJECT COMPLETION. REFER TO ENGINEERING DRAWINGS FOR ADDTIONAL INFORMATION.

HARDWARE TYPE 6 - SINGLE FLUSH DOOR-PRIVACY LOCKING
MOTHER'S ROOM

HINGES:	(4) by Stanley	FB1191	613E
PRIVACY LOCK SET WITH "OCCUPIED" INDICATOR:	(1) by SCHLAGE	L9496-LATITUDE-B	613E
FLOOR STOP:	(1) by ROCKWOOD	#446	613E
SILENCERS:	(3) by ROCKWOOD	#608/609	GREY
COAT HOOK:	(2) (PROJECT STD. SEE DETAIL 1 THIS SHEET) CENTER ON BACK OF DOOR, ONE AT 48", ONE AT 60".		613E
SURFACE CLOSER:	(1) by LCN (on private side of door) #4010 series, parallel arm		613E

HARDWARE TYPE 6A - SINGLE FLUSH DOOR-PRIVACY LOCKING
MOTHER'S ROOM, UNISEX TOILET ROOMS (CLIENT FACING)

HINGES:	(4) by Stanley	FB1191	613E
PRIVACY LOCK SET	(1) by SCHLAGE WITH "OCCUPIED" INDICATOR:	L9486-LATITUDE-B	613E
FLOOR STOP:	(1) by ROCKWOOD	#446	613E
DOOR BOTTOM:	(1) MORTISED AUT DROP BOTTOM, LEGACY TYPE 7463		
NEOPRENE SEALS:	HEAD AND JAMBS, LEGACY	TYPE 5077	(DB, DARK BRONZE AT WOOD
	VENEER DOORS & FRAMES (CLIENT HUBS)		
SILENCERS:	(3) by ROCKWOOD	#608/609	GREY
COAT HOOK:	(2) (PROJECT STD. SEE DETAIL 1 THIS SHEET) 613E CENTER ON BACK OF DOOR, ONE AT 48", ONE AT 60".		
SURFACE CLOSER:	(1) by LCN (on private side of door) #4010 series, parallel arm		613E

HARDWARE TYPE 7D-CR - DOUBLE DEMOUNTABLE SWING DOORS-with CARD READER

RAIL FITTINGS:	(2) pair by DORMAKABA	4" TOP RAIL, 4" TAPERED BOTTOM RAIL	613E 613E
CONCEALED CLOSERS:	(2) by DORMA	RTS88 TOP ARM, AND FLOOR PIVOT, WHITE COVER PLATE	491, DK BRZ
TOP ELECTROMAGNETIC	(2) by SCHLAGE	M490P-ATS	**MATCH
US10BEMAGLOCK:	PROVIDE CUSTOM 613E FINISHED ALUMINUM COVER TO CONCEAL MAGLOCK		
PULL SET:	(2) pair by ROCKWOOD	RM3311-88*	US10BE
FLOOR STOP:	(2) by ROCKWOOD	#446	613E
CARD READER:	(1) by SECURITY VENDOR	SEE ADDITIONAL NOTES BELOW	

NOTE: BALANCE OF ELECTRONIC HARDWARE (INCLUDING CARD READER, MONITORING SWITCH, REQUEST TO EXIT BUTTON, MOTION SENSOR, ETC.) TO BE SPECIFIED AND INSTALLED BY SECURITY VENDOR. CONTRACTOR IS RESPONSIBLE TO COORDINATE WITH SECURITY VENDOR AND PROVIDE A FULLY FUNCTIONING ASSEMBLY AT PROJECT COMPLETION. REFER TO ENGINEERS DRAWINGS FOR ADDITIONAL INFORMATION.

NOTE: PROVIDE REMOTE DOOR RELEASE BUTTON AT RECEPTION DESK.

DOOR OPERATION:
a. DOOR PAIR SHALL BE NORMALLY CLOSED AND LOCKED.
b. VALID KEY OR CREDENTIAL SHALL BE REQUIRED TO ENTER.
c. UPON PRESENTATION OF VALID KEY OR CREDENTIAL TO CARD READER, LOCK SHALL ELECTRONICALLY UNLOCK AND PERMIT MANUAL ENTRY.
d. HARDWARE INSTALLER SHALL COORDINATE WITH ELECTRICAL AND SECURITY SYSTEMS IN ORDER TO PROVIDE A FULLY FUNCTIONING ASSEMBLY AT PROJECT COMPLETION.

HARDWARE TYPE 8 - SINGLE FLUSH DOOR,PUSH/PULL

HINGES:	(3) by Stanley	FB1191	613E
PUSH PLATE/ PULL SET:	(1) by ROCKWOOD	XXX	613E
KICK PLATE:	(1) by ROCKWOOD	XXX	613E
CONCEALED O.H. CLOSER:	(1) by LCN	3133	613E
FLOOR STOP:	(1) by ROCKWOOD	#446	613E
SILENCERS:	(3) by ROCKWOOD	#608/609	GREY

HARDWARE TYPE 9 - SINGLE FLUSH DOOR,PUSH/PULL FRAMELESS (MPR)


TOP/BOTTOM PIVOTS:	(4) by RIXSON	XXX	626
INTERMEDIATE PIVOT:	(1) by RIXSON	XXX	626
BAR PULL SET:	(1) by ROCKWOOD	RM3311-88	626
CONCEALED O.H. CLOSER:	(1) by RIXSON	3133	626
FLOOR STOP:	(1) by ROCKWOOD	#446	613E

HARDWARE TYPE 10D-CR - SINGLE LOCKING CONTROLLED ACCESS - DELAYED EGRESS w/ CARD READER

HINGES:	(4) by Stanley	FB1191	DK BRONZE
EXIT DEVICE:	(1) by VonDuprin, CHEXIT	CX98	643E
DELAYED EGRESS POWER SUPPLY:	(1) by VonDuprin	PS902 (GC TO VERIFY)	-
ELEC. POWER TRANSFER:	(1) by VonDuprin (GC TO CONFIRM WIRE SIZE WITH SECURITY VENDOR)		
SURFACE CLOSER:	(1) by LCN	4040XP	695 DK. BRZ.
FLOOR STOP:	(1) by ROCKWOOD	#446	613E
CARD READER:	(1) by SECURITY VENDOR	SEE ADDTIONAL NOTES BELOW	

NOTE: BALANCE OF ELECTRONIC HARDWARE (INCLUDING CARD READER, MONITORING SWITCH, ETC.) TO BE PROVIDED AND INSTALLED BY SECURITY VENDOR. CONTRACTOR IS RESPONSIBLE TO COORDINATE WITH SECURITY VENDOR AND SHALL PROVIDE A FULLY FUNCTIONING ASSEMBLY AT PROJECT COMPLETION. REFER TO ENGINEERING DRAWINGS FOR ADDITIONAL INFORMATION.

NOTE: DELAYED EGRESS HARDWARE (AND SIGN) SHALL BE INSTALLED IN ACCORDANCE WITH NFPA LIFE SAFETY CODE SECTION 7.2.1.6.1.



1 KEYING SCHEDULE

1/4" = 1'-0"

Morgan Stanley

5 CONCOURSE PARKWAY
ATLANTA, GA 30328
CIIPS: 2025-00254

Project
Interior Office Renovation
5 Concourse Parkway
Atlanta, GA 30328

Prepared For
Morgan Stanley
5 Concourse Parkway - Atlanta, GA

Hellmuth, Obata & Kassabaum, Inc.

All reproduction & intellectual property rights reserved © 2026

In Association with
WSP
One Penn Plaza
250 W 34th Street, 4th Floor
New York, NY 10119

BALA
52 Temple Place
Boston, MA 02111

Trinity Consultants
1001 Avenue of the Americas, 4th Floor
New York, NY 10018

the lighting center
123 South Broad Street, Suite 2320
Philadelphia, PA 19109

Key Plan

NOTE: FULL PROJECT SCOPE IS SHOWN AT PLANS, ELEVATIONS AND DETAILS. WORK IS TO BE COMPLETED IN MULTIPLE PHASES. SEE SCHEMATIC PHASING DIAGRAM AT SHEET G001. COORDINATE FINAL DEMARCATION BETWEEN PHASES WITH TENANT REPRESENTATIVE AND ON-SITE CONDITIONS.

Professional Seals

No.	Description	Date
1	75% CD REVIEW	2026-06-23
2	PERMIT SET / ISSUE FOR BID	2026-07-07

Project No: 26.75003.00

Sheet Title

DOOR, FRAME AND HARDWARE LEGENDS

Original is 42 x 30. Do not scale contents of this drawing.

Sheet Number

A620

Autodesk Docs://26.75003.00 Morgan Stanley 5 Concourse Pkwy/MORGANS-5CONC-HOK-ID-R25.rvt
2026-07-09 9:44:41 AM