Nebico Oil Melting/Retention
PLC Program

Version 1.0

Notable lack of coorelation between HMI and PLC,
espicially for the error codes.
Revision is expected.

Prepared By: Sambridda Ranabaht

4th August 2026

Data Name : Memory Capacity
Memory Capacity

[Memory Capacity]
16000

[Program Capacity]
16000 Steps

[Comments Capacity]
0 Block 0 Points

[File Register Capacity]
0 Block 0 Points

[Special Function Block Setting]
0 Block

[Positioning]
0 Block

[Built-in CC-Link/LT Setting]
0 Block

PLC System

[Battery Less Mode]
OFF

[MODEM Initialized]
None

[RUN Terminal Input]
None

[Device]

	Sym.	Dig.	Points	Start	End	Latch Start	End	Latch Setting Range
Supplemental Relay	M	10	7680	0	7679	500	1023	0 - 1023
State	S	10	4096	0	4095	500	999	0 - 999
Timer	T	10	512	0	511			
Counter(16bit)	C	10	200	0	199	100	199	0 - 199
Counter(32bit)	C	10	56	200	255	220	255	200 - 255
Data Register	D	10	8000	0	7999	200	511	0 - 511
Extended Register	R	10	32768	0	32767			

CC-Link Setting


[CC-Link Setting]


Connection Block Not Set


CC-Link Setting


[CC-Link Setting]

	Setting Contents
Special Function Block No.	-
Type	-
Master Station Data Link Type	Start Parameter by BFM
Mode	-
Total Module Connected	-
Remote Input(RX)	-
Remote Output(RY)	-
Remote Register(RWr)	-
Remote Register(RWw)	-
Ver.2 Remote Input(RX)	-
Ver.2 Remote Output(RY)	-
Ver.2 Remote Register(RWr)	-
Ver.2 Remote Register(RWw)	-
Special Relay(SB)	-
Special Register(SW)	-
Retry Count	-
Automatic Reconnection Station Count	-
Standby Master Station No.	-
PLC Down Select	-
Scan Mode Setting	-
Delay Time Setting	-
Remote Device Station Initial Setting	-
Interrupt Settings	-



0 M8002 [MOV H97 D8400
[MOV H1 D8401
[SET M8192
[MOV K1 D8397
18 M8000 (T0 K1
(T1 K5
25 T1 (T2 K60
29 T2 [RST T2
32 T0 [SET M0
35 M0 (T10 K1
39 T10 [ADPRW K1 K1 H0 K3 D0
(T20 K2
M8029 [SET M1
T20 [RST M0
59 M1 (T30 K1
63 T30 [ADPRW K1 K3 H1 K1 D1
(T40 K2
M8029 [SET M2
T40 [ZRST M0 M1
87 M2 (T50 K1
D8400 B/D 1 B/D
D8401 B/D 6 B/D
M8192 A/S 11 A/S
D8397 B/D 13 B/D
T0 A/S 32 A/S
T1 A/S 25 260 262 371 480 B/D 1959 1983
T1 A/S 560 581 725 778 890 B/D
T1 A/S 1042 1068 1186 1254 1954 B/D
T1 A/S 2014 2145 2256 2387 B/D
T2 A/S 29 B/D 30
T2 A/S 29 B/D 30
M0 A/S 34 35 193 B/D 58 82
T10 A/S 39 A/S
D0 A/S 40 199 203 207 1716 A/S
T20 A/S 55 A/S
M1 A/S 57 59 B/D 82 110
M0 A/S 34 35 193 B/D 58 82
T30 A/S 63 A/S
D1 A/S 64 1726 1766 2466 A/S
T40 A/S 79 A/S
M2 A/S 81 87 B/D 110 138
M0 A/S 34 35 193 B/D 58 82
M1 A/S 57 59 B/D 82 110
T50 A/S 91 A/S



91 T50 [ADPRW K2 K1 H0 K3 D2]
K2 (T60)
M8029 [SET M3]
T60 [ZRST M1 M2]
115 M3 K1 (T11)
119 T11 [ADPRW K2 K3 H1 K1 D3]
K2 (T21)
M8029 [SET M4]
T21 [ZRST M2 M3]
143 M4 K1 (T31)
147 T31 [ADPRW K3 K1 H0 K3 D4]
K2 (T41)
M8029 [SET M5]
T41 [ZRST M3 M4]
171 M5 K1 (T51)
175 T51 [ADPRW K3 K3 H1 K1 D5]
K2 (T61)
M8029 [SET M0]
T61 [ZRST M4 M5]
199 D0.0 (M51)
203 D0.1 (M52)
207 D0.2 (M53)
211 D2.0 (M54)
D2 A/S 92 211 215 219 1736 A/S
T60 A/S 107 A/S
M3 A/S 109 115 B/D 138 166
M1 A/S 57 59 B/D 82 110
M2 A/S 81 87 B/D 110 138
T11 A/S 119 A/S
D3 A/S 120 1780 2479 A/S
T21 A/S 135 A/S
M4 A/S 137 143 B/D 166 194
M2 A/S 81 87 B/D 110 138
M3 A/S 109 115 B/D 138 166
T31 A/S 147 A/S
D4 A/S 148 223 227 231 A/S
T41 A/S 163 A/S
M5 A/S 165 171 B/D 194
M3 A/S 109 115 B/D 138 166
M4 A/S 137 143 B/D 166 194
T51 A/S 175 A/S
D5 A/S 176 1794 2492 A/S
T61 A/S 191 A/S
M0 A/S 34 35 193 B/D 58 82
M4 A/S 137 143 B/D 166 194
M5 A/S 165 171 B/D 194



215
D2.1
M55
219
D2.2
M56
223
D4.0
M57
227
D4.1
M58
231
D4.2
M59
235
X001
M61
Y001
M61
A/S 258
B/D 2604 2608
238
X000
M60
Y000
M60
B/D 257
B/D
241
M83
M64
M62
M84
M64
Y000
M62
B/D 259 2603 2607
B/D
M85
M86
M87
M88
M89
M90
M91
M92
257
M60
M61
M62
T1
M63
M63
A/S 703 1687 1696 1705 1714
A/S 1913 1921 1929 1937 1941
M63
A/S 2532 2554 2577 2600
A/S



262
T1
ADD D17 D100 D100
D17 A/S 263
D100 A/S 263 306 B/D 341
D100 A/S 263 306 B/D 341
ADD D18 D102 D102
D18 A/S 270
D102 A/S 270 313 B/D 346
D102 A/S 270 313 B/D 346
ADD D19 D104 D104
D19 A/S 277
D104 A/S 277 320 B/D 351
D104 A/S 277 320 B/D 351
ADD D20 D106 D106
D20 A/S 284
D106 A/S 284 327 B/D 356
D106 A/S 284 327 B/D 356
ADD D21 D108 D108
D21 A/S 291
D108 A/S 291 334 B/D 361
D108 A/S 291 334 B/D 361
INC D60
D60 A/S 301 B/D 298 366
= D60 K5
DIV D100 K5 D120
D100 A/S 263 306 B/D 341
D120 A/S 482 493 504 509 516 B/D 306
D120 A/S 568 574 582 726 1209 B/D
D120 A/S 1960 2015 B/D
DIV D102 K5 D122
D102 A/S 270 313 B/D 346
D122 A/S 739 852 1069 1965 2028 B/D 313
DIV D104 K5 D124
D104 A/S 277 320 B/D 351
D124 A/S 752 866 1095 1970 2041 B/D 320
DIV D106 K5 D126
D106 A/S 284 327 B/D 356
D126 A/S 765 880 1121 1975 2054 B/D 327
DIV D108 K5 D128
D108 A/S 291 334 B/D 361
D128 A/S 792 1188 1817 1984 2067 B/D 334
MOV K0 D100
D100 A/S 263 306 B/D 341



MOV K0 D102
D102
A/S 270 313
B/D 346
MOV K0 D104
D104
A/S 277 320
B/D 351
MOV K0 D106
D106
A/S 284 327
B/D 356
MOV K0 D108
D108
A/S 291 334
B/D 361
MOV K0 D60
D60
A/S 301
B/D 298 366



371
T1
ADD D22 D110 D110
D22 A/S 372
D110 A/S 372 415 B/D 450
D110 A/S 372 415 B/D 450
ADD D23 D112 D112
D23 A/S 379
D112 A/S 379 422 B/D 455
D112 A/S 379 422 B/D 455
ADD D24 D114 D114
D24 A/S 386
D114 A/S 386 429 B/D 460
D114 A/S 386 429 B/D 460
ADD D25 D116 D116
D25 A/S 393
D116 A/S 393 436 B/D 465
D116 A/S 393 436 B/D 465
ADD D26 D118 D118
D26 A/S 400
D118 A/S 400 443 B/D 470
D118 A/S 400 443 B/D 470
INC D70
D70 A/S 410 B/D 407 475
= D70 K5
DIV D110 K5 D130
D110 A/S 372 415 B/D 450
D130 A/S 1082 1989 2080 2558 2581 B/D 415
DIV D112 K5 D132
D112 A/S 379 422 B/D 455
D132 A/S 648 693 1108 1994 2093 B/D 422 615 626 637 660
D132 A/S 2535 2590 B/D 671 682
DIV D114 K5 D134
D114 A/S 386 429 B/D 460
D134 A/S 1134 1999 2106 2544 2567 B/D 429
DIV D116 K5 D136
D116 A/S 393 436 B/D 465
D136 A/S 544 550 2004 2119 B/D 436
DIV D118 K5 D138
D118 A/S 400 443 B/D 470
D138 A/S 779 923 990 2009 2132 B/D 443
MOV K0 D110
D110 A/S 372 415 B/D 450
MOV K0 D112
D112 A/S 379 422 B/D 455



[MOV K0 D114
[MOV K0 D116
[MOV K0 D118
[MOV K0 D70
480 T1 [< D120 K200] [MOV K700 D150
[> D120 K360] [MOV K400 D150
[> D120 K200][< D120 K360] (M100)
515 M100 [SUB D120 K200 D142
[MUL D142 D142 D144
[MUL D144 K3 D146
[DIV D146 K2560 D150
544 [< D150 D136] (M200)
550 [> D150 D136] (M205)
556 M200 (Y020)
558 M205 (Y021)
560 T1 K3000 (T5)
K3030 (T6)
567 T6 [MOV D120 D140
D114 A/S 386 429 B/D 460
D116 A/S 393 436 B/D 465
D118 A/S 400 443 B/D 470
D70 A/S 410 B/D 407 475
D150 A/S 544 550 B/D 487 498 537
D150 A/S 544 550 B/D 487 498 537
M100 A/S 515 A/S
D120 A/S 482 493 504 509 516 B/D 306
D120 A/S 568 574 582 726 1209 B/D
D120 A/S 1960 2015 B/D
D142 A/S 523 B/D 516
D142 A/S 523 B/D 516
D142 A/S 523 B/D 516
D144 A/S 530 B/D 523
D144 A/S 530 B/D 523
D146 A/S 537 B/D 530
D146 A/S 537 B/D 530
D150 A/S 544 550 B/D 487 498 537
M200 A/S 556 A/S
M205 A/S 558 A/S
T5 A/S 573 B/D 579
T6 B/D 567 B/D
D120 A/S 482 493 504 509 516 B/D 306
D120 A/S 568 574 582 726 1209 B/D
D120 A/S 1960 2015 B/D
D140 A/S 582 B/D 568 574



573
T5
MOV D120 D140
RST T5
581
T1
DEDIV D120 D140 D148
DECMP D148 E1 M210
608
M210
M215
610
M212
M220
M211
613
M215
>= D132 K55
MOV K2 D152
>= D132 K80
MOV K1 D152
>= D132 K95
MOV K0 D152
< D132 K55
MOV K3 D152
D120 A/S 482 493 504 509 516 B/D 306
D120 A/S 568 574 582 726 1209 B/D
D120 A/S 1960 2015 B/D
D140 A/S 582 B/D 568 574
T5 A/S 573 B/D 579
D120 A/S 482 493 504 509 516 B/D 306
D120 A/S 568 574 582 726 1209 B/D
D120 A/S 1960 2015 B/D
D140 A/S 582 B/D 568 574
D148 A/S 595 B/D 582
D148 A/S 595 B/D 582
M210 A/S 608 B/D 595
M215 A/S 613 A/S
M220 A/S 658 A/S
D152 B/D 620 631 642 653 665 B/D 676 687 698 705 712
D152 B/D 719 B/D
D152 B/D 620 631 642 653 665 B/D 676 687 698 705 712
D152 B/D 719 B/D
D152 B/D 620 631 642 653 665 B/D 676 687 698 705 712
D152 B/D 719 B/D
D152 B/D 620 631 642 653 665 B/D 676 687 698 705 712
D152 B/D 719 B/D



658
M220
<= D132 K85
MOV K1 D152
<= D132 K70
MOV K2 D152
<= D132 K45
MOV K3 D152
> D132 K95
MOV K0 D152
703
M63
>= D152 K1
Y010
>= D152 K2
Y011
>= D152 K3
Y012
725
T1
DEMUL D120 K1 D160
DEMUL D122 K1 D162
DEMUL D124 K1 D164
DEMUL D126 K1 D166
D152 B/D 620 631 642 653 665
B/D 676 687 698 705 712
D152 B/D 719
B/D
D120 A/S 482 493 504 509 516
B/D 306
D120 A/S 568 574 582 726 1209
B/D
D120 A/S 1960 2015
B/D
D160 A/S 792 818
B/D 726
D122 A/S 739 852 1069 1965 2028
B/D 313
D162 A/S 847
B/D 739
D124 A/S 752 866 1095 1970 2041
B/D 320
D164 A/S 861
B/D 752
D126 A/S 765 880 1121 1975 2054
B/D 327
D166 A/S 875
B/D 765



778
T1
DEMUL E239.53 D138 D170
DEMUL D160 D128 D172
DEADD D170 D172 D174
DEADD E239.53 D160 D176
DEDIV D174 D176 D178
844
M12 M13 M14
MOV D162 D68
MOV D122 D180
M270
858
M12 M13 M14
MOV D164 D168
MOV D124 D180
M271
D138 A/S 779 923 990 2009 2132 B/D 443
D170 A/S 805 B/D 779
D160 A/S 792 818 B/D 726
D128 A/S 792 1188 1817 1984 2067 B/D 334
D172 A/S 805 B/D 792
D170 A/S 805 B/D 779
D172 A/S 805 B/D 792
D174 A/S 831 B/D 805
D160 A/S 792 818 B/D 726
D176 A/S 831 B/D 818
D174 A/S 831 B/D 805
D176 A/S 831 B/D 818
D178 B/D 831 B/D
D162 A/S 847 B/D 739
D68 B/D 847 B/D
D122 A/S 739 852 1069 1965 2028 B/D 313
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
M270 A/S 1250 2534 A/S
D164 A/S 861 B/D 752
D168 A/S 936 1003 B/D 861 875
D124 A/S 752 866 1095 1970 2041 B/D 320
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
M271 A/S 1251 2557 A/S



872
M12
M13
M14
MOV D166 D168
MOV D126 D180
M272
886
M12
M13
M14
M300
890
T1
< K30 D180
DECMP D180 E25 M225
909
M225
DESUB E135 D180 D182
DESUB D138 D180 D184
DEMUL D168 D182 D186
DEDIV D186 D184 D188
DEMUL D188 D190 D192
D166 A/S 875 B/D 765
D168 A/S 936 1003 B/D 861 875
D126 A/S 765 880 1121 1975 2054 B/D 327
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
M272 A/S 1252 2580 A/S
M300 A/S 1355 1403 1517 1565 B/D 1391 1439 1465 1491 1553
M300 A/S B/D 1601 1627 1653
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
M225 A/S 909 B/D 896
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
D182 A/S 936 1003 B/D 910 977
D138 A/S 779 923 990 2009 2132 B/D 443
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
D184 A/S 949 1016 B/D 923 990
D168 A/S 936 1003 B/D 861 875
D182 A/S 936 1003 B/D 910 977
D186 A/S 949 1016 B/D 936 1003
D186 A/S 949 1016 B/D 936 1003
D184 A/S 949 1016 B/D 923 990
D188 A/S 962 1029 B/D 949 1016
D188 A/S 962 1029 B/D 949 1016
D190 A/S 962 1029 A/S
D192 A/S 1062 B/D 962 1029 1057



975
M226
DESUB E30 D180 D182
M227
DESUB D138 D180 D184
DEMUL D168 D182 D186
DEDIV D186 D184 D188
DEMUL D188 D190 D192
1042
T1
DECMP D180 E30 M228
1056
M230
MOV K0 D192
1062
> K0 D192
M20
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
D182 A/S 936 1003 B/D 910 977
D138 A/S 779 923 990 2009 2132 B/D 443
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
D184 A/S 949 1016 B/D 923 990
D168 A/S 936 1003 B/D 861 875
D182 A/S 936 1003 B/D 910 977
D186 A/S 949 1016 B/D 936 1003
D186 A/S 949 1016 B/D 936 1003
D184 A/S 949 1016 B/D 923 990
D188 A/S 962 1029 B/D 949 1016
D188 A/S 962 1029 B/D 949 1016
D190 A/S 962 1029 A/S
D192 A/S 1062 B/D 962 1029 1057
D180 A/S 891 896 910 923 977 B/D 852 866 880
D180 A/S 990 1043 B/D
M228 B/D 1043 B/D
D192 A/S 1062 B/D 962 1029 1057
M20 A/S 1204 A/S



1068
T1
DEMUL D122 E0.6 D200
D122 A/S 739 852 1069 1965 2028 B/D 313
D200 A/S 1147 B/D 1069
DEMUL D130 E0.4 D202
D130 A/S 1082 1989 2080 2558 2581 B/D 415
D202 A/S 1147 B/D 1082
DEMUL D124 E0.6 D204
D124 A/S 752 866 1095 1970 2041 B/D 320
D204 A/S 1160 B/D 1095
DEMUL D132 E0.4 D206
D132 A/S 648 693 1108 1994 2093 B/D 422 615 626 637 660
D132 A/S 2535 2590 B/D 671 682
D206 A/S 1160 B/D 1108
DEMUL D126 E0.6 D208
D126 A/S 765 880 1121 1975 2054 B/D 327
D208 A/S 1173 B/D 1121
DEMUL D134 E0.4 D210
D134 A/S 1134 1999 2106 2544 2567 B/D 429
D210 A/S 1173 B/D 1134
DEADD D200 D202 D212
D200 A/S 1147 B/D 1069
D202 A/S 1147 B/D 1082
D212 A/S 1255 1303 1357 1427 1468 B/D 1147
D212 A/S 1479 1494 1505 1589 1630 B/D
D212 A/S 1641 1656 1667 B/D
DEADD D204 D206 D214
D204 A/S 1160 B/D 1095
D206 A/S 1160 B/D 1108
D214 A/S 1265 1274 1313 1322 1368 B/D 1160
D214 A/S 1416 1442 1453 1494 1505 B/D
D214 A/S 1530 1578 1604 1615 1656 B/D
D214 A/S 1667 B/D
DEADD D208 D210 D216
D208 A/S 1173 B/D 1121
D210 A/S 1173 B/D 1134
D216 A/S 1284 1293 1332 1341 1379 B/D 1173
D216 A/S 1405 1442 1453 1468 1479 B/D
D216 A/S 1519 1541 1567 1604 1615 B/D
D216 A/S 1630 1641 B/D



1186
T1
D< D128 K40
M250
M20 M15
> D16 K0
M251
D< D120 K90
M252
1219
M250 M251 M252
Y004
M280
1224
Y003
M285
1237
Y002
M290
1250
M270
M271
M272
M273
M250
A/S 1219 1224 1227 1237 1351
B/D 1231 1240 1244 1516 1552
M250
A/S 1354 1390 1402 1438 1464
B/D 1564 1600 1626 1652 1678
M250
A/S 1490
B/D
M251
A/S 1220 1225 1232 1241
B/D 1228 1238 1245
M252
A/S 1221 1229 1233 1246 2555
B/D 1226 1239 1242
M252
A/S 2578 2601
B/D
M280
A/S 1401 1437 1463 1489 1677
A/S
M285
A/S 1353 1389 1563 1599 1625
A/S 1651
M290
A/S 1350 1515 1551
A/S



1254
T1
[DEMOVD212 D218]
D212 A/S 1255 1303 1357 1427 1468 B/D 1147
D212 A/S 1479 1494 1505 1589 1630 B/D
D212 A/S 1641 1656 1667 B/D
D218 A/S 1265 1284 1357 1368 1379 B/D 1255 1274 1293
D218 A/S 1541 B/D
[D> D214 D218]
[DEMOVD214 D218]
D214 A/S 1265 1274 1313 1322 1368 B/D 1160
D214 A/S 1416 1442 1453 1494 1505 B/D
D214 A/S 1530 1578 1604 1615 1656 B/D
D214 A/S 1667 B/D
D218 A/S 1265 1284 1357 1368 1379 B/D 1255 1274 1293
D218 A/S 1541 B/D
[D> D216 D218]
[DEMOVD216 D218]
D216 A/S 1284 1293 1332 1341 1379 B/D 1173
D216 A/S 1405 1442 1453 1468 1479 B/D
D216 A/S 1519 1541 1567 1604 1615 B/D
D216 A/S 1630 1641 B/D
D218 A/S 1265 1284 1357 1368 1379 B/D 1255 1274 1293
D218 A/S 1541 B/D
[DEMOVD212 D220]
D212 A/S 1255 1303 1357 1427 1468 B/D 1147
D212 A/S 1479 1494 1505 1589 1630 B/D
D212 A/S 1641 1656 1667 B/D
D220 A/S 1313 1332 1405 1416 1427 B/D 1303 1322 1341
D220 A/S 1519 1530 1567 1578 1589 B/D
[D< D214 D220]
[DEMOVD214 D220]
D214 A/S 1265 1274 1313 1322 1368 B/D 1160
D214 A/S 1416 1442 1453 1494 1505 B/D
D214 A/S 1530 1578 1604 1615 1656 B/D
D214 A/S 1667 B/D
D220 A/S 1313 1332 1405 1416 1427 B/D 1303 1322 1341
D220 A/S 1519 1530 1567 1578 1589 B/D
[D< D216 D220]
[DEMOVD216 D220]
D216 A/S 1284 1293 1332 1341 1379 B/D 1173
D216 A/S 1405 1442 1453 1468 1479 B/D



D216 A/S 1519 1541 1567 1604 1615 B/D
D216 A/S 1630 1641 B/D
D220 A/S 1313 1332 1405 1416 1427 B/D 1303 1322 1341
D220 A/S 1519 1530 1567 1578 1589 B/D
1350 M290 M250 M101
M101 A/S 1689 1698 1707 A/S
1353 M285 M250 M300 D= D212 D218 M105
M105 A/S 1701 1710 A/S
D= D214 D218 M106
M106 A/S 1692 1711 A/S
D= D216 D218 M107
M107 A/S 1693 1702 A/S
1389 M285 M250 M300 M12 M105
M105 A/S 1701 1710 A/S
M13 M106
M106 A/S 1692 1711 A/S
M14 M107
M107 A/S 1693 1702 A/S
1401 M280 M250 M300 D= D216 D220 M112
M112 A/S 1713 A/S
D= D214 D220 M113
M113 A/S 1704 A/S
D= D212 D220 M114
M114 A/S 1695 A/S
1437 M280 M250 M300 M12 D> D214 D216 M112
M112 A/S 1713 A/S
D> D216 D214 M113
M113 A/S 1704 A/S
1463 M280 M250 M300 M13 D> D212 D216 M112
M112 A/S 1713 A/S
D> D216 D212 M114
M114 A/S 1695 A/S
1489 M280 M250 M300 M14 D> D212 D214 M113
M113 A/S 1704 A/S
D> D214 D212 M114
M114 A/S 1695 A/S
1515 M290 M250 M300 D= D216 D220 M102
M102 A/S 1680 1699 1708 A/S
D= D214 D220 M103
M103 A/S 1681 1690 1709 A/S
D= D216 D218 M104
M104 A/S 1682 1691 1700 A/S
1551 M290 M250 M300 M12 M102
M102 A/S 1680 1699 1708 A/S
M13 M103
M103 A/S 1681 1690 1709 A/S
M14 M104
M104 A/S 1682 1691 1700 A/S



1563
M285 M250 M300
D= D216 D220
D= D214 D220
D= D212 D220
M108
M109
M110
1599
M285 M250 M300 M12
D> D214 D216
D> D216 D214
1625
M285 M250 M300 M13
D> D212 D216
D> D216 D212
1651
M285 M250 M300 M14
D> D212 D214
D> D214 D212
1677
M280 M250
M111
1680
M102 M63
Y011
M103
M104
M108
M109
M110
M111
1689
M101 M63
Y012
M103
M104
M106
M107
M110
M114
M108 A/S 1683 1712 A/S
M109 A/S 1684 1703 A/S
M110 A/S 1685 1694 A/S
M108 A/S 1683 1712 A/S
M109 A/S 1684 1703 A/S
M108 A/S 1683 1712 A/S
M110 A/S 1685 1694 A/S
M109 A/S 1684 1703 A/S
M110 A/S 1685 1694 A/S
M111 A/S 1686 A/S



1698 M101 M63 Y013
M102
M104
M105
M107
M109
M113
1707 M101 M63 Y014
M102
M103
M105
M106
M108
M112
1716 D0.0 SFWR K1 D300 K3
1726 D1.0 SFWR K2 D300 K3
1736 D2.0 SFWR K3 D300 K3
1746 M323 > D300 K0 SFRD D300 D305 K3
PLS M324
1761 = D305 K1 DFLT D1 D320
1775 = D305 K2 DFLT D3 D320
1789 = D305 K3 DFLT D5 D320
D300 A/S 1747 1752 B/D 1719 1729 1739
D305 A/S 1761 1775 1789 1902 1907 B/D 1752 1949
D305 A/S 1916 1924 1932 2461 2474 B/D
D305 A/S 2487 B/D
M324 A/S 1803 B/D 1759
D1 A/S 64 1726 1766 2466 A/S
D320 A/S 1804 B/D 1766 1780 1794
D3 A/S 120 1780 2479 A/S
D320 A/S 1804 B/D 1766 1780 1794
D5 A/S 176 1794 2492 A/S
D320 A/S 1804 B/D 1766 1780 1794



1803
M324
[DEDIV D320 D38 D322]
[DESUB D310 D128 D324]
[DEMUL D312 D324 D324]
[DEXP D324 D326]
[DEMUL D314 D322 D328]
[DEMUL D328 D326 D328]
[DEMUL D328 E10 D328]
[DINT D328 D330]
[SET M323]
D320 A/S 1804 B/D 1766 1780 1794
D38 A/S 1804 A/S
D322 A/S 1852 B/D 1804
D310 A/S 1817 A/S
D128 A/S 792 1188 1817 1984 2067 B/D 334
D324 A/S 1830 1843 B/D 1817
D312 A/S 1830 A/S
D324 A/S 1830 1843 B/D 1817
D324 A/S 1830 1843 B/D 1817
D324 A/S 1830 1843 B/D 1817
D326 A/S 1865 B/D 1843
D314 A/S 1852 A/S
D322 A/S 1852 B/D 1804
D328 A/S 1865 1878 1891 B/D 1852
D328 A/S 1865 1878 1891 B/D 1852
D326 A/S 1865 B/D 1843
D328 A/S 1865 1878 1891 B/D 1852
D328 A/S 1865 1878 1891 B/D 1852
D328 A/S 1865 1878 1891 B/D 1852
D328 A/S 1865 1878 1891 B/D 1852
D330 B/D 1891 1944 B/D
M323 A/S 1900 1901 1915 1923 1931 B/D 1746 1948
M323 A/S 1939 B/D
1901
M323 [= D305 K2] M63 (Y021)
[= D305 K3]
1915
M323 [= D305 K1] M63 (Y022)
1923
M323 [= D305 K3] M63 (Y023)
1931
M323 [= D305 K2] M63 (Y024)



1939
M323
M63
Y005
D330
T100
T100
A/S 1947 2458
A/S
1947
T100
RST M323
M323
A/S 1900 1901 1915 1923 1931
B/D 1746 1948
M323
A/S 1939
B/D
MOV K0 D305
D305
A/S 1761 1775 1789 1902 1907
B/D 1752 1949
D305
A/S 1916 1924 1932 2461 2474
B/D
D305
A/S 2487
B/D
1954
T1
K50
T110
T110
A/S 1958 1982
B/D 1980
1958
T110
MOV D120 D400
D120
A/S 482 493 504 509 516
B/D 306
D120
A/S 568 574 582 726 1209
B/D
D120
A/S 1960 2015
B/D
D400
A/S 2015
B/D 1960
T1
MOV D122 D402
D122
A/S 739 852 1069 1965 2028
B/D 313
D402
A/S 2028
B/D 1965
MOV D124 D404
D124
A/S 752 866 1095 1970 2041
B/D 320
D404
A/S 2041
B/D 1970
MOV D126 D406
D126
A/S 765 880 1121 1975 2054
B/D 327
D406
A/S 2054
B/D 1975
RST T110
T110
A/S 1958 1982
B/D 1980



1982
T110
T1
MOV D128 D408
MOV D130 D410
MOV D132 D412
MOV D134 D414
MOV D136 D416
MOV D138 D418
D128
A/S 792 1188 1817 1984 2067
B/D 334
D408
A/S 2067
B/D 1984
D130
A/S 1082 1989 2080 2558 2581
B/D 415
D410
A/S 2080
B/D 1989
D132
A/S 648 693 1108 1994 2093
B/D 422 615 626 637 660
D132
A/S 2535 2590
B/D 671 682
D412
A/S 2093
B/D 1994
D134
A/S 1134 1999 2106 2544 2567
B/D 429
D414
A/S 2106
B/D 1999
D136
A/S 544 550 2004 2119
B/D 436
D416
A/S 2119
B/D 2004
D138
A/S 779 923 990 2009 2132
B/D 443
D418
A/S 2132
B/D 2009


2014
T1
[DEDIV D400 D120 D420
D400 A/S 2015 B/D 1960
D120 A/S 482 493 504 509 516 B/D 306
D120 A/S 568 574 582 726 1209 B/D
D120 A/S 1960 2015 B/D
D420 A/S 2147 2257 B/D 2015
[DEDIV D402 D122 D422
D402 A/S 2028 B/D 1965
D122 A/S 739 852 1069 1965 2028 B/D 313
D422 A/S 2158 2270 B/D 2028
[DEDIV D404 D124 D424
D404 A/S 2041 B/D 1970
D124 A/S 752 866 1095 1970 2041 B/D 320
D424 A/S 2169 2283 B/D 2041
[DEDIV D406 D126 D426
D406 A/S 2054 B/D 1975
D126 A/S 765 880 1121 1975 2054 B/D 327
D426 A/S 2180 2296 B/D 2054
[DEDIV D408 D128 D428
D408 A/S 2067 B/D 1984
D128 A/S 792 1188 1817 1984 2067 B/D 334
D428 A/S 2191 2309 B/D 2067
[DEDIV D410 D130 D430
D410 A/S 2080 B/D 1989
D130 A/S 1082 1989 2080 2558 2581 B/D 415
D430 A/S 2202 2322 B/D 2080
[DEDIV D412 D132 D432
D412 A/S 2093 B/D 1994
D132 A/S 648 693 1108 1994 2093 B/D 422 615 626 637 660
D132 A/S 2535 2590 B/D 671 682
D432 A/S 2213 2335 B/D 2093
[DEDIV D414 D134 D434
D414 A/S 2106 B/D 1999
D134 A/S 1134 1999 2106 2544 2567 B/D 429
D434 A/S 2224 2348 B/D 2106
[DEDIV D416 D136 D436
D416 A/S 2119 B/D 2004
D136 A/S 544 550 2004 2119 B/D 436
D436 A/S 2235 2361 B/D 2119


[DEDIV D418 D138 D438]
D418
A/S 2132
B/D 2009
D138
A/S 779 923 990 2009 2132
B/D 443
D438
A/S 2246 2374
B/D 2132
2145
T1
[D> D420 K2] (M83)
M83
A/S 241
A/S
[D> D422 K2] (M84)
M84
A/S 242
A/S
[D> D424 K2] (M85)
M85
A/S 243
A/S
[D> D426 K2] (M86)
M86
A/S 244
A/S
[D> D428 K2] (M87)
M87
A/S 245
A/S
[D> D430 K2] (M88)
M88
A/S 246
A/S
[D> D432 K2] (M89)
M89
A/S 247
A/S
[D> D434 K2] (M90)
M90
A/S 248
A/S
[D> D436 K2] (M91)
M91
A/S 249
A/S
[D> D438 K2] (M92)
M92
A/S 250
A/S


2256
T1
DEMUL D420 K2 D440
DEMUL D422 K2 D442
DEMUL D424 K2 D444
DEMUL D426 K2 D446
DEMUL D428 K2 D448
DEMUL D430 K2 D450
DEMUL D432 K2 D452
DEMUL D434 K2 D454
DEMUL D436 K2 D456
DEMUL D438 K2 D458
D420 A/S 2147 2257 B/D 2015
D440 A/S 2389 B/D 2257
D422 A/S 2158 2270 B/D 2028
D442 A/S 2396 B/D 2270
D424 A/S 2169 2283 B/D 2041
D444 A/S 2403 B/D 2283
D426 A/S 2180 2296 B/D 2054
D446 A/S 2410 B/D 2296
D428 A/S 2191 2309 B/D 2067
D448 A/S 2417 B/D 2309
D430 A/S 2202 2322 B/D 2080
D450 A/S 2424 B/D 2322
D432 A/S 2213 2335 B/D 2093
D452 A/S 2431 B/D 2335
D434 A/S 2224 2348 B/D 2106
D454 A/S 2438 B/D 2348
D436 A/S 2235 2361 B/D 2119
D456 A/S 2445 B/D 2361
D438 A/S 2246 2374 B/D 2132
D458 A/S 2452 B/D 2374


2387 T1 < D440 K1 M83
< D442 K1 M84
< D444 K1 M85
< D446 K1 M86
< D448 K1 M87
< D450 K1 M88
< D452 K1 M89
< D454 K1 M90
< D456 K1 M91
< D458 K1 M92
2458 T100 = D305 K1 ADD D460 D1 D460
= D305 K2 ADD D461 D3 D461
= D305 K3 ADD D462 D5 D462
2499 M8014 INC D470
2504 >= D470 K1440 PLS M470
2511 M470 MOV K0 D460
MOV K0 D461
MOV K0 D462
MOV K0 D470
2532 M63 Y006
2534 M270 D> D132 K30 M63 M252 Y007
D> D134 K30
M83 A/S 241
M84 A/S 242
M85 A/S 243
M86 A/S 244
M87 A/S 245
M88 A/S 246
M89 A/S 247
M90 A/S 248
M91 A/S 249
M92 A/S 250
D460 A/S 2466 B/D 2512
D1 A/S 64 1726 1766 2466
D460 A/S 2466 B/D 2512
D461 A/S 2479 B/D 2517
D3 A/S 120 1780 2479
D461 A/S 2479 B/D 2517
D462 A/S 2492 B/D 2522
D5 A/S 176 1794 2492
D462 A/S 2492 B/D 2522
D470 B/D 2501 2504 2527
M470 A/S 2511 B/D 2509
D460 A/S 2466 B/D 2512
D461 A/S 2479 B/D 2517
D462 A/S 2492 B/D 2522
D470 B/D 2501 2504 2527


2557
M271
D>
D130
K30
D>
D134
K30
M63
M252
Y007
2580
M272
D>
D130
K30
D>
D132
K30
M63
M252
Y007
2603
M62
M61
M600
Y007
2607
M62
M61
M650
Y005
2611
END

Position	Device	Setting Value
(19)	T0	K1
(22)	T1	K5
(26)	T2	K60
(36)	T10	K1
(51)	T20	K2
(60)	T30	K1
(75)	T40	K2
(88)	T50	K1
(103)	T60	K2
(116)	T11	K1
(131)	T21	K2
(144)	T31	K1
(159)	T41	K2
(172)	T51	K1
(187)	T61	K2
(561)	T5	K3000
(564)	T6	K3030
(1944)	T100	D330
(1955)	T110	K50

Data Name : Device List

Find In:Main
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use (times): the number of coil uses

Device	Contact	Coil	Parameter	Comment
M0	*	*(4)		
M1	*	*(3)		
M2	*	*(3)		
M3	*	*(3)		
M4	*	*(3)		
M5	*	*(2)		
M20	*	*(1)		
M60	*	*(1)		
M61	*	*(1)		
M62	*	*(1)		
M63	*	*(1)		
M83	*	*(2)		
M84	*	*(2)		
M85	*	*(2)		
M86	*	*(2)		
M87	*	*(2)		
M88	*	*(2)		
M89	*	*(2)		
M90	*	*(2)		
M91	*	*(2)		
M92	*	*(2)		
M100	*	*(1)		
M101	*	*(1)		
M102	*	*(2)		
M103	*	*(2)		
M104	*	*(2)		
M105	*	*(2)		
M106	*	*(2)		
M107	*	*(2)		
M108	*	*(3)		
M109	*	*(3)		
M110	*	*(3)		
M111	*	*(1)		
M112	*	*(3)		
M113	*	*(3)		
M114	*	*(3)		
M200	*	*(1)		
M205	*	*(1)		
M210	*	*(1)		
M211	*	*(1)		
M212	*	*(1)		
M215	*	*(1)		
M220	*	*(1)		
M225	*	*(1)		
M226	*	*(1)		

Find In:Main
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use (times): the number of coil uses

Device	Contact	Coil	Parameter	Comment
M227	*	*(1)		
M230	*	*(1)		
M250	*	*(1)		
M251	*	*(1)		
M252	*	*(1)		
M270	*	*(1)		
M271	*	*(1)		
M272	*	*(1)		
M280	*	*(1)		
M285	*	*(1)		
M290	*	*(1)		
M300	*	*(1)		
M323	*	*(2)		
M324	*	*(1)		
M470	*	*(1)		
D60	*	*(2)		
D70	*	*(2)		
D100	*	*(2)		
D102	*	*(2)		
D104	*	*(2)		
D106	*	*(2)		
D108	*	*(2)		
D110	*	*(2)		
D112	*	*(2)		
D114	*	*(2)		
D116	*	*(2)		
D118	*	*(2)		
D120	*	*(1)		
D121	*	*(1)		
D122	*	*(1)		
D123	*	*(1)		
D124	*	*(1)		
D125	*	*(1)		
D126	*	*(1)		
D127	*	*(1)		
D128	*	*(1)		
D129	*	*(1)		
D130	*	*(1)		
D131	*	*(1)		
D132	*	*(1)		
D133	*	*(1)		
D134	*	*(1)		
D135	*	*(1)		
D136	*	*(1)		
D137	*	*(1)		

Find In:Main
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use (times): the number of coil uses

Device	Contact	Coil	Parameter	Comment
D138	*	*(1)		
D139	*	*(1)		
D140	*	*(2)		
D142	*	*(1)		
D144	*	*(1)		
D146	*	*(1)		
D148	*	*(1)		
D149	*	*(1)		
D150	*	*(3)		
D152	*	*(8)		
D160	*	*(1)		
D161	*	*(1)		
D162	*	*(1)		
D164	*	*(1)		
D166	*	*(1)		
D168	*	*(2)		
D170	*	*(1)		
D171	*	*(1)		
D172	*	*(1)		
D173	*	*(1)		
D174	*	*(1)		
D175	*	*(1)		
D176	*	*(1)		
D177	*	*(1)		
D180	*	*(3)		
D182	*	*(2)		
D183	*	*(2)		
D184	*	*(2)		
D185	*	*(2)		
D186	*	*(2)		
D187	*	*(2)		
D188	*	*(2)		
D189	*	*(2)		
D192	*	*(3)		
D200	*	*(1)		
D201	*	*(1)		
D202	*	*(1)		
D203	*	*(1)		
D204	*	*(1)		
D205	*	*(1)		
D206	*	*(1)		
D207	*	*(1)		
D208	*	*(1)		
D209	*	*(1)		
D210	*	*(1)		

Find In:Main
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use (times): the number of coil uses

Device	Contact	Coil	Parameter	Comment
D211	*	*(1)		
D212	*	*(1)		
D213	*	*(1)		
D214	*	*(1)		
D215	*	*(1)		
D216	*	*(1)		
D217	*	*(1)		
D218	*	*(3)		
D219	*	*(3)		
D220	*	*(3)		
D221	*	*(3)		
D300	*	*(3)		
D301	*	*(3)		
D302	*	*(3)		
D305	*	*(2)		
D320	*	*(3)		
D321	*	*(3)		
D322	*	*(1)		
D323	*	*(1)		
D324	*	*(2)		
D325	*	*(2)		
D326	*	*(1)		
D327	*	*(1)		
D328	*	*(3)		
D329	*	*(3)		
D330	*	*(1)		
D400	*	*(1)		
D402	*	*(1)		
D404	*	*(1)		
D406	*	*(1)		
D408	*	*(1)		
D410	*	*(1)		
D412	*	*(1)		
D414	*	*(1)		
D416	*	*(1)		
D418	*	*(1)		
D420	*	*(1)		
D421	*	*(1)		
D422	*	*(1)		
D423	*	*(1)		
D424	*	*(1)		
D425	*	*(1)		
D426	*	*(1)		
D427	*	*(1)		
D428	*	*(1)		

Find In:Main
Find What:Used Device (Contact & Coil)
Print Range:Whole Range

*:in use (times): the number of coil uses

Device	Contact	Coil	Parameter	Comment
D429	*	*(1)		
D430	*	*(1)		
D431	*	*(1)		
D432	*	*(1)		
D433	*	*(1)		
D434	*	*(1)		
D435	*	*(1)		
D436	*	*(1)		
D437	*	*(1)		
D438	*	*(1)		
D439	*	*(1)		
D440	*	*(1)		
D442	*	*(1)		
D444	*	*(1)		
D446	*	*(1)		
D448	*	*(1)		
D450	*	*(1)		
D452	*	*(1)		
D454	*	*(1)		
D456	*	*(1)		
D458	*	*(1)		
D460	*	*(2)		
D461	*	*(2)		
D462	*	*(2)		
D470	*	*(2)		
T0	*	*(1)		
T1	*	*(1)		
T2	*	*(2)		
T5	*	*(2)		
T6	*	*(1)		
T10	*	*(1)		
T11	*	*(1)		
T20	*	*(1)		
T21	*	*(1)		
T30	*	*(1)		
T31	*	*(1)		
T40	*	*(1)		
T41	*	*(1)		
T50	*	*(1)		
T51	*	*(1)		
T60	*	*(1)		
T61	*	*(1)		
T100	*	*(1)		
T110	*	*(2)		

[Line Statement List]

Step	Line Statement
0	System Install
18	Timer For System
32	MODBUS Logic
235	Automation
238	Physical E-Switch
241	Virtual E-Switches
257	System OK
262	Sensor Average 1
371	Sensor Average 2
480	Water Temperature Target Core Logic
544	Solar Gating
560	Heater Latching
725	Height to Mass Conversion
778	Dynamic Upper Thermal Boundary (T5)
844	PO Designation
890	PO Melting Timer
1068	PO Scores
1186	Priority Scheduler
1219	Mode Scheduler
1250	PO Designated?
1254	PO Score Comparision
1350	Need Array Core
1716	Oil Distribution
1954	Sensor Change Rate Calculations
2145	Fault Analysis (High)
2256	Fault Analysis (Calculations for Low)
2387	Fault Analysis (Low)
2458	Oil Distribution Chart
2532	Jacket Pump
2534	AODD Pump
2607	Manual Oil Pump

Data Name : Project Contents List

Workspace Name :
Project Name : Main
Title :

Data Name	Last Change	Title
Parameter	7/30/2026 1:11:57 PM	
PLC Parameter	7/30/2026 1:11:57 PM	
Network Parameter	7/30/2026 1:11:57 PM	
CC-Link	7/30/2026 1:11:57 PM	
Global Device Comment	7/30/2026 1:11:58 PM	
Program Setting		
Execution Program		
MAIN	7/30/2026 1:11:58 PM	
MAIN	8/4/2026 11:05:35 AM	
POU		
Program	7/30/2026 1:11:58 PM	
MAIN	8/4/2026 11:05:35 AM	
Local Device Comment		
Device Memory	7/30/2026 1:11:58 PM	
MAIN	7/30/2026 1:11:58 PM	