

Nebico Oil Melting/Retention
PLC Program 2.2

Version 2.2

The Coorelation between HMI-PLC is Fixed.
The sensors are included.
Revision is expected to clear minor redundancy & Bugs
Rev.1: Fixed Solar gate condition
Rev.2: Fixed the PO Timer

Prepared By: Sambridda Ranabhat

9th August 2026
Sunday

PLC Parameter
Data Name : Memory Capacity
Memory Capacity

8/9/2026

[Memory Capacity]
16000

[Program Capacity]
16000 Steps

[Comments Capacity]
0 Block 0 Points

[File Register Capacity]
0 Block 0 Points

[Special Function Block Setting]
0 Block

[Positioning]
0 Block

[Built-in CC-Link/LT Setting]
0 Block

PLC Parameter
Data Name : PLC System
PLC System

8/9/2026


[Battery Less Mode]
OFF

[MODEM Initialized]
None


[RUN Terminal Input]
None

[Device]


	Sym.	Dig.	Points	Start	End	Latch Start	End	Latch Setting Range
Supplemental Relay	M	10	7680	0	7679	500	1023	0 - 1023
State	S	10	4096	0	4095	500	999	0 - 999
Timer	T	10	512	0	511			
Counter(16bit)	C	10	200	0	199	100	199	0 - 199
Counter(32bit)	C	10	56	200	255	220	255	200 - 255
Data Register	D	10	8000	0	7999	200	511	0 - 511
Extended Register	R	10	32768	0	32767			





56	M8000	[DEMUL D226	E0.1	D242	] D226	A/S	57				
						B/D	16				
						D242					
						A/S	135				
						B/D	57				
		[DEMUL D228	E0.1	D244	] D228	A/S	70				
						B/D	21				
						D244					
						A/S	148				
						B/D	70				
		[DEMUL D234	E0.1	D246	] D234	A/S	83				
						B/D	36				
						D246					
						A/S	161				
						B/D	83				
		[DEMUL D236	E0.1	D248	] D236	A/S	96				
						B/D	41				
						D248					
						A/S	174				
						B/D	96				
		[DEMUL D238	E0.1	D250	] D238	A/S	109				
						B/D	46				
						D250					
						A/S	187				
						B/D	109				
		[DEMUL D240	E0.1	D252	] D240	A/S	122				
						B/D	51				
						D252					
						A/S	200				
						B/D	122				
		[DESUB D242	E1.1223	D18	] D242	A/S	135				
						B/D	57				
						D18					
						A/S	668				
						B/D	135				
		[DESUB D244	E1.1223	D20	] D244	A/S	148				
						B/D	70				
						D20					
						A/S	681				
						B/D	148				
		[DESUB D246	E1.1223	D22	] D246	A/S	161				
						B/D	83				
						D22					
						A/S	694				
						B/D	161				
		[DESUB D248	E1.1223	D24	] D248	A/S	174				
						B/D	96				
						D24					
						A/S	707				
						B/D	174				
		[DESUB D250	E1.1223	D26	] D250	A/S	187				
						B/D	109				
						D26					
						A/S	720				
						B/D	187				
		[DESUB D252	E1.1223	D28	] D252	A/S	200				
						B/D	122				
						D28					
						A/S	863				
						B/D	200				



243	M8000	[DEMUL D258	E-0.227	D266	] D258 A/S 244				
					B/D 223				
					D266				
					A/S 296				
					B/D 244				
					D260				
		[DEMUL D260	E-0.227	D268	] A/S 257				
					B/D 228				
					D268				
					A/S 309				
					B/D 257				
					D262				
		[DEMUL D262	E-0.227	D270	] A/S 270				
					B/D 233				
					D270				
					A/S 322				
					B/D 270				
					D264				
		[DEMUL D264	E-0.227	D272	] A/S 283				
					B/D 238				
					D272				
					A/S 335				
					B/D 283				
					D266				
		[DEADD D266	E688.884	D274	] A/S 296				
					B/D 244				
					D274				
					A/S 348				
					B/D 296				
					D268				
		[DEADD D268	E688.884	D276	] A/S 309				
					B/D 257				
					D276				
					A/S 361				
					B/D 309				
					D270				
		[DEADD D270	E688.884	D278	] A/S 322				
					B/D 270				
					D278				
					A/S 374				
					B/D 322				
					D272				
		[DEADD D272	E688.884	D280	] A/S 335				
					B/D 283				
					D280				
					A/S 387				
					B/D 335				
					D282				
		[DESUB D282	D274	D30	] A/S 348				
					A/S				
					D274				
					A/S 348				
					B/D 296				
					D30				
					A/S 876				
					B/D 348				
					D284				
		[DESUB D284	D276	D32	] A/S 361	374	387		
					A/S				
					D276				
					A/S 361				
					B/D 309				
					D32				
					A/S 889				
					B/D 361				
					D284				
		[DESUB D284	D278	D34	] A/S 361	374	387		
					A/S				
					D278				
					A/S 374				
					B/D 322				
					D34				
					A/S 902				
					B/D 374				
					D284				
		[DESUB D284	D280	D36	] A/S 361	374	387		
					A/S				
					D280				
					A/S 387				
					B/D 335				
					D36				
					A/S 915				
					B/D 387				














		[DEDIV D108 E5	D128	]	D108				
					A/S	720	795		
					B/D	844			
					D128				
					A/S	1167	1177	1896	2663
					B/D	795			2866
					D128				
					A/S	2973			
					B/D				
					D100				
					A/S	668	743		
					B/D	808			
		[DMOV K0	D100	]	D102				
					A/S	681	756		
					B/D	817			
		[DMOV K0	D102	]	D104				
					A/S	694	769		
					B/D	826			
		[DMOV K0	D104	]	D106				
					A/S	707	782		
					B/D	835			
		[DMOV K0	D106	]	D108				
					A/S	720	795		
					B/D	844			
		[DMOV K0	D108	]	D60				
					A/S	738			
					B/D	733	853		





















1776	T1	[DEMUL D122	E0.6	D200	]	D122					
						A/S 1536	1777	2835	2934		
						B/D 756					
						D200					
						A/S 1855					
						B/D 1777					
		[DEMUL D130	E0.4	D202	]	D130					
						A/S 1449	1790	2875	2986	3464	
						B/D 936					
						D130					
						A/S 3487					
						B/D					
						D202					
						A/S 1855					
						B/D 1790					
		[DEMUL D124	E0.6	D204	]	D124					
						A/S 1558	1803	2844	2947		
						B/D 769					
						D204					
						A/S 1868					
						B/D 1803					
		[DEMUL D132	E0.4	D206	]	D132					
						A/S 1057	1076	1095	1104	1115	
						B/D 949	1253	1268	1283	1314	
						D132					
						A/S 1298	1359	1396	1816	2884	
						B/D 1329	1344				
						D132					
						A/S 2999	3441	3496			
						B/D					
						D206					
						A/S 1868					
						B/D 1816					
		[DEMUL D126	E0.6	D208	]	D126					
						A/S 1580	1829	2853	2960		
						B/D 782					
						D208					
						A/S 1881					
						B/D 1829					
		[DEMUL D134	E0.4	D210	]	D134					
						A/S 1409	1842	2893	3012	3450	
						B/D 962					
						D134					
						A/S 3473					
						B/D					
						D210					
						A/S 1881					
						B/D 1842					
		[DEADD D200	D202	D212	]	D200					
						A/S 1855					
						B/D 1777					
						D202					
						A/S 1855					
						B/D 1790					
						D212					
						A/S 2035	2083	2137	2207	2248	
						B/D 1855					
						D212					
						A/S 2259	2274	2285	2369	2410	
						B/D					
						D212					
						A/S 2421	2436	2447			
						B/D					
		[DEADD D204	D206	D214	]	D204					
						A/S 1868					
						B/D 1803					
						D206					
						A/S 1868					
						B/D 1816					
						D214					
						A/S 2045	2054	2093	2102	2148	
						B/D 1868					
						D214					
						A/S 2196	2222	2233	2274	2285	
						B/D					
						D214					
						A/S 2310	2358	2384	2395	2436	
						B/D					
						D214					
						A/S 2447					
						B/D					
		[DEADD D208	D210	D216	]	D208					
						A/S 1881					
						B/D 1829					
						D210					
						A/S 1881					
						B/D 1842					
						D216					
						A/S 2064	2073	2112	2121	2159	
						B/D 1881					






























2920	T1	[	DEDIV	D400	D120	D420	]	D400					
								A/S 2921					
								B/D 2826					
								D120					
								A/S 1198 1208 1220 1462 1922					
								B/D 743					
								D120					
								A/S 2826 2921 3595					
								B/D					
								D420					
								A/S 3053 3163					
								B/D 2921					
								D402					
								A/S 2934					
								B/D 2835					
								D122					
								A/S 1536 1777 2835 2934					
								B/D 756					
								D422					
								A/S 3064 3176					
								B/D 2934					
								D404					
								A/S 2947					
								B/D 2844					
								D124					
								A/S 1558 1803 2844 2947					
								B/D 769					
								D424					
								A/S 3075 3189					
								B/D 2947					
								D406					
								A/S 2960					
								B/D 2853					
								D126					
								A/S 1580 1829 2853 2960					
								B/D 782					
								D426					
								A/S 3086 3202					
								B/D 2960					
								D408					
								A/S 2973					
								B/D 2866					
								D128					
								A/S 1167 1177 1896 2663 2866					
								B/D 795					
								D128					
								A/S 2973					
								B/D					
								D428					
								A/S 3097 3215					
								B/D 2973					
								D410					
								A/S 2986					
								B/D 2875					
								D130					
								A/S 1449 1790 2875 2986 3464					
								B/D 936					
								D130					
								A/S 3487					
								B/D					
								D430					
								A/S 3108 3228					
								B/D 2986					
								D412					
								A/S 2999					
								B/D 2884					
								D132					
								A/S 1057 1076 1095 1104 1115					
								B/D 949 1253 1268 1283 1314					
								D132					
								A/S 1298 1359 1396 1816 2884					
								B/D 1329 1344					
								D132					
								A/S 2999 3441 3496					
								B/D					
								D432					
								A/S 3119 3241					
								B/D 2999					
								D414					
								A/S 3012					
								B/D 2893					
								D134					
								A/S 1409 1842 2893 3012 3450					
								B/D 962					
								D134					
								A/S 3473					
								B/D					
								D434					
								A/S 3130 3254					
								B/D 3012					














[Line Statement List]

Step	Line Statement
0	RTD From PLC
26	RTD From SLot 1
56	Temperature math
213	AD from Slot 2
243	Ultrasonic Math
400	System Install
423	Timer For System
437	MODBUS Logic
640	Automation
643	Physical E-Switch
646	Virtual E-Switches
662	System OK
667	Sensor Average 1
862	Sensor Average 2
1055	Water Temperature Target Core Logic
1167	Solar Gating
1193	Heater Latching
1395	Height to Mass Conversion
1448	Dynamic Upper Thermal Boundary (T5)
1524	PO Designation
1594	PO Melting Timer
1776	PO Scores
1894	Priority Scheduler
1966	Mode Scheduler
2006	Mode Display in HMI
2030	PO Designated?
2034	PO Score Comparision
2130	Need Array Core
2496	Oil Distribution
2820	Sensor Change Rate Calculations
3051	Fault Analysis (High)
3162	Fault Analysis (Calculations for Low)
3293	Fault Analysis (Low)
3364	Oil Distribution Chart
3438	Jacket Pump
3440	AODD Pump
3513	Manual Oil Pump
3521	HMI Disply for Inputs
3585	HMI Charting
3622	Mode Adjuster for Manual Control

Workspace Name :
Project Name : Main
Title :

Data Name	Last Change	Title
Parameter	7/30/2026 1:11:57 PM	
PLC Parameter	7/30/2026 1:11:57 PM	
Network Parameter	7/30/2026 1:11:57 PM	
CC-Link	7/30/2026 1:11:57 PM	
Global Device Comment	7/30/2026 1:11:58 PM	
Program Setting		
Execution Program		
MAIN	7/30/2026 1:11:58 PM	
MAIN	8/9/2026 2:59:38 PM	
POU		
Program	7/30/2026 1:11:58 PM	
MAIN	8/9/2026 2:59:38 PM	
Local Device Comment		
Device Memory	7/30/2026 1:11:58 PM	
MAIN	7/30/2026 1:11:58 PM	