MLF Label: 4.3.6 Maintenance Process **DCT Type:** EP DCT **Specialty:** Airworthiness **Peer Group:** F - Part 145 Within US **DCT Revision:** 25.0 on 09/25/25 (Released)

Summary Information

Purpose (Certificate Holder Responsibility): To use approved/acceptable data, materials, and tools during the performance of maintenance and alterations.

Objective (FAA Responsibility): Determine; (1) If the CH followed the accepted or approved process; (2) If the CH used approved/accepted data, materials, and tools during the performance of maintenance and alterations.

The Maintenance Process Element includes the following System(s) and Subsystem(s)

Questions	Answers	Comments
4.3.6 Maintenance Process		
1 Best describe how the procedures were followed to comply with the Repair Station manual. **REFERENCES:** 145.207, 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9, 145.209 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 9/28/2021 9:23:19 AM, **QID:** 00015808, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
2 Best describe how the quality control procedures were followed when performing maintenance, preventive maintenance, or alterations, including approval for return to service. **REFERENCES:** 145.211, 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:39 AM, **QID:** 00015809, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
3 Best describe how the 14 CFR Part 43 procedures were followed to perform all maintenance, preventive maintenance, and alterations, including approval for return to service. **REFERENCES:** 145.201(a), 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/27/2015 11:17:41 AM, **QID:** 00015810, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
4 Best describe how the procedures were followed to ensure that all work was performed per approved methods and technical data acceptable to the FAA. **REFERENCES:** 145.109, 145.201(c), 145.205, 8900.1 Vol 6 Ch 9 Sec 10, 8900.1 Vol 6 Ch 9 Sec 15 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:39 AM, **QID:** 00015811, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
5 Best describe how the Repair Station procedures were followed to ensure the: #1 Shift turnover processes were properly accomplished; #2 Personnel were trained, qualified, authorized and available to perform the specific task throughout the maintenance process; and #3 Work was not interrupted due to personnel, facilities or the availability of parts or materials. **REFERENCES:** 145.207, 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9, 145.209 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 9/28/2021 9:23:19 AM, **QID:** 00025297, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
6 Did the Repair Station follow procedures to ensure that their certificate, ratings, and OpSpecs were not exceeded. **REFERENCES:** 145.201, 145.5(a), 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 5 9/28/2020 3:07:52 PM, **QID:** 00015807, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
7 Did the repair station have the equipment, tools, and materials necessary to perform the maintenance, preventive maintenance, or alterations authorized by its repair station certificate and operations specifications? **REFERENCES:** 145.109(a), 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **NOTE:** The equipment, tools, and material must be located on the premises and under the repair station's control when the work is being done. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/27/2015 11:17:38 AM, **QID:** 00024966, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
8 Were required test equipment, inspection equipment, and tools used to make an airworthiness determination calibrated to acceptable standards? **REFERENCES:** 145.109(b), 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:38 AM, **QID:** 00024967, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
9 Did the Repair Station use the equipment, tools, and/or materials on an article that were either recommended by the Manufacturer or at least an equivalent to those recommended by the Manufacturer and acceptable to the FAA? **REFERENCES:** 145.109(c), 145.207, 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9, 145.209 **NOTE:** If the equipment, tools, and/or material that was used on an article was not recommended by the manufacture, they must be at least the equivalent to those recommended by the manufacturer and acceptable to the FAA. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 9/28/2021 9:23:19 AM, **QID:** 00024968, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
10 Did the certificated repair station ensure that subcontracted persons, not certificated under part 145, followed a quality control system equivalent to their system? **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 23, 145.201(a), 8900.1 Vol 6 Ch 9 Sec 11 **NOTE:** The phrase “non-certificated person” means a person or facility outside a repair station, and does not include a non-certificated individual working for the repair station. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OTHER CERTIFICATES OR APPROVALS = "CONTRACTS MAINTENANCE TO NONCERTIFICATED CONTRACTOR") , **Rev.** 3 12/17/2018 2:27:33 PM, **QID:** 00024969, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
11 Verify records show: #1 The materials, test records, and standards used in NDI are identified and controlled; #2 When required, special identification and controls for materials or parts are identified and are in place before the materials/parts are used; #3 When required, special handling and storage requirements for materials and parts are identified and used; and #4 There is traceability of material or parts received from distributors and that the records of receiving inspection data are retained and list the name, part number, quantity, and inspection results?	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
REFERENCES: 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:41 AM, **QID:** 00025249, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released		
12 Did repair station personnel, when required, identify, and test special tools and test equipment for an intended operation or process? **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:41 AM, **QID:** 00025258, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
13 Were facility's tooling personnel trained appropriately for their assignments? **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 15, AC-145-10 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:39 AM, **QID:** 00025263, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
14 Did the repair station maintain current and make accessible the following (as applicable), for the specific process or task: #1 Airworthiness Directives; #2 Instructions for Continued Airworthiness; #3 Maintenance Manuals; #4 Overhaul Manuals; #5 Standard Practice Manuals; #6 Service Bulletins; and #7 Other applicable data acceptable to or approved by the FAA? **REFERENCES:** 145.109(d), 8900.1 Vol 6 Ch 9 Sec 10, 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 9/14/2016 10:40:05 AM, **QID:** 00025264, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
15 Verify the return to service records show that maintenance, preventive maintenance, or alterations were performed in accordance with the applicable approved technical data or data acceptable to the FAA. **REFERENCES:** 145.201(c) **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:41 AM, **QID:** 00025280, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
16 Verify the return to service records show major repairs or major alterations were performed in accordance with applicable approved technical data. **REFERENCES:** 145.201(c) **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:41 AM, **QID:** 00025281, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
17 Verify return to service records show major repair or major alterations performed on an experimental aircraft for which the FAA has previously issued a different kind of airworthiness certificate under 43.1(b) were performed with methods and applicable technical data acceptable to the FAA. **REFERENCES:** 8900.1 Vol 2 Ch 11 Sec 6, 145.201(c)	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
Safety Attribute: Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 7/10/2017 3:32:43 PM, **QID:** 00025282, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released		
18 Did the repair station perform the specific process or task for a 121/135 CAMP operator by using 121/135 operator's program and/or applicable sections of their maintenance manual? **REFERENCES:** 145.205(a), 8900.1 Vol 6 Ch 9 Sec 15, 8900.1 Vol 6 Ch 9 Sec 18 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OTHER CERTIFICATES OR APPROVALS = "PERFORMS AIR CARRIER MAINTENANCE" , **Rev.** 3 9/14/2016 10:40:04 AM, **QID:** 00025283, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
19 Was the repair station manual: #1 Current and maintained at the repair station; #2 Accessible for use and followed by repair station personnel; and #3 Provided to the responsible Flight Standards office in a format acceptable to the FAA? **REFERENCES:** 145.207, 8900.1 Vol 6 Ch 9 Sec 7, AC-145-9, 145.209 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 9/28/2021 9:23:20 AM, **QID:** 00025284, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
20 Verify repair station documents (travelers, task cards, work orders, maintenance and component maintenance manuals, etc.) show the use of approved or accepted data, materials and tools for the work that was accomplished. **REFERENCES:** 145.109, 8900.1 Vol 6 Ch 9 Sec 15 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:39 AM, **QID:** 00025285, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
21 Verify the specific process/task technical data: #1 Was provided to personnel with current technical data and changes; #2 Had inapplicable, inappropriate, illegible, or obsolete data removed from areas of potential use; #3 Specification changes were evaluated and approved by the FAA; and #4 Tags, forms, and other documents used were controlled. **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/27/2015 11:17:40 AM, **QID:** 00025286, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
22 Did the repair station personnel follow the quality control system when performing the specific process or task? **REFERENCES:** 145.211(b), 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/27/2015 11:17:39 AM, **QID:** 00025301, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
23 Verify the Repair Station's inspection system determined that: #1 The records were maintained and indicated the number of inspections, products were conforming or the action taken when the product was determined to be nonconforming; #2 Personnel performing rework conducted re-inspections or retests as required; #3 Conformity inspections were conducted on assemblies before they were closed; #4 Required inspections and tests were validated as satisfactorily accomplished before final acceptance of the completed products or parts;	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
#5 Persons who performed required inspection items for an air carrier were identified and authorized by the air carrier; #6 Inspection personnel performed inspections within their authority and limits; and #7 Routine internal audits were conducted to verify compliance with FAA approved or acceptable data and appropriate procedures. **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/27/2015 11:17:40 AM, **QID:** 00025302, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released		
24 Verify major repair or alteration records for specific tasks, as applicable, show: #1 FAA approved data was used to accomplish the task; #2 The Repair Station documented the Designated Engineering Representative (DER) approved data on FAA Form 8110-3, Statement of Compliance with airworthiness Standards, at the correct revision level; #3 The DER was authorized by the residing Aircraft Certification Service office to approve the data; and #4 The major repair, alteration and airworthiness (MRA) Organization Designation Authorization (ODA) indicated the appropriate function code for the approved data. **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 15, AC-145-9 **NOTE:** Any FAA approved data procured by the repair station for use on 14 CFR part 121, 125, 129, and 135 aircraft must be in accordance with the air carrier's manual. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 6/27/2019 8:20:50 AM, **QID:** 00025312, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
25 Was the article undergoing the specific process or task on the capabilities list and does it meet capability list requirements? **REFERENCES:** 145.207, 145.215, AC-145-9, 145.209 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OTHER CERTIFICATES OR APPROVALS = "CAPABILITY LIST" , **Rev.** 3 9/28/2021 9:23:19 AM, **QID:** 00025316, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
26 Did the certificate holder follow policies, procedures, instructions and information for this element? **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:29 PM, **QID:** 00051933, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
27 Did the certificate holder follow policies, procedures, instructions and information for this element? **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:51 PM, **QID:** 00051947, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
28 Did the repair station maintain or alter articles only; #1 For which it is rated; and #2 When required special technical data, equipment, or facilities were available? **REFERENCES:** 145.201(b) **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 1 9/28/2018 1:09:52 PM, **QID:** 00052239, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
29 Best describe how the certificate holder applied Safety Assurance processes to perform safety performance monitoring and measurement, safety performance assessment, and continuous improvement for this element's processes. **REFERENCES:** AC-120-92, 5.71, 5.73, 5.75 **NOTE:** Safety assurance processes: Monitor the day-to-day life cycle of system operations, (System Monitoring) with the designed risk controls in place. A variety of data sources (Data Acquisition) are utilized such as audits, investigations, and employee reporting. Once the data has been obtained, the process owner analyzes the data that will be used in decision making (Analysis of Data). The decision making can result in three possible outcomes (System Assessment). Data and analysis indicate: The processes and procedures and integrated risk controls are functioning as intended, the result is satisfactory. A negative result, and the organization should continue the analysis to determine if the shortfall is due to the controls not being used as intended (e.g., required training not accomplished, procedures not followed, or improper tools or equipment provided). Action should be taken to correct the problem (Corrective Action). The system is being used as intended, it is not producing the expected results. A system design should be reconsidered using the path back to the SRM process. **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 2 9/25/2025 2:00:49 PM, **QID:** 00060555, **Response Details:** Safety Assurance (Both OP & AW), **Status:** Released	◯ Safety Assurance processes were performed and documented ◯ Isolated instance(s) when Safety Assurance processes were not performed and/or documented ◯ Several instances when Safety Assurance processes were not performed and/or documented ◯ Not Observable	
30 Best describe how the certificate holder applied Safety Risk Management (SRM) processes to perform system analysis, to identify hazard(s), conduct safety risk assessment(s), and evaluate control(s) for this element's processes. **REFERENCES:** AC-120-92, 5.53, 5.55, 5.51 **NOTE:** The certificate holder uses (System Analysis) to understand the processes and procedures being developed or revised, or where new hazards or changes of the operational environment have been identified. The analysis needs to consider the operating environment, the personnel involved in the operation, the equipment being used, any training needed, operational procedures, and interfaces with other processes or procedures. System Analysis flows into (Hazard Identification). During discussions of how a system currently works (System Analysis), hazards will often become evident. Therefore, the Hazard Identification step has also been at least partially accomplished. The process owner then conducts an analysis of the potential consequences of operation in the presence of the identified hazards (Risk Analysis). Leading to an assessment of the acceptability of operating with these hazards (Risk Assessment), Or whether or not the risk of such operations can be eliminated or mitigated to an acceptable level through the development of a (Risk Control). **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 2 9/25/2025 2:00:50 PM, **QID:** 00060556, **Response Details:** Safety Risk Management (Both OP & AW), **Status:** Released	◯ The SRM processes were performed and documented ◯ Isolated instance(s) when Safety Risk Management processes were not performed and/or documented ◯ Several instances when Safety Risk Management processes were not performed and/or documented ◯ Not Observable	
31 Did the controls effectively mitigate unacceptable risk(s) for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Controls, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:53 PM, **QID:** 00051948, **Response Details:** Controls ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
32 Were the certificate holder's interfaces effective for this element? **REFERENCES:** AC-120-92, 5.71, 5.57, 5.53(b) **Safety Attribute:** Interfaces, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:31 PM, **QID:** 00051935, **Response Details:** Interfaces ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
33 Were the certificate holder's interfaces effective for this element?	◯ Yes	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
REFERENCES: 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Interfaces, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:53 PM, **QID:** 00051949, **Response Details:** Interfaces ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ No ◯ Not Observable	
34 Were financial and human resources provided to ensure the safety and quality performance of this element? **REFERENCES:** AC-120-92, 5.21, 5.23(a), 5.25(a), 5.25(b), 5.25(c) **Safety Attribute:** Responsibility, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:40 PM, **QID:** 00051936, **Response Details:** Responsibility ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
35 Were financial and human resources provided to ensure the safety and quality performance of this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Responsibility, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:55 PM, **QID:** 00051950, **Response Details:** Responsibility ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
36 Did the individual with authority over the certificate holder's process effectively plan, direct and control resources, or change procedures and make key determinations including safety risk acceptance decisions for this element? **REFERENCES:** AC-120-92, 5.23(a), 5.23(b), 5.25(c) **Safety Attribute:** Authority, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:44 PM, **QID:** 00051937, **Response Details:** Authority ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
37 Did the individual with authority over the certificate holder's process effectively plan, direct and control resources, or change procedures and make key determinations including safety risk acceptance decisions for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Authority, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:56 PM, **QID:** 00051951, **Response Details:** Authority ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
38 Were the certificate holder's process measurement(s) used to evaluate the performance of this element and if necessary, implement corrective action? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Process Measurement, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "141" OR "142" OR "147" OR "145" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:57 PM,	◯ Yes ◯ No ◯ Not Observable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
QID: 00051952, **Response Details:** Process Measurement ED/EP/SP DCTs (Both OP and AW), **Status:** Released		
39 Did individuals understand their role and contribute to the safety performance of this element? **REFERENCES:** AC-120-92, 5.23(a), 5.91, 5.93 **Safety Attribute:** Safety Ownership, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:48 PM, **QID:** 00051939, **Response Details:** Safety Ownership ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
40 Did individuals understand their role and contribute to the safety performance of this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Safety Ownership, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:58 PM, **QID:** 00051953, **Response Details:** Safety Ownership ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	

Response Details List Safety Assurance (Both OP & AW) (Released, 1.0)	
1	Procedures did not exist.
2	Safety performance data not collected and/or documented.
3	Safety performance data not analyzed and/or documented.
4	Safety performance assessments were not performed and/or documented.
5	Continuous improvement processes to correct safety performance deficiencies were not performed or documented.
6	Other
Response Details List Safety Risk Management (Both OP & AW) (Released, 1.0)	
1	Procedures did not exist.
2	Processes were not performed and/or documented when required.
3	System analysis processes were not performed and/or documented.
4	Hazard identification process was not performed and/or documented, as necessary.
5	Processes to analyze the safety risk of identified hazards were not performed and/or documented, as necessary.
6	Processes to determine the acceptability of safety risk were not performed and/or documented, as necessary.
7	Processes to develop safety risk control(s) resulting from Safety risk assessment were not performed and/or documented, as necessary.
8	Process to evaluate safety risk controls prior to implementation were not performed and/or documented.
9	Other
Response Details List Controls ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to develop and maintain risk controls (for new systems, revising existing systems, or developing operational procedures).
2	Failure to follow risk controls (i.e., because they are unclear, poorly communicated, burdensome, or tribal knowledge/group norms).
3	Communication failure (e.g., between management and employees; between departments; within a department).
4	Failure to identify hazards or ineffective risk controls.
5	Failure to maintain records of outputs of risk control assessments.
6	Failure to effectively evaluate substitute/residual risk before applying risk controls.
7	Risk controls are ineffective (i.e., fail to mitigate risk).
8	Other.
Response Details List EP & ED DCTs (Both OP and AW) (Released, 3.0)	
1	Procedures/guidance are not current, inaccurate, unclear, conflicting, or otherwise not followable.
2	Personnel failed to follow process (procedures, guidance, etc.).
3	Procedures/guidance not available.
4	Undocumented procedure(s).
5	Minor typographical error(s) (i.e., record entries).

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

6	Information missing.
7	Communication failure.
8	Personnel failed to perform task.
9	Process failed to meet desired outcome.
10	Other.
Response Details List Interfaces ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure of interfaces between processes or procedures.
2	Internal communication failure(s) within a single department.
3	Internal communication failure(s) between multiple departments (i.e., maintenance and flight ops).
4	Internal communication failure(s) between management and employees.
5	External communication failure(s) outside the organization (i.e., with contractors, FAA).
6	Other.
Response Details List N/A Response Detail (Released, 3.0)	
1	Not applicable or authorized
2	Other
Response Details List N/O Response Detail (Released, 3.0)	
1	Personnel (e.g., personnel not present/available)
2	Equipment (e.g., equipment not present/available/in serviceable condition)
3	Event did not occur (e.g., subject of surveillance did not occur)
4	Time Constraints (e.g., resources/workload)
5	Weather (e.g., weather needed for observation not present or weather made observation impossible)
6	Other
Response Details List Process Measurement ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to detect personnel not following procedures/processes.
2	Inadequate monitoring/evaluations of new or existing operations processes or systems (e.g., repeated failures not detected).
3	Undocumented or insufficient investigations.
4	Failure to conduct audits.
5	Ineffective audits.
6	Failure to detect changes in the operational environment (i.e., physical, regulatory, financial).
7	Failure to identify issues/process deficiencies in process measurements and/or procedures.
8	Process failed to meet desired outcome.
9	Inadequate data acquisition.
10	Other.
Response Details List Responsibility ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to communicate the importance of safety (e.g., focusing on competing goals of productivity or profit).
2	Failed to provide sufficient (adequate number, trained and qualified) human resources.
3	Failed to provide financial resources.
4	Individual not clearly identified.
5	Failure to ensure safety of process.
6	Failure to oversee operations conducted under the certificate.
7	Failed to ensure quality performance of process.
8	Communication failure(s) laterally and/or up and down the chain of command (or equivalent).
9	Other.
Response Details List Authority ED/EP/SP DCTs (Both OP and AW) (Released, 4.0)	
1	Unacceptable safety risk acceptance.
2	Failure to ensure adequate supervision (including reward safe behavior and correct unsafe behavior).
3	Leadership ignores/ do not address procedural deviations or unsafe behavior.
4	Failure to prioritize safety over competing demands / failure to manage mission pressure.
5	Process owner authorities, roles, and responsibilities not clearly defined or understood.
6	Tension or lack of mutual trust and respect between management and workforce.
7	Tension between company and regulator.
8	Corrective actions focus on individuals rather than root cause/systemic process improvements.
9	Ineffective planning of resources (e.g., staffing, workload, scheduling, pressure, frequent instances where tasks were not completed on time).
10	Ineffective use of resources (e.g., money, internal and external personnel, equipment/tools, training).

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

11	Equipment/tools are inadequate, unavailable, or uncalibrated.
12	Inadequate training (e.g., not effective, current/updated, or relevant).
13	Facilities not adequate.
14	Failure to implement safety risk processes.
15	Process owner not clearly identified.
16	Unqualified to make key safety risk acceptance decisions.
17	Failed to ensure quality performance of process.
18	Other.
Response Details List Safety Ownership ED/EP/SP DCTs (Both OP and AW) (Released, 5.0)	
1	Management does not communicate/demonstrate a commitment to safety (negative/unhealthy safety culture).
2	Employees are unwilling to report hazards/risks/events, including unclear procedures.
3	Ineffective/lack of safety programs (i.e., VDRP, ASAP).
4	Ineffective/inconsistent response to reported hazard/risk/events, event investigations, and/or corrective actions (fairness/justness).
5	Employees are unaware of safety policies or processes.
6	Unclear or ineffective safety policy.
7	Unclear or ineffective safety objectives.
8	Employees are unaware of safety related reporting tools.
9	Lack of confidential/voluntary employee reporting tools.
10	Ineffective safety related training.
11	Other.

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.