ELEVATE MRO
—AN ELEVATE AVIATION GROUP COMPANY—

Log Book Entry

237 N 2370 W
Salt Lake City, UT 84116
United States

11 October, 2024

Registration #: N719SJ
Telephone: +1 (385) 509-3780
Fax:

Manufacturer: Honda Aircraft Company, LLC (V)
Total AC Time: 1,657.6
Total AC Cycles: 899.0

Part/Model number: HA-420

Work Order No: SLC-MX689
Aircraft Serial Number: 42000149

Squawk
Date: 11-Oct-2024

2.1

Removed LH MLG Wheel Assy (PN 90006365, SN DEC20-0607) and Tire (PN M19402, SN 2119B111). Installed overhauled Wheel Assy (PN 900063665, SN JAN16-0236) with new Tire (PN M19402, SN 3097B103) in reference to Honda HA-420 AMM 32-41-11-401. Refer to 8130-3 form tracking number C467965 dated 16 SEP 2024.

Removed LH MLG Brake Assy (PN 90006366, SN OCT19-0458) and installed overhauled Brake Assy PN 90006366, SN FEB19-0401). Bled LH and RH brake assemblies. Work completed in reference to Honda HA-420 AMM 32-41-18-401, 29-00-01-301, and 12-11-12-301. Refer to 8130-3 form tracking number 87043377-10300-1 dated 29 May 2024.

I certify the airframe, engine and/or component identified herein was repaired and inspected in accordance with the current Elevate MRO Repair Manual System and the Federal Aviation Regulations under which the operator is certified, and was determined to be in an Airworthy Condition at this date and time with regards to the inspection(s) alterations and/or maintenance performed, and is approved for return to service as per those requirements. Pertinent details of the repair(s) are on file at this facility.

Sam Perez
FAA CRS K5SR339N
28 Sep 2024

These items identified above were repaired and/or inspected in accordance with current Federal Aviation Regulations and the repairs are approved for return to service. Pertinent details of these repairs are on file at the repair station under Work Order Number SLC-MX689.

*** End of Document ***

g competent Authority/Country
Autorité Compétente/Pays
CTION GENERALE DE
'AVIATION CIVILE
FRANCE

2.

AUTHORISED RELEASE CERTIFICATE

Certificat Libératoire Autorisé

EASA FORM 1

Formulaire 1 de l'EASA

3. Form Tracking Number
N° de repère du Formulaire
23 / 8415 / URG / N / R

anisation Name and Address :
n et Adresse de l'Organisme :

MICHELIN

MANUFACTURE FRANÇAISE DES PNEUMATIQUES MICHELIN
Place des Carmes Déchaux
63000 CLERMONT-FERRAND
FRANCE

5. Work Order / Contract / Invoice
Bon de commande / Contrat / Facture
3097B103

n / *Item*	7. Description / *Description*	8. Part No. / *N° de pièce*	9. Qty / *Qté*	10. Serial No. / *N° série*	11. Status / Work / *Etat / Travaux*
I/A	17.5X5.75R9	M19402	1	3097B103	NEW

narks
marques

L.S.L : 051/23
Norme(s): ETSOC62e
ETSOC62e Approval Number: EASA.21O.10072461

'This document has been issued according to an approved computer generated signature procedure'
'Ce document a été émis selon une procédure approuvée de signature électronique'

tifies that the items identified above were manufactured in conformity to :
rtifie que les éléments identifiés ci-dessus ont été fabriqués conformément aux :

approved design data and are in a condition for safe operation
données de conception approuvées et sont en état de fonctionner en toute sécurité

non-approved design data specified in block 12
données de conception non approuvées spécifiées dans la case 12

14a. ☐ Part 145.A.50 Release to Service
Approbation pour remise en service
Selon Partie 145.A.50

☐ Other regulation specified in block 12
Autre réglementation précisée en case 12

Certifies that unless otherwise specified in block 12, the work identified in block 11 and described in block 12, was accomplished in accordance with Part 145 and in respect to that work the items are considered ready for release to service.
Certifie que, sauf indication contraire spécifiée en case 12, les travaux identifiés en case 11 et décrits en case 12 ont été réalisés conformément à la partie 145 et qu'au vu de ces travaux, les pièces sont considérées prêtes à la remise en service.

thorised Signature *gnature autorisée*	13c. Approval/Authorisation Number *Numéro d'agrément/d'autorisation* FR.21G.0100	14b. Authorised Signature *Signature autorisée*	14c. Certificate/Approval Ref. No *N° du Certificat/Agrément*
me / *Nom* SEAU Jérôme	13e. Date (dd mmm yyyy) / *Date (jj mmm aaaa)* 20 Apr 2023	14d. Name / *Nom*	14e. Date (dd mmm yyyy) / *Date (jj mmm aaaa)*

STALLER RESPONSIBILITIES / *Responsabilités de l'utilisateur/installateur*
licate does not automatically constitute authority to install the item(s).
ment ne constitue pas forcément l'autorisation d'installer l'(es) item(s)
e user/installer performs work in accordance with regulations of an airworthiness authority different than the airworthiness authority specified in block 1 it is essential that the user/installer ensures that his/her airworthiness accepts items from the airworthiness authority specified in block 1.
utilisateur/installateur travaille selon les réglementations d'une autorité de navigabilité différente de l'autorité de navigabilité mentionnée dans la case 1, il est essentiel que l'utilisateur/installateur s'assure que son de navigabilité accepte les items libérés par l'autorité de navigabilité mentionnée dans la case 1.
ts in blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before it may be flown.
cations portées en cases 13a et 14a ne constituent pas une certification de montage. Dans tous les cas le dossier d'entretien de l'aéronef doit contenir une certification d'installation délivrée conformément aux nts nationaux par l'utilisateur/installateur avant que l'aéronef puisse voler.

1. Approving Civil Aviation Authority/Country:	2.	3. Form Tracking Number.
FAA/UNITED STATES	**AUTHORIZED RELEASE CERTIFICATE** FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	**C467965**

4. Organization Name and Address. **AeroRepair South, LLC**

902 South Pine Hill Road
Griffin, GA 30224

FAA Approval Holder: G4ZR155X EASA 145.5387

5. Work Order, Contract or Invoice Number:

8500007059

6. Item	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	TIRE AND WHEEL ASSEMBLY MLG	HJ1-13240-010-003	1.00	JAN16-0236	OVERHAULED

12. REMARKS

THE DESCRIBED WORK IN BLOCK 11/12 WAS PERFORMED IN ACCORDANCE WITH THE FEDERAL AVIATION ADMINISTRATION. PRODUCTION APPROVAL HOLDERS, AND/OR THE CUSTOMER'S APPROVED TECHNICAL DATA WORK ORDER# C467965

ALT P/N: HJ1-13240-010-003 MEGGIT P/N: 90006365
TIRE P/N: M19402 TIRE S/N: 3097B103 TSOC62
TSN: UNK CSN: UNK
TSO: 0.0 CSO: 0.0

CERTIFIES THAT WORK SPECIFIED IN BLOCK 11/12 WAS CARRIED OUT IN ACCORDANCE WITH EASA PART 145 AND IN RESPECT TO THAT WORK, THE COMPONENT IS CONSIDERED READY FOR RELEASE TO SERVICE UNDER EASA PART-145 APPROVAL NUMBER EASA 145.5387.
Manual ID: CMM 32-41-46, Revision #: 1, Revision Date: 9/8/2022

13a. Certifies the items identified above were manufactured in conformity to:

- [ ] Approved design data and are in a condition for safe operation.
- [ ] Non-approved design data specified in Block 12

14a. [X] 14 CFR 43.9 Return to Service [X] Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:	13c. Approval Authorization No	14b. Authorized Signature:	14c. Approval/Certificate No:
		Cherton Ardell	G4ZR155X
13d. Name (Typed or Printed):	**13e.. Date (dd/mmm/yyyy):**	**14d. Name (Typed or Printed):**	**14e. Date (dd/mmm/yyyy):**
		Perry Cherton McDowell	16 SEP 2024

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the engine/propeller/article.

Where the user/installer work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1 it is essential that the user/installer ensures that his/her airworthiness authority accepts engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statement in Blocks 13a and 14a do not constitute installation certification. In all cases aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

1. Approving Civil Aviation Authority/Country:	2.	3. Form Tracking Number:
FAA/UNITED STATES	**AUTHORIZED RELEASE CERTIFICATE** **FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG**	87043377-10300-1

4. Organization Name and Address:
Meggitt Aircraft Braking Systems KY Corp 120 Corporate Drive, Danville KY 40422

5. Work Order/Contract/Invoice Number:
PO #: 8500006873
Item:

8DRR699C

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
1	BRAKE, AIRCRAFT, TRI-METALLIC	90006366	1 EA	FEB19-0401	OVERHAULED

12. Remarks:

This unit was overhauled, tested, and inspected on service order 45488506 in accordance with Component Maintenance Manual AP-959 (ATA 32-44-95) Rev 01 Dated 2022/04/29. All Service Bulletins and FAA Airworthy Directives have been complied with.

Meggitt Aircraft Braking Systems KY Corp certifies that the work specified in Blocks 11 and 12 was carried out in accordance with EASA part 145, and with respect to that work, the component is considered ready for release to service under EASA Part 145 Approval Number EASA.145.6685.

13a. Certifies the items identified above were manufactured in conformity to:

Approved design data and are in a condition for safe operation.

Non-approved design data specified in Block 12.

14a. ☑ 14 CFR 43.9 Return to Service ☑ Other regulation specified in Block 12

The electronic signature in the approval for return-to-service block meets the requirements of the Repair Station Operating Specification.

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

13b. Authorized Signature:	13c. Approval/Authorization No.:	14b. Authorized Signature:	14c. Approval/Certificate No.:
		Ron Dalton	8DRR699C
13d. Name(Typed or Printed):	**13e. Date(dd/mmm/yyyy):**	**14d. Name(Typed or Printed):** RONNIE DALTON	**14e. Date(dd/mmm/yyyy):** 29 MAY 2024

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

Meggitt Aircraft Braking Systems Kentucky Corporation</>
120 Corporate Drive, Danville, Kentucky 40422 USA

Shipping Order: 87043377

Customer PO: 8500006873 S.O.: 9953519817
Subcontract:
Sold To: 5809 Honda Aircraft Company, LLC

Cust. Req. (First date): 23-MAY-2024
Print date: 29-MAY-2024 11:15:17 BURNSL
Page: 1 of 1 I/C 1

Ship To: 2011415
Honda Aircraft Company, Inc
6420 Ballinger Road
Building 400
Greensboro NC 27410

_____ CARTONS _____1_____ CASES _____ CRATES
_____ CLAMSHELLS _____ PACKAGES _____ PALLETS

PICKED BY	DIMS	GR. WT.
	12x12x12	32
	PACKED BY DATE TOTAL	

Service Order: 45488506
Carrier: 440905 FDXG
Domestic Forwarding Agent:
Incoterms: EXW Danville, Ky

Delivery 87043377 87043377

Transfer Order 37889 Whse: AF7 37889

Qty UOM	Item PO item	Part number Description	Unit price	SO Item	Item	Type Batch	Bin Net Wt.	Qty
1 EA	10300	90006366 BRAKE, AIRCRAFT, TRI-METALLIC	5,466.88	10300	1	001 YFIN-RTBO	32.342 LB	1 EA

Serial Number: (FEB19-0401)

Shipping Instructions

PN:90006366
SN:FEB19-0401
PO:8500006873

USA

TOTAL 5,466.88

Pack List

INSIDE

Ship to 2011415
Honda Aircraft Company, Inc
6420 Ballinger Road
Building 400
Greensboro NC 27410

Sold to 5809
Honda Aircraft Company, LLC
ATTN: ACCOUNTS PAYABLE
6430 Ballinger Road
Greensboro NC 27410

Group <none>
Customer PO : 8500006873

8500006873

Delivery # **87043377**

Delivery # **87043377** 0087043377

Manufacturer part no. / Customer part number	Description	Item	PO line item	Qty shipped	Unit of measure	Batch	Cure/exp date
90006366	BRAKE, AIRCRAFT, TRI-METALLIC	10300	<none>	1	EA		

Contract/subcontract

Commodity Code: 8807200010 Classification(s): 9A991.d CoO: US

Serial # (FEB19-0401)

SENSITIVE BUT UNCLASSIFIED # EXPORT CONTROLLED # EAR RESTRICTED
These items are controlled by the US government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s) either in their original form or after being incorporated into other items, without first obtaining approval from the US government or as otherwise authorized by US law and regulations

Date shipped 29-MAY-2024
Carrier name FEDEX GROUND
Waybill/tracking number
Gross weight 32.34 LB
Total Volume/UoM

Dimensions

All orders are accepted on and are subject to Parker Meggitt's Offer of Sale. Our Offer of Sale applies to all contracts for the supply of products by us, to the exclusion of any other terms. Copies of our Offer of Sale are available on our website: www.parker.com/termsandconditions.

PN:90006366
SN:FEB19-0401
PO:8500006873

Meggitt Aircraft Braking Systems Kentucky Corporation</>
120 Corporate Drive, Danville, Kentucky 40422 USA

Tel: +1 330 796 4400
Fax: +1 330 796 8824/9805
www.meggitt-mabs.com
www.meggitt.com

Parker MEGGITT

Certificate of conformance

Certificate# 87043377 - 10300
Date issued May 29, 2024

AS9100 / ISO9001: Cert. No. FS 589140
AS9110 Danville MRO: Cert. No. FS 675630
FAA PAH No.s PT2064CE & PQ2064CE
14 CFR Part 145 - Akron: A3ZR709J / EASA.145.4095
Danville: 8DRR699C / EASA.145.6685
Cage Code No. 0B9R9 | SITA Code No. CAKLLCR

Ship to
Honda Aircraft Company, Inc
6420 Ballinger Road
Building 400
Greensboro NC 27410

Sold to
Honda Aircraft Company, LLC
ATTN: ACCOUNTS PAYABLE
6430 Ballinger Road
Greensboro NC 27410

Purch order 8500006873
Part no 90006366
Description BRAKE, AIRCRAFT, TRI-METALLIC
Cust part no
Quantity 1.00

PO item no
Sales order no 9953519817
Cust stock no
Unit of meas EA

All items listed on this document are provided subject to the provisions of Meggitt procedures as to the use of unauthorized parts.

Serial number(s) (FEB19-0401)

The above items have been inspected and comply in all respects with the applicable specifications and/or drawings, in accordance with the requirement of the above purchase order or contract, and the test results are available upon request for on-site examination in accordance with any applicable U.S.A. export regulations.

Lucinda Burns

LUCINDA BURNS

Quality Assurance Rep (QAR)

Title

May 29, 2024

DATE

Form rev.02-2014

Meggitt Aircraft Braking Systems Kentucky Corporation</>
120 Corporate Drive, Danville, Kentucky 40422 USA

Tel: +1 330 796 4400
Fax: +1 330 796 8824/9805
www.meggitt.com

Honda Aircraft Company, LLC

PACKING LIST

6420 Ballinger Rd, Bldg 400, Greensboro, NC 27410

Consignee			**Sales Shipment**
Elevate MRO 9586 Metro Airport Avenue, Hangar E BROOMFIELD CO 80021-2641	**Delivery Number / Date**	: 80068727	09/27/2024
	Sales Order Number / Date	: 50024885	09/27/2024
	Customer PO No. / Date	: 24-00481	09/27/2024
	Customer Number	: 13566	
	Aircraft Serial No	: HA-420-149	

Item	**Material / Description / Item Details**	**Condition**	**Quantity UOM**
10	90006366	OH	1.00 EA
	BRAKE ASSY - MAIN LANDING GEAR LH		
	CORE RETURN REQUIRED		
	Serial no(s)		
	FEB19-0401		
	Honda Batch 0000219637		
	Shelf Life Expiration Date 05/29/2034		
	ECCN : 9A991.d		
	HTS : 8803200030		
20	HJ1-13240-010-003	OH	1.00 EA
	TIRE AND WHEEL ASSY, MLG		
	CORE RETURN REQUIRED		
	Serial no(s)		
	JAN16-0236		
	Honda Batch 0000222131		
	Country of Origin : US		
	ECCN : 9A991.d		
	HTS : 8807200030		

Certificate of Conformance

Honda Aircraft Company, LLC certifies that the items listed have been manufactured in accordance with the purchase order, applicable drawings, standards or specifications and meet the purchase order requirements except as noted. The original manufacture's certificate of conformance are on file at Honda Aircraft Company,LLC. Terms and Conditions of sale can be found on the HondaJet Connect Web Portal.

Signature _____ **Date** 9/27/24

Destination Control Statement

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

AR100 WH (WO Report)

CUSTOMER WORK ORDER REPORT

WO # C467965 Task 1 WH pg 1

FAA Certified Repair Station # G4ZR155X/EASA.5387

Cust Code: 3258 **Phone:** 336-554-8300 EXT1365

HONDA AIRCRAFT COMPANY, LLC
6420 BALLINGER ROAD
GREENSBORO,NC 27410 U.S.A.

C467965

Aerorepair South LLC

Cust PO#	8500007059
Item	WHEEL ASSEMBLY
Part #	HJ1-13240-010-003
Serial #	JAN16-0236
Mfgr.	_
Descrip.	WHEEL OVERHAUL

Bucket #	~~1703~~ 9006		
Job Status	OPEN		
Job type	External		
Open Date	6/17/2024 Monday		
Promised	6/24/2024 Monday		
CMM #	CMM 32-41-46	Book# 394	Insp. X

Check for A.D's: Insp: X Check for S.B./S.L. Insp: X Comply with A.D./S.B./S.L.s: N/A

Repairs Required:

Inspector N/A

DISASSEMBLE: TECH: JR

CLEAN: TECH: JR

STRIP: TECH: H.L.

EDDY CURRENT:

IB: ✓ OB: ✓

LIQUID-PENETRANT:

IB: ✓ OB: ✓

NDI INSPECTION:

BOLTS: N/A KEYS: ✓

CK MISC. COMPONENTS:

HEATSHIELD: INSP: ✓

NUTS: INSP: N/A

SCREWS: INSP: ✓

VALVE STEM: INSP: ✓

OI PLUG: INSP: ✓

SOLID PLUG: INSP: N/A

FUSE PLUG: INSP: N/A ✓

INSPECT CONES: INSP: ✓

INSPECT CUPS: INSP: ✓

PAINT SUBASSEMBLIES: TECH: JR

ASSEMBLE SUB-ASSEMBLY: TECH: B

TIRE SIZE: 12.5X5.75

PLY 12 SPEED 190 MFG Mich

NEW B R-LEVEL N/A

SERIAL # 3097B103

FINAL ASSEMBLY: B

DATE: 9-12-24 TIME: 0940 PSI: 80

TECH: B

DATE: 9-16-24 TIME: 0800 PSI: 76

TECH: A

SOAP LEAK: TECH: A

BALANCE: N/A TECH: N/A

INSTALL BEARING:

IB 13685 TECH: B

OB 13685 TECH: B

INSTALL SEAL:

IB 90006405 TECH: B

OB 90006405 TECH: B

HEAT SHIELD NUT TORQUE: N/A

TECH: N/A

KEY SCREW TORQUE: 400 LB

TECH: B

VALVE STEM TORQUE: 50 LB

TECH: B

FUSE PLUG TORQUE: N/A

TECH: N/A

SOLID PLUG TORQUE: N/A

TECH: N/A

O.I. PLUG TORQUE: 100 LB

TECH: B

TIE BOLT NUT TORQUE: N/A

TECH: N/A

REMARKS: Overhaul

SUPERVISOR OF WORK: Chetan Patel

DATE: 16 SEP 2024

Service Order	45488506
Customer	HONDA

Brake Assembly	90006366
Purchase Order Filled	

Serial Number	FEB19-0401
Exchange: Brake From Purchase Order	

This unit was subject to an overhaul with on-condition maintenance activities being performed as necessary. The unit was then functionally tested and inspected. All work was completed in accordance with your company's supplied purchase order and the latest version of the Meggitt Aircraft Braking Systems Component Maintenance Manual AP-959 (ATA 32-44-95) and other technical data as required. Do not hesitate to contact your Customer Service Representative if you have any additional questions and as always, we appreciate your business.

Lucinda Burns
Customer Service Representative
Meggitt Aircraft Braking Systems Corp.
Phone: (859) 936-3748
Email: susan.mounger@parker.com

Standard Components Replaced During Overhaul

Part Number	Quantity	Description
5008608	1	Caution Tag
90006429	4	Swage Tube
90006415	88	Wear Pad
90006420	4	Rotor
5010768	4	Swage Adjuster
90006940	2	Wear Pin Indicator
42FLW-524	6	Self-Locking Nut
5105-0025HSTB	4	External Retaining Ring
ASC-4DN	2	Protective Cap
FN12-02	6	Self-Locking Nut
FP31614	4	Back-Up Ring
GY16B-12	22	Rivet
GYR6A-20A	66	Retaining Ring
GYR6B-8	22	Retaining Ring
M83461/1-012	1	Preformed Packing
M83461/1-121	4	Preformed Packing
M83461/1-209	4	Preformed Packing
M83461/2-904	6	Preformed Packing
MS27595-012	1	Packing Backup Retaining Ring
MS27595-121	4	Packing Backup Retainer
S11065-6-5	4	Scraper Ring
VS-81-S02	4	Retaining Ring

Additional Components Replaced During the Overhaul of This Brake Assembly

Part Number	Assembly Quantity	Description	Quantity Required	Corrosion	Damaged	Failed Testing	Miscellaneous Information
MS21250H05010	6	Bolt	4			X	MISSING / ET
MS21299-5	6	Washer					
90006411	1	Brake Housing					
90006371	1	Torque Tube Subassembly					
90006417	1	Pressure Plate	1		X		KEY SLOT WORN
90006421	4	Cylinder Sleeve					
90006422	4	Piston					
90006423	4	Spring Return Housing					
90006430	4	Spring Seat Washer					
90006424	4	Helical Compression Spring					
90006427	4	Return Pin	1		X		THREAD DAMAGE
90007471	2	Hydraulic Bushing Adapter					
90007472	2	Bleeder Plug					
AS5169W04L	2	Machine Threaded Plug					
NAS1351-4H20P	1	long screw	1		X		STRIPPED
AN960-416L	2	Washer	2				MISSING
NAS1351-4H12P	1	short screw					
90006450	1	Shuttle Valve					
90002645	2	Flareless Tube Union					
90006419	3	Stator					
90006425	4	Spring Guide					
WHM-81-PS	4	Retaining Ring					
90006426	4	Spring Holder					