MLF Label: 4.4.6 Record Systems **DCT Type:** EP DCT **Specialty:** Airworthiness **Peer Group:** F - Part 145 Within US **DCT Revision:** 22.0 on 09/25/25 (Released)

Summary Information

Purpose (Certificate Holder Responsibility): To record/document maintenance and alterations on aircraft and/or parts thereof.

Objective (FAA Responsibility): Determine; (1) If the CH followed the accepted or approved process; (2) If the CH recorded/documented the maintenance and alterations on aircraft and parts thereof; (3) If CH performed periodic verification of the records/documents per the requirements of the RSM and/or QCM.

The Record Systems Element includes the following System(s) and Subsystem(s)

Questions	Answers	Comments
4.4.6 Record Systems		
1 Best describe how the procedures were followed to complete form and record entries. **REFERENCES:** 145.219, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/26/2015 3:59:11 PM, **QID:** 00016291, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
2 Best describe how the Repair Station followed the procedures to check all records for completeness and accuracy. **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **NOTE:** All records include records of maintenance, inspection, and engineering. **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/26/2015 3:59:11 PM, **QID:** 00016339, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
3 Best describe how the procedures were followed to transmit electronic records to customers and Operators. **REFERENCES:** AC-120-78, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") AND (OPSPEC = "A025") , **Rev.** 1 5/14/2014 10:51:14 AM, **QID:** 00016342, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
4 Best describe how the procedures were followed when electronic signatures were used. **REFERENCES:** AC-120-78, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") AND (OPSPEC = "A025") , **Rev.** 1 5/14/2014 10:51:14 AM, **QID:** 00016343, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
5 Best describe how the procedures were followed to process records such as those for special inspections such as hydrostatic tests? **REFERENCES:** AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 1 5/14/2014 10:51:14 AM, **QID:** 00016344, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
6 Verify that the work orders (i.e., work orders, work packages, etc.) included the records required by the Repair Station's procedures. **REFERENCES:** 145.219, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/26/2015 3:59:11 PM, **QID:** 00016290, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Work records were complete ◯ Work records were missing ◯ Not Observable ◯ Not Applicable	
7 Verify that the maintenance record entries were: #1 Recorded in English; #2 In compliance with 14 CFR Part 43; #3 Retained in a format acceptable to the FAA; #4 Provided to the Owner or Operator of the article on which the maintenance, preventive maintenance, or alteration was performed; #5 Retained for 2 years from the date the article was approved for return to service; and #6 Available for inspection by the FAA or NTSB. **REFERENCES:** 145.209(i), 145.219, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** FAR PART = "145" , **Rev.** 4 3/26/2015 3:59:11 PM, **QID:** 00016292, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
8 Verify that the maintenance records entries were accurate and complete and included the: #1 Description of the work performed; #2 Date the work was completed; #3 Name of the person who performed the work; #4 Signature; #5 Certificate number; and #6 Certificate type of the person who approved the work for return to service. **REFERENCES:** 8900.1 Vol 6 Ch 11 Sec 27, 8900.1 Vol 6 Ch 11 Sec 28, Job Aid - Composite Repair, Job Aid - NDI for ASI, 43.11, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 5 6/20/2023 12:56:38 PM, **QID:** 00016299, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
9 Verify that the inspection records (e.g., annual, 100 hour, etc.) included: #1 The inspection type and a brief description; #2 The inspection date and the aircraft's total time in service; and #3 The signature, certificate number, and kind of certificate held by the person who approved or disapproved for return to service the aircraft, airframe, aircraft engine, propeller, appliance, component part, or any portions of them. **REFERENCES:** 43.11, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 3/26/2015 3:59:12 PM, **QID:** 00016306, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The inspection records were accurate ◯ The inspection records contained discrepancies ◯ Not Observable ◯ Not Applicable	
10 Verify that the inspection records (e.g., annual, 100 hour, etc.) included a statement such as "I certify that this aircraft has been inspected per (insert type) inspection and was determined to be in airworthy condition." if aircraft were found to be airworthy and approved for return to service. **REFERENCES:** 43.11(a), 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **NOTE:** Progressive inspection records are exempted. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/26/2015 3:59:12 PM, **QID:** 00016310, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The inspection records were accurate ◯ The inspection records contained discrepancies ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
11 Verify that the inspection records (e.g., annual, 100 hour, etc.) included a statement such as "I certify that this aircraft has been inspected per (insert type) inspection and a list of discrepancies and unairworthy items dated (date) has been provided for the aircraft Owner or Operator." if aircraft were not approved for return to service because of needed maintenance, noncompliance with applicable specifications, ADs, or other approved data. **REFERENCES:** 43.11(a), 8900.1 Vol 6 Ch 9 Sec 6 **NOTE:** Progressive inspection records are exempted. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/26/2015 3:59:12 PM, **QID:** 00016311, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The inspection records were accurate ◯ The inspection records contained discrepancies ◯ Not Observable ◯ Not Applicable	
12 Verify that the progressive inspection records (e.g., annual, 100 hour, etc.) included a statement such as "I certify that per a progressive inspection program, a routine inspection of (identify whether aircraft or components) and a detailed inspection of (identify components) were performed and the (aircraft or components) are (approved or disapproved) for return to service.", and if disapproved, an additional entry such as "and a list of discrepancies and unairworthy items dated (date) has been provided to the aircraft Owner or Operator." **REFERENCES:** 43.11(a), 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/26/2015 3:59:12 PM, **QID:** 00016312, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The inspection records were accurate ◯ The inspection records contained discrepancies ◯ Not Observable ◯ Not Applicable	
13 Verify that the records for inspections per programs provided for in 14 CFR Part 91 or 125 or 135.411(a)(1) included an identification of the inspection program, the part of the inspection program accomplished, and a statement that the inspection was performed per that program's inspections and procedures. **REFERENCES:** 43.11(a), 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/26/2015 3:59:12 PM, **QID:** 00016313, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The inspection records were accurate ◯ The inspection records contained discrepancies ◯ Not Observable ◯ Not Applicable	
14 Verify that the articles were inspected and results were documented per the quality control system. **REFERENCES:** 145.211(c), 43.11, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/26/2015 3:59:12 PM, **QID:** 00016314, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
15 Verify that the articles were inspected per the procedures of the Operator's maintenance program. **REFERENCES:** 145.205, 43.9(b), 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OTHER CERTIFICATES OR APPROVALS = "PERFORMS AIR CARRIER MAINTENANCE") , **Rev.** 3 3/26/2015 3:59:12 PM, **QID:** 00016315, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
16 Verify that the major repairs or major alterations were: #1 Performed with current and approved technical data; #2 Approved for return to service by personnel authorized per 14 CFR Part 65; and #3 Documented per 14 CFR Part 43 Appendix B or the Operator's approved maintenance programs. **REFERENCES:** 43 Appendix B, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 3/26/2015 3:59:12 PM, **QID:** 00016316, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
17 Were the completed FAA Form 337s used to document major alterations submitted to the FAA Aircraft Registration Branch in Oklahoma City, Oklahoma, within 48 hours? **REFERENCES:** 43 Appendix B, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (RECORDS = "FORM 337") , **Rev.** 2 3/26/2015 3:59:12 PM, **QID:** 00016320, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
18 Was a signed copy of a completed FAA Form 337 provided to aircraft owners? **REFERENCES:** 43 Appendix B, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (RECORDS = "FORM 337") , **Rev.** 2 3/26/2015 3:59:13 PM, **QID:** 00016321, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
19 Verify that the SDRs were submitted to the FAA within 96 hours and included (as available) the: #1 Aircraft registration number; #2 Type, make, and model of the article; #3 Date of the discovery of the failure, malfunction, or defect; #4 Nature of the failure, malfunction, or defect; #5 Time since last overhaul (if applicable); #6 Apparent cause of the failure, malfunction, or defect; and #7 Other pertinent information that is necessary for more complete identification, determination of seriousness, or corrective action. **REFERENCES:** 145.221 **NOTE:** The SDR must include as much information as is available. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 7/4/2014 2:14:47 PM, **QID:** 00016327, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
20 Verify that Life-Limited Parts (LLPs) tags, records, markings, or other methods approved by the FAA, include the: #1 Part number; #2 Serial number; and #3 Current life status. **REFERENCES:** 145.219, 43.10(c), 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **NOTE:** Temporary removal of Life-Limited Parts (LLPs) from type-certificated products may define applicability. Life-Limited Parts removed from a type certificated product and sold or otherwise transferred must include the mark, tag, or other record used, unless the part is mutilated before it is sold or transferred. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OTHER CERTIFICATES OR APPROVALS = "LIFE LIMITED PARTS") , **Rev.** 4 3/31/2025 2:29:33 PM, **QID:** 00016335, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
21 Were the electronic recordkeeping procedures current per OpSpec A025? **REFERENCES:** AC-120-78, A025, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OPSPEC = "A025") , **Rev.** 1 5/14/2014 10:51:14 AM, **QID:** 00016340, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
22 Did the Repair Station audit the electronic recordkeeping system? **REFERENCES:** AC-120-78, AC-145-9	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
Safety Attribute: Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OPSPEC = "A025") , **Rev.** 2 6/27/2019 8:38:42 AM, **QID:** 00016341, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released		
23 Verify that the maintenance record entries were completed per the Repair Station Manual and Quality Control Manual. **REFERENCES:** AC-39-7, 145.209(i), 145.219, 43.11, 43.5(a), 43.9, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 5 6/30/2025 11:57:21 AM, **QID:** 00016345, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
24 Verify that the major repairs or major alterations were accomplished per the Repair Station Manual and Quality Control Manual. **REFERENCES:** 43 Appendix B, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/26/2015 3:59:13 PM, **QID:** 00016346, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
25 Verify that the maintenance records documenting the results of inspections (e.g., annual, 100 hour, etc.) met the requirements of the Repair Station Manual and Quality Control Manual. **REFERENCES:** 145.213, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/26/2015 3:59:13 PM, **QID:** 00016347, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The inspection records were accurate ◯ The inspection records contained discrepancies ◯ Not Observable ◯ Not Applicable	
26 Verify that the articles were inspected per the procedures of the Repair Station's Repair Station Manual and Quality Control Manual. **REFERENCES:** 145.205, 145.213, 8900.1 Vol 6 Ch 9 Sec 6, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 3/26/2015 3:59:13 PM, **QID:** 00016348, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
27 Verify that when SDRs are reported on behalf of a certificate holder (121, 125, or 135) a copy of the SDR is provided to the certificate holder. **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 7, 145.221(e) **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (OTHER CERTIFICATES OR APPROVALS = "PERFORM MAINTENANCE/ALTERATION FOR AIR CARRIERS") , **Rev.** 4 12/31/2024 8:03:39 AM, **QID:** 00050380, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
28 Did the certificate holder follow policies, procedures, instructions and information for this element? **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:29 PM, **QID:** 00051933, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
29 Did the certificate holder follow policies, procedures, instructions and information for this element?	◯ Yes ◯ No	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
Safety Attribute: Procedures, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:51 PM, **QID:** 00051947, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Not Observable ◯ Not Applicable	
30 Best describe how the certificate holder applied Safety Assurance processes to perform safety performance monitoring and measurement, safety performance assessment, and continuous improvement for this element's processes. **REFERENCES:** AC-120-92, 5.71, 5.73, 5.75 **NOTE:** Safety assurance processes: Monitor the day-to-day life cycle of system operations, (System Monitoring) with the designed risk controls in place. A variety of data sources (Data Acquisition) are utilized such as audits, investigations, and employee reporting. Once the data has been obtained, the process owner analyzes the data that will be used in decision making (Analysis of Data). The decision making can result in three possible outcomes (System Assessment). Data and analysis indicate: The processes and procedures and integrated risk controls are functioning as intended, the result is satisfactory. A negative result, and the organization should continue the analysis to determine if the shortfall is due to the controls not being used as intended (e.g., required training not accomplished, procedures not followed, or improper tools or equipment provided). Action should be taken to correct the problem (Corrective Action). The system is being used as intended, it is not producing the expected results. A system design should be reconsidered using the path back to the SRM process. **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 2 9/25/2025 2:00:49 PM, **QID:** 00060555, **Response Details:** Safety Assurance (Both OP & AW), **Status:** Released	◯ Safety Assurance processes were performed and documented ◯ Isolated instance(s) when Safety Assurance processes were not performed and/or documented ◯ Several instances when Safety Assurance processes were not performed and/or documented ◯ Not Observable	
31 Best describe how the certificate holder applied Safety Risk Management (SRM) processes to perform system analysis, to identify hazard(s), conduct safety risk assessment(s), and evaluate control(s) for this element's processes. **REFERENCES:** AC-120-92, 5.53, 5.55, 5.51 **NOTE:** The certificate holder uses (System Analysis) to understand the processes and procedures being developed or revised, or where new hazards or changes of the operational environment have been identified. The analysis needs to consider the operating environment, the personnel involved in the operation, the equipment being used, any training needed, operational procedures, and interfaces with other processes or procedures. System Analysis flows into (Hazard Identification). During discussions of how a system currently works (System Analysis), hazards will often become evident. Therefore, the Hazard Identification step has also been at least partially accomplished. The process owner then conducts an analysis of the potential consequences of operation in the presence of the identified hazards (Risk Analysis). Leading to an assessment of the acceptability of operating with these hazards (Risk Assessment), Or whether or not the risk of such operations can be eliminated or mitigated to an acceptable level through the development of a (Risk Control). **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 2 9/25/2025 2:00:50 PM, **QID:** 00060556, **Response Details:** Safety Risk Management (Both OP & AW), **Status:** Released	◯ The SRM processes were performed and documented ◯ Isolated instance(s) when Safety Risk Management processes were not performed and/or documented ◯ Several instances when Safety Risk Management processes were not performed and/or documented ◯ Not Observable	
32 Did the controls effectively mitigate unacceptable risk(s) for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Controls, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:53 PM, **QID:** 00051948, **Response Details:** Controls ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
33 Were the certificate holder's interfaces effective for this element? **REFERENCES:** AC-120-92, 5.71, 5.57, 5.53(b) **Safety Attribute:** Interfaces, **Question Type:** Output Validation,	◯ Yes ◯ No ◯ Not Observable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
Scoping Attribute: ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:31 PM, **QID:** 00051935, **Response Details:** Interfaces ED/EP/SP DCTs (Both OP and AW), **Status:** Released		
34 Were the certificate holder's interfaces effective for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Interfaces, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:53 PM, **QID:** 00051949, **Response Details:** Interfaces ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
35 Were financial and human resources provided to ensure the safety and quality performance of this element? **REFERENCES:** AC-120-92, 5.21, 5.23(a), 5.25(a), 5.25(b), 5.25(c) **Safety Attribute:** Responsibility, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:40 PM, **QID:** 00051936, **Response Details:** Responsibility ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
36 Were financial and human resources provided to ensure the safety and quality performance of this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Responsibility, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:55 PM, **QID:** 00051950, **Response Details:** Responsibility ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
37 Did the individual with authority over the certificate holder's process effectively plan, direct and control resources, or change procedures and make key determinations including safety risk acceptance decisions for this element? **REFERENCES:** AC-120-92, 5.23(a), 5.23(b), 5.25(c) **Safety Attribute:** Authority, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:44 PM, **QID:** 00051937, **Response Details:** Authority ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
38 Did the individual with authority over the certificate holder's process effectively plan, direct and control resources, or change procedures and make key determinations including safety risk acceptance decisions for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Authority, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:56 PM, **QID:** 00051951, **Response Details:** Authority ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
39 Were the certificate holder's process measurement(s) used to evaluate the performance of this element and if necessary, implement corrective action?	◯ Yes ◯ No ◯ Not Observable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
REFERENCES: 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Process Measurement, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "141" OR "142" OR "147" OR "145" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:57 PM, **QID:** 00051952, **Response Details:** Process Measurement ED/EP/SP DCTs (Both OP and AW), **Status:** Released		
40 Did individuals understand their role and contribute to the safety performance of this element? **REFERENCES:** AC-120-92, 5.23(a), 5.91, 5.93 **Safety Attribute:** Safety Ownership, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:48 PM, **QID:** 00051939, **Response Details:** Safety Ownership ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
41 Did individuals understand their role and contribute to the safety performance of this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Safety Ownership, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:58 PM, **QID:** 00051953, **Response Details:** Safety Ownership ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	

Response Details List Safety Assurance (Both OP & AW) (Released, 1.0)	
1	Procedures did not exist.
2	Safety performance data not collected and/or documented.
3	Safety performance data not analyzed and/or documented.
4	Safety performance assessments were not performed and/or documented.
5	Continuous improvement processes to correct safety performance deficiencies were not performed or documented.
6	Other
Response Details List Safety Risk Management (Both OP & AW) (Released, 1.0)	
1	Procedures did not exist.
2	Processes were not performed and/or documented when required.
3	System analysis processes were not performed and/or documented.
4	Hazard identification process was not performed and/or documented, as necessary.
5	Processes to analyze the safety risk of identified hazards were not performed and/or documented, as necessary.
6	Processes to determine the acceptability of safety risk were not performed and/or documented, as necessary.
7	Processes to develop safety risk control(s) resulting from Safety risk assessment were not performed and/or documented, as necessary.
8	Process to evaluate safety risk controls prior to implementation were not performed and/or documented.
9	Other
Response Details List Controls ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to develop and maintain risk controls (for new systems, revising existing systems, or developing operational procedures).
2	Failure to follow risk controls (i.e., because they are unclear, poorly communicated, burdensome, or tribal knowledge/group norms).
3	Communication failure (e.g., between management and employees; between departments; within a department).
4	Failure to identify hazards or ineffective risk controls.
5	Failure to maintain records of outputs of risk control assessments.
6	Failure to effectively evaluate substitute/residual risk before applying risk controls.
7	Risk controls are ineffective (i.e., fail to mitigate risk).
8	Other.
Response Details List EP & ED DCTs (Both OP and AW) (Released, 3.0)	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

1	Procedures/guidance are not current, inaccurate, unclear, conflicting, or otherwise not followable.
2	Personnel failed to follow process (procedures, guidance, etc.).
3	Procedures/guidance not available.
4	Undocumented procedure(s).
5	Minor typographical error(s) (i.e., record entries).
6	Information missing.
7	Communication failure.
8	Personnel failed to perform task.
9	Process failed to meet desired outcome.
10	Other.
Response Details List Interfaces ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure of interfaces between processes or procedures.
2	Internal communication failure(s) within a single department.
3	Internal communication failure(s) between multiple departments (i.e., maintenance and flight ops).
4	Internal communication failure(s) between management and employees.
5	External communication failure(s) outside the organization (i.e., with contractors, FAA).
6	Other.
Response Details List N/A Response Detail (Released, 3.0)	
1	Not applicable or authorized
2	Other
Response Details List N/O Response Detail (Released, 3.0)	
1	Personnel (e.g., personnel not present/available)
2	Equipment (e.g., equipment not present/available/in serviceable condition)
3	Event did not occur (e.g., subject of surveillance did not occur)
4	Time Constraints (e.g., resources/workload)
5	Weather (e.g., weather needed for observation not present or weather made observation impossible)
6	Other
Response Details List Process Measurement ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to detect personnel not following procedures/processes.
2	Inadequate monitoring/evaluations of new or existing operations processes or systems (e.g., repeated failures not detected).
3	Undocumented or insufficient investigations.
4	Failure to conduct audits.
5	Ineffective audits.
6	Failure to detect changes in the operational environment (i.e., physical, regulatory, financial).
7	Failure to identify issues/process deficiencies in process measurements and/or procedures.
8	Process failed to meet desired outcome.
9	Inadequate data acquisition.
10	Other.
Response Details List Responsibility ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to communicate the importance of safety (e.g., focusing on competing goals of productivity or profit).
2	Failed to provide sufficient (adequate number, trained and qualified) human resources.
3	Failed to provide financial resources.
4	Individual not clearly identified.
5	Failure to ensure safety of process.
6	Failure to oversee operations conducted under the certificate.
7	Failed to ensure quality performance of process.
8	Communication failure(s) laterally and/or up and down the chain of command (or equivalent).
9	Other.
Response Details List Authority ED/EP/SP DCTs (Both OP and AW) (Released, 4.0)	
1	Unacceptable safety risk acceptance.
2	Failure to ensure adequate supervision (including reward safe behavior and correct unsafe behavior).
3	Leadership ignores/ do not address procedural deviations or unsafe behavior.
4	Failure to prioritize safety over competing demands / failure to manage mission pressure.
5	Process owner authorities, roles, and responsibilities not clearly defined or understood.

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

6	Tension or lack of mutual trust and respect between management and workforce.
7	Tension between company and regulator.
8	Corrective actions focus on individuals rather than root cause/systemic process improvements.
9	Ineffective planning of resources (e.g., staffing, workload, scheduling, pressure, frequent instances where tasks were not completed on time).
10	Ineffective use of resources (e.g., money, internal and external personnel, equipment/tools, training).
11	Equipment/tools are inadequate, unavailable, or uncalibrated.
12	Inadequate training (e.g., not effective, current/updated, or relevant).
13	Facilities not adequate.
14	Failure to implement safety risk processes.
15	Process owner not clearly identified.
16	Unqualified to make key safety risk acceptance decisions.
17	Failed to ensure quality performance of process.
18	Other.
Response Details List Safety Ownership ED/EP/SP DCTs (Both OP and AW) (Released, 5.0)	
1	Management does not communicate/demonstrate a commitment to safety (negative/unhealthy safety culture).
2	Employees are unwilling to report hazards/risks/events, including unclear procedures.
3	Ineffective/lack of safety programs (i.e., VDRP, ASAP).
4	Ineffective/inconsistent response to reported hazard/risk/events, event investigations, and/or corrective actions (fairness/justness).
5	Employees are unaware of safety policies or processes.
6	Unclear or ineffective safety policy.
7	Unclear or ineffective safety objectives.
8	Employees are unaware of safety related reporting tools.
9	Lack of confidential/voluntary employee reporting tools.
10	Ineffective safety related training.
11	Other.

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.