MAYO
AVIATION

Proposal

Installation of Garmin G1000 Integrated Flight System

With Synthetic Vision and ADSB IN & OUT

Mountain King Air LTD.

King Air B200, N74AW, BB-1233

MAYOAVIATION.COM

May 12, 2017

Mr. Butch Weaver
Mountain King Air LTD
P O Box 17088
Boulder, Colorado 80308
303-941-5150

Aircraft Make: Beechcraft
Aircraft Model: B200
Aircraft Serial: BB-1233
Registration No.: N74AW
Quote No.: 2017-05-12

Dear Mr. Weaver,

Thank you for considering Mayo Aviation for your aircraft Avionics and Service needs. We are pleased to present you with this proposal for the work specified on your aircraft. A summary of the requested work is below. Detailed information follows.

Item Description	Quoted Price
Garmin G1000 Package with Synthetic Vision XM Interface and ADS-B IN	$378,500.00
Garmin Platinum Package with Synthetic Vision, Chartview and Flight Stream 510.	$19,000.00

At Mayo Aviation, we strive to provide our customers with unequaled customer service and quality workmanship. All work performed by our technicians on your aircraft will meet or exceed the quality and safety standards established by the Federal Aviation Administration.

I appreciate that you are giving Mayo Aviation the opportunity to provide you with this proposal. I look forward to working with you in the near future. If you have any questions or concerns, please contact me at your convenience.

Warm Regards,

James Bohart

James Bohart
Avionics Manager
Mayo Aviation, Inc.
Mobile: 864-804-8411
Email: jamesb@mayoaviation.com

This is the ultimate flight deck update for your King Air 200 series turboprop. Garmin's STC'd retrofit packages for the G1000 NXi avionics suite offer the latest in "turbine renewal" options for your King Air's panel – bringing enhanced levels of operational simplicity and situational awareness to all your flight operations.

- Latest, most advanced flight deck upgrade brings zero-time avionics, new glass displays, smooth flight control and HSI mapping to your Beechcraft King Air.
- Equipped to meet and exceed airspace modernization initiatives for ADS-B and more.
- Enables WAAS LPV approaches into thousands of airports — with Visual Approach capability for autopilot-coupled glidepaths to pilot-selectable minimums
- G1000 NXi upgrade saves an estimated 250 lbs. over the avionics it typically replaces

Integrate Your Cockpit

Garmin's G1000 NXi Retrofit Suite integrates all primary flight, navigation, weather, terrain, traffic, radio frequency, engine and fuel data readouts on large-format, high-definition LCDs. The cockpit layout features a central 15-inch Multi-Function Display (MFD), flanked by 10.4-inch Primary Flight Displays (PFDs) at the pilot and copilot positions.

Look to the Future. In Virtual 3-D

For added visual orientation, Garmin SVT™ Synthetic Vision Technology/ Chartview is now included with your G1000 NXi Retrofit. Using sophisticated graphics modeling, the system recreates a 3-D "virtual reality" database landscape on the pilot and copilot PFDs. Thus, Garmin SVT enables you to clearly visualize nearby flight and enroute navigation features – even in solid IFR or nighttime VFR conditions.

Put it on Autopilot

The G1000 NXi system for your King Air also includes Garmin's revolutionary GFC 700, a three-axis, fully digital, dual channel, fail passive Automatic Flight Control System (AFCS). The GFC 700 is capable of using all data available to G1000, enabling it to maintain airspeed references and optimize performance over the entire airspeed envelope.

Fly with GPS, AHRS, RVSM and more

Other standard features of your King Air's G1000 NXi Suite include WAAS-certified GPS navigation, dual integrated solid-state Attitude and Heading Reference Systems (AHRS), and dual integrated RVSM-capable digital air data computers. For the King Air 200 series, your G1000 Retrofit will come with Reduced Vertical Separation Minimums (RVSM) capable allowing full utilization of the now-more-restrictive flight levels between 29,000 and 41,000 feet.

WAAS Makes It Better

With dual VOR/Localizer/Glideslope receivers and dual TSO-c146a WAAS-GPS receivers, you have more options when it comes to flying and landing your King Air. Thanks to WAAS – the FAA's Wide Area Augmentation System – thousands of previously fair-weather-only airports now have the potential to offer GPS-guided "Glide Path" approaches down to ILS-comparable minimums. And your G1000-equipped King Air comes ready to fly WAAS with full Class 3 Approach Capability.

Enjoy Seamless Mapping and Graphics

The King Air G1000 MFD seamlessly integrates built-in terrain, obstacles and navigation databases, providing a clear, concise picture of where you are and where you're heading. A Jeppesen® Database supports onscreen navigation, communication and mapping functions. Using information from the terrain and U.S. obstacles databases, G1000 displays color coding to graphically alert you when proximity conflicts loom ahead. Your G1000 also comes with Class-B TAWS (Terrain Awareness and Warning System) for an extra margin of safety in the air. Garmin SafeTaxi®, a built-in database of over 850 U.S. airport diagrams, helps monitor your location on unfamiliar airports. And preloaded FliteCharts®[1] provide electronic versions of National Aeronautical (NACO) terminal procedures and approach plates for over 2,900 U.S. airports.

Get Weather, Radio and Traffic

Featuring an integrated Garmin Mode S Transponder, your King Air's G1000 will display Traffic Information Services (TIS) alerts to identify nearby traffic targets. In addition, the King Air G1000 suite comes standard with Garmin's GWX 70 digital color radar. At 6.5 kilowatts, it packs the power to penetrate serious weather. Moreover, you'll also have access to up-to-the-minute XM WX Satellite Weather™ services with the standard GDL 69A data link receiver. An XM subscription provides coverage for the entire U.S. – with NEXRAD images, METARs, TAFs, TFRs, lightning, winds and more. Plus, you can even select and enjoy over 170 audio channels of XM inflight entertainment (subscription required).

PROPOSAL DETAILS

AVIONICS INSTALLATIONS:

1. Provide and install a Garmin G1000 Cockpit Retrofit Package per Garmin's King Air 300 STC.

The installation will be comprised of:

- ✈ Two (2) Garmin Primary Flight Displays
- ✈ One (1) Garmin Multifunction Display
- ✈ One (1) Platinum Package with Synthetic Vision, Chartview and Flight Stream 110
- ✈ Two (2) Garmin Audio Panels
- ✈ One (1) Garmin GWX 70 Weather Radar Transceiver
- ✈ One (1) Garmin GFC 700 Autopilot System
- ✈ Two (2) Garmin WAAS GPS, COMM, NAV Transceivers
- ✈ Two (2) Garmin Marker Beacon Systems
- ✈ Two (2) Garmin RVSM Capable Air Data Transducers
- ✈ Two (2) Garmin Mode S Transponders (ADSB)
- ✈ One (1) Garmin GDL 69A XM Weather Receiver
- ✈ One (1) Garmin TAWS Unlock
- ✈ One (1) Garmin Flight Stream 510
- ✈ One (1) Garmin Chartview Electronic Charts
- ✈ One (1) Custom Cut and Painted Instrument Panel
- ✈ One (1) Complete Overlay and Edge Lit Panel Refurbishment
- ✈ One (1) Kit Miscellaneous Materials
- ✈ One (1) Mid-Continent MD-302 Stand by Instrument
- ✈ One (1) Blackhawk G1000-01/G1000-02 Engine Transducers
- ✈ One (1) Used BF Goodrich PS-835D STBY Battery with rack
- ✈ One (1) Used Collins ALT-50A Radio Altimeter
- ✈

Labor and Material .....$378,500.00 Yes ❑ No ❑

Note 1: A trade in credit of $25,000.00 for all removed equipment is included in this proposal, due to the large amount of used equipment currently on the market, this trade in credit may vary, all removed equipment is sold to avionics parts distributors all funds are applied to this credit.

Note 2: A Rockwell Collins ALT-50A Radio Altimeter and a BF Goodrich PS-835D Stand by battery are needed for this installation as they are not currently installed or do no interface with the G1000 package, and are included in the above pricing.

2. Provide and install a Garmin G1000 Platinum Package per Garmin's King Air 300 STC.

The installation will be comprised of:

- ✈ One (1) Synthetic vision (SVT) for all three aircraft displays
- ✈ One (1) Garmin Flight Stream 510
- ✈ One (1) Garmin Chartview Electronic Charts

Labor and Material .....$19,000.00 Yes ❑ No ❑

PROJECT INFORMATION

DOWN-TIME

Estimated downtime is four (4) Weeks. All downtime estimates assume adequate lead-time is provided. Downtime is dependent upon the customer's compliance with the lead-time requirements specified above and delivery of the aircraft/components by the agreed upon time on the induction date.

Aircraft/component logbooks must accompany aircraft at time of induction. Additional down time may be required for changes to the scope of work, or other unforeseen circumstances and is not guaranteed or warranted in any form. Mayo Aviation is not responsible for delays incurred as a result of forces beyond our reasonable control, including, but not limited to vendor delays, failure of transportation, delays in the attainment of FAA approvals, etc.

LEAD-TIME

Adequate lead-time is a critical component to the ability to meet the estimated delivery time, as vendor delivery requirements are outside Mayo Aviation's control and must be provided for. Lead-time required for this project is subject to our confirmation of space, time required for equipment procurement and manpower availability.

PRICING

Pricing is as described in the work scope. Prices stated herein are based on U.S. dollars and are exclusive of Federal, State and local taxes, airport fees and applicable freight charges and are valid for a period of thirty (30) days. Parts prices included in this proposal are subject to change without notice. Mayo Aviation reserves the right to pass pricing increases through to the customers, which are necessitated by state or federal governmental regulatory changes, if applicable. All removed equipment becomes the property of mayo Aviation.

The quoted prices do not include clearing discrepancies, Service Bulletins, or Airworthiness directives. Discrepancies will be reviewed with the customer's authorized representative for approval prior to corrective action. Any discrepancies, Service Bulletins, or Airworthiness Directives requiring action will be handled on a time and materials basis at the prevailing shop rates.

PERFORMANCE OF WORK SCOPE

A Maintenance and/or Repair Authorization form will be provided upon acceptance of this quote for your convenience. The work scope will be added, and room will be reserved for any discrepancies requiring attention. Mayo Aviation must receive the signed authorization form no later than aircraft induction.

All estimates are based on completion in accordance with FAA standards. In the event the company standards exceed those required by the FAA, Mayo Aviation reserves the right to adjust the pricing provided in this document. Should the Customer request additions, and/or changes to the Work scope, they will be handled on a time and materials basis.

ADDITIONAL INFORMATION

The FAA has varying interpretations of Continuing Airworthiness requirements. This proposal was prepared based on our understanding of the current requirements. However, in the event Continuing Airworthiness documentation is required as a result of a different interpretation, it will be considered additional and addressed on a time and material basis. Appropriate engineering and DER charges could apply.

This quote assumes that space is available for the new installations and other equipment unless otherwise specifically stated in the work scope. It also assumes adequate electrical interfaces and power exist in the aircraft for the proposed installation and that the work scope can be accomplished without any structural modifications. Should relocation or other modification be required, it will be considered additional and addressed on a time and material basis and appropriate DER charges will apply.

TERMS AND CONDITIONS

The work scope covered by this quotation is subject to Mayo Aviation's standard terms and conditions. Please see Mayo Aviation's work authorization document for the applicable terms and Conditions.

PAYMENT TERMS

Mayo Aviation agrees to accept two payments for the above work scope. The first payment will be equal to 50% of the proposal amount and will be due at the time of proposal acceptance. The final payment will be equal to the account balance and is due upon aircraft delivery.

Overhaul exchange pricing assumes the return of your units to the appropriate overhaul facility, which Mayo Aviation will take care of. Charges assessed by these vendors to bring cores up to their exchange criteria will be invoiced additionally as applicable.

Any warranties provided by Mayo are contingent upon payment in full according to Mayo Aviation' established credit terms for services rendered.

CUSTOMER ACCEPTANCE

The customer hereby agrees to the proposal presented herein and authorizes the above work scope. The customer represents that he or she is employed by the customer in the capacity indicated and is unequivocally authorized to bind the customer to this agreement.

Mayo Aviation hereby agrees to perform the work specified in this agreement. The parties agree that at the time of the execution hereof, there are no agreements, understandings, conditions, warranties, guarantees or, representations, oral or written, express or implied, with respect to the subject matter of Mayo Aviation's terms and conditions that are not hereby merged or superseded.

Mr. Butch Weaver

_____	_____	_____
Accepted	Date	Proposed induction Date