| 1. Approving Civil Aviation Authority/Country: | 2. | 3. Form Tracking Number: |
|---|---|---|
| **FAA/UNITED STATES** | **AUTHORIZED RELEASE CERTIFICATE**<br>**FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG** | W.O.#: 483477 |

4. Organization Name and Address:

Ameron Global Product Support
4750 LITTLEJOHN ST.
BALDWIN PARK, CA. 91706
(O6UR165Y)

5. Work Order/Contract/Invoice Number:

Customer #: HACI
Customer Name: HONDA AIRCRAFT COMPANY
Customer PO#: 8500007204

| 6. Item: | 7. Description: | 8. Part Number: | 9. Quantity: | 10. Serial Number: | 11. Status/Work: |
|---|---|---|---|---|---|
| 001 | FIRE BOTTLE<br>* Cylinder | FX03400-1 | 1 | 0417E<br>* 0417E | OVERHAULED |

12. REMARKS

This article was Overhauled and hydrostatic tested in accordance with C.M.M.26-22-02 Rev.7 dated 01/15/2024, and supplemental documents FX03400-1/2 Rev.2 dated 05/17/2024. Full details of the work performed are held in the work order ref. on block 3.

Alt. Customer P/N: HJ1-12620-100-001

Installed Customer Cartridge P/N: CT01400-1 S/N: 00512, DOM: 07/2019, EXP: 07/2031.

Certifies that the work specified in block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the product/article is considered ready for release to service under EASA Part-145 Approval Number: EASA.145.6006

13a. Certifies the items identified above were manufactured in conformity to:

- ☐ Approved design data and are in a condition for safe operation.
- ☐ Non-approved design data specifed in Block 12.

14a. ☑ 14 CFR 43.9 Return to Service ☑ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

| 13b. Authorized Signature: | 13c. Approval/Authorization No: | 14b. Authorized Signature: | 14c. Approval/Certificate No: |
|---|---|---|---|
| N/A | N/A | | O6UR165Y |
| **13d. Name (Typed or Printed):** | **13e. Date (dd/mmm/yyyy):** | 14d. Name (Typed or Printed): | 14e. Date (dd/mmm/yyyy): |
| N/A | N/A | Martin Palomera | 15/Aug/2024 |

**User/Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s) / propeller(s) / article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.



RH

*WA/J483477*

# Ameron Global Product Support

4750 LITTLEJOHN ST. BALDWIN PARK, CA. 91706

## Work Order #483477

CRS# O6UR165Y
08/12/24

I. WORK ORDER: 483477 CUSTOMER: HONDA AIRCRAFT COMPANY (HACI) CUSTOMER'S ORDER: 8500007204

II. PART NUMBER: FX03400-1 ASSEMBLY S/N: 0417E DESC: FIRE BOTTLE MFG: MASS SYSTEMS INC
REG/VALVE P/N: N/A REG/VALVE S/N: N/A CYLINDER S/N: 0417E

III. Work to be Performed: _X_ OVERHAUL ___ REPAIR ___ INSPECT _X_ HYDROTEST
___ FUNCTIONAL TEST ___ WEIGHT CHECK ___ RECHARGE

IV. Data Used: 26-22-02 REV.7 Revision: 01/15/24 SBs/ADs: N/A
Other Data Used: FX03400-1/2 Revision: 2 Date: 5/17/24

V. Preliminary Inspection: Exterior inspection - Received with damaged outlet.

Cyl. Info: Date Mfr'd: 07/19 Last Hydro Test: 07/19 DOT: SP10440-1000 Tech/Date: ER AMETEK #10 AMERON 08/01/24

VI. Corrective Action: Instructions: Initial numbered and lettered entries that apply. Initials indicate step was complied with. All other entries to be completed as they apply.
1. ER Disassembled (Required for Overhaul). 2. ER Cleaned and Inspected (Required for Overhaul). 3. ER Repaired as necessary (Required for Overhaul).
4. ER Replaced all required parts

| P/N | Description | Qty | Serial/Lot | P/N | Description | Qty | Serial/Lot |
|---|---|---|---|---|---|---|---|
| FX03420-1 | RUPTURE DISC | 1 | 509141 | MS29513-023 | O-RING | | N/A |
| MS29513-016 | O-RING | 1 | 506862 | MS29513-028 | O-RING | 1 | 505064 |
| 51870-2 | WELDMENT SCREEN | | N/A | M53100578-1 | SHIM | | N/A |
| CT01400-1 | CARTRIDGE | | | M53100578-3 | SHIM | | |
| F1301-RECLAIMED | RCV'D FULL (Yes) | 2 | 509516 | M53100578-5 | SHIM | | |
| F1301-RECYCLED | HALON 1301-RECYCLED | | N/A | M53100578-6 | SHIM | | |
| FX03425-1 | WELDMENT OUTLET | 1 | 494839 | SU03400-8 | OUTLET SAFETY CAP | | |
| FX03435-1 | RUPTURE DISC | | N/A | SW00600-1 | PRESS SWITCH TEMP COMP | | N/A |

5. ER Reassembled (Required for Overhaul). 6. ER Recharged. 7. ER Tested (Required for Overhaul).
8. ER Hydrostatically Tested: a. Date tested: 08/2024 b. Next Hydrostatic Test due: 08/2029 c. Cylinder service life expires: Unlimited
9. N/A No work accomplished: a. N/ Beyond Economical Repair b. N/ UNSALVAGEABLE PART
c. N/A Returned to customer "AS-IS" d. N/A Disposed of at A.G.P.S.

10. Fire extinguisher service data: Empty weight: 1.92
Agent weight: .76
N2 Weight/Pressure: .03 / 600 psi
Total Weight: 2.71
Less cartridge(s) Yes
Less outlet(s) N/A
Returning Less: (per customer's instruction)
Cartridge(s) N/A
Outlet(s) N/A
Mounting Hardware N/A

11. Additional comments: Overhauled this unit per C.M.M.

Work performed by: ER AMETEK #10 AMERON Date: 08/15/24
Certificated Technician: Eli Rodriguez AMETEK #10 AMERON Date: 08/15/24
Authorized Inspector: MARTIN PALOMERA Date: 08/15/24 Form Rev 1s

AMETEK #28 AMERON

# Packing Sheet

Cessna | Beechcraft
BY TEXTRON AVIATION

Textron Aviation Inc.

| PACKING SHEET NO. | SUGGESTED VIA | FREIGHT CODE | F.O.B. | TERMS | PACKING SHEET DATE |
|---|---|---|---|---|---|
| 5980195 | FED-FO | PB | SP | N30 | Oct/24/2024 |

SHIP TO

Elevate MRO (BJC)
9586 Metro Airport Avenue, Han
.
BROOMFIELD
BROOMFIELD CO 80021-2641
UNITED STATES

NOTES

Web Order Number: WB0002468739
Order: 0009445748 Line: 000010 NO 8130 REQUIREMENTS
Order: 0009445748 Line: 000020 NO 8130 REQUIREMENTS

SALES ORDER NUMBER: 9445748
PACKING SHEET NUMBERS: 5980195
CUSTOMER P.O. NUMBER: 24-00529MX726

| LINE NUMBER | QTY ORDERED | QTY BACK ORDERED | UOM | PART NUMBER | DESCRIPTION | MODEL SERIAL NUMBER | CANCEL CODE | QTY SHIPPED | UNIT PRICE | DIS. |
|---|---|---|---|---|---|---|---|---|---|---|
| 10 | 150 | 0 | EA | NAS8703-2 | BOLT | | | 150 | 1.20 | JI |
| | ORDER QTY INCREASED TO SELL MULTIPLE | | | | | | | | | |
| | ECCN: EAR99 EXPORT HTS CODE: 7318156070 | | | | | | | | | |
| | VENDOR: 564231 ORIGIN: UNITED STATES | | | | | | | | | |
| | US IMPORT HTS: 7318156070 | | | | | | | | | |
| 20 | 25 | 0 | EA | NAS8703U2 | BOLT | | | 25 | 2.08 | JI |
| | ORDER QTY INCREASED TO SELL MULTIPLE | | | | | | | | | |
| | ECCN: EAR99 EXPORT HTS CODE: 7318152010 | | | | | | | | | |
| | VENDOR: 564231 ORIGIN: UNITED STATES | | | | | | | | | |
| | US IMPORT HTS: 7318152010 | | | | | | | | | |

TOTAL $232.00

NOTES

If these commodities are exported from the United States, neither Textron Aviation nor any of its subsidiaries shall be listed as the US exporter of record.

*-*-*-*-*-*-*-*-*-*-*-*-* Certificate of Compliance *-*-*-*-*-*-*-*-*-*-*-*

| 1. Approving Civil Aviation Authority/Country: FAA/United States | 2. **AUTHORIZED RELEASE CERTIFICATE** FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG | 3. Form Tracking Number: 9445748 |
|---|---|---|
| 4. Organization Name and Address: Textron Aviation Inc. (PC4) Textron Aviation Inc. 1 Cessna Blvd, Wichita, KS 67215 | | 5. Work Order/Contract/Invoice Number: 5980195 |

| 6.Item: | 7. Description: | 8. Part Number: | 9. Quantity: | 10. Serial Number: | 11. Status/Work: |
|---|---|---|---|---|---|
| 10 | BOLT | NAS8703-2 | 25 | N/A | New |

12. Remarks:

**AUTHORIZED RELEASE DOCUMENT**

**PO#: 24-00529MX726**

13a. Certifies the items identified above were manufactured in conformity to:

☒ Approved design data and are in a condition for safe operation.

☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

| 13b. Authorized Signature: | 13c. Approval/Authorization No.: | 14b. Authorized Signature | 14c. Approval/Certificate No.: |
|---|---|---|---|
| Terry Weeks | PC4 | | |
| **13d. Name (Typed or Printed):** | **13e. Date (dd/mmm/yyyy):** | **14d. Name (Typed or Printed):** | **14e. Date (dd/mmm/yyyy):** |
| TERRY WEEKS | 24/Oct/2024 | | |

**User/Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

FAA Form 8130-3 (02-14) NSN: 0052-00-012-9005


| 1. Approving Civil Aviation Authority/Country: FAA/United States | 2. **AUTHORIZED RELEASE CERTIFICATE** FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG | 3. Form Tracking Number: 9445748 |
|---|---|---|
| 4. Organization Name and Address: Textron Aviation Inc. (PC4) Textron Aviation Inc. 1 Cessna Blvd, Wichita, KS 67215 | | 5. Work Order/Contract/Invoice Number: 5980195 |

| 6.Item: | 7. Description: | 8. Part Number: | 9. Quantity: | 10. Serial Number: | 11. Status/Work: |
|---|---|---|---|---|---|
| 10 | BOLT | NAS8703-2 | 25 | N/A | New |

12. Remarks:

**AUTHORIZED RELEASE DOCUMENT**

**PO#: 24-00529MX726**

13a. Certifies the items identified above were manufactured in conformity to:

☒ Approved design data and are in a condition for safe operation.

☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

| 13b. Authorized Signature: | 13c. Approval/Authorization No.: | 14b. Authorized Signature | 14c. Approval/Certificate No.: |
|---|---|---|---|
| Terry Weeks | PC4 | | |
| **13d. Name (Typed or Printed):** | **13e. Date (dd/mmm/yyyy):** | **14d. Name (Typed or Printed):** | **14e. Date (dd/mmm/yyyy):** |
| TERRY WEEKS | 24/Oct/2024 | | |

**User/Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

FAA Form 8130-3 (02-14) NSN: 0052-00-012-9005



| 1. Approving Civil Aviation Authority/Country: FAA/United States | 2. **AUTHORIZED RELEASE CERTIFICATE** FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG | 3. Form Tracking Number: 9445748 |
|---|---|---|
| 4. Organization Name and Address: Textron Aviation Inc. (PC4) Textron Aviation Inc. 1 Cessna Blvd, Wichita, KS 67215 | | 5. Work Order/Contract/Invoice Number: 5980195 |

| 6.Item: | 7. Description: | 8. Part Number: | 9. Quantity: | 10. Serial Number: | 11. Status/Work: |
|---|---|---|---|---|---|
| 10 | BOLT | NAS8703-2 | 25 | N/A | New |

12. Remarks:

**AUTHORIZED RELEASE DOCUMENT**

**PO#: 24-00529MX726**

13a. Certifies the items identified above were manufactured in conformity to:

☒ Approved design data and are in a condition for safe operation.

☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

| 13b. Authorized Signature: | 13c. Approval/Authorization No.: | 14b. Authorized Signature | 14c. Approval/Certificate No.: |
|---|---|---|---|
| Terry Weeks | PC4 | | |
| **13d. Name (Typed or Printed):** | **13e. Date (dd/mmm/yyyy):** | **14d. Name (Typed or Printed):** | **14e. Date (dd/mmm/yyyy):** |
| TERRY WEEKS | 24/Oct/2024 | | |

**User/Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

FAA Form 8130-3 (02-14) NSN: 0052-00-012-9005



| 1. Approving Civil Aviation Authority/Country: FAA/United States | 2. **AUTHORIZED RELEASE CERTIFICATE** FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG | 3. Form Tracking Number: 9445748 |
|---|---|---|
| 4. Organization Name and Address: Textron Aviation Inc. (PC4) Textron Aviation Inc. 1 Cessna Blvd, Wichita, KS 67215 | | 5. Work Order/Contract/Invoice Number: 5980195 |

| 6.Item: | 7. Description: | 8. Part Number: | 9. Quantity: | 10. Serial Number: | 11. Status/Work: |
|---|---|---|---|---|---|
| 10 | BOLT | NAS8703-2 | 25 | N/A | New |

12. Remarks:

**AUTHORIZED RELEASE DOCUMENT**

**PO#: 24-00529MX726**

13a. Certifies the items identified above were manufactured in conformity to:

☒ Approved design data and are in a condition for safe operation.

☐ Non-approved design data specified in Block 12.

14a. ☐ 14 CFR 43.9 Return to Service ☐ Other regulation specified in Block 12

Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.

| 13b. Authorized Signature: | 13c. Approval/Authorization No.: | 14b. Authorized Signature | 14c. Approval/Certificate No.: |
|---|---|---|---|
| Terry Weeks | PC4 | | |
| **13d. Name (Typed or Printed):** | **13e. Date (dd/mmm/yyyy):** | **14d. Name (Typed or Printed):** | **14e. Date (dd/mmm/yyyy):** |
| TERRY WEEKS | 24/Oct/2024 | | |

**User/Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

FAA Form 8130-3 (02-14) NSN: 0052-00-012-9005

# Honda Aircraft Company, LLC

**PACKING LIST**

**6420 Ballinger Rd, Bldg 400, Greensboro, NC 27410**

| **Consignee** | | | **Sales Shipment** |
|---|---|---|---|
| Elevate MRO<br>HANGAR E<br>9586 METRO AIRPORT AVE<br>BROOMFIELD CO 80021 | **Delivery Number / Date** | : 80069200 | 10/22/2024 |
| | **Sales Order Number / Date** | : 50025165 | 10/22/2024 |
| | **Customer PO No. / Date** | : 24-00523 | 10/22/2024 |
| | **Customer Number** | : 13570 | |
| | **Aircraft Serial No** | : HA-420-187 | |

| Item | Material / Description / Item Details | Condition | Quantity UOM |
|---|---|---|---|
| 10 | NAS8703U7 | NEW | 47.00 EA |
| | BOLT, SHEAR, 100 DEG REDUCED HEAD<br>Honda Batch 0000215347<br>Vendor Batch 338183<br>Customer PO Line Item : 1<br>Country of Origin : US<br>ECCN : EAR99<br>HTS : 7318156070 | | |
| 10 | NAS8703U7 | NEW | 13.00 EA |
| | BOLT, SHEAR, 100 DEG REDUCED HEAD<br>Honda Batch 0000220407<br>Vendor Batch 338183<br>Customer PO Line Item : 1<br>Country of Origin : US<br>ECCN : EAR99<br>HTS : 7318156070 | | |
| 20 | NAS8703U6 | NEW | 60.00 EA |
| | BOLT, SHEAR, 100 DEG REDUCED HEAD<br>Honda Batch 0000219128<br>Vendor Batch 60954<br>Customer PO Line Item : 2<br>Country of Origin : US | | |

SLF-MX 726

RECEIVED 24 OCT 2024

**Destination Control Statement**

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

# Honda Aircraft Company, LLC

## PACKING LIST

**6420 Ballinger Rd, Bldg 400, Greensboro, NC 27410**

| **Consignee** | | | **Sales Shipment** |
|---|---|---|---|
| Elevate MRO<br>HANGAR E<br>9586 METRO AIRPORT AVE<br>BROOMFIELD CO 80021 | **Delivery Number / Date** | : 80069200 | 10/22/2024 |
| | **Sales Order Number / Date** | : 50025165 | 10/22/2024 |
| | **Customer PO No. / Date** | : 24-00523 | 10/22/2024 |
| | **Customer Number** | : 13570 | |
| | **Aircraft Serial No** | : HA-420-187 | |

| | | | | |
|---|---|---|---|---|
| | ECCN | : EAR99 | | |
| | HTS | : 7318156070 | | |
| 30 | NAS8703U3 | | NEW | 60.00 EA |
| | BOLT, SHEAR, 100 DEG REDUCED HEAD | | | |
| | Honda Batch 0000220842 | | | |
| | Vendor Batch | 63345 | | |
| | Customer PO Line Item | : 3 | | |
| | Country of Origin | : US | | |
| | ECCN | : EAR99 | | |
| | HTS | : 7318156070 | | |

**Certificate of Conformance**

Honda Aircraft Company, LLC certifies that the items listed have been manufactured in accordance with the purchase order, applicable drawings, standards or specifications and meet the purchase order requirements except as noted. The original manufacture's certificate of conformance are on file at Honda Aircraft Company, LLC. Terms and Conditions of sale can be found on the HondaJet Connect Web Portal.

**Signature** _____ **Date** 10/22/2024

| 1. Approving Civil Aviation Authority/Country: | 2. | 3. Form Tracking Number: |
|---|---|---|
| **FAA/UNITED STATES** | **AUTHORIZED RELEASE CERTIFICATE**<br>**FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG** | W.O.#: 483473 |

| 4. Organization Name and Address: | 5. Work Order/Contract/Invoice Number: |
|---|---|
| Ameron Global Product Support<br>4750 LITTLEJOHN ST.<br>BALDWIN PARK, CA. 91706<br>(O6UR165Y) | Customer #: HACI<br>Customer Name: HONDA AIRCRAFT COMPANY<br>Customer PO#: 8500007255 |

| 6. Item: | 7. Description: | 8. Part Number: | 9. Quantity: | 10. Serial Number: | 11. Status/Work: |
|---|---|---|---|---|---|
| 001 | FIRE BOTTLE<br>* Cylinder | FX03400-1 | 1 | 0375E<br>* 0375E | OVERHAULED |

12. REMARKS

This article was Overhauled and hydrostatic tested in accordance with C.M.M.26-22-02 Rev.7 dated 01/15/2024, and supplemental documents FX03400-1/2 Rev.2 dated 05/17/2024. Full details of the work performed are held in the work order ref. on block 3.

Alt. Customer P/N: HJ1-12620-100-001

Installed Customer Cartridge P/N: CT01400-1 S/N: 00430, DOM: 09/2018, EXP: 09/2030.

Certifies that the work specified in block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the product/article is considered ready for release to service under EASA Part-145 Approval Number: EASA.145.6006

| 13a. Certifies the items identified above were manufactured in conformity to: | | 14a. ☑ 14 CFR 43.9 Return to Service ☑ Other regulation specified in Block 12 | |
|---|---|---|---|
| ☐ Approved design data and are in a condition for safe operation.<br>☐ Non-approved design data specifed in Block 12. | | Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service. | |
| 13b. Authorized Signature:<br>N/A | 13c. Approval/Authorization No:<br>N/A | 14b. Authorized Signature: | 14c. Approval/Certificate No:<br>O6UR165Y |
| 13d. Name (Typed or Printed):<br>N/A | 13e. Date (dd/mmm/yyyy):<br>N/A | 14d. Name (Typed or Printed):<br>Martin Palomera | 14e. Date (dd/mmm/yyyy):<br>15/Aug/2024 |

**User/Installer Responsibilities**

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s) / propeller(s) / article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

*WA/J483473*

**Ameron Global Product Support**
4750 LITTLEJOHN ST. BALDWIN PARK, CA. 91706
**Work Order #483473**

CRS# O6UR165Y
08/15/24

**I. WORK ORDER:** 483473 **CUSTOMER:** HONDA AIRCRAFT COMPANY (HACI) **CUSTOMER'S ORDER:** 8500007255

**II.** **PART NUMBER:**FX03400-1 **ASSEMBLY S/N:**0375E **DESC:**FIRE BOTTLE **MFG:**MASS SYSTEMS INC
**REG/VALVE P/N:**N/A **REG/VALVE S/N:**N/A **CYLINDER S/N:**0375E

**III. Work to be Performed:** _X_ OVERHAUL ___ REPAIR ___ INSPECT _X_ HYDROTEST
___ FUNCTIONAL TEST ___ WEIGHT CHECK ___ RECHARGE

**IV. Data Used:** 26-22-02 REV.7 **Revision:** 01/15/24 **SBs/ADs:** N/A
**Other Data Used:** FX03400-1/2 Revision: 2 Date: 5/17/24

**V. Preliminary Inspection:** Exterior inspection.

**Cyl. Info:** **Date Mfr'd:**02/19 **Last Hydro Test:**02/19 **DOT:**SP10440-1000 **Tech/Date:** ER AMETEK #10 AMERON 08/01/24

**VI. Corrective Action:** Instructions: Initial numbered and lettered entries that apply. Initials indicate step was complied with. All other entries to be completed as they apply.
**1.** NC **Disassembled (Required for Overhaul).** **2.** NC **Cleaned and Inspected (Required for Overhaul).** **3.** NC **Repaired as necessary (Required for Overhaul).**

**4.** NC **Replaced all required parts**

| P/N | Description | Qty | Serial/Lot | P/N | Description | Qty | Serial/Lot |
|---|---|---|---|---|---|---|---|
| FX03420-1 | RUPTURE DISC | 1 | 509607 | MS29513-023 | O-RING | | N/A |
| MS29513-016 | O-RING | 1 | 511936 | MS29513-028 | O-RING | 1 | 505064 |
| 51870-2 | WELDMENT SCREEN | | N/A | M53100578-1 | SHIM | | N/A |
| CT01400-1 | CARTRIDGE | | | M53100578-3 | SHIM | | |
| F1301-RECLAIMED | RCV'D FULL (Yes) | 2 | 512224 | M53100578-5 | SHIM | | |
| F1301-RECYCLED | HALON 1301-RECYCLED | | N/A | M53100578-6 | SHIM | | |
| FX03425-1 | WELDMENT OUTLET | | | SU03400-8 | OUTLET SAFETY CAP | | |
| FX03435-1 | RUPTURE DISC | | | SW00600-1 | PRESS SWITCH TEMP COMP | | |

**5.** NC **Reassembled (Required for Overhaul).** **6.** NC **Recharged.** **7.** NC **Tested (Required for Overhaul).**

**8.** FX **Hydrostatically Tested:** **a. Date tested:** 08/2024 **b. Next Hydrostatic Test due:** 08/2029 **c. Cylinder service life expires:** Unlimited

**9.** N/A **No work accomplished:** **a.** / **Beyond Economical Repair** **b.** / **UNSALVAGEABLE PART**
**c.** / **Returned to customer "AS-IS"** **d.** / **Disposed of at A.G.P.S.**

**10. Fire extinguisher service data:**
**Empty weight:** 1.89
**Agent weight:** .79
**N2 Weight/Pressure:** .03 / 600 psi **Less cartridge(s)** N/A
**Total Weight:** 2.71 **Less outlet(s)** N/A

**Returning Less: (per customer's instruction)**
**Cartridge(s)** N/A
**Outlet(s)** N/A
**Mounting Hardware** N/A

**11. Additional comments:** Overhauled this unit per C.M.M.

**Work performed by:** N.C AMETEK #19 AMERON **Date:** 08/14/24
**Certificated Technician:** Eli Rodriguez AMETEK #10 AMERON **Date:** 08/15/24
**Authorized Inspector:** MARTIN PALOMEDA **Date:** 08/15/24

Form Rev 1s

AMETEK #23 AMERON

# Honda Aircraft Company, LLC

## PACKING LIST

**6420 Ballinger Rd, Bldg 400, Greensboro, NC 27410**

| Consignee | | | Sales Shipment |
|---|---|---|---|
| Elevate MRO<br>SN 187<br>9586 Metro Airport Ave. Hangar E<br>Broomfield CO 80021 | **Delivery Number / Date** : | 80068438 | 09/13/2024 |
| | **Sales Order Number / Date** : | 50024757 | 09/13/2024 |
| | **Customer PO No. / Date** : | 24-00454 | 09/13/2024 |
| | **Customer Number** : | 13570 | |
| | **Aircraft Serial No** : | HA-420-187 | |

| Item | Material / Description / Item Details | Condition | Quantity UOM |
|---|---|---|---|
| 10 | HJ1-12620-100-001<br>BOTTLE, FIRE SUPPRESSION, ENGINE<br>**CORE RETURN REQUIRED**<br>Serial no(s)<br>0375E<br>Honda Batch 0000221521<br>Shelf Life Expiration Date 08/15/2027<br>Customer PO Line Item : 1<br>Country of Origin : US<br>ECCN : 9A991.d<br>HTS : 8424100000 | OH | 1.00 EA |
| 10 | HJ1-12620-100-001<br>BOTTLE, FIRE SUPPRESSION, ENGINE<br>**CORE RETURN REQUIRED**<br>Serial no(s)<br>0417E<br>Honda Batch 0000221529<br>Shelf Life Expiration Date 08/15/2027<br>Customer PO Line Item : 1<br>Country of Origin : US<br>ECCN : 9A991.d<br>HTS : 8424100000 | OH | 1.00 EA |

**Certificate of Conformance**

Honda Aircraft Company, LLC certifies that the items listed have been manufactured in accordance with the purchase order, applicable drawings, standards or specifications and meet the purchase order requirements except as noted. The original manufacture's certificate of conformance are on file at Honda Aircraft Company, LLC. Terms and Conditions of sale can be found on the HondaJet Connect Web Portal.

**Signature** _____ **Date** 9/13/24

**Destination Control Statement**

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.