WO:726 Squawk: - 3.1 & 4.1

Honda Aircraft Company, LLC

PACKING LIST

6420 Ballinger Rd, Bldg 400, Greensboro, NC 27410

Consignee			Sales Shipment
Elevate MRO SN 187 9586 Metro Airport Ave. Hangar E Broomfield CO 80021	**Delivery Number / Date** :	80068438	09/13/2024
	Sales Order Number / Date :	50024757	09/13/2024
	Customer PO No. / Date :	24-00454	09/13/2024
	Customer Number :	13570	
	Aircraft Serial No :	HA-420-187	

Item	Material / Description / Item Details	Condition	Quantity UOM
10	HJ1-12620-100-001 BOTTLE, FIRE SUPPRESSION, ENGINE **CORE RETURN REQUIRED** Serial no(s) 0375E Honda Batch 0000221521 Shelf Life Expiration Date 08/15/2027 Customer PO Line Item : 1 Country of Origin : US ECCN : 9A991.d HTS : 8424100000	OH	1.00 EA
10	HJ1-12620-100-001 BOTTLE, FIRE SUPPRESSION, ENGINE **CORE RETURN REQUIRED** Serial no(s) 0417E Honda Batch 0000221529 Shelf Life Expiration Date 08/15/2027 Customer PO Line Item : 1 Country of Origin : US ECCN : 9A991.d HTS : 8424100000	OH	1.00 EA

Certificate of Conformance

Honda Aircraft Company, LLC certifies that the items listed have been manufactured in accordance with the purchase order, applicable drawings, standards or specifications and meet the purchase order requirements except as noted. The original manufacture's certificate of conformance are on file at Honda Aircraft Company, LLC. Terms and Conditions of sale can be found on the HondaJet Connect Web Portal.

Signature _____ **Date** 9/13/24

Destination Control Statement

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

WO: 726 S.9.3.1

1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES	2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG	3. Form Tracking Number: W.O.#: 483473
4. Organization Name and Address: Ameron Global Product Support 4750 LITTLEJOHN ST. BALDWIN PARK, CA. 91706 (O6UR165Y)		5. Work Order/Contract/Invoice Number: Customer #: HACI Customer Name: HONDA AIRCRAFT COMPANY Customer PO#: 8500007255

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
001	FIRE BOTTLE * Cylinder	FX03400-1	1	0375E * 0375E	OVERHAULED

12. REMARKS

This article was Overhauled and hydrostatic tested in accordance with C.M.M.26-22-02 Rev.7 dated 01/15/2024, and supplemental documents FX03400-1/2 Rev.2 dated 05/17/2024. Full details of the work performed are held in the work order ref. on block 3.

Alt. Customer P/N: HJ1-12620-100-001

Installed Customer Cartridge P/N: CT01400-1 S/N: 00430, DOM: 09/2018, EXP: 09/2030.

Certifies that the work specified in block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the product/article is considered ready for release to service under EASA Part-145 Approval Number: EASA.145.6006

13a. Certifies the items identified above were manufactured in conformity to:		14a. ☑ 14 CFR 43.9 Return to Service ☑ Other regulation specified in Block 12	
☐ Approved design data and are in a condition for safe operation. ☐ Non-approved design data specifed in Block 12.		Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature: N/A	13c. Approval/Authorization No: N/A	14b. Authorized Signature:	14c. Approval/Certificate No: O6UR165Y
13d. Name (Typed or Printed): N/A	13e. Date (dd/mmm/yyyy): N/A	14d. Name (Typed or Printed): Martin Palomera	14e. Date (dd/mmm/yyyy): 15/Aug/2024

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s) / propeller(s) / article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

L4

WO: 720 S2.3-1

WA/J483473

Ameron Global Product Support
4750 LITTLEJOHN ST. BALDWIN PARK, CA. 91706
Work Order #483473

CRS# O6UR165Y
08/15/24

I. WORK ORDER: 483473 **CUSTOMER:** HONDA AIRCRAFT COMPANY (HACI) **CUSTOMER'S ORDER:** 8500007255

II. **PART NUMBER:** FX03400-1 **ASSEMBLY S/N:** 0375E **DESC:** FIRE BOTTLE **MFG:** MASS SYSTEMS INC
REG/VALVE P/N: N/A **REG/VALVE S/N:** N/A **CYLINDER S/N:** 0375E

III. Work to be Performed: _X_ OVERHAUL ___ REPAIR ___ INSPECT _X_ HYDROTEST
___ FUNCTIONAL TEST ___ WEIGHT CHECK ___ RECHARGE

IV. Data Used: 26-22-02 REV.7 **Revision:** 01/15/24 **SBs/ADs:** N/A
Other Data Used: FX03400-1/2 Revision: 2 Date: 5/17/24

V. Preliminary Inspection: Exterior inspection.

Cyl. Info: **Date Mfr'd:** 02/19 **Last Hydro Test:** 02/19 **DOT:** SP10440-1000 **Tech/Date:** ER 08/01/24 AMETEK #10 AMERON

VI. Corrective Action: Instructions: Initial numbered and lettered entries that apply. Initials indicate step was complied with. All other entries to be completed as they apply.
1. NC Disassembled (Required for Overhaul). 2. NC Cleaned and Inspected (Required for Overhaul). 3. NC Repaired as necessary (Required for Overhaul).
4. NC Replaced all required parts

P/N	Description	Qty	Serial/Lot	P/N	Description	Qty	Serial/Lot
FX03420-1	RUPTURE DISC	1	509607	MS29513-023	O-RING		N/A
MS29513-016	O-RING	1	511936	MS29513-028	O-RING	1	505064
51870-2	WELDMENT SCREEN		N/A	M53100578-1	SHIM		N/A
CT01400-1	CARTRIDGE			M53100578-3	SHIM		
F1301-RECLAIMED	RCV'D FULL (Yes)	2	512224	M53100578-5	SHIM		
F1301-RECYCLED	HALON 1301-RECYCLED		N/A	M53100578-6	SHIM		
FX03425-1	WELDMENT OUTLET			SU03400-8	OUTLET SAFETY CAP		
FX03435-1	RUPTURE DISC			SW00600-1	PRESS SWITCH TEMP COMP		

5. NC Reassembled (Required for Overhaul). 6. NC Recharged. 7. NC Tested (Required for Overhaul).
8. FX Hydrostatically Tested: a. Date tested: 08/2024 b. Next Hydrostatic Test due: 08/2029 c. Cylinder service life expires: Unlimited
9. N/A No work accomplished: a. ___ Beyond Economical Repair b. ___ UNSALVAGEABLE PART c. ___ Returned to customer "AS-IS" d. ___ Disposed of at A.G.P.S.
10. Fire extinguisher service data: Empty weight: 1.89 Agent weight: .79 N2 Weight/Pressure: .03 / 600 psi Total Weight: 2.71 Less cartridge(s) N/A Less outlet(s) N/A
Returning Less: (per customer's instruction) Cartridge(s) N/A Outlet(s) N/A Mounting Hardware N/A
11. Additional comments: Overhauled this unit per C.M.M.

Work performed by: NC AMETEK #19 AMERON Date: 08/14/24
Certificated Technician: Eli Rodriguez AMETEK #10 AMERON Date: 08/15/24
Authorized Inspector: MARTIN PALOMERA Date: 08/15/24 AMETEK #23 AMERON
Form Rev 1s

WO: 726 Sqn: 4.1

1. Approving Civil Aviation Authority/Country:	2.	3. Form Tracking Number:
FAA/UNITED STATES	**AUTHORIZED RELEASE CERTIFICATE** **FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG**	W.O.#: 483477

4. Organization Name and Address:	5. Work Order/Contract/Invoice Number:
Ameron Global Product Support 4750 LITTLEJOHN ST. BALDWIN PARK, CA. 91706 (O6UR165Y)	Customer #: HACI Customer Name: HONDA AIRCRAFT COMPANY Customer PO#: 8500007204

6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:
001	FIRE BOTTLE * Cylinder	FX03400-1	1	0417E * 0417E	OVERHAULED

12. REMARKS

This article was Overhauled and hydrostatic tested in accordance with C.M.M.26-22-02 Rev.7 dated 01/15/2024, and supplemental documents FX03400-1/2 Rev.2 dated 05/17/2024. Full details of the work performed are held in the work order ref. on block 3.

Alt. Customer P/N: HJ1-12620-100-001

Installed Customer Cartridge P/N: CT01400-1 S/N: 00512, DOM: 07/2019, EXP: 07/2031.

Certifies that the work specified in block 11/12 was carried out in accordance with EASA Part-145 and in respect to that work the product/article is considered ready for release to service under EASA Part-145 Approval Number: EASA.145.6006

13a. Certifies the items identified above were manufactured in conformity to:		14a. ☑ 14 CFR 43.9 Return to Service ☑ Other regulation specified in Block 12	
☐ Approved design data and are in a condition for safe operation. ☐ Non-approved design data specifed in Block 12.		Certifies that unless otherwise specified in Block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.	
13b. Authorized Signature: N/A	13c. Approval/Authorization No: N/A	14b. Authorized Signature:	14c. Approval/Certificate No: O6UR165Y
13d. Name (Typed or Printed): N/A	13e. Date (dd/mmm/yyyy): N/A	14d. Name (Typed or Printed): Martin Palomera	14e. Date (dd/mmm/yyyy): 15/Aug/2024

User/Installer Responsibilities

It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article.

Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s) / propeller(s) / article(s) from the airworthiness authority of the country specified in Block 1.

Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.

RH

WA/J483477

Ameron Global Product Support
4750 LITTLEJOHN ST. BALDWIN PARK, CA. 91706
Work Order #483477

WO:720 SQWIC: 4.1

CRS# O6UR165Y
08/12/24

I. WORK ORDER: 483477 **CUSTOMER:** HONDA AIRCRAFT COMPANY (HACI) **CUSTOMER'S ORDER:** 8500007204

II. **PART NUMBER:**FX03400-1 **ASSEMBLY S/N:**0417E **DESC:**FIRE BOTTLE **MFG:**MASS SYSTEMS INC
REG/VALVE P/N:N/A **REG/VALVE S/N:**N/A **CYLINDER S/N:**0417E

III. Work to be Performed: _X_ OVERHAUL ___ REPAIR ___ INSPECT _X_ HYDROTEST
___ FUNCTIONAL TEST ___ WEIGHT CHECK ___ RECHARGE

IV. Data Used: 26-22-02 REV.7 **Revision:** 01/15/24 **SBs/ADs:** N/A
Other Data Used: FX03400-1/2 Revision: 2 Date: 5/17/24

V. Preliminary Inspection: Exterior inspection - Received with damaged outlet.

Cyl. Info: **Date Mfr'd:**07/19 **Last Hydro Test:**07/19 **DOT:**SP10440-1000 **Tech/Date:** ER 08/01/24

AMETEK #10 AMERON

VI. Corrective Action: Instructions: Initial numbered and lettered entries that apply. Initials indicate step was complied with. All other entries to be completed as they apply.
1. ER **Disassembled (Required for Overhaul).** **2.** ER **Cleaned and Inspected (Required for Overhaul).** **3.** ER **Repaired as necessary (Required for Overhaul).**
4. ER **Replaced all required parts**

P/N	Description	Qty	Serial/Lot	P/N	Description	Qty	Serial/Lot
FX03420-1	RUPTURE DISC	1	509141	MS29513-023	O-RING		N/A
MS29513-016	O-RING	1	506862	MS29513-028	O-RING	1	505064
51870-2	WELDMENT SCREEN		N/A	M53100578-1	SHIM		N
CT01400-1	CARTRIDGE			M53100578-3	SHIM		
F1301-RECLAIMED	RCV'D FULL (Yes)	2	509516	M53100578-5	SHIM		
F1301-RECYCLED	HALON 1301-RECYCLED		N/A	M53100578-6	SHIM		
FX03425-1	WELDMENT OUTLET	1	494839	SU03400-8	OUTLET SAFETY CAP		
FX03435-1	RUPTURE DISC		N/A	SW00600-1	PRESS SWITCH TEMP COMP		N/A

5. ER **Reassembled (Required for Overhaul).** **6.** ER **Recharged.** **7.** ER **Tested (Required for Overhaul).**
8. ER **Hydrostatically Tested:** **a. Date tested:** 08/2024 **b. Next Hydrostatic Test due:** 08/2029 **c. Cylinder service life expires:** Unlimited
9. N/A **No work accomplished:** **a.** N/A **Beyond Economical Repair** **b.** N/A **UNSALVAGEABLE PART**
c. N/A **Returned to customer "AS-IS"** **d.** N/A **Disposed of at A.G.P.S.**

10. Fire extinguisher service data:
Empty weight: 1.92
Agent weight: .76
N2 Weight/Pressure: .03 / 600 psi
Total Weight: 2.71
Less cartridge(s) Yes
Less outlet(s) N/A
Returning Less: (per customer's instruction)
Cartridge(s) N/A
Outlet(s) N/A
Mounting Hardware N/A

11. Additional comments: Overhauled this unit per C.M.M.

Work performed by: ER AMETEK #10 AMERON **Date:** 08/15/24
Certificated Technician: Eli Rodriguez AMETEK #10 AMERON **Date:** 08/15/24
Authorized Inspector: MARTIN PALOMEDA **Date:** 08/15/24 Form Rev 1s

AMETEK #28 AMERON