MLF Label: 4.7.3 Tools and Equipment **DCT Type:** EP DCT **Specialty:** Airworthiness **Peer Group:** F - Part 145 Within US **DCT Revision:** 20.0 on 09/25/25 (Released)

Summary Information

Purpose (Certificate Holder Responsibility): To provide necessary tools and equipment to perform maintenance.

Objective (FAA Responsibility): Determine; (1) If the CH followed the accepted or approved process; (2) If the CH provided necessary measuring tools and equipment; (3) If the CH maintained tools to perform maintenance, preventive maintenance, or alterations.

The Tools and Equipment Element includes the following System(s) and Subsystem(s)

Questions	Answers	Comments
4.7.3 Tools and Equipment		
1 Best describe how the personnel followed procedures to ensure that all test and inspection equipment and tools (including leased/rented equipment) were calibrated, including traceability to acceptable standards. **REFERENCES:** 145.109(b), 145.211(c), 43.13, 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** FAR PART = "145" , **Rev.** 4 5/30/2024 7:53:40 AM, **QID:** 00017802, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
2 Best describe how the personnel followed procedures to determine the equivalency of precision tools, measuring devices, and test equipment other than those recommended by the manufacturer? **REFERENCES:** 145.109(c), AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** FAR PART = "145" , **Rev.** 3 5/30/2024 7:53:38 AM, **QID:** 00017804, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
3 Best describe how the procedures were followed to recall or remove from service any precision tool, measuring tool, or piece of test equipment that had exceeded its inspection or calibration interval; had broken inspection or calibration seals; was suspected of malfunctioning; or was determined to be unreliable? **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 6/20/2023 12:56:20 PM, **QID:** 00017820, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
4 Best describe how the procedures were followed to recall inspected products after the measuring equipment was found to be out of tolerance when the work was performed. **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 9/14/2016 10:49:38 AM, **QID:** 00017825, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
5 Best describe how personnel followed procedures to store, handle, and transport precision tools, measuring devices, and test equipment. **REFERENCES:** 8900.1 Vol 6 Ch 11 Sec 27, 8900.1 Vol 6 Ch 11 Sec 28, Job Aid - Composite Repair, Job Aid - NDI for ASI, 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 6/20/2023 12:56:42 PM, **QID:** 00017827, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
6 Best describe how personnel followed procedures to accept new precision test equipment into inventory. **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 9/14/2016 10:49:38 AM, **QID:** 00017828, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Consistently followed the procedures ◯ Some steps were missed or not followed ◯ Procedures were not consistently followed or adequate ◯ Not Observable ◯ Not Applicable	
7 Were the equipment, tools, and materials necessary to perform maintenance, preventive maintenance, or alterations on the premises and under the Repair Station's control when performing work? **REFERENCES:** 8900.1 Vol 6 Ch 11 Sec 27, 8900.1 Vol 6 Ch 11 Sec 28, 145.109(a), Job Aid - Composite Repair, Job Aid - NDI for ASI, 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 6/20/2023 12:56:42 PM, **QID:** 00017801, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
8 Were the tool and equipment calibrations traceable to standards that are acceptable to the FAA, including standards recommended by the manufacturer, NIST, or other national authority? **REFERENCES:** 145.109(c), 43.13, 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **NOTE:** If the tools and equipment are foreign-manufactured, the standards of the country of manufacture may be used, if acceptable to the Administrator. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 3 1/11/2016 11:29:16 AM, **QID:** 00017803, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
9 Were the tools, equipment, and materials used recommended by the manufacturer of the article or at least equivalent to that recommended by the manufacturer and acceptable to the FAA? **REFERENCES:** 8900.1 Vol 6 Ch 11 Sec 27, 8900.1 Vol 6 Ch 11 Sec 28, 145.109(c), Job Aid - Composite Repair, Job Aid - NDI for ASI, 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 6/20/2023 12:56:20 PM, **QID:** 00017805, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
10 Verify that the records were maintained and included (as applicable): #1 Calibration of tools and equipment; #2 Tool and equipment control when the work is being done; and #3 Determination of the equivalency of special equipment and tools. **REFERENCES:** 145.109(a), 145.109(b), 145.109(c), 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 9/14/2016 10:49:39 AM, **QID:** 00017808, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ The records were accurate ◯ The records contained discrepancies ◯ Not Observable ◯ Not Applicable	
11 Did the inspection and calibration records include the: #1 Name of person who performed the calibration; #2 Date of the calibration; #3 Date the next calibration is due; #4 Standard used to perform the calibration; #5 Method used to perform the calibration; and #6 Results of the calibration? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** FAR PART = "145" , **Rev.** 4 5/30/2024 7:53:40 AM,	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
QID: 00017812, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released		
12 Was the special equipment and test apparatus identified with unique part and serial numbers? **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 2 9/14/2016 10:49:38 AM, **QID:** 00017819, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
13 Was maintenance performed with tools or equipment that had been calibrated only for use as an in-house calibration standard? **REFERENCES:** 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") , **Rev.** 4 9/24/2015 4:11:48 PM, **QID:** 00017826, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ No ◯ Yes ◯ Not Observable ◯ Not Applicable	
14 Did the personnel calibrating tools and equipment have the knowledge, training, or experience necessary to ensure proper calibration? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9, AC-145-9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** FAR PART = "145" , **Rev.** 4 5/30/2024 7:53:40 AM, **QID:** 00017829, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
15 Is the repair station following the systems and procedures in the RSM/QCM for test cell measuring tools and equipment (MTE), calibration of the test cell MTE, and data interfaces used to produce testing reports? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (REPAIR STATION EQUIPMENT = "TEST CELL") , **Rev.** 1 5/30/2024 7:54:19 AM, **QID:** 00060374, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
16 Did the repair station's test cell conforms to the description in their RSM/QCM for test cell design and configuration, operation of the test cell, engine testing results criteria, and correlation data (including the correlation reports) for the test cell? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9 **NOTE:** For air carrier powerplant testing, the air carrier General Maintenance Manual (GMM) may have engine testing reporting requirements or results criteria different than the Original Equipment Manufacturer (OEM) instructions. Test cell operations must use the appropriate approved data or instructions for continued airworthiness (ICA) associated with the particular powerplant being tested. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (REPAIR STATION EQUIPMENT = "TEST CELL") , **Rev.** 1 5/30/2024 7:54:19 AM, **QID:** 00060375, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
17 Did the repair station accomplish RSM/QCM test cell maintenance procedures requirements, including maintenance of the correlation status or recorrelation at the prescribed intervals? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9 **NOTE:** AC 43-207, Paragraph 403, Maintaining Correlation recommends recorrelation every 7 years. For air carrier powerplant testing, the air carrier General Maintenance Manual (GMM) may have engine testing reporting requirements or results criteria different than the Original Equipment Manufacturer (OEM) instructions. Test cell operations must use the appropriate approved data or instructions for continued airworthiness (ICA) associated with the particular powerplant being tested.	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
Safety Attribute: Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (REPAIR STATION EQUIPMENT = "TEST CELL") , **Rev.** 1 5/30/2024 7:54:19 AM, **QID:** 00060376, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released		
18 Did the repair station following RSM/QCM test cell procedures for engine testing data acquisitions or interface system software configuration control procedures? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9 **NOTE:** For air carrier powerplant testing, the air carrier General Maintenance Manual (GMM) may have engine testing reporting requirements or results criteria different than the Original Equipment Manufacturer (OEM) instructions. Test cell operations must use the appropriate approved data or instructions for continued airworthiness (ICA) associated with the particular powerplant being tested. **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (REPAIR STATION EQUIPMENT = "TEST CELL") , **Rev.** 1 5/30/2024 7:54:19 AM, **QID:** 00060377, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
19 Did the correlated test cell ensures articles meet the minimum test requirements? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (REPAIR STATION EQUIPMENT = "TEST CELL") , **Rev.** 1 5/30/2024 7:54:20 AM, **QID:** 00060378, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
20 Did the repair station calibrate test cell instrumentation to a standard acceptable to the FAA and to the specifications listed in the test cell correlation report or the OEM/air carrier's instructions? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (REPAIR STATION EQUIPMENT = "TEST CELL") , **Rev.** 1 5/30/2024 7:54:20 AM, **QID:** 00060379, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
21 Did the repair station accomplish a test cell correlation or recorrelation after structural modifications/repairs to an existing test cell that significantly affects performance? **REFERENCES:** 145.211(c), 8900.1 Vol 6 Ch 9 Sec 9 **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** (FAR PART = "145") AND (REPAIR STATION EQUIPMENT = "TEST CELL") , **Rev.** 1 5/30/2024 7:54:20 AM, **QID:** 00060380, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
22 Did the certificate holder follow policies, procedures, instructions and information for this element? **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:29 PM, **QID:** 00051933, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	
23 Did the certificate holder follow policies, procedures, instructions and information for this element? **Safety Attribute:** Procedures, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR	◯ Yes ◯ No ◯ Not Observable ◯ Not Applicable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
"125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:51 PM, **QID:** 00051947, **Response Details:** EP & ED DCTs (Both OP and AW), **Status:** Released		
24 Best describe how the certificate holder applied Safety Assurance processes to perform safety performance monitoring and measurement, safety performance assessment, and continuous improvement for this element's processes. **REFERENCES:** AC-120-92, 5.71, 5.73, 5.75 **NOTE:** Safety assurance processes: Monitor the day-to-day life cycle of system operations, (System Monitoring) with the designed risk controls in place. A variety of data sources (Data Acquisition) are utilized such as audits, investigations, and employee reporting. Once the data has been obtained, the process owner analyzes the data that will be used in decision making (Analysis of Data). The decision making can result in three possible outcomes (System Assessment). Data and analysis indicate: The processes and procedures and integrated risk controls are functioning as intended, the result is satisfactory. A negative result, and the organization should continue the analysis to determine if the shortfall is due to the controls not being used as intended (e.g., required training not accomplished, procedures not followed, or improper tools or equipment provided). Action should be taken to correct the problem (Corrective Action). The system is being used as intended, it is not producing the expected results. A system design should be reconsidered using the path back to the SRM process. **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 2 9/25/2025 2:00:49 PM, **QID:** 00060555, **Response Details:** Safety Assurance (Both OP & AW), **Status:** Released	◯ Safety Assurance processes were performed and documented ◯ Isolated instance(s) when Safety Assurance processes were not performed and/or documented ◯ Several instances when Safety Assurance processes were not performed and/or documented ◯ Not Observable	
25 Best describe how the certificate holder applied Safety Risk Management (SRM) processes to perform system analysis, to identify hazard(s), conduct safety risk assessment(s), and evaluate control(s) for this element's processes. **REFERENCES:** AC-120-92, 5.53, 5.55, 5.51 **NOTE:** The certificate holder uses (System Analysis) to understand the processes and procedures being developed or revised, or where new hazards or changes of the operational environment have been identified. The analysis needs to consider the operating environment, the personnel involved in the operation, the equipment being used, any training needed, operational procedures, and interfaces with other processes or procedures. System Analysis flows into (Hazard Identification). During discussions of how a system currently works (System Analysis), hazards will often become evident. Therefore, the Hazard Identification step has also been at least partially accomplished. The process owner then conducts an analysis of the potential consequences of operation in the presence of the identified hazards (Risk Analysis). Leading to an assessment of the acceptability of operating with these hazards (Risk Assessment), Or whether or not the risk of such operations can be eliminated or mitigated to an acceptable level through the development of a (Risk Control). **Safety Attribute:** Procedures, **Question Type:** Process Observation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 2 9/25/2025 2:00:50 PM, **QID:** 00060556, **Response Details:** Safety Risk Management (Both OP & AW), **Status:** Released	◯ The SRM processes were performed and documented ◯ Isolated instance(s) when Safety Risk Management processes were not performed and/or documented ◯ Several instances when Safety Risk Management processes were not performed and/or documented ◯ Not Observable	
26 Did the controls effectively mitigate unacceptable risk(s) for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Controls, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:53 PM, **QID:** 00051948, **Response Details:** Controls ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
27 Were the certificate holder's interfaces effective for this element? **REFERENCES:** AC-120-92, 5.71, 5.57, 5.53(b) **Safety Attribute:** Interfaces, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:31 PM,	◯ Yes ◯ No ◯ Not Observable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
QID: 00051935, **Response Details:** Interfaces ED/EP/SP DCTs (Both OP and AW), **Status:** Released		
28 Were the certificate holder's interfaces effective for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Interfaces, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:53 PM, **QID:** 00051949, **Response Details:** Interfaces ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
29 Were financial and human resources provided to ensure the safety and quality performance of this element? **REFERENCES:** AC-120-92, 5.21, 5.23(a), 5.25(a), 5.25(b), 5.25(c) **Safety Attribute:** Responsibility, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:40 PM, **QID:** 00051936, **Response Details:** Responsibility ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
30 Were financial and human resources provided to ensure the safety and quality performance of this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Responsibility, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:55 PM, **QID:** 00051950, **Response Details:** Responsibility ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
31 Did the individual with authority over the certificate holder's process effectively plan, direct and control resources, or change procedures and make key determinations including safety risk acceptance decisions for this element? **REFERENCES:** AC-120-92, 5.23(a), 5.23(b), 5.25(c) **Safety Attribute:** Authority, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:44 PM, **QID:** 00051937, **Response Details:** Authority ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
32 Did the individual with authority over the certificate holder's process effectively plan, direct and control resources, or change procedures and make key determinations including safety risk acceptance decisions for this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Authority, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:56 PM, **QID:** 00051951, **Response Details:** Authority ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
33 Were the certificate holder's process measurement(s) used to evaluate the performance of this element and if necessary, implement corrective action? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Process Measurement, **Question Type:** Output Validation,	◯ Yes ◯ No ◯ Not Observable	

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

Questions	Answers	Comments
Scoping Attribute: ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "141" OR "142" OR "147" OR "145" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:57 PM, **QID:** 00051952, **Response Details:** Process Measurement ED/EP/SP DCTs (Both OP and AW), **Status:** Released		
34 Did individuals understand their role and contribute to the safety performance of this element? **REFERENCES:** AC-120-92, 5.23(a), 5.91, 5.93 **Safety Attribute:** Safety Ownership, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT" OR "SMSVP")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 5 9/25/2025 2:00:48 PM, **QID:** 00051939, **Response Details:** Safety Ownership ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	
35 Did individuals understand their role and contribute to the safety performance of this element? **REFERENCES:** 8900.1 Vol 10 Ch 1 Sec 1, 8900.1 Vol 10 Ch 1 Sec 4 **Safety Attribute:** Safety Ownership, **Question Type:** Output Validation, **Scoping Attribute:** ((FAR PART = "135") AND NOT (SAFETY PROGRAMS = "SMSVP") AND NOT (SAFETY PROGRAMS = "SMS DECLARED / INITIAL CERT")) OR ((FAR PART = "145" OR "141" OR "142" OR "147" OR "125" OR "133" OR "137") AND NOT (SAFETY PROGRAMS = "SMSVP")) , **Rev.** 4 9/25/2025 2:00:58 PM, **QID:** 00051953, **Response Details:** Safety Ownership ED/EP/SP DCTs (Both OP and AW), **Status:** Released	◯ Yes ◯ No ◯ Not Observable	

Response Details List Safety Assurance (Both OP & AW) (Released, 1.0)	
1	Procedures did not exist.
2	Safety performance data not collected and/or documented.
3	Safety performance data not analyzed and/or documented.
4	Safety performance assessments were not performed and/or documented.
5	Continuous improvement processes to correct safety performance deficiencies were not performed or documented.
6	Other
Response Details List Safety Risk Management (Both OP & AW) (Released, 1.0)	
1	Procedures did not exist.
2	Processes were not performed and/or documented when required.
3	System analysis processes were not performed and/or documented.
4	Hazard identification process was not performed and/or documented, as necessary.
5	Processes to analyze the safety risk of identified hazards were not performed and/or documented, as necessary.
6	Processes to determine the acceptability of safety risk were not performed and/or documented, as necessary.
7	Processes to develop safety risk control(s) resulting from Safety risk assessment were not performed and/or documented, as necessary.
8	Process to evaluate safety risk controls prior to implementation were not performed and/or documented.
9	Other
Response Details List Controls ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to develop and maintain risk controls (for new systems, revising existing systems, or developing operational procedures).
2	Failure to follow risk controls (i.e., because they are unclear, poorly communicated, burdensome, or tribal knowledge/group norms).
3	Communication failure (e.g., between management and employees; between departments; within a department).
4	Failure to identify hazards or ineffective risk controls.
5	Failure to maintain records of outputs of risk control assessments.
6	Failure to effectively evaluate substitute/residual risk before applying risk controls.
7	Risk controls are ineffective (i.e., fail to mitigate risk).
8	Other.
Response Details List EP & ED DCTs (Both OP and AW) (Released, 3.0)	
1	Procedures/guidance are not current, inaccurate, unclear, conflicting, or otherwise not followable.
2	Personnel failed to follow process (procedures, guidance, etc.).
3	Procedures/guidance not available.

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

4	Undocumented procedure(s).
5	Minor typographical error(s) (i.e., record entries).
6	Information missing.
7	Communication failure.
8	Personnel failed to perform task.
9	Process failed to meet desired outcome.
10	Other.
Response Details List Interfaces ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure of interfaces between processes or procedures.
2	Internal communication failure(s) within a single department.
3	Internal communication failure(s) between multiple departments (i.e., maintenance and flight ops).
4	Internal communication failure(s) between management and employees.
5	External communication failure(s) outside the organization (i.e., with contractors, FAA).
6	Other.
Response Details List N/A Response Detail (Released, 3.0)	
1	Not applicable or authorized
2	Other
Response Details List N/O Response Detail (Released, 3.0)	
1	Personnel (e.g., personnel not present/available)
2	Equipment (e.g., equipment not present/available/in serviceable condition)
3	Event did not occur (e.g., subject of surveillance did not occur)
4	Time Constraints (e.g., resources/workload)
5	Weather (e.g., weather needed for observation not present or weather made observation impossible)
6	Other
Response Details List Process Measurement ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to detect personnel not following procedures/processes.
2	Inadequate monitoring/evaluations of new or existing operations processes or systems (e.g., repeated failures not detected).
3	Undocumented or insufficient investigations.
4	Failure to conduct audits.
5	Ineffective audits.
6	Failure to detect changes in the operational environment (i.e., physical, regulatory, financial).
7	Failure to identify issues/process deficiencies in process measurements and/or procedures.
8	Process failed to meet desired outcome.
9	Inadequate data acquisition.
10	Other.
Response Details List Responsibility ED/EP/SP DCTs (Both OP and AW) (Released, 3.0)	
1	Failure to communicate the importance of safety (e.g., focusing on competing goals of productivity or profit).
2	Failed to provide sufficient (adequate number, trained and qualified) human resources.
3	Failed to provide financial resources.
4	Individual not clearly identified.
5	Failure to ensure safety of process.
6	Failure to oversee operations conducted under the certificate.
7	Failed to ensure quality performance of process.
8	Communication failure(s) laterally and/or up and down the chain of command (or equivalent).
9	Other.
Response Details List Authority ED/EP/SP DCTs (Both OP and AW) (Released, 4.0)	
1	Unacceptable safety risk acceptance.
2	Failure to ensure adequate supervision (including reward safe behavior and correct unsafe behavior).
3	Leadership ignores/ do not address procedural deviations or unsafe behavior.
4	Failure to prioritize safety over competing demands / failure to manage mission pressure.
5	Process owner authorities, roles, and responsibilities not clearly defined or understood.
6	Tension or lack of mutual trust and respect between management and workforce.
7	Tension between company and regulator.
8	Corrective actions focus on individuals rather than root cause/systemic process improvements.

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.

9	Ineffective planning of resources (e.g., staffing, workload, scheduling, pressure, frequent instances where tasks were not completed on time).
10	Ineffective use of resources (e.g., money, internal and external personnel, equipment/tools, training).
11	Equipment/tools are inadequate, unavailable, or uncalibrated.
12	Inadequate training (e.g., not effective, current/updated, or relevant).
13	Facilities not adequate.
14	Failure to implement safety risk processes.
15	Process owner not clearly identified.
16	Unqualified to make key safety risk acceptance decisions.
17	Failed to ensure quality performance of process.
18	Other.
Response Details List Safety Ownership ED/EP/SP DCTs (Both OP and AW) (Released, 5.0)	
1	Management does not communicate/demonstrate a commitment to safety (negative/unhealthy safety culture).
2	Employees are unwilling to report hazards/risks/events, including unclear procedures.
3	Ineffective/lack of safety programs (i.e., VDRP, ASAP).
4	Ineffective/inconsistent response to reported hazard/risk/events, event investigations, and/or corrective actions (fairness/justness).
5	Employees are unaware of safety policies or processes.
6	Unclear or ineffective safety policy.
7	Unclear or ineffective safety objectives.
8	Employees are unaware of safety related reporting tools.
9	Lack of confidential/voluntary employee reporting tools.
10	Ineffective safety related training.
11	Other.

UNCONTROLLED COPY WHEN DOWNLOADED - Check Data Repository to verify that this data is current prior to use
FOR OFFICIAL USE ONLY - Public availability to be determined under 5 USC 552.