PRIVATE RESEARCH PROJECT

The recursively calculation of prime numbers.

Draft/(Working) paper

Carolin Zöbelein¹

Available at https://github.com/Samdney/primescalc License: CC BY-ND 3.0 DE (see also LICENSE)

State: April 20, 2017

Keywords: Prime numbers, Primes, Recursive, Number Theory **Subjclass:** 2010 *Mathematics Subject Classification*. Primary XX.

 $^{^1}E$ -mail address: contact@carolin-zoebelein.de, PGP Fingerprint: D4A7 35E8 D47F 801F 2CF6 2BA7 927A FD3C DE47 E13B; URL: http://www.carolin-zoebelein.de

Abstract.

Roadmap

• ...

Contents

1	Introduction	5
2	Odd-Divisible Numbers	6
	2.1 Basic description: Odd-Numbers	6

1 Introduction

In the following paper, I will show that prime numbers can be calculated recursively. I will start with the suggestion of descriptions itself, over different perspectives on this problem, until the final explanation of caculating prime numbers in the most efficient way, as a result from this considerations.

Let's start with the definition of prime numbers itself.

Definition 1.0.1 (Prime numbers) Every natural number greater than one which has no positive integer divisors apart from one and itself is called Prime Number or just only Prime.

Be P the set of all prime numbers p. So we can write

$$\mathcal{P} := \{ p \in \mathbb{N}_{>1} \mid \forall n \in \mathbb{N}_{>1} \setminus \{ p \} : \ n \nmid p \}.$$

Hence, the first prime numbers are $\mathcal{P} := \{2, 3, 5, 7, 11, 13, 17, 19, 23, \dots\}.$

2 Odd-Divisible Numbers

Contents

2.1 Basic description: Odd-Numbers 6

At first, for the description of prime numbers, we have to look at the set of divisible numbers. Since, apart from 2, all prime numbers are odd, we will only analyze this numbers. In the whole paper, we will ignore the prime number 2, because we will see, this makes a lot easier.

2.1 Basic description: Odd-Numbers

Be given the set of all odd natural numbers $y \in \mathbb{N}_{>1}$ through

$$y_i(x_i) := 2x_i + 1,$$
 (2.1)

with $x, i \in \mathbb{N}$. If we expand the definition set of x to \mathbb{Z} , we also know

$$y(0) = 1$$
and $y(-x) = 2(-x) + 1$

$$= -(2x - 1)$$

$$= -(2(x - 1) + 1)$$

$$= -y(x - 1).$$
(2.2)

Later, we will see that this properties can be very useful.

List of Figures

List of Tables

Listings

Bibliography

Changelog