

PCAP 5 attackers simulation

📅 Date	August 19, 2026 → August 20, 2026
🔗 URL	https://www.malware-traffic-analysis.net/about.html

Changing the attackers from 15 vs 5 to 5 vs 5:

```
#!/bin/bash
# =====
# Multi-Attack 5 Attackers vs 5 Victims Simulation Pipeline
# (2-2-1 split)
# Target MAC: 00:0c:29:9b:a0:64 (Suricata Interface MAC)
# =====

WORKDIR="$HOME/attacks/processed_tmp_5v5"
OUTPUT_DIR="$HOME/attacks"
FINAL_PCAP="$OUTPUT_DIR/full_multi_attack_5v5.pcap"
SURICATA_MAC="00:0c:29:9b:a0:64"

# 1. 5 Distinct Attacker IPs (10.0.0.1 -> 10.0.0.5)
ATTACKERS=(
    10.0.0.1 10.0.0.2 10.0.0.3 10.0.0.4 10.0.0.5
)

# 2. 5 Victim IPs
VICTIMS=(
    192.168.93.139
    192.168.93.140
    192.168.93.141
    192.168.93.142
    192.168.93.143
)
```

```

# 3. Base PCAPS
PCAPS=(
    "$HOME/attacks/formbook/formbook_attack.pcap"
    "$HOME/attacks/webprobe/webprobe_attack.pcap"
    "$HOME/attacks/ftpxfil/ftpxfil_attack.pcap"
)

# 4. Explicit per-attacker pcap assignment (2 formbook, 2 web
probe, 1 ftpxfil)
#    Index maps into PCAPS above: 0=formbook, 1=webprobe, 2=f
tpxfil
ATTACKER_PCAP_IDX=(0 0 1 1 2)

echo "[+] Initializing workspace at $WORKDIR..."
mkdir -p "$WORKDIR"
rm -f "$WORKDIR"/*.pcap

i=0
for atk in "${ATTACKERS[@]}; do
    vic=${VICTIMS[$i]}
    pcap_idx=${ATTACKER_PCAP_IDX[$i]}
    input_pcap="${PCAPS[$pcap_idx]}"

    if [ ! -f "$input_pcap" ]; then
        echo "[-] Error: Input file $input_pcap not found!"
        exit 1
    fi

    echo "[+] Stream $((i+1))/5: [Attacker $atk] -> [Victim
$vic] using $(basename "$input_pcap")"

    # Force ALL source IPs to $atk and ALL destination IPs to
$vic
    tcprewrite \
        --infile="$input_pcap" \

```

```

--outfile="$WORKDIR/atk_${i}.pcap" \
--srcipmap="0.0.0.0/0:$atk/32" \
--dstipmap="0.0.0.0/0:$vic/32" \
--enet-dmac="$SURICATA_MAC" \
--fixcsum \
--skip-soft-errors 2>/dev/null

i=$((i+1))
done

echo "[+] Merging 5 processed attack streams into $FINAL_PCAP
P..."
mergcap -w "$FINAL_PCAP" "$WORKDIR"/atk_*.pcap

echo "[+] Verifying rewritten attacker streams (10.0.0.0/24 -
> Targets):"
tshark -r "$FINAL_PCAP" -Y "ip.src == 10.0.0.0/24" -T fields
-e ip.src -e ip.dst 2>/dev/null | sort -u

echo "=====
=====
echo "[SUCCESS] Master PCAP created at: $FINAL_PCAP"
echo "          5 attackers (2 formbook, 2 webprobe, 1 ftpexf
il) -> 5 victims"
echo "=====
=====

```

IPs rewritten:

```

10.0.0.4,91.231.89.164 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.165 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.166 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.167 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.88 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.89 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.90 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.91 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.92 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.93 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.94 192.168.93.142,203.161.44.208
10.0.0.4,91.231.89.95 192.168.93.142,203.161.44.208
10.0.0.4,91.232.238.153 192.168.93.142,203.161.44.208
10.0.0.4,91.92.241.226 192.168.93.142,203.161.44.208
10.0.0.4,92.107.203.171 192.168.93.142,203.161.44.208
10.0.0.4,93.123.96.252 192.168.93.142,203.161.44.208
10.0.0.4,93.174.95.106 192.168.93.142,203.161.44.208
10.0.0.4,93.43.211.38 192.168.93.142,203.161.44.208
10.0.0.4,93.49.80.221 192.168.93.142,203.161.44.208
10.0.0.4,94.102.49.193 192.168.93.142,203.161.44.208
10.0.0.4,94.103.1.129 192.168.93.142,203.161.44.208
10.0.0.4,94.103.1.78 192.168.93.142,203.161.44.208
10.0.0.4,94.103.3.29 192.168.93.142,203.161.44.208
10.0.0.4,94.141.162.99 192.168.93.142,203.161.44.208
10.0.0.4,94.26.106.125 192.168.93.142,203.161.44.208
10.0.0.4,94.34.148.164 192.168.93.142,203.161.44.208
10.0.0.4,94.72.96.152 192.168.93.142,203.161.44.208
10.0.0.4,95.104.165.3 192.168.93.142,203.161.44.208
10.0.0.4,95.143.218.134 192.168.93.142,203.161.44.208
10.0.0.4,95.214.55.226 192.168.93.142,203.161.44.208
10.0.0.4,95.26.68.207 192.168.93.142,203.161.44.208
10.0.0.4,95.5.111.186 192.168.93.142,203.161.44.208
10.0.0.4,95.55.52.177 192.168.93.142,203.161.44.208
10.0.0.4,95.76.223.14 192.168.93.142,203.161.44.208
10.0.0.4,96.126.118.24 192.168.93.142,203.161.44.208
10.0.0.4,96.127.153.174 192.168.93.142,203.161.44.208
10.0.0.4,96.243.30.240 192.168.93.142,203.161.44.208
10.0.0.4,9.82.188.170 192.168.93.142,87.6.88.87
10.0.0.4,99.249.148.117 192.168.93.142,203.161.44.208
10.0.0.4,99.255.236.6 192.168.93.142,203.161.44.208
10.0.0.5 192.168.93.143

```

```

[SUCCESS] Master PCAP created at: /home/kali/attacks/full_multi_attack_5v5.pcap
5 attackers (2 formbook, 2 webprobe, 1 ftpexfil) → 5 victims

```

Frequent IPs in the PCAPs:

```
(kali㉿kali)-[~/attacks]
└─$ tshark -r ~/attacks/formbook/formbook_attack.pcap -Y "ip.dst==172.16.8.49" -T fields -e ip.src | sort | uniq -c | sort -rn | head -5
  907 172.16.8.8
   608 38.182.168.246
   436 146.59.71.167
   292 199.232.210.172
   280 173.46.81.201

(kali㉿kali)-[~/attacks]
└─$ tshark -r ~/attacks/webprobe/webprobe_attack.pcap -Y "ip.dst==203.161.44.208" -T fields -e ip.src | sort | uniq -c | sort -rn | head -5
  6806 172.234.207.202
   6275 104.237.151.205
   2993 52.252.27.34
   2957 168.197.169.32
   2849 52.158.166.178

(kali㉿kali)-[~/attacks]
└─$ tshark -r ~/attacks/ftpexfil/ftpexfil_attack.pcap -Y "ip.src==10.2.3.101" -T fields -e ip.dst | sort | uniq -c | sort -rn | head -5
   56 142.251.186.132
   26 162.241.123.75
   11 142.250.115.138
    6 208.95.112.1
    4 10.2.3.1
```

Offline checks on suricata:

```

(kali㉿kali)-[~/attacks]
$ scp full_multi_attack_5v5.pcap us@192.168.93.138:~/
us@192.168.93.138's password:
Connection closed by 192.168.93.138 port 22 (ipextit processed_tmp processe
scp: Connection closed

(kali㉿kali)-[~/attacks]
$ scp full_multi_attack_5v5.pcap us@192.168.93.138:~/
us@192.168.93.138's password:
full_multi_attack_5v5.pcap

(kali㉿kali)-[~/attacks]
$ ssh us@192.168.93.138
us@192.168.93.138's password:
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-29-generic x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Wed Aug 19 10:08:44 AM UTC 2026

System load:  6.86          Processes:           450
Usage of /:   38.6% of 37.51GB Users logged in:     0
Memory usage: 17%          IPv4 address for ens33: 192.168.23.159
Swap usage:   0%

⇒ There is 1 zombie process.

* Strictly confined Kubernetes makes edge and IoT secure. Learn how MicroK8s
  just raised the bar for easy, resilient and secure K8s cluster deployment.

  https://ubuntu.com/engage/secure-kubernetes-at-the-edge

Expanded Security Maintenance for Applications is not enabled.

34 updates can be applied immediately.
To see these additional updates run: apt list --upgradable

7 additional security updates can be applied with ESM Apps.
Learn more about enabling ESM Apps service at https://ubuntu.com/esm

Last login: Thu Jul 16 09:46:26 2026 from 192.168.93.130
us@ubuntusur:~$ mkdir -p /tmp/multi_attack_5v5_precheck

```

```

Last login: Thu Jul 16 09:46:26 2026 from 192.168.93.130
us@ubuntu:~$ mkdir -p /tmp/multi_attack_5v5_precheck
us@ubuntu:~$ sudo suricata -r full_multi_attack_5v5.pcap -c /etc/suricata/suricata.yaml -l /tmp/multi_attack_5v5_precheck/ -v
[sudo: authenticate] Password:
Notice: suricata: This is Suricata version 8.0.6 RELEASE running in USER mode
Info: cpu: CPUs/cores online: 8
Info: suricata: Setting engine mode to IDS mode by default
Info: exception-policy: master exception-policy set to: auto
Info: suricata: Preparing unexpected signal handling
Info: logopenfile: fast output device (regular) initialized: fast.log
Info: logopenfile: eve-log output device (regular) initialized: eve.json
Info: logopenfile: stats output device (regular) initialized: stats.log
Warning: detect: No rule files match the pattern /var/lib/suricata/rules/local.rules
Info: detect: 2 rule files processed. 137759 rules successfully loaded, 0 rules failed, 0 rules skipped
Info: threshold-config: Threshold config parsed: 0 rule(s) found
Info: detect: 137770 signatures processed. 17323 are IP-only rules, 5119 are inspecting packet payload, 114985 inspect application layer, 110 are decoder event only
Notice: threads: Threads created → RX: 1 W: 8 FM: 1 FR: 1 Engine started.
Info: pcap: Starting file run for full_multi_attack_5v5.pcap
Info: checksum: No packets with invalid checksum, assuming checksum offloading is NOT used
Info: pcap: pcap file full_multi_attack_5v5.pcap end of file reached (pcap err code 0)
Notice: suricata: Signal Received Stopping engine.
Info: suricata: time elapsed 34.413s
Notice: pcap: read 1 file, 673207 packets, 126931206 bytes
Info: counters: Alerts: 7909
us@ubuntu:~$ wc -l /tmp/multi_attack_5v5_precheck/fast.log
7909 /tmp/multi_attack_5v5_precheck/fast.log
us@ubuntu:~$ exit
logout
Connection to 192.168.93.138 closed.

```

The alerts showed on the dashboard and the logs successfully:

Sort by
Newest first

☐ Group similar alerts by Signature & Source IP

Live Alert Stream (500 loaded in view)

Download filtered alerts as CSV

Click on any alert row below to open its full details, rule descriptions, raw JSON, and review actions.

Rows per page: 25
Page: 1
Showing page 1 of 20 (500 total rows)

	SID	Formatted_Time	Severity	signature	src_ip	dest_ip	status
☐	3300147	2026-08-19 04:45:53 PM	High	NBT-NS protocol in use - Broadcast query from Windows observed	150.1.7.100	150.1.7.255	new
☐	3300151	2026-08-19 04:45:53 PM	High	WPAD via MDNS protocol observed - Multicast query from Windows observed	150.1.7.100	224.0.0.251	new
☐	3400002	2026-08-19 04:44:23 PM	Medium	POSSBL PORT SCAN (NMAP -sS)	10.0.0.3	192.168.93.141	new
☐	3400002	2026-08-19 04:44:23 PM	Medium	POSSBL PORT SCAN (NMAP -sS)	10.0.0.4	192.168.93.142	new
☐	2010939	2026-08-19 04:44:22 PM	Medium	ET SCAN Suspicious inbound to PostgreSQL port 5432	10.0.0.3	192.168.93.141	new
☐	2010939	2026-08-19 04:44:22 PM	Medium	ET SCAN Suspicious inbound to PostgreSQL port 5432	10.0.0.4	192.168.93.142	new
☐	2101411	2026-08-19 04:44:22 PM	Medium	GPL SNMP public access udp	10.0.0.3	192.168.93.141	new
☐	2101411	2026-08-19 04:44:22 PM	Medium	GPL SNMP public access udp	10.0.0.4	192.168.93.142	new
☐	3400020	2026-08-19 04:44:22 PM	High	POSSBL SCAN SHELL M-SPLOIT TCP	10.0.0.3	192.168.93.141	new
☐	3400020	2026-08-19 04:44:22 PM	High	POSSBL SCAN SHELL M-SPLOIT TCP	10.0.0.4	192.168.93.142	new

```

Sendpacket_abort
Actual: 600835 packets (86951138 bytes) sent in 3004.17 seconds
Rated: 28943.4 Bps, 0.231 Mbps, 199.99 pps
Flows: 398564 flows, 132.67 fps, 596511 unique flow packets, 0 unique non-flow packets
Statistics for network device: eth1
Successful packets:      600834
Failed packets:         376
Truncated packets:      0
Retried packets (ENOBUFS): 0
Retried packets (EAGAIN): 0

```

```

(kali@kali)-[~/attacks]
$

```

