Facial Analysis Powered Virtual Healthcare

Sameeksha[1], Swasthika Rai B S[1], Thanmayee J[1], Pooja A[1], Thapaswini P S[2]
8th Semester, Dept. of Computer Science and Engineering[1]
Assistant Professor, Department of Computer Science and Engineering, VCET, Puttur, Karnataka[2]
Vivekananda College of Engineering and Technology, Puttur, Karnataka, India

***Abstract*— The AI-powered mental health support system aims to revolutionize the mental health care landscape by integrating advanced emotion recognition technologies with real-time virtual assistance. Designed specifically for counselors and mental health professionals, the system employs a multimodal approach combining facial expression recognition, voice analysis, and an intelligent chatbot interface to detect emotional states and possible signs of depression. Using deep learning models, particularly Convolutional Neural Networks (CNNs), facial expressions captured through a camera are analyzed to identify key emotions such as sadness, anger, or anxiety. Simultaneously, a voice assistant evaluates tone, pitch, and speech patterns to detect behavioral cues associated with mental distress. These multimodal emotional insights are then shared with counselors to support accurate and timely intervention. A built-in chatbot further enhances the system by offering empathetic conversations, mental health tips, and regular check-ins, ensuring continuous engagement between therapy sessions. This hybrid model of AI assistance and professional counseling not only improves emotional monitoring and personalized care but also reduces barriers to seeking help. The system ultimately serves as a bridge between traditional therapy and intelligent digital tools, promoting early detection, proactive intervention, and accessible mental health support.**

Keywords*— *Mental health, Deep learning, Convolutional Neural Networks (CNNs), Facial expression recognition, Voice analysis, Emotional monitoring, AI chatbot, Depression detection.

I. INTRODUCTION

Mental health challenges like depression are increasingly prevalent across all age groups, yet traditional assessment methods—such as self-reports and clinical interviews—often fall short in capturing real-time emotional states. These approaches can be time-consuming, subjective, and inaccessible, especially in remote or underserved regions.

To overcome these limitations, advancements in artificial intelligence offer promising solutions for early mental health screening. Facial recognition and speech analysis technologies enable accurate emotion detection by analyzing expressions and vocal patterns. Emotions such as happiness, sadness, fear, anger, surprise, and disgust can be identified through machine learning models, while vocal cues add further depth to emotional evaluation.

A virtual healthcare platform integrating these technologies allows mental health practitioners to perform quick, automated assessments. The system also features an AI-powered chatbot that engages users in guided conversations, gathering insights into mood patterns and potential depressive symptoms. This enables professionals to prioritize critical cases and deliver timely support.

By combining facial analysis, speech evaluation, and conversational bot, the solution provides a scalable, private, and efficient tool for preliminary mental health assessment, enhancing early detection and promoting accessible care.

II. LITERATURE SURVEY

Sharma, Archana, Anuradha Saxena, Ashok Kumar, and Divyansh Singh [1] "Depression detection using multimodal analysis with chatbot support" proposed a system that integrates facial expressions, voice, and text analysis using deep learning to identify depressive symptoms. The study emphasizes the significance of chatbot-supported interactions to provide a more natural communication channel for users. Their framework enhances emotional assessment accuracy and user engagement through multimodal input. This method helps mental health professionals in early detection and support delivery.document. Please do not revise any of the current designations.

Yu, Jiawei, and Heysem Kaya [2] "Using Emotionally Rich Speech Segments for Depression Prediction" focused on extracting and analyzing emotionally charged segments from speech data to improve the reliability of depression prediction. Their model highlighted the effectiveness of using emotion-rich vocal cues for detecting mental health issues. By prioritizing speech segments with heightened emotional content, the system achieved higher predictive accuracy. This work underlines the role of

acoustic emotion recognition in mental health diagnostics.

Shukla, Devesh, Rajni Kumari, and A. Bhargavi [3] "Human Face Detection and Emotion Recognition Using OpenCV through AI," which leverages computer vision and OpenCV libraries for real-time facial emotion detection. The authors use AI models to classify basic human emotions by analyzing facial features in captured frames. Their work shows the feasibility of lightweight emotion recognition systems suitable for real-time applications. This approach holds potential for integration in health monitoring systems.

Nirupa, V., G. B. Renuka, B. Naga Lakshmi, C. P. Sumanth Kumar, A. Rudra Sekhar Reddy, and J. Paramesh [4] "Chatbot Based on Emotions Using Deep Learning" developed an interactive chatbot system that detects user emotions through facial expressions. The system uses convolutional neural networks (CNNs) to classify emotional states and respond accordingly. It enhances user experience by enabling emotionally intelligent responses. The integration of deep learning improves the adaptability and human-likeness of chatbot interactions.

Safavi, Farshad, Vikas Reddy Venkannagari, Dev Parikh, and Ramana Kumar Vinjamuri [5] "Deep Fusion of Neurophysiological and Facial Features for Enhanced Emotion Detection," where they combine EEG signals with facial expressions. Their multimodal fusion approach enhances the precision of emotion classification by correlating physiological and visual cues. This deep learning framework offers superior performance in detecting subtle emotions. The work is valuable for human-computer interaction and therapeutic applications.

Sharma, Akshita, Vriddhi Bajaj, and Jatin Arora [6] "Machine learning techniques for real-time emotion detection from facial expressions" reviewed various machine learning methods used for facial emotion analysis. The study focuses on improving the speed and accuracy of emotion detection in real-time applications. They highlight the role of algorithms like SVM and decision trees in early models and explore the evolution toward deep learning techniques. Their work also discusses the practical challenges in real-time deployment.

Mishra, Prateek, Abhishek Singh Verma, Pratyush Chaudhary, and Aamit Dutta [7] "Emotion Recognition from Facial Expression Using Deep Learning Techniques" explored the use of CNN-based architectures such as VGG16 and VGG19 for improved facial emotion recognition. The authors demonstrated that deep convolutional networks significantly outperform traditional classifiers. They emphasized the importance of architecture depth and training strategy in achieving high emotion classification accuracy. Their experiments confirm the feasibility of deep learning in facial analysis.

Mohan, Pushpavalli, and Hsien-Tsung Chang [8] "Deep Learning Based on Face Emotion Recognition using an Artificial Neural Network," proposed a lightweight ANN-based model to classify facial emotions. The authors incorporate dynamic facial features and utilize attention mechanisms to increase recognition precision. Their approach reduces computational complexity while retaining high accuracy. This system is well-suited for mobile and embedded devices where efficiency is critical.

Yuan, Jingyi, Xiaoyong Lu, Yang Liu, Daimin Shi, Tao Pan, and Yanqin Li [9] "Depressive tendency recognition using the gated recurrent unit from speech and text features," which applies GRU models to analyze speech and text jointly for detecting signs of depression. Their model captures temporal and semantic features to assess depressive symptoms more holistically. The paper demonstrates that combining modalities improves prediction accuracy. This contributes to automated and accessible mental health assessments.

Arya, Ananya, Ritika Kumari, and Poonam Bansal [10] "Predicting Depression and Mental Illness Using Machine Learning Algorithms" *investigated* a range of classifiers such as SVM, random forest, and Naive Bayes for mental health prediction. The authors applied feature enhancement techniques to improve classification performance across various datasets. Their study provides comparative insights into traditional algorithms for mental health applications. The paper shows promising results, especially for large-scale implementation in early screening.

Yan, Wentao, Hongsheng Yu, Weixing Lu, and Jianwen Yin [11] "An Improved Text Similarity Calculation Method Combining TF-IDF and LexRank," proposed a novel approach for enhancing text analysis by improving text similarity calculations. They combine the traditional TF-IDF model with LexRank for better semantic understanding, which aids in the analysis of large-scale textual data. Their method significantly improves the accuracy of text-based emotion and sentiment analysis. The model holds promise for applications in mental health chatbots where semantic accuracy is crucial.

Tripura, Shuvra, and Surekha Lanka, [12] "Architecture of Data Recognition System Using Machine Learning and TensorFlow," focused on the software architecture required for implementing machine learning models in real-time systems. Their work discusses how TensorFlow can be leveraged for image and emotion recognition tasks. They provide a detailed analysis of system performance when applied to emotion classification tasks, demonstrating significant improvements in processing speed. This research is essential for creating scalable systems in industries requiring real-time emotion detection.

Wani, Priyanka, Aniket Chaudhari, Abhijeet Dada Mote, Ekta Mishra, and Ganesh H. Patil, [13] "Automatic Voice Recognition System," developed a voice recognition system designed to assist individuals with speech impairments. By utilizing machine learning algorithms, the system converts

speech into text, enhancing communication for disabled individuals. The paper explores various deep learning techniques, including CNNs and RNNs, to improve recognition accuracy. This system is valuable for accessibility and inclusion in healthcare and communication.

Xu, Jianqiang, Zhujiao Hu, Junzhong Zou, and Anqi Bi [14] "Intelligent emotion detection method based on deep learning in medical and health data," where they developed a system that analyzes emotional states through deep learning models applied to medical data. Their approach combines physiological data with emotional indicators, enabling more precise detection of emotional distress in patients. The integration of multimodal data provides a comprehensive tool for healthcare providers to better assess patient well-being.

Ezerceli, Özay, and M. Taner Eskil, [15] "Convolutional neural network (CNN) algorithm based facial emotion recognition (FER) system for FER-2013 dataset," applied CNNs to the FER-2013 dataset for facial emotion detection. They compared various CNN architectures and techniques for improving classification accuracy, achieving notable success in recognizing emotions across diverse facial expressions. Their research emphasizes the importance of robust training and model architecture in achieving high-performance emotion recognition systems. The study is pivotal for enhancing the accuracy of emotion-based applications in healthcare.

Ah Ansari Abu Affan Mustafa Kamal, Dhananjay Dinkar Deore, Mubashshera Mirza Gufran Beg, Sufiyan M. Ahsan Ansari, Afeefa Rafeeque, and Md Salman Baig [16] "Facial Emotion Detection and Recommendation using Deep Learning" proposed a system that combines facial emotion detection with personalized video recommendations. The deep learning model used convolutional neural networks (CNNs) to classify emotions and suggest motivational videos based on detected emotions. This innovative approach aims to provide immediate emotional support to users, highlighting the utility of emotion detection in personal well-being.

Kotiyal, Arnav, Praveen Gujjar, and Guru Prasad [17] "Pre-trained Model for Image Prediction Using Keras Application," explored the use of pre-trained CNN models for image prediction tasks, specifically applied to emotion detection. Their research highlights the effectiveness of transfer learning using models like EfficientNetB7, which achieved high accuracy in emotion recognition. The authors demonstrate the advantages of leveraging existing models, reducing the need for extensive training datasets and computational resources, making it practical for real-time emotion detection applications.

Wu, Qingtian, Xiaoming Wang, Nannan Li, Simon Fong, Liming Zhang, and Jinfeng Yang [18] "Real-Time Face and Facial Landmark Joint Detection based on End-to-End Deep Network" introduced an advanced deep learning framework for real-time face detection and facial landmark localization. Their end-to-end deep network significantly improved the efficiency and accuracy of facial analysis, which is crucial for emotion recognition systems that require fast processing. This approach is vital for integrating emotion detection into real-time applications like mental health monitoring and virtual assistance.

Suryamritha, M., Varshini Balaji, Srinidhi Kannan, and K. Murali, [19] "Speaker Identification Using CNN-LSTM Model on RAVDESS Dataset: A Deep Learning Approach," focused on improving speaker identification and emotion recognition from speech using a hybrid CNN-LSTM model. Their model combines convolutional neural networks with long short-term memory (LSTM) networks to capture both spatial and temporal features of audio signals. This approach demonstrates high accuracy and robustness, making it applicable to speech-based emotion detection systems, especially in virtual healthcare and assistance.

Gurunath Shivakumar, Prashanth, Jari Kolehmainen, Aditya Gourav, Yi Gu, Ankur Gandhe, Ariya Rastrow, and Ivan Bulyko [20] "Speech Recognition Rescoring with Large Speech-Text Foundation Models" discussed enhancing automatic speech recognition (ASR) systems by integrating large speech-text foundation models. Their research emphasizes the use of multimodal models to improve transcription accuracy and reduce word error rates. The advancements in speech recognition presented are essential for applications like AI-driven mental health chatbots, where accurate understanding of speech is critical for detecting emotions.

Garima Chandel, Karan Anand, Keshav Goyal, Vikas Kumar Choudhary, Mansi Choudhary, and Sandeep Kumar Saini [21] "Healthcare Chatbot for Personal Healthcare Assistance" developed a healthcare chatbot that uses AI, deep learning, and natural language processing (NLP) to provide personalized medical assistance. The system analyzes symptoms, offers basic treatment suggestions, and helps ease the burden on healthcare professionals. This approach can be particularly beneficial in early-stage mental health detection by using conversational AI to assess emotional states and provide preliminary recommendations.

Varshaa Dhanasekar, Yenugu Preethi, and Praveen Joe IR [22] "A chatbot to promote students' mental health through emotion recognition" introduced a chatbot designed to support student mental health by recognizing emotions and offering tailored guidance on issues such as stress and academic pressure. Particularly valuable during the pandemic, this system uses emotion recognition to foster emotional well-being, providing an accessible mental health resource for students in need of support.

Zhou, Kun, Berrak Sisman, Rajib Rana, Bjorn W. Schuller, and Haizhou Li [23] "Speech synthesis with

mixed emotions" focused on enhancing speech synthesis systems by enabling them to express mixed emotions. Their work addresses the challenge of making synthesized speech sound more natural by incorporating emotional tones, improving user interactions with AI-driven systems. This technology has potential applications in virtual healthcare systems, where emotional nuance can significantly impact the quality of the interaction.

Boumahdi Fatima, Madani Amina, Rezoug Nachida, and Hentabli Hamza [24] "A mixed deep learning-based model to early detection of depression" proposed a deep learning model to detect early signs of depression by analyzing social media posts. Using a hybrid CNN-BiLSTM model, the system achieved high accuracy, showing promise in identifying depressive tendencies based on online content. This approach demonstrates how AI can be leveraged for early mental health interventions, particularly in online and social media spaces.

S. Abinaya, K. S. Ashwin, and A. Sherly Alphonse [25] "Enhanced Emotion-Aware Conversational Agent: Analyzing User Behavioral Status for Tailored Responses in Chatbot Interactions" developed a conversational agent that uses deep learning techniques to enhance emotional awareness in chatbot interactions. Their system analyzes user behavior and tailors responses to provide empathetic, context-aware support. This technology is particularly useful in mental health care, where personalized, emotion-sensitive interactions are crucial for effective engagement and support.

III. PROPOSED SYSTEM

The system offers users two modes of interaction: real-time facial emotion recognition with voice input and a chatbot-driven conversation based on user-selected emotions. By integrating multimodal data sources, it enhances the accuracy of emotional assessment and ensures a more comprehensive understanding of the user's mental state. The facial emotion recognition module can classify expressions into categories such as happy, sad, angry, or neutral, enabling early identification of potential depressive symptoms. Meanwhile, the chatbot serves as a supportive tool, guiding users through predefined questions and responses tailored to their emotional condition. This combination of AI-driven analysis and conversational support makes the platform a valuable tool for remote mental health monitoring, especially for underserved populations.

IV. METHODOLOGY

The system also features a user-friendly interface that guides individuals through each step of the interaction, ensuring ease of use even for those unfamiliar with digital platforms. Real-time emotion recognition is achieved through seamless integration of webcam and microphone inputs, providing instant feedback based on the user's expressions and tone. The chatbot is designed to simulate human-like conversations, promoting emotional comfort and encouraging users to express their feelings openly.

Additionally, the system includes built-in privacy measures, ensuring that sensitive data such as emotional assessments and user conversations are securely stored and handled. Through this simulation, the effectiveness of combining AI-powered analysis with compassionate



Figure 1: Architecture of the System

Figure 1 is about system architecture which includes a user interface, emotion detection module, chatbot, and backend system for smooth data flow and session management.

In the real-time mode, the system utilizes a webcam and microphone to capture facial expressions and voice inputs, which are processed using Convolutional Neural Networks (CNN) and natural language processing (NLP) techniques to detect emotional cues such as stress, sadness, or happiness. The analyzed emotion data is then used to trigger tailored feedback—such as relaxation tips, motivational messages, or prompts for further support.

The flowchart shown in Figure 2 represents the operational flow of the intelligent emotion-aware system, providing a structured overview of how the application functions from user entry to emotional response generation. The process initiates with a secure registration or login step, ensuring that each user’s session and data are uniquely tracked and stored. Once authenticated, users are directed to select one of the two primary modes of interaction: real-time emotion recognition or chatbot-based communication.



Figure 2: Flowchart of the Project

To start, the data collection process involves leveraging publicly available benchmark datasets such as FER-2013 for facial emotion recognition and tweet_emotion.csv for speech sentiment analysis, which enable accurate model training. User-generated inputs, including facial expressions, voice samples, and chatbot interactions, are also securely stored to support future retraining and continuous improvement. The system preprocesses data through a multi-step workflow—images are resized, normalized, and augmented for facial detection, while text and speech inputs are transcribed and vectorized using TF-IDF for sentiment analysis. Facial emotions are classified using a Convolutional Neural Network (CNN) with layers such as Conv2D, ReLU, MaxPooling, Dropout, Flatten, and SoftMax, while speech emotion detection relies on Python's Speech Recognition library and a Multinomial Naive Bayes classifier. The Haar Cascade algorithm aids in face detection, and chatbot responses are matched via cosine similarity to ensure relevant support. Model training and validation are performed using Python, TensorFlow, Keras, OpenCV, and scikit-learn, with performance monitored through metrics like accuracy, precision, recall, F1-score, and confusion matrices, and visualized using Matplotlib and Seaborn. Evaluation also includes k-fold cross-validation and testing with diverse user groups to ensure reliability. Finally, the system is deployed as a responsive web application using Flask for backend services, TensorFlow.js for client-side facial expression analysis, and Web APIs for real-time speech processing—delivering an efficient, secure, and scalable virtual healthcare platform.

V. RESULTS

The developed virtual healthcare system effectively integrates facial emotion recognition, voice-based sentiment analysis, and a chatbot interface to assess and support users' mental health. Starting with a secure registration and login process, users can undergo emotion evaluation through facial expressions and voice responses to specific mental health-related questions. The system analyzes this multi-modal input to determine signs of stress or depression, offering accurate emotional assessments. In addition, the platform features an emotion-based chatbot that enables users to engage with predefined Q&A tailored to different emotional states such as happiness, sadness, and fear.



Figure 3: Facial and emotion Analysis

In Figure 3 Both facial and vocal inputs are combined to increase the reliability of emotion detection, offering a more holistic view of the user's psychological state. The system then delivers personalized suggestions, such as prompts for mindfulness or relaxation, based on the analysis.



Figure 4: Chatbot with Pre-defined Q&A

The Figure 4 is about the user engagement by offering emotion-specific questions and responses, creating a more empathetic and supportive environment. The seamless navigation from login to analysis and interaction ensures a smooth user experience, while the results provide clear insights into the user's emotional state. Overall, the platform demonstrates how artificial intelligence can be harnessed to deliver accessible, responsive, and intelligent mental health support in a digital setting.

VI. CONCLUSION AND FUTURE WORKS

Facial Analysis Powered Virtual Healthcare System offers an innovative approach to mental health assessment by combining real-time facial emotion recognition, voice analysis, and chatbot interaction. This multimodal solution enables early detection of depressive symptoms, delivering personalized suggestions like guided meditation or counselling referrals. Designed to bridge mental health gaps, especially in remote areas, the system supports counsellors by streamlining triage, ensuring high-need cases are prioritized. It enhances diagnostic precision while maintaining human clinical judgment, promoting better patient outcomes and resource management.

Looking ahead, the system aims to evolve into a comprehensive mental health platform. Future plans include AI-powered counsellor matching, automated progress reports, and verified therapist networks to expand professional reach. Personalization will be deepened through adaptive emotional tracking and customized therapy content such as CBT exercises and mindfulness practices. Safety features will include real-time risk detection and alerts for crisis intervention, ensuring timely support. These enhancements will create a scalable, user-centered ecosystem that benefits both clients and mental health professionals.

Acknowledgment

We are pleased to submit this project paper on the Facial Analysis Powered Virtual Healthcare System. We would like to express our sincere gratitude to our project guide, Professor Thapaswini P S, for her invaluable guidance and continuous support throughout the project.

References

[1] Sharma, Archana, Anuradha Saxena, Ashok Kumar, and Divyansh Singh. "Depression detection using multimodal analysis with chatbot support." In 2024 2nd International Conference on Disruptive Technologies (ICDT), pp. 328-334. IEEE, 2024.

[2] Yu, Jiawei, and Heysem Kaya. "Using Emotionally Rich Speech Segments for Depression Prediction." In ICASSP 2025-2025 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP), pp. 1-5. IEEE, 2025.

[3] Shukla, Devesh, Rajni Kumari, and A. Bhargavi. "Human Face Detection and Emotion Recognition Using OpenCV through AI." In 2024 12th International Conference on Internet of Everything, Microwave, Embedded, Communication and Networks (IEMECON), pp. 1-5. IEEE, 2024.

[4] Nirupa, V., G. B. Renuka, B. Naga Lakshmi, C. P. Sumanth Kumar, A. Rudra Sekhar Reddy, and J. Paramesh. "Chatbot Based on Emotions Using Deep Learning." In 2023 1st International Conference on Optimization Techniques for Learning (ICOTL), pp. 1-5. IEEE, 2023.

[5] Safavi, Farshad, Vikas Reddy Venkannagari, Dev Parikh, and Ramana Kumar Vinjamuri. "Deep Fusion of Neurophysiological and Facial Features for Enhanced Emotion Detection." IEEE Access (2025).

[6] Sharma, Akshita, Vriddhi Bajaj, and Jatin Arora. "Machine learning techniques for real- time emotion detection from facial expressions." In 2023 2nd Edition of IEEE Delhi Section Flagship Conference (DELCON), pp. 1-6. IEEE, 2023.

[7] Mishra, Prateek, Abhishek Singh Verma, Pratyush Chaudhary, and Aamit Dutta. "Emotion Recognition from Facial Expression Using Deep Learning Techniques." In 2024 IEEE 9th International Conference for Convergence in Technology (I2CT), pp. 1-6. IEEE, 2024.

[8] Mohan, Pushpavalli, and Hsien-Tsung Chang. "Deep Learning Based on Face Emotion Recognition using an Artificial Neural Network." In 2023 International Conference on Artificial Intelligence and Power Engineering (AIPE), pp. 19-23. IEEE, 2023.

[9] Yuan, Jingyi, Xiaoyong Lu, Yang Liu, Daimin Shi, Tao Pan, and Yanqin Li. "Depressive tendency recognition using the gated recurrent unit from speech and text features." In 2021 International Conference on Asian Language Processing (IALP), pp. 42-46. IEEE, 2021.

[10] Arya, Ananya, Ritika Kumari, and Poonam Bansal. "Predicting Depression and Mental Illness Using Machine Learning Algorithms." In 2023 International Conference on Communication, Security and Artificial Intelligence (ICCSAI), pp. 399-404. IEEE, 2023.

[11] Yan, Wentao, Hongsheng Yu, Weixing Lu, and

Jianwen Yin. "An Improved Text Similarity Calculation Method Combining TF-IDF and LexRank." In 2024 10th International Conference on Computer and Communications (ICCC), pp. 498-502. IEEE, 2024.

[12] Tripura, Shuvra, and Surekha Lanka. "Architecture of Data Recognition System Using Machine Learning and TensorFlow." In 2024 2nd International Conference on Intelligent Data Communication Technologies and Internet of Things (IDCIoT), pp. 1694-1699. IEEE, 2024.

[13] Wani, Priyanka, Aniket Chaudhari, Abhijeet Dada Mote, Ekta Mishra, and Ganesh H. Patil. "Automatic Voice Recognition System." In 2024 International Conference on Intelligent Systems and Advanced Applications (ICISAA), pp. 1-4. IEEE, 2024.

[14] Xu, Jianqiang, Zhujiao Hu, Junzhong Zou, and Anqi Bi. "Intelligent emotion detection method based on deep learning in medical and health data." IEEE Access 8 (2019): 3802-3811.

[15] Ezerceli, Özay, and M. Taner Eskil."Convolutional neural network (CNN) algorithm based facial emotion recognition (FER) system for FER-2013 dataset." In 2022 International Conference on Electrical, Computer, Communications and Mechatronics Engineering (ICECCME), pp. 1-6. IEEE, 2022.

[16] Ah Ansari Abu Affan Mustafa Kamal, Dhananjay Dinkar Deore, Mubashshera Mirza Gufran Beg, Sufiyan M. Ahsan Ansari, Afeefa Rafeeque, and Md Salman Baig. "Facial Emotion Detection and Recommendation using Deep learning." In 2024 IEEE International Conference on Blockchain and Distributed Systems Security (ICBDS), pp. 1-6. IEEE, 2024.

[17] Kotiyal, Arnav, Praveen Gujjar, and Guru Prasad. "Pre-trained Model for Image Prediction Using Keras Application." In 2023 International Conference on Computer Science and Emerging Technologies (CSET), pp. 1-5. IEEE, 2023.

[18] Wu, Qingtian, Xiaoming Wang, Nannan Li, Simon Fong, Liming Zhang, and Jinfeng Yang. "Real-Time Face and Facial Landmark Joint Detection based on End-to-End Deep Network." IEEE Transactions on Instrumentation and Measurement (2025).

[19] Suryamritha, M., Varshini Balaji, Srinidhi Kannan, and K. Murali. "Speaker Identification Using CNN-LSTM Model on RAVDESS Dataset: A Deep Learning Approach." In 2023 4th International Conference on Intelligent Technologies (CONIT), pp. 1-6. IEEE, 2024.

[20] Gurunath Shivakumar, Prashanth, Jari Kolehmainen, Aditya Gourav, Yi Gu, Ankur Gandhe, Ariya Rastrow, and Ivan Bulyko. "Speech Recognition Rescoring with Large Speech-Text Foundation Models." arXiv e-prints (2024): arXiv-2409.

[21] Chandel, Garima, Karan Anand, Keshav Goyal, Vikas Kumar Choudhary, Mansi Choudhary, and Sandeep Kumar Saini. "Healthcare Chatbot for Personal Healthcare Assistance." In 2024 International Conference on Emerging Innovations and Advanced Computing (INNOCOMP), pp. 264-269. IEEE, 2024.

[22] Dhanasekar, Varshaa, Yenugu Preethi, and Praveen Joe IR. "A chatbot to promote students mental health through emotion recognition." In 2021 Third International Conference on Inventive Research in Computing Applications (ICIRCA), pp. 1412- 1416. IEEE, 2021.

[23] Zhou, Kun, Berrak Sisman, Rajib Rana, Bjorn W. Schuller, and Haizhou Li. "Speech synthesis with mixed emotions." IEEE Transactions on Affective Computing 14, no. 4 (2022): 3120-3134.

[24] Fatima, Boumahdi, Madani Amina, Rezoug Nachida, and Hentabli Hamza. "A mixed deep learning-based model to early detection of depression." Journal of Web Engineering 19, no. 3–4 (2020) 429-455.

[25] Abinaya, S., K. S. Ashwin, and A. Sherly Alphonse. "Enhanced Emotion-Aware Conversational Agent: Analyzing User Behavioral Status for Tailored Reponses in Chatbot Interactions." IEEE Access (2025).