

DEFECT TRACKING AND REPORTING SYSTEM FOR IT COMPANIES

Submitted in partial fulfillment of the requirement for the award of the degree

B.Sc. Computer Science with Data Analytics

of

Bharathiar University, Coimbatore – 641 046

Submitted by

SAMEENA BEGUM.M

(REG.NO:2328B0185)

Under the supervision of

Ms. R. DHANUSHREE., M.Sc.,

Assistant Professor, School of Computer Studies, AVPCAS

SCHOOL OF COMPUTER STUDIES



AVP.
COLLEGE OF ARTS AND SCIENCE

Affiliated to Bharathiar University, Coimbatore
Accredited with 'A' Grade by NAAC (Cycle I)
Recognized under Section 2(f) of the UGC Act 1956
An ISO 9001:2015 Certified Institution, T.M. Poondi, Tirupur.

MARCH 2026



AVP.
COLLEGE OF ARTS AND SCIENCE

Affiliated to Bharathiar University, Coimbatore
Accredited with 'A' Grade by NAAC (Cycle I)
Recognized under Section 2(f) of the UGC Act 1956
An ISO 9001:2015 Certified Institution, T.M. Poondi, Tirupur.

DEFECT TRACKING AND REPORTING SYSTEM FOR IT COMPANIES

Bonafide Work Done by

SAMEENA BEGUM.M [REG.NO:2328B0185]

Dissertation submitted in partial fulfillment of the requirements for the award of

B.Sc. Computer Science with Data Analytics

of

Bharathiar University, Coimbatore – 641 046.

GUIDE

[Ms. R. DHANUSHREE]

HEAD OF THE DEPARTMENT

[Dr. G. PRAMELA]

Submitted for the Viva-Voce Examination held on_____

INTERNAL EXAMINER

EXTERNAL EXAMINER

MARCH 2026

ACKNOWLEDGEMENT

ACKNOWLEDGEMENT

First and foremost, I would like to express my whole hearted thanks to the almighty god for helping me throughout this project.

I owe a deep debt of my gratitude to **Rtn. PDG. MD. A. KARTHIKEYAN**, Chairman of A.V.P. College of Arts and Science who gave me this wonderful opportunity and infrastructure to complete the project.

I wish to express my sincere thanks to **Dr. V. KATHIRESAN**, Principal, A.V.P. College of Arts and Science who permitted me to do the project.

I remember and respectfully acknowledge the support inspirations and encouragement extended by Dean-Administration & Research **Dr. S. ASHOK KUMAR MCA., M.Phil., Ph.D.**, for his sincere and valuable support throughout my project.

I extend my heartfelt gratitude to **Dr. G. PRAMELA., MCA., NET., SET., Ph.D.**, Head of the Department, School of Computer Studies (CS & DA) for her sincere and substantial support throughout my project.

I would like to thank my guide **Ms. R. DHANUSHREE., M.Sc.**, Assistant Professor, School of Computer Studies for her sincere and valuable guidance throughout my project.

Finally, I wish to express my sincere thanks to all teaching staff members of School of Computer Studies, my family and my friends for their constant support and encouragement in completing this project work.

SAMEENA BEGUM.M

[REG.NO:2328B0185]

DECLARATION

DECLARATION

I hereby declare that this project work entitled “**DEFECT TRACKING AND REPORTING SYSTEM FOR IT COMPANIES**” submitted to Bharathiar University, Coimbatore for the award of Degree of the Bachelor of Computer Science with Data Analytics is a record of original work done by **SAMEENA BEGUM.M (REG.NO:2328B0185)**, under the supervisions and guidance of **Ms. R. DHANUSHREE., M.Sc.**, Assistant Professor, School of Computer Studies, A.V.P. College of Arts and Science, Tirupur and that this project work has not formed on the basis for the award of any Degree / Diploma / Associate / Fellowship or similar title to any candidates of any university.

Place:

Date:

Signature of Candidate

SAMEENA BEGUM.M
[REG.NO:2328B0185]

SYNOPSIS

SYNOPSIS

The Defect Tracking and Reporting System is a web based application developed to help IT companies manage and track software defects efficiently. During software development, identifying and fixing errors is an important process to maintain product quality. This system provides a centralized platform where testers, developers, and project managers can report, monitor, and resolve software issues. The existing system mainly depends on manual methods such as physical documents or spreadsheets, which may lead to data loss, increased time consumption, and poor communication among team members. The proposed system automates the defect tracking process by storing issue details in a database with unique identification, priority level, and status. The system is developed using PHP and HTML for the frontend and MySQL as the backend database. It follows a clientserver architecture to provide easy accessibility and secure data management. The main modules of the system include project entry, project allocation, issue tracking, issue storage, issue prioritization, and reporting. This system helps reduce manual work, improves productivity, increases reliability, and ensures faster defect resolution. In the future, the system can be enhanced by adding mobile application support, SMS or email notifications, and automated defect correction features.

TABLE OF CONTENTS

TABLE OF CONTENTS

CHAPTER NO	PARTICULARS	PAGENO.
	ACKNOWLEDGEMENT	
	DECLARATION	
	SYNOPSIS	
1.	INTRODUCTION	1
	1.1 ABOUT THE PROJECT	1
	1.2 SYSTEM SPECIFICATION	2
	1.2.1 HARDWARE REQUIREMENTS	2
	1.2.2 SOFTWARE REQUIREMENTS	2
	1.3 SOFTWARE DESCRIPTION	3
	1.3.1 INTRODUCTION TO FRONTEND	3
	1.3.2 INTRODUCTION TO BACKEND	6
2.	SYSTEM STUDY	8
	2.1 EXISTING SYSTEM	8
	2.1.1 DRAWBACKS OF EXISTING SYSTEM	8
	2.2 PROPOSED SYSTEM	9
	2.2.1 ADVANTAGES OF PROPOSED SYSTEM	9
3.	SYSTEM DESIGN AND DEVELOPMENT	10
	3.1 INPUT DESIGN	10
	3.2 OUTPUT DESIGN	11
	3.3 DATABASE DESIGN	11
	3.4 SYSTEM DEVELOPMENT	12
	3.4.1 DESCRIPTION OF MODULES	12

4.	SYSTEM TESTING AND IMPLEMENTATION	14
	4.1 TESTING METHODOLOGIES	15
	4.1.1 UNIT TESTING	15
	4.1.2 INTEGRATION TESTING	15
	4.1.3 VALIDATION TESTING	15
	4.1.4 PERFORMANCE TESTING	16
	4.2 SYSTEM IMPLEMENTATION	17
5.	CONCLUSION AND FUTURE ENHANCEMENTS	19
	CONCLUSION	19
	FUTURE ENHANCEMENTS	20
	BIBLIOGRAPHY	21
	APPENDICES	22
	A. DATA FLOW DIAGRAM	22
	B. TABLE DESIGN	23
	C. SAMPLE CODING	25
	D. SAMPLE INPUT FORMS	33
	E. SAMPLE OUTPUT FORMS	37

INTRODUCTION

1. INTRODUCTION

1.1. About the Project

The Project entitled Defect Tracking System For IT Companies is a software application that is designed to help quality assurance and programmers keep track of reported software issues in their work. It may be regarded as a sort of issue tracking system. The entire project has been developed keeping in view of the distributed client server computing technology, in mind. The general users and the organizational administration have normalized the specifications up to 3NF to eliminate all the anomalies that may arise due to the database transaction that are executed. The user interfaces are browser specific to give distributed accessibility for the overall system. The internal database has been selected as MYSQL server. The basic constructs of table spaces, clusters and indexes have been exploited to provide higher consistency and reliability for the data storage. The MYSQL server was a choice as it provides the constructs of high-level reliability and security. The total front end was dominated using the ASP.Net technologies. At all proper levels high care was taken to check that the system manages the data consistency with proper business rules or validations. The database connectivity was planned using the latest SQL Connection technology provided by Microsoft Corporation. The authentication and authorization was crosschecked at all the relevant stages.

1.2 System Specification

1.2.1. Hardware Requirements

System	: Intel Core2 due Processor 2 GHz Speed
Hard Disk	: 500 GB
Monitor	: 15'' VGA color Monitor
Mouse	: Optical Mouse
Keyboard	: Standard Keyboard
RAM	: 1GB

1.2.2. Software Requirements

Operating System	: Windows 7.
Language	: PHP
Back end	: MYSQL

1.3. Software Description

1.3.1. Introduction to Front End

Overview of PHP 5.0


PHP (acronym for: PHP Hypertext Preprocessor), is a server-side embedded scripting language. This means that it works within an HTML document which refers to the capacity of generating content on demand. You can convert your site into a web application, not just a collection of static pages with information that may not get updated quite so often, which may be alright for a personal web site. PHP is the widely-used, free, and efficient alternative to competitors such as Microsoft's ASP. PHP is perfectly suited for Web development and can be embedded directly into the HTML code. The PHP syntax is very similar to Perl and C. PHP is often used together with Apache (web server) on various operating systems. It also supports ISAPI and can be used with Microsoft's IIS on Windows.

A PHP file may contain text, HTML tags and scripts. Scripts in a PHP file are executed on the server. of course general scripting or programming languages like Perl, Python, etc. have also platform independence, and are open source.PHP was designed to work on the web, and in this ambit it excels connecting and querying a database which is a simple task that can be handled in 2 or 3 lines of code. The PHP scripting engine is well optimized for the response times needed on web applications. It can even be part of the web server itself improving the throughput even more.

The PHP language features the usual complement of control structures, operators, variable types, function declarations and class/object declarations that we have been accustomed to expect from any compiled or interpreted language, and yet it also has features of its own. For example, in C you employ pointers, in other scripting languages this can be cumbersome or even not possible, but in PHP this is just one use of variables.PHP comes with a myriad of options, both to build the distribution and also to configure an installation. PHP supports several APIs and interfaces to other programming tools .The sheer number of these tools is daunting, not to speak of the configuration possibilities for each of these.

Platforms and Web Servers

PHP is supported on quite a few platforms, many of them UNIX-like and of course on Microsoft's operating systems supporting the Win32 environment. Since PHP cannot do much without a web server, when we talk of installing PHP on a platform, we also need to take into consideration the web server that we plan to use.



Hyper Text Markup Language (HTML)

HTML stands for Hyper Text Markup Language. Hypertext is ordinary text that has been added with extra features, such as formatting, images, multimedia, and links to other documents. Mark up is the process of taking ordinary text and adding extra symbols. Language is actually a key point to remember about HTML. HTML is a universal language for classifying the function of different sections of a document. It is neither a page-layout language nor a printing language. This allows documents to be displayed on many different kinds of platforms. HTML is flexible to work on the website with their variety of commands.

As a formatting language, HTML utilizes SGML (Standard General Markup Language) and Document Type Declarations (DTD). SGML document has three main parts. The first part defines the character set to be used and tells which character set distinguishes text for markup tags. Markup tags specify how the viewer application or browser should present the text to the user.

The second part specifies the document and states which markup tags are legal. The third part called the document instance contains the actual text and markup tags. Because there is no requirement that the three parts of an SGML document reside in the same physical file, we can concentrate on the document instance. The web pages created are document instances.

1.3.2. Introduction to Back End

MySQL

MySQL is a full-featured relational database management system. It is very stable and has proven itself over time. MySQL has been in production for over 10 years. MySQL is a multithreaded server. Multithreaded means that every time someone establishes a connection with the server, the server program creates a thread or process to handle that client's requests. This makes for an extremely fast server. In effect, every client who connects to a MySQL server gets his or her own thread. Yet another feature of MySQL is its portability it has been ported to almost every platform. This means that you don't have to change your main platform to take advantage of MySQL. And if you do want to switch, there is probably a MySQL port for your new platform.

MySQL also has many different application programming interfaces (APIs). They include APIs for Perl, TCL, Python, C/C++, Java (JDBC), and ODBC. So no matter what your company's expertise is, MySQL has a way for you to access it. MySQL is also very cheap. For an unlicensed, full version of MySQL, the cost is nothing. Currently the cost of the license is \$200. Database systems that provide half the features that MySQL has can cost tens of thousands of dollars. MySQL can do what they do better and for less. MySQL is a relational database. It uses tables and columns to hold data that can be related by keys. It is well suited for various architectures. It can be used in strictly client/server architecture or as a standalone database.

The MySQL Supported Types

MySQL has various data types that support different functions. A data type is the type of data a column will store. There can be many different data types inside a table, but each column will store its own specific type of information. You can think of a data type as a kind of definition for a column. A column defined as an integer column will only hold numeric information, whereas a column defined as a CHAR (10) will hold up to 10 alphanumeric characters. These definitions are the key to a quick and efficient database. There are basically three groups of data formats. The first is obviously numeric. Numeric data is data that is a positive or negative number such as 4 or -50.

Numeric data can also be in hexadecimal format (2ee250cc), scientific notation (2×10^{23}), or a decimal. The second type is character or string format. This format can consist of letters and numbers, whole words, addresses, phone numbers, and generally anything you have to put quotations around. It consists of everything that doesn't quite fit into either of the other two categories. Some, like dates and times, could be alphanumeric but are stored like numbers. MySQL also provides column modifiers. These modifiers further help define a column's attributes.

They are `AUTO_INCREMENT`, `UNSIGNED`, `PRIMARY KEY`, `NULL`, `NOT NULL`, and `BINARY`. A more detailed discussion of column modifiers takes place following the coverage of the basic data types. MySQL runs on many platforms, and binaries are available for most of them. Binaries are the result of compiling the source code. This is by far the easiest way of acquiring MySQL. The alternative is downloading the source code for your platform and then compiling it. MySQL has many utilities to import as well as export data. It shares some of the common options, but this utility does a little more. It takes the entire database and dumps it into a single text file. This file contains all the SQL commands needed to recreate your database. It takes the schema and converts it to the proper DDL syntax (`CREATE` statements), and it takes all the data and creates `INSERT` statements out of them. This utility reverse engineers your database.

SYSTEM STUDY

2. SYSTEM STUDY

2.1. Existing System

There is no specific tool in past developed for software developers to solve the issues while on developing application. Either the developer or the team consisting of a team leader, project manager will sit together to discuss the issues related to the software. With the background knowledge of client requirement and project specification they monitor each module of a project and will find the errors manually.

The errors reported by the each person will be charted in Excel format or in datasheet will be handed over to the programmers, and they will be asked to solve the issues pointed out by them. In the existing system, the project manager assigns the projects to the developers. The developers develop the projects as per customer requirements. The project manager itself assigns the developed applications to the tester for testing. In the testing phase, when the tester encounters no. of Issues then he reports to the project manager and developer about the Issue information.

2.1.1. Drawbacks of Existing System

- The tester report which is called “Issue Report” is in the form of physical document, if the document is damaged then the total information about the Issue will be lost.
- The Issue information is not stored in the database for future reference.
- It is time consuming and very expensive
- It requires more attention from the issue tracking team
- May lack in reliability

2.2. Proposed System

The purpose of the Issue Tracking System is to test the application for the Issues and report it to the project manager and developer. The main intention behind the Issue Tracking System is that to track Issues and report them. Store the Issue information with a unique id in the database for future reference. So, this makes the job of handling the Issues easy.

Issue tracking system is fully automated by the system. Every Issues reported from each module will be stored on Database. The Issues will be reported by the developer, team leader, team manager or by the client. So everyone have their own responsibility in developing the application.

2.2.1. Advantages of Proposed System

- Maximizes the productivity of an application.
- Reduces the time to solve the Issues.
- It increases the reliability upon application, while compared with previous manual Issue tracking system.
- This is new scenario and gets involved by the team lead, manager and customers. While the application will be tested the potential customers the more reliability and increases more productivity.
- There is no compromise against the software. Because the reports will be gathered from various potential persons.
- Every Issue will be stored on database combined with date of the issue, time the issue raised, and the person details. It will be very important to the developers even after the release of a project.

SYSTEM DESIGN AND DEVELOPMENT

3. SYSTEM DESIGN AND DEVELOPMENT

3.1. Input Design

Input design is the process of connecting the user-originated inputs into a computer to used format. The goal of the input design is to make the data entry logical & free from errors. Errors in the input database controlled by input design.

The main objectives that are done during the input design are:

- Data is collected from the source
- Transfer of data to an input form is done
- Data is converted to a computer acceptable form
- The converted data is verified
- Data is checked for its accuracy
- Data is transmitted to the computer
- Validation of input data is done
- Data collections are done to eliminate the error

Input Types:

- Internal – the user communicates with the system
- Operational – computer department communicate with the system.
- Computerized – inputs in computer media coming form other internal systems or external systems.
- Interactive – inputs are entered during a conversation with the computer.

Input design considerations

Which are followed in this system are:

- The nature of input processing
- Flexibility and thoroughness of validation rules.
- Handling of priorities within the input procedures
- Relationship with other system
- Forms design, to ensure accuracy and efficiency of input
- Relationship with files.

3.2. Output Design

The output form in the system is either by screen or by hard copies. Output design aims at communicating the results of the processing of the users. The reports are generated to suit the needs of the users. The reports have to be generated with appropriate levels.

One of the most important factors of the system is the output it produces. Output refers to the results and information that is generated by the system. Basically, the output from a computer system is used to communicate the result of processing to the user.

The report menu provides the user with a list of reports such as bug details, project allocation details and so on.. The customer report produces the details of customer such as customer id, customer name, customer address etc.

3.3. Database Design

The most important consideration in designing the database is how information will be used.

The main objectives of designing a database are:

Data Integration

In a database, information from several files are coordinated, accessed and operated upon as through it is in a single file. Logically, the information are centralized, physically, the data may be located on different devices, connected through data communication facilities.

Data Integrity

Data integrity means storing all data in one place only and how each application to access it. This approach results in more consistent information, one update being sufficient to achieve a new record status for all applications, which use it. This leads to less data redundancy; data items need not be duplicated; a reduction in the direct access storage requirement.

Data Independence

Data independence is the insulation of application programs from changing aspects of physical data organization. This objective seeks to allow changes in the content and organization of physical data without reprogramming of applications and to allow modifications to application programs without reorganizing the physical data.

The tables needed for each module were designed and the specification of each and every column was given based on the records and details collected during record specification of the system study.

3.4. System Development

Module Description

- Project Entry
- Project Allocation
- Issue Tracking
- Store Issues
- Prioritize the Issues
- Reporting Issues

3.4.1 Description of Modules

Project Entry:

This is the very first step in every project scheduling system. The client who needs computerized records will contact the concern and give their details to prepare like package in order to automate the process. For that the company has to maintain customer details, the date when customer gives project order, the project title, what or the requirements to build the project. These are the primary information to develop the project.

Project Allocation Module:

To develop the project it should allocated to the right persons at right time. The project manager who is responsible person for every question will complete this allocation task. The project manager divides the whole project into modules, and find out the team size required to develop the project.

Issue Tracking:

To resolve the problems in software development, it is the process of a developer or project leader or manager to trace the Issues in application. While developing the application or software it is a common scenario to made mistakes. For that every organization now form a team to find out the errors in software. Sometimes the developer may not aware of the Issues resulted in software. To avoid the consequence problems the team containing leaders, experienced persons or the end user of the application will be recommended to test the application. Once they found the Issues in software they will store it for developer correction.

Store Issues:

In order to eliminate the Issues from the software, the leaders or customers whoever tested the application will be asked to store the Issues. And they are asked to register the detailed error reports. So that it will be easy to solve the issue and to correct it. The Issues stored on the database will contain the information like the time the issue arises from the application, who found the Issues, the application from where the Issue has been raised. Every detail regarding the Issue will be stored on the system.

Prioritize the Issues:

This is the process of administrator of this Issue tracking system to categorize the Issues. To save the time of a developer, and increase the productivity of software every Issue stored on the server will be prioritized by its problem. The issue raised from the leaders and experienced persons will be treated with more cautious. Based on the severity the Issues can be declared as serious (High), Normal and Low level seriousness Issues. It can be alert by coloring the text and adding some images with Issues. Issues will be text message, so the prioritize module will concentrate more on categorize the Issues.

Reporting Issues:

This is the main task of a organization and the team lead to report any Issues raised against the software. This reporting process included at the most time in developing stage itself. Before completing the product it will be tested and corrected in order to work properly in customer place. The admin of this system will report the Issues to the particular person, who is responsible to solve the issue. Every Issue reported from the admin will include the severity of the problem, a person who initiates the Issue, the time when the Issue was found, and the details regarding the issue and to give assistance to solve it.

SYSTEM TESTING AND IMPLEMENTATION

4. SYSTEM TESTING AND IMPLEMENTATION

System testing is the process of exercising software with the intent of finding and ultimately correcting errors. This fundamental philosophy does not change for web applications, because Web-based systems and application reside on a network and interoperate with many different operating system, browsers, hardware platforms, and communication protocols; the search for errors represents a significant challenge for web application.

The distributed nature of client\server environments, the performance issues associated with transaction processing, the potential presence of a number of different hardware platforms, the complexities of network communication, the need to serve multiple clients from a centralized database and the requirements imposed on the server all combine to make testing of client\server architectures.

System testing is actually a series of different tests whose primary purpose is to fully exercise the computer based system. System testing is the state of implementation that is aimed at assuring that the system works accurately and efficiently. Testing is the vital to the success of the system. System testing makes the logical assumption that if all the parts of the system are correct, the goal will be successfully achieved.

The Objective of Testing Is as Follows:

- Testing is the process of executing a program with the intent of finding an error.
- A successful test is that one of the cover of undiscovered error.

Testing Issues

- Client GUI consideration
- Target environment and platform diversity considerations
- Distributed database considerations
- Distributed processing considerations

4.1. Testing Methodologies

This project has undergone the following testing procedures to ensure its correctness.

4.1.1. Unit Testing

Unit testing focuses verification efforts on the smallest unit of software design of the module. This is also known as “module testing”. This testing is carried out during programming stage itself. In this testing step, each module is found to be working satisfactorily as regards to the expected output of the modules. In this project consist of many units like registration, login authentication, compose mail, spam filtering, read mail etc.,

For example in Registration module, when submitting the registration details; we tested whether the submitted data is stored in database properly. In Login module, the login authentication is tested properly.

4.1.2. Integration Testing

Data can be lost across an interface, one module can have adverse effect on another sub function when combined it may not produce the desired major functions. Integration testing is a systematic testing for constructing test to uncover errors associated within an interface. The objectives taken from unit tested modules and built a program structure for integrated testing. All the modules are combining and made the test. A correction made in this testing is difficult because the vast expenses of the entire program complicated the isolation of causes. This is the integration testing step, all the error is corrected for next testing process.

4.1.3 Validation Testing

All the completion of the integrated testing, software is completely assembled as a package; interfacing error has been uncovered and corrected and a final series of software test- Validation begins. Validation testing can be defined in many ways but a simple definition is that validation succeeds when the software function in a manner that can be reasonably expected by the customer. After validation test has been conducted, one of two possible conditions exists:

- The function or performance characteristics conform to specification and are accepted.
- A derivation from specification is uncovered and a deficiency list is created, proposed system under consideration has been listed by using validation testing and found to be working satisfactorily.

4.1.4. Performance Testing

Performance testing is designed to test the runtime performance of software within the context of an integrated system. It requires both hardware and software instrumentation. It is often necessary to measure resource utilization in an exacting fashion.

4.2 System Implementation

System implementation is the stage of the project that the theoretical design is turned into a working system. If the implementation stage is not properly planned and controlled, it can cause error. Thus it can be considered to be the most crucial stage in achieving a successful new system and in giving the user confidence that the new system will work and be effective.

Normally this stage involves setting up a coordinating committee, which will act as a sounding board for ideas; complaints and problem. The first task is implementation planning; i.e., deciding on the methods and time scale to be adopted. Apart from planning two major task of preparing for implementation are, education takes place much earlier in the project; at the implementation stage the emphasis must be on training in new skills to give staff confidence they can use the system. Once staff has been trained, the system can be tested.

After the implementation phase is completed and the user staff is adjusted to the changes created by the candidate system, evaluation and maintenance is to bring the new system to standards. The activities of the implementation phase can be summarized as,

- Implementation planning
- Education planning
- System planning

Implementation Procedures

Implementation includes all the activities that take place to convert the old system to the new one. Proper implementation is essential to provide a reliable system to meet the organization requirements. Implementation is the stage in the project where the theoretical design is turned into a working system. The most crucial stage is achieving a successful new system & giving the user confidence in that the new system will work efficiently & effectively in the implementation state.

Implementation Procedures

Pilot Running:

Processing the current data by only one user at a time called the pilot running process. When one user is accessing the data at one system, the system is set to be engaged and connected in network. This process is useful only in system where more than one user is restricted.

Parallel Running:

Processing the current data by more than one user at a time simultaneously is said to be parallel running process. This same system can be viewed and accessed by more than one user at the time. Hence the implementation method used in the system is a pilot type of implementation. Implementation is the stage in the project where the theoretical design is turned into a working system. The most crucial stage is achieving a successful new system & giving the user confidence in that the new system will work efficiently & effectively in the implementation state.

CONCLUSION AND FUTURE ENHANCEMENT

5. CONCLUSION AND FUTURE ENHANCEMENT

Conclusion

Issue Tracking Is a comprehensive web-based project management and issue tracking system that helps to improve overall project organization, decrease Issue resolution time, promote cross-functional cooperation, as well as plan and assess team performance at all levels. The system has been tested with sample data covering all possible options for each function. Its performance is satisfactory. The system is under implementation.

The system provided different ways to retrieve any specific information required for different type of user. The proposed system provides online help and it is well documented. Obviously the limitations of the existing system are eliminated from the proposed system. Some of the advantages of the proposed system are:

- The screens are information's and user friendly.
- The communication between the server and the client is fast.
- PHP is used for the communication between the client and the server.

Future Enhancement

The world of computers is not static. It is always subject to change. The technology today will become outdated the very next day. To keep abstract of the technological improvements the system need refinements, so it is concluded, it will be improved for further enhancements, whenever the user needs an additional feature into it.

This system totally ends on the data that has been entered by the personnel. This package has been designed such that this can be extended to any extent that could help it being more efficient system as the code in the system allow the programmer to develop any other modules with ease. Any further enhancements of the system can be made to the existing system without any need to change the previous coding.

In future this system will be enhanced by the flowing feature

- SMS gateway is implemented
- This system will be modified as mobile application
- Automatic issue correction will be added in future.

BIBLIOGRAPHY

BIBLIOGRAPHY

Reference Books:

1. Jesus Castagnetto, Sascha Schumann, "Professional Php Programming", Addison wosley Publication, Fifth Edition.
2. Jay Greenspan, Brad Bulgar, "Mysql/Php Database Applications", Tata McGraw-Hill Publishing Company, Third Edition.
3. William Stallings, "Cryptography And Network Security", Tata McGraw-Hill Publishing Company, Third Edition.
4. Rogres Pressman, "Software Engineering And Applications", Galgotie Publication, Sixth Edition
5. Richard Fairley, "Software Engineering Concepts", Tata McGraw-Hill Publishing Company, Fourth Edition.
6. Ellias M.Award "System Analysis And Design" Tata McGraw-Hill Publishing Company, Second Edition.


Reference Websites:

1. www.w3schools.com
2. www.onlinetutorial.com
3. www.phpnuke.com
4. www.php.net
5. www.java2s.com

APPENDICES

APPENDICES

A. Data Flow Diagram



B. Table Design

Table Name: tblemp

Primary key: emp id

Field name	Data type	Size	Description
empid	Int	4	Employee Id
Empname	Varchar	25	Employee Name
Lname	Varchar	25	Login Name
Pwd	Varchar	25	Password
Mail	Varchar	50	Mail ID
Role	Varchar	25	Role
Dept	Varchar	20	Department
Designation	Varchar	25	Designation
Doj	DateTime	8	Date of join

Table Name: tblissue

Primary key: issue id

Field name	Data type	Size	Description
Issue Id	Int	4	Issue Id
Issue Name	Varchar	25	Issue Name
Issue Date	DateTime	8	Issue Date
Issue Desc	Varchar	200	Issue description
Proj Id	Varchar	10	Project Id
ModuleName	Varchar	25	Module Name
Assignedby	Varchar	25	Assigned by
Assignedto	Varchar	25	Assigned to
Priority	Varchar	25	Priority
Status	Varchar	50	Status

Table Name: tblpriority

Primary key : pid

Fieldname	Data type	Size	Description
pid	Int	4	Priority Id
Pr	Varchar	25	priority

Table Name: tblsendcomments

Primary key : issue id

Field name	Data type	Size	Description
UserName	Varchar	25	User Name
Issue Id	Int	4	Issue Id
Comments	Varchar	200	Comments

Table Name: tblstatus

Primary key : status_id

Field name	Data type	Size	Description
Status_id	Int	4	Status Id
Status	Varchar	50	Status

Table Name: tbpre

Primary key : cid

Field name	Data type	Size	Description
prid	Int	4	Project Id
cid	Int	4	Company Id
cname	Varchar	50	Company Name
Prname	Varchar	50	Project Name
Pr_start_date	DateTime	8	Project starting date
Pr_finish_date	DateTime	8	Project finishing date
Pr_date	DateTime	8	Project Date
Pr_des	Varchar	200	Project Description

B. Sample Code

```
<?php
session_start();
if(!isset($_SESSION['alogin']))
{
    header("location:admin.php?res=invalid");
}
?>

<?php
include("db_conn.php");
if(isset($_POST['sub']))
{
    $i=$_POST['eid'];
    $n=$_POST['ename'];
    $r=$_POST['role'];
    $m=$_POST['mail'];
    $p=$_POST['mobile'];
    $l=$_POST['login'];

    $pa=$_POST['pass'];

    $q=mysql_query("insert into add_emp values('$i','$n','$r','$m','$p','$l','$pa')");
    if($q>0)
    {
        echo "<script>alert('Employee Details Added');</script>";
    }
    else
    {
        echo "<script>alert('Not Added');</script>";
    }
}
?>

<!DOCTYPE html>
<html lang="en">
```

```

<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <title>ErrorTracking</title>
  <meta name="description" content="Free Bootstrap Theme by BootstrapMade.com">
  <meta name="keywords" content="free website templates, free bootstrap themes, free
template, free bootstrap, free website template">

  <link rel="stylesheet" type="text/css"
href="https://fonts.googleapis.com/css?family=Open+Sans|Raleway|Candal">
  <link rel="stylesheet" type="text/css" href="css/font-awesome.min.css">
  <link rel="stylesheet" type="text/css" href="css/bootstrap.min.css">
  <link rel="stylesheet" type="text/css" href="css/style.css">
  Theme Name: Medilab
  Theme URL: https://bootstrapmade.com/medilab-free-medical-bootstrap-theme/
  Author: BootstrapMade.com
  Author URL: https://bootstrapmade.com
<style type="text/css">
<!--
#apDiv1 {
    position:absolute;
    width:234px;
    height:271px;
    z-index:1;
    left: 2px;
    top: 415px;
}

#apDiv2 {
    position:absolute;
    width:513px;
    height:134px;
    z-index:2;

```

```

        left: 402px;
        top: 444px;
    }
-->
</style>
</head>
<body id="myPage" data-spy="scroll" data-target=".navbar" data-offset="60">
    <!--banner-->
    <section id="banner" class="banner">
        <div class="bg-color">
            <nav class="navbar navbar-default navbar-fixed-top">
                <div class="container">
                    <div class="col-md-12">
                        <div class="navbar-header">
                            <button type="button" class="navbar-toggle" data-toggle="collapse" data-
target="#myNavbar">
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                                <span class="icon-bar"></span>
                            </button>
                        </div>
                        <div class="collapse navbar-collapse navbar-right" id="myNavbar">
                            <ul class="nav navbar-nav">
                                <li class="active"><a href="index.php">Home</a></li>
                                <li class=""><a href="signout.php">Signout</a></li>
                            </ul>
                        </div>
                    </div>
                </div>
            </nav>
            <div class="container">
                <div class="row">
                    <div class="banner-info">
                        <div class="banner-logo text-center"></div>

```

```

    <div class="banner-text text-center">
      <h1 class="white">Bug Tracker</h1>
      <p>&nbsp;</p>
    </div>
  </div>
</div>
</div>
</div>
</div>
</section>
<!--/ banner-->
<!--service-->
<!--/ service-->
<!--cta-->
<!--cta-->
<!--about-->
<!--/ about-->
<!--doctor team-->
<!--/ doctor team-->
<!--testimonial-->
<!--/ testimonial-->
<!--cta 2-->
<!--cta-->
<!--contact-->
<!--/ contact-->
<!--footer-->
<!--/ footer-->
<script src="js/jquery.min.js"></script>
<script src="js/jquery.easing.min.js"></script>
<script src="js/bootstrap.min.js"></script>
<script src="js/custom.js"></script>
<script src="contactform/contactform.js"></script>
<p>&nbsp;</p>
<div id="apDiv1">
  <b><table width="231" height="271" border="0" style="font-size:18px">

```

```

<tr>
  <td height="51"><a href="adminhome.php">Home</a></td>
</tr>
<tr>
  <td><a href="addemployee.php">Add
Employee</a></td>
</tr>
<tr>
  <td><a href="addproject.php">Add
Project</a></td>
</tr>
<tr>
  <td><a href="addmodule.php">Add
Module</a></td>
</tr>
<tr>
  <td><a href="admin_viewbug.php">View Bug</a></td>
</tr>
<tr>
  <td><a href="close_proj.php">Close
Project</a></td>
</tr>
<tr>
  <td><a href="viewproject.php">Complete Project</a></td>
</tr>
<tr>
  <td><a href="viewquery.php">View
Query</a></td>

```

```

        </tr>
    </table></b>
</div>
<p align="center" style="font-family:Tahoma, Geneva, sans-serif;font-size:24px"><b>ADD
EMPLOYEE</b></p>
<p>&nbsp;</p>
<div id="apDiv2">
    <form name="form1" method="post" action="">
        <b> <table width="509" border="0">
            <tr>
                <td width="205"><b>Employee Id</b></td>
                <td width="197"><input type="text" name="eid" id="eid"></td>
            </tr>
            <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td> Name</td>
                <td><input type="text" name="ename" id="ename"></td>
            </tr>
            <tr>
                <td>&nbsp;</td>
                <td>&nbsp;</td>
            </tr>
            <tr>
                <td>Role</td>

```



```

<td><select name="role" style="width:170px">

  <option value="--select"--Select--</option>

  <option value="developer">Developer</option>

  <option value="tester">Tester</option>

</select></td>

</tr>

<tr>

  <td>&nbsp;</td>

  <td>&nbsp;</td>

</tr>

<tr>

  <td><b>Email id</b></td>

  <td><input type="email" name="mail" id="mail"></td>

</tr>

<tr>

  <td>&nbsp;</td>

  <td>&nbsp;</td>

</tr>

<tr>

  <td><b>Moblie</b></td>

  <td><input type="text" name="mobile" id="mobile"></td>

</tr>

<tr>

  <td>&nbsp;</td>

  <td>&nbsp;</td>

</tr>

```

```


<tr>
  <td><b>Login Id</b></td>
  <td><input type="text" name="login" id="login"></td>
</tr>
<tr>
  <td>&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td>Password</td>
  <td><input type="password" name="pass" id="pass"></td>
</tr>
<tr>
  <td>&nbsp;</td>
  <td>&nbsp;</td>
</tr>
<tr>
  <td>&nbsp;</td>
  <td><input type="submit" name="sub" id="sub" value="Add">&nbsp;<input
type="reset" name="reset" value="Cancel"></td>
</tr>
</table></b>
</form>
</div>
</body>

</html>

```

C. Sample Input Forms

- Admin Login Page of Bug Tracker System



- **Add Employee Page in Bug Tracker System**

localhost / 127.0.0.1 / error_trac x ErrorTracking x +

localhost/bugtracker/addemployee.php

Apps How to Install and... jaenv12n24_103.pdf E-13.pdf P1057-1064.pdf BBA (CA) Students... User Account Reading list

HOME SIGNOUT

BUG TRACKER

ADD EMPLOYEE

- Home
- Add Employee
- Add Project
- Add Module
- View Bug
- Close Project
- Complete Project
- View Query

Employee Id 1205

Name Sathya

Role Developer

Email id sathya@gmail.com

Moblie 7890789090

Login Id sathya

Password

Add Cancel


- Add Project Page in Bug Tracker System

The screenshot displays a web browser window with the URL `localhost/bugtracker/addproject.php`. The page title is "BUG TRACKER". The sidebar on the left contains the following links: Home, Add Employee, Add Project, Add Module, View Bug, Close Project, Complete Project, and View Query. The main content area is titled "ADD PROJECT" and contains the following form fields:

- Project Id:
- Project Name:
- Duration In days:
- Starting Date: (with a calendar icon)
- Estimated Date: (with a calendar icon)
- Project File: Hierarchial C...gorithm.docx
- Description:

At the bottom of the form, there are two buttons: and .

- **Add Module Page in Bug Tracker System**



ADD MODULES

Home

Add Employee

Add Project

Add Module

View Bug

Close Project

Complete Project

View Query

Project Id

PRJ056

Project Name

College web site

Module Name

Student registration

Description


Student registration pag

Add


Cancel

E. Sample Output Forms

- View Bug Page in Bug Tracker System




- **Close Project Interface in the Bug Tracker System**



CLOSE PROJECT

Project Id	PRJ056
Project Name	College web site
Status	Closed
Close Cancel	

- **View Project Interface in the Bug Tracker System**




VIEW PROJECT

- Home
- Add Employee
- Add Project
- Add Module
- View Bug
- Close Project
- Complete Project
- View Query

Project Id	Project Name	Duration	StartDate	Estimated Date
P101	Bank	100	2021-04-01	2021-04-28

- **View Query Interface in the Bug Tracker System**




VIEW QUERY

- Home
- Add Employee
- Add Project
- Add Module
- View Bug
- Close Project
- Complete Project
- View Query

Developer Name	Query	Reply
sathya	Doubt in project	Problem


- **Employee Login Page in the Bug Tracker System**



The screenshot shows a web browser window with the address bar displaying 'localhost/bugtracker/employee.php'. The page features a dark teal header with the text 'BUG TRACKER' and navigation links for 'HOME', 'ADMIN', and 'EMPLOYEE'. Below the header, the 'EMPLOYEE LOGIN' section contains a form with the following fields:

- Username:** A text input field containing the value 'sathya'.
- Password:** A password input field with masked characters '*****'.
- Role:** A dropdown menu with 'Developer' selected.
- Buttons:** 'Submit' and 'Cancel' buttons at the bottom of the form.

- **View Module Page in the Bug Tracker System**




VIEW MODULE

- Home
- View Module
- Project Status
- View Bug
- Complited Projects
- Query And Reply

Assign Date	Project Id	project Name	Module	Start Date	End Date	Assign Tester	File
07-07-18	P101	Bank	Payment Form	2021-04-01	2021-04-28	Vijay	Files
11-07-18	p102	Vehicle management	Registration	2021-04-04	2021-05-04	Balu	Files


- **Project Status Update Page in the Bug Tracker System**



PROJECT STATUS

Project Id	PRJ056
Project Name	College web site
Module	Registration
Status	Complete
Completed Date	04/28/2021
Test To	Vijay
Submit cancel	

- **View Bug Page in the Bug Tracker System**



VIEW BUG

- Home
- View Module
- Project Status
- View Bug
- Complited Projects
- Query And Reply

Bug ID	Project ID	Project Name
Bank1	P101	Bank
Bank1.1	P101	Bank

- **Ask Query Page in the Bug Tracker System**

localhost / 127.0.0.1 / error_track ErrorTracking

localhost/bugtracker/ask_qry.php

Apps How to Install and... ijaenv12n24_103.pdf E-13.pdf P1057-1064.pdf BBA (CA) Students... User Account Reading list

HOME SIGNOUT

BUG TRACKER


ASK QUERY

- Home
- View Module
- Project Status
- View Bug
- Complited Projects
- Query And Reply


Name

Query

- **Tester Login Page in the Bug Tracker System**



- **View Projects Page in the Bug Tracker System**




VIEW PROJECTS

- Home
- View Project
- Assign Module
- Project Status
- Bug Report
- Bug Status
- Complited project
- View Query

Project Id	Project Name	Duration	StartDate	Estimated Date	Files
p102	Vehicle management	50	2021-04-04	2021-05-04	Details
PRJ056	College web site	20	2021-04-10	42021-04-20	Details

- **Assign Module Page in the Bug Tracker System**



The screenshot shows a web browser window with the URL `localhost/bugtracker/assignmodule.php`. The page has a dark teal header with the text "BUG TRACKER" and navigation links "HOME" and "SIGNOUT". On the left is a sidebar menu with icons and labels: Home, View Project, Assign Module (highlighted), Project Status, Bug Report, Bug Status, Complited project, and View Query. The main content area is titled "ASSIGN MODULE" and contains a form with the following fields: Date (09-04-21), project Id (PRJ056), Project Name (College web site), Module (Student registrator), Assign To (Sathya), and Assigned By (Vijay). At the bottom of the form are "Assign" and "Cancel" buttons.

BUG TRACKER

ASSIGN MODULE

Date: 09-04-21

project Id: PRJ056

Project Name: College web site

Module: Student registrator

Assign To: Sathya

Assigned By: Vijay

Assign Cancel

- **Project Status View Page in the Bug Tracker System**

localhost / 127.0.0.1 / error_track x ErrorTracking x +

localhost/bugtracker/status_pro.php

Apps How to Install and... jjaenv12n24_103.pdf E-13.pdf P1057-1064.pdf BBA (CA) Students... User Account Reading list

HOME SIGNOUT

BUG TRACKER

PROJECT STATUS

Project Id	Project Name	Module	Status	Complited Date
P101	Bank	Payment Form	complete	2021-04-10
PRJ056	College web sit	Registration	complete	2021-04-28

localhost/bugtracker/bug_rep.php

- Bug Report Page in the Bug Tracker System

The screenshot shows a web browser window with the URL `localhost/bugtracker/bug_rep.php`. The page is titled "BUG REPORT" and has a navigation bar with "HOME" and "SIGNOUT" links. A sidebar on the left lists various system functions. The main content area is a form for creating a bug report, with the following fields and values:

Field	Value
Project Id	PRJ056
Project Name	College web site
Module	Student registration
Bug Id	201
Assign To	Sathya
Summary	Validation problems
Priority	Low
Severity	Minor
Attachments	Choose File sql_selet Query.txt
Expected Result	proper validation
Status	New

At the bottom of the form are two buttons: "Raise Bug" and "cancel".

- **View Query Page in the Bug Tracker System**

