

Extent Report + TestNG Listener — Implementation

Step 1 — Add ExtentReports Maven Dependency in pom.xml

```
<dependency>
  <groupId>com.aventstack</groupId>
  <artifactId>extentreports</artifactId>
  <version>5.1.2</version>
</dependency>
```

Step 2 — Create Test001_ExtentReportManager

Create a class:

```
Test001_ExtentReportManager
```

and implement:

```
ITestListener
```

Purpose: Generate the Extent HTML Report and handle TestNG execution events such as:

- Test execution started
- Test started
- Test passed
- Test failed
- Test skipped
- Test execution completed

```
public class Test001_ExtentReportManager implements ITestListener {

    // Extent Report implementation

}
```

The listener handles TestNG events and updates the Extent Report accordingly.

Step 3 — Create `testng.xml`

Register the Extent Report listener and the test class in the TestNG XML file.

```
<?xml version="1.0" encoding="UTF-8"?>

<!DOCTYPE suite SYSTEM "http://testng.org/testng-1.0.dtd">

<suite name="All Test Suite">

    <listeners>
        <listener class-
name="TestNgFolder.Test007Listners.Test001_ExtentReportManager"/>
    </listeners>


    <test name="Test">
        <classes>
            <class name="TestNgFolder.Test007Listners.Test003"/>
        </classes>
    </test>

</suite>
```

Step 4 — Run `testng.xml`

Run the TestNG XML file.

The execution flow is:



▼
Extent HTML Report

Final Structure

```
Extent Report Implementation
|
├─ Step 1
│   └─ Add ExtentReports Maven Dependency
|
├─ Step 2
│   └─ Create Test001_ExtentReportManager
│       └─ implements ITestListener
|
├─ Step 3
│   └─ Create testng.xml
│       └─ Register Extent Report Listener
|
└─ Step 4
    └─ Run testng.xml
        └─ Generate Extent HTML Report
```

Important

`Test002_MyListener` is **not required** for Extent Report implementation.

`Test001_ExtentReportManager` itself is the **TestNG Listener + Extent Report Manager**, so it can handle the required TestNG events and generate the report.