

```
1. #include <stdio.h>
2.
3. int add(int a, int b);
4.
5. int main()
6. {
7.     int choice;
8.     int num1 = 10;
9.     int num2 = 20    // ERROR: Missing semicolon (;)
10.    int result;
11.
12.    printf("=== MENU ===\n");
13.    printf("1. Add\n");
14.    printf("2. Subtract\n");
15.    printf("3. Multiply\n");
16.    printf("4. Divide\n");
17.
18.    printf("Enter choice: ");
19.    scanf("%d", &choice);
20.
21.    if(choice == 1    // ERROR: Missing closing parenthesis )
22.    {                // CORRECTION: if(choice == 1)
23.        result = num1 + num2;
24.        printf("Result = %d\n", result);
25.    }
26.
27.    else if(choice == 2)
28.    {
29.        result = num1 - num2;
30.        printf("Result = %d\n", result);
31.    }
32.
33.    else if(choice == 3)) // ERROR: Extra closing parenthesis )
34.    {                    // CORRECTION: else if(choice == 3)
35.        result = num1 * num2;
36.        printf("Result = %d\n", result);
37.    }
38.
39.    else if(choice == 4)
40.    {
41.        result = num1 / num2;
```

```
42.         printf("Result = %d\n", result);
43.     }
44.
45.     else
46.     {
47.         printf("Invalid Choice\n");
48.     }
49.
50.     for(int i=0; i<5; i++ // ERROR: Missing closing parenthesis )
51.     { // CORRECTION: for(int i=0; i<5; i++)
52.         printf("%d ", i);
53.     }
54.
55.     printf("\n");
56.
57.     while(choice > 0 // ERROR: Missing closing parenthesis )
58.     { // CORRECTION: while(choice > 0)
59.         choice--;
60.     }
61.
62.     do
63.     {
64.         printf("Processing...\n");
65.     }
66.     while(choice > 5) // ERROR: Missing semicolon (;)
67.         // CORRECTION: while(choice > 5);
68.
69.     switch(choice)
70.     {
71.         case 1:
72.             printf("One\n");
73.             break;
74.
75.         case 2 // ERROR: Missing colon (:)
76.             printf("Two\n");
77.             break;
78.
79.         default:
80.             printf("Other\n");
81.     }
82.
```

```
83.   int marks = 80;
84.
85.   if(marks >= 90)
86.   {
87.       printf("Grade A\n");
88.   }
89.   else if(marks >= 80)
90.   {
91.       printf("Grade B\n");
92.   }
93.   else if(marks >= 70)
94.   {
95.       printf("Grade C\n");
96.   }
97.   else
98.   {
99.       printf("Grade D\n");
100.  }
101.
102.  char grade = 'A;    // ERROR: Missing closing single quote (')
103.          // CORRECTION: char grade = 'A';
104.
105.  printf("Grade = %c\n", grade);
106.
107.  int arr[5;        // ERROR: Missing closing bracket ]
108.          // CORRECTION: int arr[5];
109.
110.  arr[0] = 10;
111.  arr[1] = 20;
112.  arr[2] = 30;
113.
114.  printf("%d\n", arr[0]);
115.
116.  if(arr[0] > 5)
117.  {
118.      printf("Greater\n");
119.  }
120.
121.  {
122.      printf("Block Start\n");
123.
```

```
124.     if(arr[1] > 10)
125.     {
126.         printf("Condition True\n");
127.     }
128.
129.     printf("Still Running\n");
130.
131.     for(int j=0; j<3; j++)
132.     {
133.         printf("%d\n", j);
134.     }
135.
136.     printf("End of Program\n") // ERROR: Missing semicolon (;)
137.         // CORRECTION: printf("End of Program\n");
138.
139.     return 0;
140. } // ERROR: Missing closing brace for block started at line 121
141. // CORRECTION: Add one extra } before return 0;
142.
143. int add(int a, int b)
144. {
145.     return a + b;
146. }
```