



PROJECT: KITCHEN STORY.

Document Type: Source Code



SUBMITTED BY: SAMEER SAFDAR KHAN

GITHUB REPOSITORY: <https://github.com/sameerkhan0411/kitchenstory.git>

1] KitchenStoryMain.html:->

```
<!DOCTYPE html>
<html>
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
<style>
  body {
    background-image: url('images/1324396.png');
    background-repeat: no-repeat;
    background-attachment: fixed;
    background-size: cover;
  }
  .parallax {
    background-image: url('images/1324396.png');
    width: auto;
    border: auto solid green;
    padding: none;
    margin: auto;
  }
  .placeholder {
    padding-right: auto;
  }

  .button {
    font-size: auto;
    transition-duration: 0.4s;
    float:right;
  }

  .button:hover {
    background-color: rgb(201, 92, 92);
  }
</style>
  <meta charset="utf-8" />
  <title>Shop Kitchen Story</title>
  <link rel="stylesheet" href="Style.css" />
  <link rel="stylesheet" href="https://stackpath.bootstrapcdn.com/font-awesome/4.7.0/css/font-awesome.min.css" />
  <script>
    function stickyMenu() {
      var sticky = document.getElementById('sticky');
      if (window.pageYOffset > 220) {
        sticky.classList.add('sticky');
      }
    }
  </script>
</html>
```

```

    }
    else {
        sticky.classList.remove('sticky');
    }
}

window.onscroll = function () {
    stickyMenu();
}

function searchfunc() {
    var input, filter, ul, li, a, i;
    input = document.getElementById("myInput");
    filter = input.value.toUpperCase();
    a = document.getElementsByClassName("dropdown-item");
    for (i = 0; i < a.length; i++) {
        txtValue = a[i].textContent || a[i].innerText;
        console.log(1);
        if (txtValue.toUpperCase().indexOf(filter) > -1 && filter.length !=
0) {
            a[i].style.display = "block";
        } else {
            a[i].style.display = "none";
        }
    }
}

var cartinformation = 0;

function AddtoCart(product) {

    var lb = 1;
    var price;

    if (cartinformation == "")
        cartinformation = 1;
    else
        cartinformation = 1 + cartinformation;

    if (product == "RedBeans") {
        var e = document.getElementById("redbeansqty");
        lb = e.options[e.selectedIndex].text;
        price = 'Rs' + e.options[e.selectedIndex].value * 20;
    }
}

```

```
else if ((product == "PintoBeans")) {
    var e = document.getElementById("pbqty");
    lb = e.options[e.selectedIndex].text;
    price = 'Rs' + e.options[e.selectedIndex].value * 30;
}

else if ((product == "BlackBeans")) {
    var e = document.getElementById("bblb");
    lb = e.options[e.selectedIndex].text;
    price = 'Rs' + e.options[e.selectedIndex].value * 30;
}

else if ((product == "Potatoes")) {
    var e = document.getElementById("potatoesqty");
    lb = e.options[e.selectedIndex].text;
    price = 'Rs' + e.options[e.selectedIndex].value * 10;
}

else if ((product == "Onion")) {
    var e = document.getElementById("onionqty");
    lb = e.options[e.selectedIndex].text;
    price = 'Rs' + e.options[e.selectedIndex].value * 35;
}

else if ((product == "Zucchini")) {
    var e = document.getElementById("zucchiniqty");
    lb = e.options[e.selectedIndex].text;
    price = 'Rs' + e.options[e.selectedIndex].value * 40;
}

else if ((product == "Apple")) {
    var e = document.getElementById("appleqty");
    lb = e.options[e.selectedIndex].text;
    price = 'Rs' + e.options[e.selectedIndex].value * 120;
}

else if ((product == "Banana")) {
    var e = document.getElementById("bananaqty");
    lb = e.options[e.selectedIndex].text;
    price = 'Rs' + e.options[e.selectedIndex].value * 10;
}

else if ((product == "Kiwi")) {
    var e = document.getElementById("kiwiqty");
    lb = e.options[e.selectedIndex].text;
```

```

        price = 'Rs' + e.options[e.selectedIndex].value * 80;
    }

    else if ((product == "ChickenBreast")) {
        var e = document.getElementById("cbqty");
        lb = e.options[e.selectedIndex].text;
        price = 'Rs' + e.options[e.selectedIndex].value * 45;
    }

    else if ((product == "ChickenThighs")) {
        var e = document.getElementById("ctqty");
        lb = e.options[e.selectedIndex].text;
        price = 'Rs' + e.options[e.selectedIndex].value * 60;
    }

    else if ((product == "ChickenDrumsticks")) {
        var e = document.getElementById("cdqty");
        lb = e.options[e.selectedIndex].text;
        price = 'Rs' + e.options[e.selectedIndex].value * 75;
    }

    else if ((product == "Almonds")) {
        var e = document.getElementById("almondsqty");
        lb = e.options[e.selectedIndex].text;
        price = 'Rs' + e.options[e.selectedIndex].value * 80;
    }

    else if ((product == "Cashew")) {
        var e = document.getElementById("cashewqty");
        lb = e.options[e.selectedIndex].text;
        price = 'Rs' + e.options[e.selectedIndex].value * 58;
    }

    else if ((product == "Walnuts")) {
        var e = document.getElementById("walnutsqty");
        lb = e.options[e.selectedIndex].text;
        price = 'Rs' + e.options[e.selectedIndex].value * 250;
    }

    var newdata = "";
    var soupdetails = product + "~" + lb + "~" + price;
    var olddata = sessionStorage.getItem("Cartdetails");
    if (olddata == null)
        newdata = soupdetails;
    else
        newdata = olddata + ";" + soupdetails;

```

```

        sessionStorage.setItem("Cartdetails", newdata);

        document.getElementById('lblCartDetails').innerText =
cartinformation;
    }

</script>

</head>
<body>
    <div class="parallax">
        <div class="page-title">
            Kitchen Story
        </div>
    </div>
    <div class="menu" id="sticky">
        <ul class="menu-ul">
            <a href="#" class="a-menu"><li>Home</li></a>
            <a href="ShoppingCart.html" class="a-menu"><li>Shopping Cart</li></a>
            <a href="Login.html" class="a-menu"><li>Login</li></a>
            <a href="Register.html" class="a-menu"><li>Register</li></a>
            <a href="Admin.html" class="a-menu"><li>Admin</li></a>

        </ul>
        <div class="search-box" id="myDropdown">
            <form>
                <input type="text" placeholder="Search" name="search"
class="search-input" id="myInput" onkeyup="searchfunc()" />

                <button type="submit"><i class="fa fa-search"></i></button>
            </form>
        </div>
        <div class="dropdown-content">
            <ul class="dropdown-list">
                <li><a href="#beans" class="dropdown-item">Beans</a></li>
                <li><a href="#vegetables" class="dropdown-
item">Vegetables</a></li>
                <li><a href="#fruits" class="dropdown-item">Fruits</a></li>
                <li><a href="#meat" class="dropdown-item">Meat</a></li>
                <li><a href="#nuts" class="dropdown-item">Nuts</a></li>
                <li><a href="#beans" class="dropdown-item">Red Beans</a></li>
                <li><a href="#beans" class="dropdown-item">Pinto Beans</a></li>
                <li><a href="#beans" class="dropdown-item">Black Beans</a></li>
                <li><a href="#vegetables" class="dropdown-item">Potatoes</a></li>

```

```

        <li><a href="#vegetables" class="dropdown-item">Onion</a></li>
        <li><a href="#vegetables" class="dropdown-item">Zucchini</a></li>
        <li><a href="#fruits" class="dropdown-item">Apple</a></li>
        <li><a href="#fruits" class="dropdown-item">Kiwi</a></li>
        <li><a href="#fruits" class="dropdown-item">Banana</a></li>
        <li><a href="#meat" class="dropdown-item">Chicken Breast</a></li>
        <li><a href="#meat" class="dropdown-item">Chicken Thighs</a></li>
        <li><a href="#meat" class="dropdown-item">Chicken
Drumsticks</a></li>
        <li><a href="#nuts" class="dropdown-item">Almonds</a></li>
        <li><a href="#nuts" class="dropdown-item">Walnuts</a></li>
        <li><a href="#nuts" class="dropdown-item">Cashew</a></li>

    </ul>
</div>
</div>
<div class="container">
    <a href="#beans">
        <div class="container-categories">
            
            <div class="image-title">Beans</div>
        </div>
    </a>
    <a href="#vegetables">
        <div class="container-categories">
            
            <div class="image-title">Vegetables</div>
        </div>
    </a>
    <a href="#fruits">
        <div class="container-categories">
            
            <div class="image-title">Fruits</div>
        </div>
    </a>
    <a href="#meat">
        <div class="container-categories">
            
            <div class="image-title">Meat</div>
        </div>
    </a>
    <a href="#nuts">
        <div class="container-categories">
            
            <div class="image-title">Nuts</div>

```

```

        </div>
    </a>
    <!-- Beans -->
</div>
<div class="deals-container" id="beans">
    <div class="parallax">
        <div class="title">BEANS</div>
    </div>
    <!-- redbeans -->
    <div class="items" id="RedBeans">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Red Beans</b><br />
            <div class="item-select">
                Price : Rs20/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="redbeansqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
            <button class="buynow-btn" onclick="AddtoCart('RedBeans')">Add To
Cart</button>
        </div>
    </div>
    <!-- pintobeans -->
    <div class="items" id="PintoBeans">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Pinto Beans</b><br />
            <div class="item-select">
                Price : Rs30/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="pbqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select>
        </div>
    </div>

```



```

        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('PintoBeans')">Add To Cart</button>
    </div>
</div>
<!-- blackbeans -->
<div class="items" id="BlackBeans">
    <div class="images">
        
    </div>
    <div class="description">
        <b>Black Beans</b><br />
        <div class="item-select">
            Price : Rs30/lb
        </div>
        <label>Qty:</label>
        <select class="item-select" id="bblb">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('BlackBeans')">Add To Cart</button>
    </div>
</div>
<div class="placebutton"><a href="ShoppingCart.html"><input type="submit"
class="button" value="Shopping Cart" /></a></div>
</div>
<!-- Vegetables -->
<div class="deals-container" id="vegetables">
    <div class="parallax">
        <div class="title">VEGETABLES</div>
    </div>
    <!-- Potatoes -->
    <div class="items" id="Potatoes">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Potatoes</b><br />
            <div class="item-select">
                Price : Rs10/lb
            </div>
            <label>Qty:</label>

```

```

        <select class="item-select" id="potatoesqty">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
            <button class="buynow-btn"
onclick="AddtoCart('Potatoes')">Add To Cart</button>
        </div>
    </div>
    <!-- Onion -->
    <div class="items" id="Onion">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Onion</b><br />
                <div class="item-select">
                    Price : Rs35/lb
                </div>
            <label>Qty:</label>
            <select class="item-select" id="onionqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
                <button class="buynow-btn"
onclick="AddtoCart('Onion')">Add To Cart</button>
            </div>
        </div>
    <!-- Zucchini -->
    <div class="items" id="Zucchini">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Zucchini</b><br />
                <div class="item-select">
                    Price : Rs40/lb
                </div>
            <label>Qty:</label>
            <select class="item-select" id="zucchiniqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
            </select>
        </div>
    </div>

```

```

        <option value="3">3 lb</option>
        <option value="4">4 lb</option>
    </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('Zucchini')">Add To Cart</button>
    </div>
</div>
    <div class="placebutton"><a href="ShoppingCart.html"><input type="submit"
class="button" value="Shopping Cart" /></a></div>
</div>
<!-- Fruits -->
<div class="deals-container" id="fruits">
    <div class="parallax">
        <div class="title">FRUITS</div>
    </div>
    <!-- Apple -->
    <div class="items" id="Apple">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Apple</b><br />
                <div class="item-select">
                    Price : Rs120/lb
                </div>
            <label>Qty:</label>
            <select class="item-select" id="appleqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />
                <button class="buynow-btn"
onclick="AddtoCart('Apple')">Add To Cart</button>
            </div>
        </div>
    <!-- Banana -->
    <div class="items" id="Banana">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Banana</b><br />
                <div class="item-select">
                    Price : Rs10/lb

```

```

        </div>
        <label>Qty:</label>
        <select class="item-select" id="bananaqty">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('Banana')">Add To Cart</button>
    </div>
</div>
<!-- kiwi -->
<div class="items" id="Kiwi">
    <div class="images">
        
    </div>
    <div class="description">
        <b>Kiwi</b><br />
        <div class="item-select">
            Price : Rs80/dozen
        </div>
        <label>Qty:</label>
        <select class="item-select" id="kiwiqty">
            <option value="1">1 dozen</option>
            <option value="2">2 dozen</option>
            <option value="3">3 dozen</option>
            <option value="4">4 dozen</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('Kiwi')">Add To Cart</button>
    </div>
</div>
    <div class="placebutton"><a href="ShoppingCart.html"><input type="submit"
class="button" value="Shopping Cart" /></a></div>
</div>
<!-- Meat -->
    <div class="deals-container" id="meat">
        <div class="parallax">
            <div class="title">MEAT</div>
        </div>
        <!-- ChickenBreast -->
        <div class="items" id="ChickenBreast">
            <div class="images">

```

```

        

    </div>
    <div class="description">
        <b>Chicken Breast</b><br />
        <div class="item-select">
            Price : Rs45/lb
        </div>
        <label>Qty:</label>
        <select class="item-select" id="cbqty">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('ChickenBreast')">Add To Cart</button>
    </div>
</div>
<!-- Chickenthighs -->
<div class="items" id="ChickenThighs">
    <div class="images">
        

    </div>
    <div class="description">
        <b>Chicken Thighs</b><br />
        <div class="item-select">
            Price : Rs60/lb
        </div>
        <label>Qty:</label>
        <select class="item-select" id="ctqty">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('ChickenThighs')">Add To Cart</button>
    </div>
</div>
<!-- Chickendrumsticks -->
<div class="items" id="ChickenDrumsticks">
    <div class="images">

```

```

        
    </div>
    <div class="description">
        <b>Chicken Drumsticks</b><br />
        <div class="item-select">
            Price : Rs75/lb
        </div>
        <label>Qty:</label>
        <select class="item-select" id="cdqty">
            <option value="1">1 lb</option>
            <option value="2">2 lb</option>
            <option value="3">3 lb</option>
            <option value="4">4 lb</option>
        </select><br />
        <button class="buynow-btn"
onclick="AddtoCart('ChickenDrumsticks')">Add To Cart</button>
    </div>
</div>
<div class="placebutton"><a href="ShoppingCart.html"><input
type="submit" class="button" value="Shopping Cart" /></a></div>
</div>
<!-- Nuts -->
<div class="deals-container" id="nuts">
    <div class="parallax">
        <div class="title">NUTS</div>
    </div>
    <!-- Almonds -->
    <div class="items" id="Almonds">
        <div class="images">
            
        </div>
        <div class="description">
            <b>Almonds</b><br />
            <div class="item-select">
                Price : Rs80/lb
            </div>
            <label>Qty:</label>
            <select class="item-select" id="almondsqty">
                <option value="1">1 lb</option>
                <option value="2">2 lb</option>
                <option value="3">3 lb</option>
                <option value="4">4 lb</option>
            </select><br />

```

```

                                <button class="buynow-btn"
onclick="AddtoCart('Almonds')">Add To Cart</button>
                        </div>
                </div>
                <!-- cashew -->
                <div class="items" id="Cashew">
                        <div class="images">
                                
                        </div>
                        <div class="description">
                                <b>Cashew</b><br />
                                <div class="item-select">
                                        Price : Rs58/lb
                                </div>
                                <label>Qty:</label>
                                <select class="item-select" id="cashewqty">
                                        <option value="1">1 lb</option>
                                        <option value="2">2 lb</option>
                                        <option value="3">3 lb</option>
                                        <option value="4">4 lb</option>
                                </select><br />
                                <button class="buynow-btn"
onclick="AddtoCart('Cashew')">Add To Cart</button>
                        </div>
                </div>
                <!-- walnuts -->
                <div class="items" id="Walnuts">
                        <div class="images">
                                
                        </div>
                        <div class="description">
                                <b>Walnuts</b><br />
                                <div class="item-select">
                                        Price : Rs250/lb
                                </div>
                                <label>Qty:</label>
                                <select class="item-select" id="walnutsqty">
                                        <option value="1">1 lb</option>
                                        <option value="2">2 lb</option>
                                        <option value="3">3 lb</option>
                                        <option value="4">4 lb</option>
                                </select><br />
                                <button class="buynow-btn"
onclick="AddtoCart('Walnuts')">Add To Cart</button>
                        </div>

```

```

        </div>
        <!-- ShoppingCart -->
        <div class="placebutton"><a href="ShoppingCart.html"><input
type="submit" class="button" value="Shopping Cart" /></a></div>
    </div>
    <!-- footer -->
    <div class="footer">

        <div class="copyrights">
            Sameer Khan
        </div>
    </div>

</body>
</html>

```

2] Login.html:->

```

<!DOCTYPE html>
<html>
    <meta charset="UTF-8">
    <meta name="description" content="Free Web tutorials">
    <meta name="keywords" content="HTML,CSS,XML,JavaScript">
    <meta name="author" content="Sameer Khan">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.4.0/css/font-awesome.min.css">
    <style>
        body {
            font-size: 13px;
            line-height: auto;
            color: rgb(245, 245, 245);
            background-image: url('images/dan-gold-4_jhD054BYg-unsplash.jpg');
            background-size: cover;
        }

        .first {
            background-image: url(images/food.jpg);
            height: auto;
            background-attachment: scroll;
            background-position: center;
            background-repeat: no-repeat;
            background-size: cover;
        }
    </style>

```



```
}

.title {
    text-align: center;
    font-size: 0vw;
    background: rgba(0,0,0,0.5);
    text-align: center;
    color: white;
    padding: auto;
    font-variant: small-caps;
    font-size: 100px;
    font-family: auto;
    letter-spacing: inherit;
}

.container {
    background-color: rgb(43, 36, 36);
    width: 300px;
    border: 10px solid green;
    padding: 2px;
    margin: 20px;
}

.innerbox {
    align-items: left;
    border: 1px solid rgb(252, 248, 248);
    height: auto;
    width: auto;
    padding: auto;
    font-size: 20px;
}

h1 {
    text-align: left;
}

.usermail, .userpass, .login {
    padding: 10px 10px 10px 10px;
}

.mail, .pass {
    height: auto;
    width: auto;
}
```

```

    #button {

        background-color: rgb(255, 255, 255);
        font-size: auto;
        transition-duration: 0.4s;
    }

    #button:hover {
        background-color: rgb(146, 207, 146);
    }
    .footer {
        position: fixed;
        left: 0;
        bottom: 0;
        width: 100%;
        background-color: rgb(37, 245, 89);
        color: rgb(0, 0, 0);
        text-align: left
    }
</style>
<meta charset="utf-8" />
<title>Login to Kitchen Story</title>
</head>
<body>
    <div class="first">
        <div class="title"><b>Kitchen Story</b></div>
    </div>
    <div class="container">

        <div class="innerbox">
            <h1>Customer Login</h1>

            <div class="usermail">
                <label for="custmail" class="Usermail">Email</label><br />
                <input type="email" class="mail" name="userMail" placeholder=""
required />
            </div>
            <div class="userpass">
                <label for="custpass" class="Userpass">Password</label><br />
                <input type="password" class="pass" name="userPass"
placeholder="" required />
            </div>
            <div class="login">

```

```

        <span class="loginbtn">
            <a href="KitchenStoryMain.html"><input type="submit"
id="button" name="save" class="btn btn-primary" value="Login" /></a>
        </span>
    </div>
</div>
</div>
<div class="footer">

    <div class="copyrights">
        Sameer Khan
    </div>
</div>
</body>
</html>

```

3] Register.html:->

```

<!DOCTYPE html>
<html>
    <meta charset="UTF-8">
    <meta name="description" content="Free Web tutorials">
    <meta name="keywords" content="HTML,CSS,XML,JavaScript">
    <meta name="author" content="Sameer Khan">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.4.0/css/font-awesome.min.css">
    <style>
        body {
            font-size: 13px;
            line-height: auto;
            color: rgb(255, 255, 255);
            background-image: url('images/dan-gold-4_jhD054BYg-unsplash.jpg');
            background-size: cover;
        }

        .first {
            background-image: url(images/food.jpg);
            height: auto;
            background-attachment: scroll;
            background-position: center;
            background-repeat: no-repeat;

```

```
        background-size: cover;
    }

    .title {
        text-align: center;
        font-size: 0vw;
        background: rgba(0,0,0,0.5);
        text-align: center;
        color: white;
        padding: auto;
        font-variant: small-caps;
        font-size: 100px;
        font-family: auto;
        letter-spacing: inherit;
    }

    .container{
        background-color: rgb(43, 36, 36);
        width: 300px;
        border: 10px solid green;
        padding: 2px;
        margin: 20px;
    }

    .innerbox {
        align-items: right;
        border:1px solid black;
        height: auto;
        width: auto;
        padding: auto;
        font-size: 20px;
    }

    h1 {
        text-align: left;
    }

    .namebox, .numberbox, .emailbox, .passbox, .Register {
        padding: 10px 10px 10px 10px;
        font-family: "Amazon Ember",Arial,sans-serif;
    }

    .a, .b, .c, .d{
        height:auto;
        width:auto;
    }
```



```

        <input type="tel" class="a" name="custNo" maxlength="10"
placeholder="" required />
    </div>
</div>
<div class="emailbox">
    <label for="custmail" class="email">Email</label><br />
    <input type="email" class="b" name="custMail" placeholder=""
required />
</div>
<div class="passbox">
    <label for="custpass" class="pass">Password</label><br />
    <input type="password" class="c" name="custPass" placeholder=""
required />
</div>
<div class="passbox">
    <label for="custpass" class="pass">ConfirmPassword</label><br />
    <input type="password" class="c" name="custPass" placeholder=""
required />
</div>
<div class="Register">
    <span class="Registerbtn">
        <input type="submit" id="button" name="save" class="btn btn-
primary" value="Register" /></a>
        <input type="reset" id= "button1" value="Clear"
name="btnClear" class="btn btn-primary">
    </span>
</div>
</form>
</div>
<div class="footer">

    <div class="copyrights">
        Sameer Khan
    </div>
</div>

</body>
</html>

```

4] AdminLogin.html:->

```
<!DOCTYPE html>
<html>
  <meta charset="UTF-8">
  <meta name="description" content="Free Web tutorials">
  <meta name="keywords" content="HTML,CSS,XML,JavaScript">
  <meta name="author" content="Sameer Khan">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
  <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/font-
awesome/4.4.0/css/font-awesome.min.css">
  <style>
    body {
      font-size: 13px;
      line-height: auto;
      color: rgb(245, 245, 245);
      background-image: url('images/dan-gold-4_jhD054BYg-unsplash.jpg');
      background-size: cover;
    }

    .first {
      background-image: url(images/food.jpg);
      height: auto;
      background-attachment: scroll;
      background-position: center;
      background-repeat: no-repeat;
      background-size: cover;
    }

    .title {
      text-align: center;
      font-size: 0vw;
      background: rgba(0,0,0,0.5);
      text-align: center;
      color: white;
      padding: auto;
      font-variant: small-caps;
      font-size: 100px;
      font-family: auto;
      letter-spacing: inherit;
    }

    .container {
      background-color: rgb(43, 36, 36);
```

```
    width: 300px;
    border: 10px solid green;
    padding: 2px;
    margin: 20px;
}

.innerbox {
    align-items: left;
    border: 1px solid black;
    height: auto;
    width: auto;
    padding: auto;
    font-size: 20px;
}

h1 {
    text-align: left;
}

.usermail, .userpass, .login {
    padding: 10px 10px 10px 10px;
}

.mail, .pass {
    height: auto;
    width: auto;
}

#button {

    background-color: greenyellow;
    font-size: auto;
    transition-duration: 0.4s;
}

#button:hover {
    background-color: white;
}

.footer {
    position: fixed;
    left: 0;
    bottom: 0;
    width: 100%;
    background-color: rgb(82, 241, 50);
}
```



```

color: rgb(0, 0, 0);
text-align: left
}
</style>
<meta charset="utf-8" />
<title>Admin Login to Kitchen Story</title>
</head>
<body>
  <div class="first">
    <div class="title"><b>Kitchen Story</b></div>
  </div>
  <div class="container">

    <div class="innerbox">
      <h1>Admin Login</h1>

      <div class="adminmail">
        <label for="custmail" class="adminmail">Email</label><br />
        <input type="email" class="mail" name="adminMail" placeholder=""
required />
      </div>
      <div class="adminpass">
        <label for="custpass" class="adminpass">Password</label><br />
        <input type="password" class="pass" name="adminPass"
placeholder="" required />
      </div>
      <div class="login">
        <span class="loginbtn">
          <a href="Admin_portal.html"><input type="submit" id="button"
name="save" class="btn btn-primary" value="Login" /></a>
        </span>
      </div>
    </div>
  </div>
  <div class="footer">

    <div class="copyrights">
      Sameer Khan
    </div>
  </div>

</body>
</html>

```

5] Admin Portal.html:->

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <title>Document</title>
  </head>
  <link
    rel="stylesheet"
    href="https://maxcdn.bootstrapcdn.com/font-awesome/4.4.0/css/font-
awesome.min.css"
  />
  <style>
    body {
      font-size: 13px;
      line-height: auto;
      color: rgb(245, 245, 245);
      background-image: url("images/rodion-kutsaev-EPwuZxdketc-unsplash.jpg");
      background-size: cover;
    }

    .topnav {
      background-color: #333;
      overflow: hidden;
    }

    /* Style the links inside the navigation bar */
    .topnav a {
      float: left;
      color: #f2f2f2;
      text-align: center;
      padding: 14px 16px;
      text-decoration: none;
      font-size: 17px;
    }

    /* Change the color of links on hover */
    .topnav a:hover {
      background-color: #ddd;
      color: black;
    }
  </style>
</html>
```

```
/* Add a color to the active/current link */
.topnav a.active {
  background-color: #04aa6d;
  color: white;
}

html {
  box-sizing: border-box;
}

*,
*:before,
*:after {
  box-sizing: inherit;
}

.column {
  float: left;
  width: 33.3%;
  margin-bottom: 16px;
  padding: 0 8px;
}

.card {
  box-shadow: 0 4px 8px 0 rgba(0, 0, 0, 0.2);
  margin: 8px;
}

.about-section {
  padding: 50px;
  text-align: left;
  background-color: #474e5d2f;
  color: white;
}

.container {
  padding: 0 16px;
}

.container::after,
.row::after {
  content: "";
  clear: both;
  display: table;
}
```

```

.title {
  color: grey;
}

.button {
  border: none;
  outline: 0;
  display: inline-block;
  padding: 8px;
  color: white;
  background-color: #000;
  text-align: center;
  cursor: pointer;
  width: 100%;
}

.button:hover {
  background-color: #555;
}

@media screen and (max-width: 650px) {
  .column {
    width: 100%;
    display: block;
  }
}
</style>
<body>
  <div class="topnav">
    <a class="active" href="KitchenStoryMain.html">Home</a>
    <a href="KitchenStoryMain.html" target="_blank">User-Records</a>
    <a href="KitchenStoryMain.html">Add-Categoruy</a>
    <a href="KitchenStoryMain.html">Manage-Products</a>
    <a href="KitchenStoryMain.html">Logout</a>
  </div>

  <div class="about-section">
    <h1>About Us</h1>
    <p>Kitchen Story is a Front-end project designed to check the Know of the student.</p>
    <p>It helps to check the understanding on the topics by student.</p>
  </div>

  <h2 style="text-align:left">About Developer </h2>

```

```

<div class="row">
  <div class="column">
    <div class="card">
      
      <div class="container">
        <h2>Sameer Khan</h2>
        <p class="title">Developer</p>
        <p>Full Stack JAVA Developer Student at SimliLearn.</p>
        <p>s2k.sameer@gmail.com.com</p>
        <p><button class="button">Contact</button></p>
      </div>
    </div>
  </div>
</div>

</body>
</html>

```

6] ShoppingCart.html:->

```

<!DOCTYPE html>
<html>
  <meta charset="UTF-8">
  <meta name="description" content="Free Web tutorials">
  <meta name="keywords" content="HTML,CSS,XML,JavaScript">
  <meta name="author" content="Sameer Khan">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
<head>
  <style>
    body{
      background-image: url('images/1324396.png');
      background-size: contain;
    }
    span{
      color:black;
    }

    .container {
      background-color: rgba(255, 255, 255, 0.637);
      width: 99%;
      border: 10px solid green;
      padding: 2px;
    }
  </style>
</head>
<body>
  <div class="row">
    <div class="column">
      <div class="card">
        
        <div class="container">
          <h2>Sameer Khan</h2>
          <p class="title">Developer</p>
          <p>Full Stack JAVA Developer Student at SimliLearn.</p>
          <p>s2k.sameer@gmail.com.com</p>
          <p><button class="button">Contact</button></p>
        </div>
      </div>
    </div>
  </div>
</body>
</html>

```

```
        margin: 20px;
    }

    #a{
        padding:225px;

    }
    #b{
        padding-left:225px;
    }
    #c{
        padding-left:450px;
    }
    .table {
        background-color: rgb(231, 222, 222);
        width: 100%;
        border: 10px solid green;
        padding: 2px;
        margin: 20px;
    }

    .cart {
        background-image: url(images/food.jpg);
        height: 110px;
        background-attachment: auto;
        background-position: center;
        background-repeat: auto;
        background-size: auto;
    }

    .title {
        text-align: center;
        font-size: xx-large;
        background: rgba(0,0,0,0.5);
        text-align: center;
        color: white;
        padding: auto;
        font-variant: small-caps;
        font-size: 500%;
        font-family: auto;
        letter-spacing: auto;
    }
    /* .total{
        float:center;
    }
```

```

        padding-right:auto;
    } */
    .placebutton {
        padding-right: auto;
    }

    .button {
        font-size: auto;
        transition-duration: 0.4s;
        float:right;

    }

    .button:hover {
        background-color: white;
    }
    .copyrights {
        font-size: auto;
        font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS', sans-
serif;
        text-align: left;
        margin: auto;
    }

    .footer {
        position: fixed;
        left: 0;
        bottom: 0;
        width: 100%;
        background-color: rgb(69, 255, 52);
        color: rgb(0, 0, 0);
        text-align: center
    }
</style>
<meta charset="utf-8" />
<title>Kitchen Story Shopping Cart</title>

<script>

    function Loadinformation() {

        var olddata = sessionStorage.getItem("Cartdetails");
        addTable(olddata);
        document.getElementById('lblCardDetails').innerHTML = olddata;
    }

```

```

}

function addRow(soupname, Lb, Price) {

    var rowCount = table.rows.length;

    var row = table.insertRow(rowCount);

    row.insertCell(0).innerHTML = product;
    row.insertCell(1).innerHTML = Lb;
    row.insertCell(2).innerHTML = Price;

}

function addTable(olddata) {

    var myTableDiv = document.getElementById("myDynamicTable");

    var table = document.createElement('TABLE');
    table.border = '1';
    table.className = "table";

    var tableBody = document.createElement('TBODY');
    table.appendChild(tableBody);

    var rows = olddata.split(';');

    for (var i = 0; i < rows.length; i++) {
        var tr = document.createElement('TR');
        tableBody.appendChild(tr);

        var columns = rows[i].split('~');
        var product = columns[0];
        var lb = columns[1];
        var price = columns[2];

        for (var j = 0; j < 3; j++) {
            var td = document.createElement('TD');
            td.width = '250';

```



```

        td.appendChild(document.createTextNode(columns[j]));
        tr.appendChild(td);
    }
}

myTableDiv.appendChild(table);

}

</script>
</head>
<body onload="javascript:Loadinformation();">
    <div class="cart">
        <div class="title"><b>Shopping Cart</b></div>
        <div class="container">
            <span id="a">Product</span>
            <span id="b">Quantity</span>
            <span id="c">Total Price(Rs)</span>
        </div>
    </div>
    <br/>
    <br/>
    <div id="myDynamicTable"> </div>
    <br/>
    <br/><br/>
    <div class="placebutton"><a href="SuccessfulOrder.html"><input type="submit"
class="button" value="Place Order" /></a><br/><br/></div>

    <div class="footer">
    <div class="copyrights">
        Sameer Khan
    </div>
    </div>

</body>
</html>

```

7] Style.css:->

```
body {  
    margin: 0;  
    font-family: system-ui;  
    background-color: #ccffff;  
}  
  
.parallax {  
    background-color: #1513ac;  
    height: auto;  
    background-attachment: fixed;  
    background-position: center;  
    background-repeat: no-repeat;  
    background-size: cover;  
}  
  
.page-title {  
    background: rgba(0,0,0,0.5);  
    text-align: center;  
    color: rgb(255, 255, 255);  
    padding: 50px;  
    font-variant: small-caps;  
    font-size: 100px;  
    font-family: auto;  
    letter-spacing: 20px;  
}  
  
.sticky {  
    position: relative;  
    top: 0;  
    width: auto%;  
}  
  
.menu {  
    background-color: white;  
    text-align: justify;  
}  
  
.menu-ul {  
    margin: auto;  
    padding: auto;  
    display: inline;  
}
```

```
.menu-ul li {
    font-size: 20px;
    list-style: inside;
    display: inline;
    padding: 25px 25px 26px 25px;
}

.a-menu {
    text-decoration: none;
    color: rgb(0, 0, 0);
}

.menu-ul li:hover {
    background: #a19e9a50;
    transform: scale(1.0);
}

.search-box {
    border: 1px solid rgba(0, 0, 0, 0.589);
    border-radius: 25px;
    background: rgb(253, 253, 251);
    width: auto;
    display: inline-block;
    margin: 10px;
}

.dropdown-content {
    position: absolute;
    background-color: #fff;
    min-width: auto;
    overflow: auto;

    z-index: 1;
    right: 600px;
}

.dropdown-content a {
    color: black;
    padding: 12px 16px;
    text-decoration: none;
    display: none;
}
```

```
.dropdown a:hover {
    background-color: #ddd;
}

.search-input {
    text-size-adjust: auto;
    width: auto;
    border: none;
    font-size: auto;
    outline: none;
    background: transparent;
    margin: auto;
}

i {
    font-size: 20px;
    margin: 0 10px 0 0;
}

button {
    background: transparent;
    border: none;
    outline: none;
}

.dropdown-list {
    list-style-type: none;
}

.container, .deals-container {
    margin: 50px 50px 50px 5%;
    width: 100%;
    text-align: center;
}

.container-categories, .items {
    width: initial;
    margin: 25px;
    border: 1px solid black;
    border-radius: 50px 50px 50px 50px;
    display: inline-block;
}

.container-categories:hover, .items:hover {
    box-shadow: 0 0 10px 3px #184d47;
}
```

```
}

.item-image {
    height: 200px;
    width: 300px;
    border-radius: 0 0 50px 50px;
    padding: 10px;
    border-radius: 50px;
}

.item-title {
    text-align: center;
    padding: auto;
    font-weight: bold;
}

a {
    text-decoration: none;
}

.title {
    padding: auto;
    font-size: 300%;
    font-weight: bold;
    letter-spacing: 100%;
    color: white;
    background: rgba(0,0,0,0.5);
}

.images {
    display: inline-block;
}

.item-image-size {
    height: 200px;
    width: 300px;
    padding: 5px;
    border-radius: 50px;
}

.description {
    margin: auto;
    min-height: auto;
}
```

```
.item-select {
    margin: 10px 0 0 0;
}

.buynow-btn {
    border: 1px solid #184d47;
    background: #184d47;
    padding: 5px 15px;
    border-radius: 20px;
    font-weight: bold;
    margin-top: 10px;
    color: white;
}

.buynow-btn:hover {
    border: 1px solid #5b8c5a;
    box-shadow: 0 0 10px 5px #1513ac inset;
}

.copyrights {
    font-size: auto;
    font-family: 'Gill Sans', 'Gill Sans MT', 'Calibri', 'Trebuchet MS', sans-serif;
    text-align: left;
    margin: auto;
}

.footer {
    position: fixed;
    left: 0;
    bottom: 0;
    width: 100%;
    background-color: rgb(149, 243, 154);
    color: rgb(0, 0, 0);
    text-align: left;
}
```