Mental health mobile applications for students

"Has there been any paper about developing mobile application which institutional domain focused especially for college students where they can express their emotions, has got counsellor who would approach the student according to the risk score, a platform where the students feels non-judgemental and easy to share beacuse their privacy is preserved ." *Generated by LeapSpace*

Campus Mental Health Apps for Private Emotional Disclosure and Counselor Risk Triage at a Glance

Key Findings Table

Key finding	What the evidence shows	Student/campus relevance	Citations
Papers related to the idea do exist	The literature includes student mental health apps designed to feel confidential or less stigmatizing, campus-linked support tools, and separate risk-triage or early-warning systems for counselor follow-up.	Relevant to college/university settings, but usually only part of the full concept is implemented or evaluated.	[1] [2] [3] [4] [5] [6] [7] [8]
Full end-to-end evaluated system is rarely shown	Very few studies appear to evaluate one institutional college app that combines private emotional expression, preserved privacy/anonymity, automated risk scoring, and proactive counselor outreach with real-world workflow outcomes.	This is the main evidence gap relative to your exact idea.	[1] [5] [9] [10] [11]
Privacy and anonymity matter strongly	Students are more willing to use digital mental health tools when they feel confidential, accessible, and less stigmatizing; anonymity is often seen as lowering barriers to disclosure.	Supports the “non-judgemental and easy to share” part of your concept.	[1] [4] [12] [13] [14] [15] [16]

Key finding	What the evidence shows	Student/campus relevance	Citations
Privacy is also a barrier if governance is unclear	Students want transparency on data use, security, and who can access their information; institutional mistrust can reduce uptake.	A university-run app would need visible privacy safeguards and clear escalation rules.	[17] [18] [19] [20] [21] [22]
Risk scoring and stepped triage are increasingly studied	Student mental health systems use thresholds and models to classify low-, moderate-, and high-risk students for different responses, from self-help to urgent assessment.	Supports the "counsellor approaches based on risk score" part of your concept.	[6] [7] [8] [23] [24]
Human support improves safety and engagement	Counselor support, telehealth, therapist contact, or guided care generally shows better engagement or outcomes than fully self-guided approaches, especially for more severe distress.	Suggests a hybrid app-plus-counselor model is more evidence-aligned than pure automation.	[25] [26] [27] [28]

Direct Answer

Yes, there have been papers related to this idea, but the evidence suggests that most papers cover only parts of it rather than the full package in one rigorously evaluated college system [1] [2] [3] [5] [6]. The closest evidence includes:

1. **Campus/student mental health apps designed to feel confidential, convenient, and less stigmatizing**, sometimes linked to counseling or help-seeking support [1] [2] [3] [4] [15].
2. **Student risk-scoring and early-warning systems** that classify distress severity and route students toward self-help, counseling, or urgent care [5] [6] [7] [8] [23].
3. **Pilot or concept systems with counselor alerts after automated detection**, such as chatbot- or multimodal-monitoring-based flagging [5] [10] [11].

What was not clearly identified is a completed, well-evaluated institutional college app that combines all of these at once: private emotional expression, strong privacy/anonymity design, automated risk scoring, counselor outreach based on the score, and measured outcomes like increased disclosure, perceived non-judgment, referral completion, or counselor workflow impact [1] [5] [9] [10] [11].

Practical interpretation: if your question is “has anyone studied something like this?”, the answer is **yes, partially**; if your question is “is there already a paper showing this exact complete campus solution working in practice?”, the answer is **not clearly from the supplied evidence** [1] [9] [11].
Confidence level: High - this conclusion is directly supported by the synthesis across both privacy-focused and triage-focused evidence streams [1] [5] [9] [10] [11].

Study Scope

- **Population:** college and university students, with some broader adolescent or student digital mental health evidence used for context [1] [29] [30] [31].
- **Interventions:** mobile apps, chatbots, web-based mental health tools, campus-linked digital services, screening systems, and AI-based early-warning models [2] [3] [5] [6] [32] [33].
- **Themes covered:** privacy/confidentiality, anonymous disclosure, stigma reduction, usability, trust, risk scoring, stepped-care routing, and counselor alert workflows [7] [11] [16] [19].
- **Methods represented:** pilots, feasibility studies, trials, qualitative studies, Delphi work, reviews, and model-development studies [6] [18] [34] [35].
  Confidence level: High - scope is explicitly reflected in the input evidence structure [1] [6] [19].

Assumptions & Limitations

- The strongest limitation is that **algorithm performance is reported more often than real operational outcomes**, so evidence on response time, referral completion, clinician workload, and crisis escalation remains thin [5] [10] [11] [35] [36].
- No completed study in the supplied evidence directly tests whether privacy-preserving emotional disclosure features themselves increase honesty, perceived safety, or help-seeking in college students [1] [9] [37] [38].
- Some evidence is about student digital mental health generally rather than fully institution-deployed campus systems [26] [29] [30].
  Confidence level: High - these limitations are explicitly stated in the evidence base [1] [11] [35].

Suggested Further Research

- Test a **fully integrated campus app** combining private emotional sharing, privacy-preserving design, risk scoring, and counselor outreach in one real deployment [1] [10].
- Measure whether **anonymous/confidential disclosure features** actually increase emotional honesty, perceived safety, and help-seeking [1] [9].
- Report **workflow outcomes** such as counselor response time, referral completion, false positives/negatives, and workload effects [5] [10] [11].
- Clarify **governance and trust architecture**: consent, institutional access, emergency overrides, and data-use transparency [19] [21] [22].
- Study subgroup differences, especially where privacy concerns and mistrust may vary [18] [20] [39].

Full Report

Foundational Context

Your question combines **four distinct design domains** that are often studied separately:

1. **private or non-judgmental emotional disclosure**,
2. **student mental health app usability and trust**,
3. **risk scoring or early-warning classification**, and
4. **counselor triage or stepped-care response** [1] [7] [11] [19].

That distinction matters because the literature supports each component individually more strongly than it supports the full integrated model [1] [5] [10]. Taken together, these findings suggest your concept is **well aligned with research needs and design trends**, but still **under-evaluated as one end-to-end institutional product** [1] [6].

A second foundational point is that in student mental health, **privacy works in two directions**. It can reduce stigma and make sharing easier, but privacy concerns about surveillance or institutional data access can also stop students from using the system at all [4] [17] [19] [21]. Any credible campus app therefore needs not only confidentiality features, but also visible rules about **who sees what, when, and why** [19] [22].

Confidence level: High - this framing is directly supported by repeated themes across the supplied evidence [6] [19].

1. Privacy-Preserving Emotional Expression and Student Acceptability

1.1 Anonymous and confidential disclosure features

The evidence consistently shows that students are more open to digital mental health support when it feels **private, confidential, or anonymous** [1] [12] [13] [14]. Anonymous access, encrypted peer communication, and similar features are repeatedly presented as ways to reduce barriers to disclosure and use [1] [12] [13] [14].

However, the evidence is stronger for **student preference and perceived value** than for **measured behavioral outcomes**. The closest direct match identified was a 2025 design/evaluation plan for a college mental health app with **anonymous encrypted peer-to-peer chat**, but it anticipated benefits rather than reporting completed outcome data [1]. Likewise, the eBridge trial improved readiness to seek help and talk to family or friends, but its active mechanism was optional online counseling and personalized feedback rather than a privacy-preserving emotional disclosure feature itself [9].

So, yes, papers discuss and design these features, but **direct evidence that anonymous journaling or masked-identity sharing increases disclosure among college students is still missing in completed trials** [1] [9] [37] [38].

Confidence level: High - preference for privacy is well supported, but direct outcome evidence is explicitly limited [1] [9].

1.2 Perceived non-judgmental support and stigma reduction

A major reason students prefer digital mental health tools is that they can feel **less stigmatizing and less judgmental than face-to-face care** [4] [15]. Students also face barriers such as stigma, lack of time, and limited access to traditional counseling, which makes digital options attractive when they allow more private engagement [1] [3] [13] [14] [30].

Cross-country qualitative work found that students viewed **anonymity and wide availability** as advantages, especially for prevention and early support [16]. Related findings from postgraduate and diverse student populations suggest anonymity can lower barriers, but stigma, self-reliance, mistrust, and concern about escalation still shape whether students actually seek help [18] [39].

This means the “non-judgemental” quality of a campus app is not just about tone; it is tied to **stigma reduction, convenience, flexibility, and control over disclosure** [4] [16] [40].

Confidence level: High - multiple studies converge on this pattern [1] [4] [16].

1.3 Usability, trust, and design requirements

Students do not adopt mental health apps simply because the apps exist. They prefer tools that are **clean, easy to navigate, credible, personalized, and practical** [32]. In one college-student chatbot/app study, students valued the time saved and the ability to share information with a clinician, but raised concerns about privacy and recommendation accuracy; they preferred prompts, notifications, and a simple interface [32].

User-centered campus app work also examined usability and design impression after adding self-monitoring and self-screening features, indicating that routine self-assessment may be acceptable when the interface is well designed [34]. More broadly, students show interest in app-based care when tools appear usable and credible, but real engagement often remains modest because of privacy worries, technical issues, low awareness, or skepticism about benefit [41] [42] [43] [44].

Taken together, these findings suggest that a successful institutional app must combine privacy with usability and institutional credibility; privacy alone is not enough for sustained use [19] [21] [32].

Confidence level: Medium-High - usability themes are repeated, though engagement outcomes vary across studies [32] [41] [42].

1.4 Privacy and confidentiality barriers to uptake

The strongest recurring caution is that privacy is also a **barrier** when students do not trust the system [17] [19] [21]. Privacy and anonymity were major participation factors in digital mental health programs, second only to trust in the delivering organization, and students wanted clear explanations of security and data use [19]. In a trial-based thematic analysis, privacy concerns were one of the key barriers to adoption [17].

These concerns are not evenly distributed. Students of color in a Delphi study highlighted mistrust and the need for culturally responsive care, with privacy addressed as part of engagement strategy and infrastructure design [18]. Survey data also showed that 46.0% endorsed at least one privacy/confidentiality/data-use concern, with higher concern among gender-diverse, gender-nondisclosing, and girl students [20].

Interestingly, one privacy-focused study found many users had limited concern when they trusted platforms perceived as legitimate or officially approved, though they often did not read privacy policies closely [22]. This implies that **institutional endorsement can help or hurt depending on whether it creates legitimacy or surveillance anxiety** [21] [22].

Confidence level: High - the facilitator/barrier contradiction is repeatedly supported [19] [21].

2. Risk Scoring, Counselor Triage, and Campus Implementation

2.1 Automated risk detection and scoring models

The evidence clearly shows that **risk scoring for student mental health is already being studied** [5] [6] [7] [24]. MindSync, for example, uses multimodal AI from surveys, journaling, and voice data to stratify risk and automatically flag moderate- and high-risk students for licensed counselor intervention [5]. A college mental health protection system combining big data and AI reported a LightGBM model with **AUC=0.89**, indicating substantial attention to predictive performance [6].

Other models use different inputs and goals. A LASSO-logistic regression nomogram was applied to freshman screening data [7]. An explainable suicide-risk screening model was positioned as a first-line automated filter for school settings [23]. Additional work used multimodal deep learning or fairness-aware ranking models to support counselor outreach prioritization, though not all studies reported numeric triage cutoffs [24] [33]. AI-driven early warning has also been framed around school or digital-learning behavior signals such as participation and assignment submission rather than symptom reports alone [45].

So the research base supports the **technical feasibility of generating student risk scores**, but not necessarily the full real-world effectiveness of acting on them within counseling systems [5] [10].

Confidence level: High - the presence of scoring models is directly evidenced [5] [6] [7].

2.2 Triage thresholds and stepped-care routing

Some studies go beyond prediction and define concrete **routing rules**. The clearest example is the freshman screening nomogram, which used probability thresholds to separate:

- **low risk:** under 6%,
- **moderate risk:** 6% to 65%,
- **high risk:** over 65% [7].

Those categories were linked to escalating responses: universal promotion for low risk, short-term counseling and frequent follow-up for moderate risk, and immediate clinical assessment with psychiatric care for high risk [7].

Another campus screening workflow used **PHQ-9 or GAD-7 scores of 10 or more** as a distress threshold for further assessment [8]. More general evidence indicates that PHQ-9 and GAD-7 are useful severity screens for routing because higher scores track impairment and service use [46] [47].

Other systems describe triage conceptually rather than numerically. Some fairness-aware or multimodal university models rank students for outreach or referral without publishing exact thresholds [24]. The explainable risk-screening model likewise referred any student with risk indicators, or particular flag patterns, for more detailed evaluation while low-risk students received education and self-help resources [23].

This shows that the “counsellor approaches according to risk score” idea is already present in the literature as **stepped-care logic**, though the exact operational thresholds vary by system [7] [8] [23].

Confidence level: High - several studies explicitly describe routing logic [7] [8].

2.3 Counselor alert workflows and follow-up

The evidence for **actual alert workflows** is present but thinner than the evidence for scoring models. One university-student chatbot system detected likely disorders through symptom-based conversation and then **emailed counselors** to support timely intervention, but the study did not report measured response time or referral completion [11]. A multimodal monitoring platform similarly flagged moderate/high-risk students for counselor intervention, but reported model performance rather than downstream service outcomes [5].

A smartphone risk-scoring approach for college counseling centers proposed real-time monitoring to allocate resources more efficiently and match students to treatment level, but did not report implemented workflow outcomes [10]. There is also evidence that a student safety-and-mental-health companion using SOS notifications and AI-based detection reduced emergency response delays and increased engagement with resources compared with standalone tools [48].

Overall, **alerting exists in concept and pilot form**, but the literature supplied here rarely tells us how well counselor outreach worked in practice after the alert [5] [10] [11].

Confidence level: Medium - existence of alert workflows is supported, but operational evidence is limited [5] [11].

2.4 Effectiveness, engagement, and implementation limits

The broader student digital mental health literature suggests these interventions are often **effective or partially effective**, with improvements reported for depression, anxiety, stress, or distress [29] [30] [49] [50] [51] [52]. But engagement, uptake, and implementation reporting remain persistent problems [35] [36] [53] [54] [55] [56] [57].

A key pattern is that **human-supported pathways tend to perform better** than fully self-guided ones [25] [26] [27] [28]. In a university counseling service study, both videochat consultation and therapist-supported internet CBT reduced distress, but videochat showed better outcomes in more severe cases and lower dropout than asynchronous CBT; moderate or less severe cases might be steered to self-managed online care [25]. Reviews likewise indicate better engagement and outcomes when coaching or guidance is present [26] [27] [28].

Self-guided interventions are not useless: unguided self-help can still reduce depressive symptoms and negative thoughts, and feedback-on-demand models can improve stress, anxiety, and depression with sustained effects [51] [52]. But the evidence supports **hybrid stepped-care** more strongly than fully automated care, especially for higher-risk students [25] [27].

Confidence level: High - this comparison is directly supported across multiple intervention studies and reviews [25] [26] [27] [28].

3. Synthesis: How Close Is the Literature to Your Exact Idea?

Your proposed system has five core elements:

1. **institution-focused/campus-linked platform**,
2. **college student population**,
3. **private emotional expression**,
4. **risk score–based counselor outreach**,
5. **non-judgmental sharing supported by privacy**.

The evidence base strongly supports elements **1, 2, 4, and 5 in partial combinations** [1] [2] [3] [4] [5] [6] [7]. It supports element **3 conceptually**, but with weaker direct evaluation of whether privacy-preserving emotional expression features themselves change disclosure behavior [1] [9].

Inferred: Taken together, the literature suggests that your concept is less a completely new idea than an **integration gap** between two active research tracks:

- student-facing private/non-stigmatizing digital support [1] [13] [16], and
- institution-facing risk stratification and triage systems [5] [6] [7].
  Confidence level: Low-Medium - this is a synthesis across studies rather than a directly tested claim [1] [5].

4. Practical Implications for Designing Such an App

If someone were developing this kind of system based on the evidence here, the most evidence-aligned design would likely include:

- **private first-contact disclosure**, because confidentiality and stigma reduction matter for uptake [1] [4] [16];
- **transparent data governance**, because privacy concerns can otherwise block use [19] [21] [22];
- **validated screening plus multimodal indicators** for risk stratification, because both threshold-based and AI-based models are already used [5] [7] [8];
- **stepped-care routing**, because evidence supports differentiating low-, moderate-, and high-risk pathways [7] [23];
- **human counselor involvement**, because human-supported care tends to improve engagement and outcomes [25] [27] [28].

A plausible model, grounded in the literature, would route **low-risk students to self-help**, **moderate-risk students to counselor messaging or follow-up**, and **high-risk students to urgent assessment**, with clear emergency override rules [7] [8] [23]. That said, the supplied studies do not yet show that this whole architecture has been comprehensively validated in one campus deployment [10] [11].

Confidence level: Medium-High - component recommendations are evidence-based, though the exact integrated model remains under-tested [7] [25].

Conclusion

Yes, there are papers about systems close to what you described, especially in two areas: privacy-sensitive student mental health apps and student risk-scoring/triage systems [1] [3] [5] [6]. **No clear paper in the supplied evidence fully demonstrates the exact complete institutional app you described with all components tested together in practice** [1] [5] [10] [11].

The strongest evidence-supported conclusion is that such an app is **feasible in concept and well aligned with student needs**, especially if it is confidential, less stigmatizing, and connected to human counselors [1] [4] [25]. The main unresolved issues are **trust, privacy governance, and real-world workflow evidence** after alerts are triggered [11] [19] [21].

Overall confidence level: High - the broad answer is well supported and the central gap is repeatedly identified across the supplied evidence [1] [5] [10] [11].

References

1. Hasini, K., Vp, M., Aluvalu, R., Mallellu, M.S. (2025) Design and Evaluation of an Anonymous Mobile Mental Health Application for College Students. *2025 International Conference on Decision Aid Sciences and Applications, DASA 2025*. https://doi.org/10.1109/DASA68193.2025.11498893
2. Palmer, K.M., Henderson, S.G. (2019) College Students' Attitudes About Mental Health-Related Content in Mobile Apps. *Journal of Technology in Behavioral Science*. https://doi.org/10.1007/s41347-019-00102-0
3. Kim, H., Kim, M., Heo, J.-I., (...), Jung, D. (2025) Understanding University Students' Experiences on Multi-domain Help Seeking Platform 'Fruto': Vignettes Study. *Conference on Human Factors in Computing Systems - Proceedings*. https://doi.org/10.1145/3706599.3719698
4. Shvetcov, Artur, Funke Kupper, Joost, Zheng, Wu-Yi, (...), Christensen, Helen (2024) Passive sensing data predicts stress in university students: a supervised machine learning method for digital phenotyping. *Frontiers in Psychiatry*. https://doi.org/10.3389/fpsyt.2024.1422027
5. Kumar, A.S., Gopika, S. (2026) A Computational Approach for Modeling and Supporting Student Well-Being. *Proceedings of 4th International Conference on Self Sustainable Artificial Intelligence Systems, ICSSAS 2026*. https://doi.org/10.1109/ICSSAS68835.2026.11559370
6. Guo, Y., Lu, Z. (2025) Design and Implementation of a Big Data-Driven Mental Health Protection System for College Students. *Proceedings of 2025 9th International Conference on Electronic Information Technology and Computer Engineering, EITCE 2025*. https://doi.org/10.1145/3766671.3766851
7. Ma, C.-Z., Xiao, F., Zhang, J., (...), Jiao, D.-L. (2026) Predicting psychological risk among college students using the Freshman Entrance Psychological Survey: A machine learning model based on LASSO-logistic regression. *Journal of Affective Disorders*. https://doi.org/10.1016/j.jad.2025.120903
8. Zhao, Jian, Zheng, Ziyu, Li, Yu (2026) Dao Yin practice for student wellbeing: a classroom-based pilot study. *Frontiers in Psychology*. https://doi.org/10.3389/fpsyg.2026.1821289
9. King, C.A., Eisenberg, D., Zheng, K., (...), Chermack, S. (2015) Online suicide risk screening and intervention with college students: A pilot randomized controlled trial. *Journal of Consulting and Clinical Psychology*. https://doi.org/10.1037/a0038805
10. Langholm, C., Alon, N., Perret, S., Torous, J. (2023) Risk scores in digital psychiatry: Expanding the reach of complex smartphone data by condensing it into simple results. *Journal of Behavioral and Cognitive Therapy*. https://doi.org/10.1016/j.jbct.2023.05.004
11. Bhave, U., Narendra, M.M., Bhadresh, D.J., (...), Ajit, R.R. (2024) MindWell Solace: Your Mental Health Companion. *2024 4th Asian Conference on Innovation in Technology, ASIANCON 2024*. https://doi.org/10.1109/ASIANCON62057.2024.10837922

12. Borghouts, J., Eikey, E.V., Mark, G., (...), Sorkin, D.H. (2021) Understanding mental health app use among community college students:web-based survey study. *Journal of Medical Internet Research*. https://doi.org/10.2196/27745

13. van der Poll, R., Coetzee, B., Bantjes, J. (2023) Willing and unwilling digital cyborg assemblages: University students talk about mental health apps. *Digital Health*. https://doi.org/10.1177/20552076231210658

14. Salamanca-Sanabria, A., Jabir, A.I., Lin, X., (...), Tudor Car, L.T. (2023) Exploring the Perceptions of mHealth Interventions for the Prevention of Common Mental Disorders in University Students in Singapore: Qualitative Study. *Journal of Medical Internet Research*. https://doi.org/10.2196/44542

15. Koh, Jerica, Tng, Germaine Y. Q., Hartanto, Andree (2022) Potential and Pitfalls of Mobile Mental Health Apps in Traditional Treatment: An Umbrella Review. *Journal of Personalized Medicine*. https://doi.org/10.3390/jpm12091376

16. Riboldi, I., Calabrese, A., Piacenti, S., (...), Crocamo, C. (2024) Understanding University Students' Perspectives towards Digital Tools for Mental Health Support: A Cross-country Study. *Clinical Practice and Epidemiology in Mental Health*. https://doi.org/10.2174/0117450179271467231231060255

17. Cho, H.N., Jung, K., Eisenberg, D., (...), Zheng, K. (2025) Barriers to Digital Mental Health Services Among College Students. *Studies in Health Technology and Informatics*. https://doi.org/10.3233/SHTI251041

18. Kodish, T., Schueller, S.M., Lau, A.S. (2023) Barriers and strategies to improve digital mental health intervention uptake among college students of color: A modified Delphi study. *Journal of Behavioral and Cognitive Therapy*. https://doi.org/10.1016/j.jbct.2022.12.002

19. Batterham, P., Gulliver, A., Sunderland, M., (...), Calear, A. (2023) Factors Influencing Community Participation in Internet Interventions Compared with Research Trials: Observational Study in a Nationally Representative Adult Cohort. *Journal of Medical Internet Research*. https://doi.org/10.2196/41663

20. Soneson, E., Fazel, M., Goli, P.S., White, S.R. (2025) Are Adolescents Sensitive About Sensitive Data? Exploring Student Concerns About Privacy, Confidentiality, and Data Use in Health Research. *Journal of Adolescent Health*. https://doi.org/10.1016/j.jadohealth.2025.03.004

21. Kennedy, S., Fitzgerald, R., Melia, R. (2025) Engaging Stakeholders in the Development of a National Digital Mental Health Strategy: Reflexive Thematic Analysis. *Journal of Medical Internet Research*. https://doi.org/10.2196/71601

22. Alqhatani, A. (2026) Exploring Privacy in Digital Mental Health: User and Psychotherapist Perspectives. *Applied Human Factors and Ergonomics International*. https://doi.org/10.54941/ahfe1007073

23. Hu, L., Su, Z. (2026) Suicide risk prediction and analysis of associated factors among high school students in four provinces of China based on explainable machine learning. *Journal of Affective Disorders*. https://doi.org/10.1016/j.jad.2026.122216

24. https://www.sciencedirect.com/science/article/pii/S2731080926004850

25. Mammarella, S., Giusti, L., Del Vecchio, S., (...), Roncone, R. (2024) Psychological distress and academic success: a two-year study comparing the outcome of two online interventions at a university counseling and consultation service in Italy. *Frontiers in Psychiatry*. https://doi.org/10.3389/fpsyt.2024.1427316

26. Lattie, E.G., Adkins, E.C., Winquist, N., (...), Graham, A.K. (2019) Digital mental health interventions for depression, anxiety and enhancement of psychological well-being among college students: Systematic review. *Journal of Medical Internet Research*. https://doi.org/10.2196/12869

27. Day, V., McGrath, P.J., Wojtowicz, M. (2013) Internet-based guided self-help for university students with anxiety, depression and stress: A randomized controlled clinical trial. *Behaviour Research and Therapy*. https://doi.org/10.1016/j.brat.2013.03.003

28. Conley, C.S., Durlak, J.A., Shapiro, J.B., (...), Zahniser, E. (2016) A Meta-Analysis of the Impact of Universal and Indicated Preventive Technology-Delivered Interventions for Higher Education Students. *Prevention Science*. https://doi.org/10.1007/s11121-016-0662-3

29. Oliveira, C., Pereira, A., Vagos, P., (...), Afonso, B. (2021) Effectiveness of Mobile App-Based Psychological Interventions for College Students: A Systematic Review of the Literature. *Frontiers in Psychology*. https://doi.org/10.3389/fpsyg.2021.647606

30. Pavlacic, J.M., Schulenberg, S.E., Witcraft, S.M., Buchanan, E.M. (2022) Assessing the Effectiveness and Utility of a Mindfulness-Based Ecological Momentary Intervention in College Students. *Journal of Technology in Behavioral Science*. https://doi.org/10.1007/s41347-022-00274-2

31. Auerbach, R.P., Alonso Caballero, J., Axinn, W.G., (...), Bruffaerts, R. (2016) Mental disorders among college students in the World Health Organization World Mental Health Surveys. *Psychological medicine*. https://www.scopus.com/pages/publications/84980335897

32. Rathnayaka, Prabod, Mills, Nishan, Burnett, Donna, (...), Gray, Richard (2022) A Mental Health Chatbot with Cognitive Skills for Personalised Behavioural Activation and Remote Health Monitoring. *Sensors (Basel, Switzerland)*. https://doi.org/10.3390/s22103653

33. Li, Fu, Wang, Lei, Chen, Wei, (...), Jiang, Chengxiao (2026) A multimodal deep learning approach for mental health classification of university students: an intelligent early warning system. *Frontiers in Artificial Intelligence*. https://doi.org/10.3389/frai.2026.1679030

34. Kajitani, Kosuke, Higashijima, Ikumi, Kaneko, Kosuke, (...), Kim, Daewoong (2020) Short-term effect of a smartphone application on the mental health of university students: A pilot study using a user-centered design self-monitoring application for mental health. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0239592

35. Davies, E.B., Morriss, R., Glazebrook, C. (2014) Computer-delivered and web-based interventions to improve depression, anxiety, and psychological well-being of university students: A systematic review and meta-analysis. *Journal of Medical Internet Research*. https://doi.org/10.2196/jmir.3142

36. Harrer, M., Adam, S.H., Baumeister, H., (...), Daniel Ebert, D.D. (2019) Internet interventions for mental health in university students: A systematic review and meta-analysis. *International Journal of Methods in Psychiatric Research*. https://doi.org/10.1002/mpr.1759

37. Horwitz, A.G., Hong, V., Eisenberg, D., (...), King, C.A. (2022) Engagement With Personalized Feedback for Emotional Distress Among College Students at Elevated Suicide Risk. *Behavior Therapy*. https://doi.org/10.1016/j.beth.2021.10.001

38. Kim, T., Hong, H. (2021) Understanding University students' experiences, perceptions, and attitudes toward peers displaying mental health-related problems on social networking sites: Online survey and interview study. *JMIR Mental Health*. https://doi.org/10.2196/23465

39. Ma, J., Tan, J.S., Shi, H., Bao, Y. (2026) The role of digital mental health resources in encouraging help-seeking: A qualitative study of university students' experiences. *Cambridge Prisms: Global Mental Health*. https://doi.org/10.1017/gmh.2026.10216

40. Apolinário-Hagen, Jennifer, Harrer, Mathias, Dederichs, Melina, (...), Ebert, David Daniel (2021) Exploring the influence of testimonial source on attitudes towards e-mental health interventions among university students: Four-group randomized controlled trial. *PLoS ONE*. https://doi.org/10.1371/journal.pone.0252012

41. Melcher, J., Camacho, E., Lagan, S., Torous, J. (2022) College student engagement with mental health apps: analysis of barriers to sustained use. *Journal of American College Health*. https://doi.org/10.1080/07448481.2020.1825225

42. Melcher, J., Torous, J. (2020) Smartphone Apps for College Mental Health: A Concern for Privacy and Quality of Current Offerings. *Psychiatric Services*. https://doi.org/10.1176/APPI.PS.202000098

43. Wong, H.W., Lo, B., Shi, J., (...), Wiljer, D. (2021) Postsecondary student engagement with a mental health app and online platform (Thought spot): Qualitative study of user experience. *JMIR Mental Health*. https://doi.org/10.2196/23447

44. Delavande, A., Kettlewell, N., Mueller, B., (...), Singh, S. (2026) Promoting engagement with a mental health smartphone app: evidence from a randomized field experiment. *Frontiers in Behavioral Economics*. https://doi.org/10.3389/frbhe.2026.1700973

45. https://www.sciencedirect.com/science/article/pii/S3005077426010425

46. Kroenke, K., Spitzer, R.L., Williams, J.B.W. (2001) The PHQ-9: Validity of a brief depression severity measure. *Journal of General Internal Medicine*. https://doi.org/10.1046/j.1525-1497.2001.016009606.x

47. Spitzer, R.L., Kroenke, K., Williams, J.B.W., Löwe, B. (2006) A brief measure for assessing generalized anxiety disorder: The GAD-7. *Archives of Internal Medicine*. https://doi.org/10.1001/archinte.166.10.1092

48. Kushwaha, P.K., Divya Sree, M., Bhargava, D., Mayank (2025) AI-Powered Safety & Mental Health Companion for Students. *2025 International Conference on Emerging Technologies and Innovation for Sustainability, EmergIN 2025*. https://doi.org/10.1109/EmergIN67762.2025.11450605

49. Lin, Y.-H., Wu, C.-Y., Gau, B.-S., (...), Lou, M.-F. (2025) Effectiveness Study of a Cultural Adaptation of Cognitive-Behavioural Therapy-Based Application for Depressive Symptoms in College Students: A Randomised Controlled Trial. *Journal of Psychiatric and Mental Health Nursing*. https://doi.org/10.1111/jpm.13146

50. Jabs, M., Thompson, M., Linardon, J., (...), Wade, T.D. (2026) Assessing the Effectiveness, Adherence and Attrition of Smartphone-Based Mental Health Interventions in University Students: A Systematic Review and Meta-Analysis. *Early Intervention in Psychiatry*. https://doi.org/10.1111/eip.70207

51. Harrer, M., Adam, S.H., Fleischmann, R.J., (...), Daniel Ebert, D.D. (2018) Effectiveness of an internet- and app-based intervention for college students with elevated stress: Randomized controlled trial. *Journal of Medical Internet Research*. https://doi.org/10.2196/jmir.9293

52. Lintvedt, O.K., Griffiths, K.M., Sørensen, K., (...), Waterloo, K. (2013) Evaluating the effectiveness and efficacy of unguided internet-based self-help intervention for the prevention of depression: A randomized controlled trial. *Clinical Psychology and Psychotherapy*. https://doi.org/10.1002/cpp.770

53. Harith, S., Backhaus-Hoven, I., Mohbin, N., (...), Khoo, S. (2022) Effectiveness of digital mental health interventions for university students: an umbrella review. *PeerJ*. https://doi.org/10.7717/peerj.13111

54. Taylor, M.E., Liu, M., Abelson, S., (...), Schueller, S.M. (2024) The Reach, Effectiveness, Adoption, Implementation, and Maintenance of Digital Mental Health Interventions for College Students: A Systematic Review. *Current Psychiatry Reports*. https://doi.org/10.1007/s11920-024-01545-w

55. Oti, O., Pitt, I. (2021) Online mental health interventions designed for students in higher education: A user-centered perspective. *Internet Interventions*. https://doi.org/10.1016/j.invent.2021.100468

56. Zhan, X., Zeng, J., Zhu, D., (...), Huang, L. (2026) Effectiveness of Digital Health Interventions on Stress, Anxiety, and Depression in University Students: A Systematic Review and MetaAnalysis. *Journal of Visualized Experiments*. https://doi.org/10.3791/69949

57. D'Adamo, L., Paraboschi, L., Claire Grammer, A., (...), Fitzsimmons-Craft, E.E. (2023) Reach and uptake of digital mental health interventions based on cognitive-behavioral therapy for college students: A systematic review. *Journal of Behavioral and Cognitive Therapy*. https://doi.org/10.1016/j.jbct.2023.05.002