

Lab Assignment 05



Inspiring Excellence

Course Code:	CSE111
Course Title:	Programming Language II
Topic:	Multi-class Design
Number of Tasks:	10

[You are not allowed to change the driver codes of any of the tasks]

After YouTube Music, Spotify has decided to redesign their Playlist system. However, they decided to **not use arrays** to store their music, instead, they will use OOP concepts to create the new Playlist system. You have been assigned to build the system by using 3 classes (**Song**, **Playlist**, and **SpotifyTester**).

Each song will have the *name of the song*, *artist name*, *length of the song in minutes* and the *next song*. Each playlist will have a *name* and the *first song*. Playlists can contain multiple songs. Both classes will have some features which will be demonstrated in each task.

[You are not allowed to use Array or any built-in libraries for this assignment]

Task 1

Design the **Song** class with *constructor* and *songInfo()* method along with necessary attributes in such a way that it produces the following output.

Driver Code	Output
<pre>public class SpotifyTester { public static void main(String[] args) { Song s1 = new Song("Song-A", "Artist-A", 3); System.out.println("1====="); s1.songInfo(); System.out.println("2====="); // More lines will be added in this Tester class</pre>	<pre>1===== Title: Song-A, Artist: Artist-A Length: 3 minutes 2=====</pre>

Task 2

Design the **Playlist** class *constructor* along with necessary attributes in such a way that it produces the following output.

Driver Code	Output
<pre> System.out.println("2====="); // Continuation from Task 1 Playlist p1 = new Playlist("First Playlist"); System.out.println("3=====");</pre>	<pre>2===== First Playlist created. 3=====</pre>

Task 3

Create *info()* method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("3====="); // Continuation from Task 2 p1.info(); System.out.println("4====="); p1.start = s1; p1.info(); System.out.println("5====="); Song s2 = new Song("Song-B", "Artist-B", 4); Song s3 = new Song("Song-C", "Artist-C", 2); p1.start.next = s2; p1.start.next.next = s3; p1.info(); System.out.println("6=====");</pre>	<pre>3===== First Playlist has the following songs: No songs in First Playlist. 4===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes 5===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes Song-2 Title: Song-B, Artist: Artist-B Length: 4 minutes Song-3 Title: Song-C, Artist: Artist-C Length: 2 minutes 6=====</pre>

Task 4

Create *addSong()* method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("6====="); // Continuation from Task 3 Song s4 = new Song("Song-D","Artist-D",3); Song s5 = new Song("Song-E","Artist-E",4); p1.addSong(s4); p1.addSong(s5); System.out.println("7====="); p1.info(); System.out.println("8=====");</pre>	<pre>6===== Song-D added to First Playlist. Song-E added to First Playlist. 7===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes Song-2 Title: Song-B, Artist: Artist-B Length: 4 minutes Song-3 Title: Song-C, Artist: Artist-C Length: 2 minutes Song-4 Title: Song-D, Artist: Artist-D Length: 3 minutes Song-5 Title: Song-E, Artist: Artist-E Length: 4 minutes 8=====</pre>

Task 5

Create *addSong()* [overloaded] method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("8====="); // Continuation from Task 4 Song s6 = new Song("Song-F","Artist-F",2); Song s7 = new Song("Song-G","Artist-G",2); Song s8 = new Song("Song-H","Artist-H",4); Song s9 = new Song("Song-I","Artist-I",3); p1.addSong(s6, 0); p1.addSong(s7, 2); p1.addSong(s8, 5); p1.addSong(s9, 10); System.out.println("9====="); p1.info(); System.out.println("10=====");</pre>	<pre>8===== Song-F added to First Playlist. Song-G added to First Playlist. Song-H added to First Playlist. Cannot add song to Index 10. 9===== First Playlist has the following songs: Song-1 Title: Song-F, Artist: Artist-F Length: 2 minutes Song-2 Title: Song-A, Artist: Artist-A Length: 3 minutes Song-3 Title: Song-G, Artist: Artist-G Length: 2 minutes Song-4 Title: Song-B, Artist: Artist-B Length: 4 minutes Song-5 Title: Song-C, Artist: Artist-C Length: 2 minutes Song-6 Title: Song-H, Artist: Artist-H Length: 4 minutes Song-7 Title: Song-D, Artist: Artist-D Length: 3 minutes Song-8 Title: Song-E, Artist: Artist-E Length: 4 minutes 10=====</pre>

Task 6

Create *playSong()* method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("10====="); // Continuation from Task 5 p1.playSong("Song-F"); p1.playSong("Song-Z"); p1.playSong("Song-B"); System.out.println("11=====");</pre>	<pre>10===== Playing Song-F by Artist-F. Song-Z not found in First Playlist. Playing Song-B by Artist-B. 11=====</pre>

Task 7

Create the *playSong()* [overloaded] method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("11====="); // Continuation from Task 6 p1.playSong(0); p1.playSong(4); p1.playSong(10); System.out.println("12=====");</pre>	<pre>11===== Playing Song-F by Artist-F. Playing Song-C by Artist-C. Song at Index 10 not found in First Playlist. 12=====</pre>

Task 8

Create the *deleteSong()* method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("12====="); // Continuation from Task 7 p1.deleteSong("Song-D"); p1.deleteSong("Song-B"); p1.deleteSong("Song-F"); p1.deleteSong("Song-K"); System.out.println("13====="); p1.info(); System.out.println("14=====");</pre>	<pre>12===== Song-D deleted from First Playlist. Song-B deleted from First Playlist. Song-F deleted from First Playlist. Song-K not found in First Playlist. 13===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes Song-2 Title: Song-G, Artist: Artist-G Length: 2 minutes Song-3 Title: Song-C, Artist: Artist-C Length: 2 minutes Song-4 Title: Song-H, Artist: Artist-H Length: 4 minutes Song-5 Title: Song-E, Artist: Artist-E Length: 4 minutes 14=====</pre>

Task 9

Create the *totalSong()* method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("14====="); // Continuation from Task 8 System.out.println(p1.name + " has "+p1.totalSong() +" songs"); System.out.println("15=====");</pre>	<pre>14===== First Playlist has 5 songs 15=====</pre>

Task 10

Create the *merge()* method inside the **Playlist** class to produce the following output.

Driver Code	Output
<pre>System.out.println("15====="); // Continuation from Task 9 Song ns1 = new Song("Song-Z", "Artist-Z", 3); Song ns2 = new Song("Song-Y", "Artist-Y", 4); Song ns3 = new Song("Song-X", "Artist-X", 2); System.out.println("16====="); Playlist p2 = new Playlist("Second Playlist"); p2.addSong(ns1); p2.addSong(ns2); p2.addSong(ns3); System.out.println("17====="); p1.info(); System.out.println("18====="); p2.info(); System.out.println("19====="); p1.merge(p2); System.out.println("20====="); p1.info(); System.out.println("21=====");</pre>	<pre>15===== 16===== Second Playlist created. Song-Z added to Second Playlist. Song-Y added to Second Playlist. Song-X added to Second Playlist. 17===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes Song-2 Title: Song-G, Artist: Artist-G Length: 2 minutes Song-3 Title: Song-C, Artist: Artist-C Length: 2 minutes Song-4 Title: Song-H, Artist: Artist-H Length: 4 minutes Song-5 Title: Song-E, Artist: Artist-E Length: 4 minutes 18===== Second Playlist has the following songs: Song-1 Title: Song-Z, Artist: Artist-Z Length: 3 minutes Song-2 Title: Song-Y, Artist: Artist-Y Length: 4 minutes Song-3 Title: Song-X, Artist: Artist-X Length: 2 minutes 19===== Merge Completed! 20===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A</pre>

	<div>Length: 3 minutes</div> <div>Song-2</div> <div>Title: Song-G, Artist: Artist-G</div> <div>Length: 2 minutes</div> <div>Song-3</div> <div>Title: Song-C, Artist: Artist-C</div> <div>Length: 2 minutes</div> <div>Song-4</div> <div>Title: Song-H, Artist: Artist-H</div> <div>Length: 4 minutes</div> <div>Song-5</div> <div></div> <div>Title: Song-E, Artist: Artist-E</div> <div>Length: 4 minutes</div> <div>Song-6</div> <div>Title: Song-Z, Artist: Artist-Z</div> <div>Length: 3 minutes</div> <div>Song-7</div> <div>Title: Song-Y, Artist: Artist-Y</div> <div>Length: 4 minutes</div> <div>Song-8</div> <div>Title: Song-X, Artist: Artist-X</div> <div>Length: 2 minutes</div> <div>21=====</div>
--	---

Task 11 [Ungraded]

Create the *showHistory()* method inside the **Playlist** class to produce the following output.
[Hint: showHistory() only shows the songs which were played from the playlist. So you might need to update the method which is used to play Songs.]

Driver Code	Output
<pre>System.out.println("21====="); // Continuation from Task 10 p1.showHistory(); System.out.println("22====="); p2.showHistory(); System.out.println("23====="); }</pre>	<pre>21===== History of First Playlist: Title: Song-F, Artist: Artist-F Length: 2 minutes Title: Song-B, Artist: Artist-B Length: 4 minutes Title: Song-F, Artist: Artist-F Length: 2 minutes Title: Song-C, Artist: Artist-C Length: 2 minutes 22===== History of Second Playlist: No songs played in Second Playlist. 23=====</pre>

Complete driver code and expected output:

Driver Code	Output
<pre> public class SpotifyTester { public static void main(String[] args) { Song s1 = new Song("Song-A", "Artist-A", 3); System.out.println("1====="); s1.songInfo(); System.out.println("2====="); Playlist p1 = new Playlist("First Playlist"); System.out.println("3====="); p1.info(); System.out.println("4====="); p1.start = s1; p1.info(); System.out.println("5====="); Song s2 = new Song("Song-B", "Artist-B", 4); Song s3 = new Song("Song-C", "Artist-C", 2); p1.start.next = s2; p1.start.next.next = s3; p1.info(); System.out.println("6====="); Song s4 = new Song("Song-D", "Artist-D", 3); Song s5 = new Song("Song-E", "Artist-E", 4); p1.addSong(s4); p1.addSong(s5); System.out.println("7====="); p1.info(); System.out.println("8====="); Song s6 = new Song("Song-F", "Artist-F", 2); Song s7 = new Song("Song-G", "Artist-G", 2); Song s8 = new Song("Song-H", "Artist-H", 4); Song s9 = new Song("Song-I", "Artist-I", 3); p1.addSong(s6, 0); p1.addSong(s7, 2); p1.addSong(s8, 5); p1.addSong(s9, 10); System.out.println("9====="); p1.info(); System.out.println("10====="); p1.playSong("Song-F"); p1.playSong("Song-Z"); p1.playSong("Song-B"); System.out.println("11====="); p1.playSong(0); p1.playSong(4); p1.playSong(10); } } </pre>	<pre> 1===== Title: Song-A, Artist: Artist-A Length: 3 minutes 2===== First Playlist created. 3===== First Playlist has the following songs: No songs in First Playlist. 4===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes 5===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes Song-2 Title: Song-B, Artist: Artist-B Length: 4 minutes Song-3 Title: Song-C, Artist: Artist-C Length: 2 minutes 6===== Song-D added to First Playlist. Song-E added to First Playlist. 7===== First Playlist has the following songs: Song-1 Title: Song-A, Artist: Artist-A Length: 3 minutes Song-2 Title: Song-B, Artist: Artist-B Length: 4 minutes Song-3 Title: Song-C, Artist: Artist-C Length: 2 minutes Song-4 </pre>

```

System.out.println("12=====");
p1.deleteSong("Song-D");
p1.deleteSong("Song-B");
p1.deleteSong("Song-F");
p1.deleteSong("Song-K");
System.out.println("13=====");
p1.info();
System.out.println("14=====");
System.out.println(p1.name + " has " +
p1.totalSong() + " songs");
System.out.println("15=====");
Song ns1 = new Song("Song-Z", "Artist-Z", 3);
Song ns2 = new Song("Song-Y", "Artist-Y", 4);
Song ns3 = new Song("Song-X", "Artist-X", 2);
System.out.println("16=====");
Playlist p2 = new Playlist("Second Playlist");
p2.addSong(ns1);
p2.addSong(ns2);
p2.addSong(ns3);
System.out.println("17=====");
p1.info();
System.out.println("18=====");
p2.info();
System.out.println("19=====");
p1.merge(p2);
System.out.println("20=====");
p1.info();
System.out.println("21=====");
//Ungraded Task
p1.showHistory();
System.out.println("22=====");
p2.showHistory();
System.out.println("23=====");
}
}

```

```

Title: Song-D, Artist: Artist-D
Length: 3 minutes
Song-5
Title: Song-E, Artist: Artist-E
Length: 4 minutes
8=====
Song-F added to First Playlist.
Song-G added to First Playlist.
Song-H added to First Playlist.
Cannot add song to Index 10.
9=====
First Playlist has the following songs:
Song-1
Title: Song-F, Artist: Artist-F
Length: 2 minutes
Song-2
Title: Song-A, Artist: Artist-A
Length: 3 minutes
Song-3
Title: Song-G, Artist: Artist-G
Length: 2 minutes
Song-4
Title: Song-B, Artist: Artist-B
Length: 4 minutes
Song-5
Title: Song-C, Artist: Artist-C
Length: 2 minutes
Song-6
Title: Song-H, Artist: Artist-H
Length: 4 minutes
Song-7
Title: Song-D, Artist: Artist-D
Length: 3 minutes
Song-8
Title: Song-E, Artist: Artist-E
Length: 4 minutes
10=====
Playing Song-F by Artist-F.
Song-Z not found in First Playlist.
Playing Song-B by Artist-B.
11=====
Playing Song-F by Artist-F.

```

Playing Song-C by Artist-C.
Song at Index 10 not found in First Playlist.
12=====

Song-D deleted from First Playlist.
Song-B deleted from First Playlist.
Song-F deleted from First Playlist.
Song-K not found in First Playlist.
13=====

First Playlist has the following songs:
Song-1
Title: Song-A, Artist: Artist-A
Length: 3 minutes
Song-2
Title: Song-G, Artist: Artist-G
Length: 2 minutes
Song-3
Title: Song-C, Artist: Artist-C
Length: 2 minutes
Song-4
Title: Song-H, Artist: Artist-H
Length: 4 minutes
Song-5
Title: Song-E, Artist: Artist-E
Length: 4 minutes
14=====

First Playlist has 5 songs
15=====

16=====

Second Playlist created.
Song-Z added to Second Playlist.
Song-Y added to Second Playlist.
Song-X added to Second Playlist.
17=====

First Playlist has the following songs:
Song-1
Title: Song-A, Artist: Artist-A
Length: 3 minutes
Song-2
Title: Song-G, Artist: Artist-G
Length: 2 minutes
Song-3

Title: Song-C, Artist: Artist-C
Length: 2 minutes
Song-4
Title: Song-H, Artist: Artist-H
Length: 4 minutes
Song-5
Title: Song-E, Artist: Artist-E
Length: 4 minutes
18=====

Second Playlist has the following songs:

Song-1
Title: Song-Z, Artist: Artist-Z
Length: 3 minutes
Song-2
Title: Song-Y, Artist: Artist-Y
Length: 4 minutes
Song-3
Title: Song-X, Artist: Artist-X
Length: 2 minutes
19=====

Merge Completed!

20=====

First Playlist has the following songs:

Song-1
Title: Song-A, Artist: Artist-A
Length: 3 minutes
Song-2
Title: Song-G, Artist: Artist-G
Length: 2 minutes
Song-3
Title: Song-C, Artist: Artist-C
Length: 2 minutes
Song-4
Title: Song-H, Artist: Artist-H
Length: 4 minutes
Song-5
Title: Song-E, Artist: Artist-E
Length: 4 minutes
Song-6
Title: Song-Z, Artist: Artist-Z
Length: 3 minutes
Song-7

	<p>Title: Song-Y, Artist: Artist-Y Length: 4 minutes Song-8 Title: Song-X, Artist: Artist-X Length: 2 minutes 21=====</p> <p>History of First Playlist: Title: Song-F, Artist: Artist-F Length: 2 minutes Title: Song-B, Artist: Artist-B Length: 4 minutes Title: Song-F, Artist: Artist-F Length: 2 minutes Title: Song-C, Artist: Artist-C Length: 2 minutes 22=====</p> <p>History of Second Playlist: No songs played in Second Playlist. 23=====</p>
--	--