

Run the optimiser locally

What?

This is a step-by-step guide to run the optimizer locally on your machine at full speed with no cloud sleep or timeouts.

Why?

The heaviest computations needed for institutional-grade optimisations rely on high grid resolution. The process can be interrupted by the hosting Streamlit Community Cloud, which sleeps when idle and can time out or reboot.

The hosted version at [the live app](#) remains ideal for light simulations and quick, approximate results that rely on low to medium grid resolution.

How?

Before you start — a one-time check

You need **Python 3.9 or newer**. Check by opening Command Prompt and typing:


```
python --version
```

If it's missing, install it from [python.org](#) and tick “Add Python to PATH” during setup.

Step 1 Get the files from GitHub


Open the repository, click the green **Code** button, choose **Download ZIP**, then extract the folder somewhere easy, e.g. Documents\behavioral-portfolio-optimizer-main (GitHub adds the “-main”).

<https://github.com/SamiJeddou/behavioral-portfolio-optimizer>



Step 2 Open a terminal in that folder

Open the extracted folder in File Explorer — the one that contains `app.py` and `requirements.txt`. Click into the address bar, type `cmd`, and press Enter. A Command Prompt opens already inside that folder. (Or hold Shift, right-click in the folder, and choose “Open in Terminal”.)



Step 3 Install the dependencies (first time only)


This downloads the libraries the app needs — about 1–2 minutes. You only do it once.

```
python -m pip install -r requirements.txt
```

Step 4 Run the app

Launch it — your browser opens automatically at <http://localhost:8501>. If it doesn't, copy that address into your browser.

```
python -m streamlit run app.py
```



Everyday use Stop & restart

Stop the app with **Ctrl + C** in the Command Prompt. To run it again another day, just repeat Step 2 and Step 4 — the install in Step 3 is one-time.

Tips & troubleshooting

- Use `python -m pip` and `python -m streamlit` (not bare `pip` / `streamlit`) to avoid PATH issues.
- If `python` isn't recognised, try `py` instead, or reinstall Python with "Add to PATH" ticked.
- Don't refresh the browser mid-computation — let a run finish.
- Use **Standard** resolution for speed; **High / Turbo** for final precision.
- Everything runs on your machine: full speed, no cloud sleep or timeouts.

macOS / Linux

Same steps — open Terminal in the folder and use `python3` instead of `python`:

```
python3 -m pip install -r requirements.txt
```

```
python3 -m streamlit run app.py
```