Questions/Answers

Part 1: Configure an IPv4 Floating Static Route
Step 1: Configure an IPv4 static default route.
c. What command is used to trace a path from a PC to a destination?
Ans: traceroute for Cisco

Step 2: Configure an IPv4 floating static route.
a. What is the administrative distance of a static route?
Ans: 1

d. Display the contents of the routing table. Is the IPv4 floating static route visible in the routing table? Explain
Ans: No, the floating static route is not visible in the routing table. Because it has a higher administrative distance (5) than the primary route (1), so it only appears when the primary route fails

Part 2: Test Failover to the IPv4 Floating Static Route
c. Trace the route from PC-A to the Web Server. Did the backup route work? If not, wait a few more seconds for convergence and then re-test. If the backup route is still not working, investigate your floating static route configuration.
Ans: Yes, the backup route worked. The traceroute shows traffic passing through ISP2 after the primary route was disabled.

Part 3: Configure and Test Failover to an IPv6 Floating Static Route
c. Trace the route from PC-A to the Web Server. Did the backup route work? If not, wait a few more seconds for convergence and then re-test. If the backup route is still not working, investigate your floating static route configuration.
Ans: Yes, the backup IPv6 route worked. The traceroute confirms traffic flows through ISP2 (2001:DB8:A:2::1) after the primary route failure.