

Ubuntu (ns-3)


```
ubuntu@ubuntu-HP-Pro-Tower-280-G9-E-PCI-Desktop-PC:~/Downloads/22301206/ns-allinone-3.40/ns-3.40$ python3 examples/tutorial/first.py
At time +2s client sent 128 bytes to 10.1.1.2 port 9
At time +2.00225s server received 128 bytes from 10.1.1.1 port 49153
At time +2.00225s server sent 128 bytes to 10.1.1.1 port 49153
At time +2.00451s client received 128 bytes from 10.1.1.2 port 9
FlowID: 1 (UDP 10.1.1.1/49153 --> 10.1.1.2/9)
Tx Bytes: 156
Rx Bytes: 156
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0022528
Throughput: 69.33333333333333
FlowID: 2 (UDP 10.1.1.2/9 --> 10.1.1.1/49153)
Tx Bytes: 156
Rx Bytes: 156
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0022528
Throughput: 69.33333333333333
```

```
ubuntu@ubuntu-HP-Pro-Tower-280-G9-E-PCI-Desktop-PC:~/Downloads/22301206/ns-allinone-3.40/ns-3.40$ python3 examples/tutorial/first.py
At time +2s client sent 256 bytes to 10.1.1.2 port 9
At time +2.00246s server received 256 bytes from 10.1.1.1 port 49153
At time +2.00246s server sent 256 bytes to 10.1.1.1 port 49153
At time +2.00492s client received 256 bytes from 10.1.1.2 port 9
FlowID: 1 (UDP 10.1.1.1/49153 --> 10.1.1.2/9)
Tx Bytes: 284
Rx Bytes: 284
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0024576
Throughput: 126.22222222222223
FlowID: 2 (UDP 10.1.1.2/9 --> 10.1.1.1/49153)
Tx Bytes: 284
Rx Bytes: 284
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0024576
Throughput: 126.22222222222223
```

```
ubuntu@ubuntu-HP-Pro-Tower-280-G9-E-PCI-Desktop-PC:~/Downloads/22301206/ns-allinone-3.40/ns-3.40$ python3 examples/tutorial/first.py
At time +2s client sent 512 bytes to 10.1.1.2 port 9
At time +2.00287s server received 512 bytes from 10.1.1.1 port 49153
At time +2.00287s server sent 512 bytes to 10.1.1.1 port 49153
At time +2.00573s client received 512 bytes from 10.1.1.2 port 9
FlowID: 1 (UDP 10.1.1.1/49153 --> 10.1.1.2/9)
Tx Bytes: 540
Rx Bytes: 540
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0028672
Throughput: 240.0
FlowID: 2 (UDP 10.1.1.2/9 --> 10.1.1.1/49153)
Tx Bytes: 540
Rx Bytes: 540
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0028672
Throughput: 240.0
```

```
ubuntu@ubuntu-HP-Pro-Tower-280-G9-E-PCI-Desktop-PC:~/Downloads/22301206/ns-allinone-3.40/ns-3.40$ python3 examples/tutorial/first.py
At time +2s client sent 1024 bytes to 10.1.1.2 port 9
At time +2.00369s server received 1024 bytes from 10.1.1.1 port 49153
At time +2.00369s server sent 1024 bytes to 10.1.1.1 port 49153
At time +2.00737s client received 1024 bytes from 10.1.1.2 port 9
FlowID: 1 (UDP 10.1.1.1/49153 --> 10.1.1.2/9)
Tx Bytes: 1052
Rx Bytes: 1052
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0036864
Throughput: 467.5555555555554
FlowID: 2 (UDP 10.1.1.2/9 --> 10.1.1.1/49153)
Tx Bytes: 1052
Rx Bytes: 1052
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.0036864
Throughput: 467.5555555555554
```

```
ubuntu@ubuntu-HP-Pro-Tower-280-G9-E-PCI-Desktop-PC:~/Downloads/22301206/ns-allinone-3.40/ns-3.40$ python3 examples/tutorial/first.py
At time +2s client sent 2048 bytes to 10.1.1.2 port 9
At time +2.00536s server received 2048 bytes from 10.1.1.1 port 49153
At time +2.00536s server sent 2048 bytes to 10.1.1.1 port 49153
At time +2.01072s client received 2048 bytes from 10.1.1.2 port 9
FlowID: 1 (UDP 10.1.1.1/49153 --> 10.1.1.2/9)
Tx Bytes: 2076
Rx Bytes: 2076
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.00536
Throughput: 922.6666666666666
FlowID: 2 (UDP 10.1.1.2/9 --> 10.1.1.1/49153)
Tx Bytes: 2076
Rx Bytes: 2076
Tx Packets: 1
Rx Packets: 1
Lost Packets: 0
Mean Delay: 0.00536
Throughput: 922.6666666666666
```



The graph is a scatter plot with a roughly linear trend line. Here, the x-axis shows packet size measured in bytes and the y-axis shows throughput values, indicating that packet size doubles from 128 to 2048 bytes and throughput increases from about 69.33 to 922.66 units. A purple line links the data points, demonstrating a positive linear correlation between packet size and throughput, which shows that increasing packet size leads to improved throughput performance.