



exec eecho failed

\$ echo Samiah Saud 30602

Samiah Saud 30602

\$ sleep 10

\$ sixfive sixfive.txt

5

100

18

6

\$ echo deadc0de | memdump ii

1684104548

1701064803

\$ echo > b

\$ mkdir a

\$ echo > a/b

\$ find . b

./b

./a/b

\$ find . b -exec echo hi

hi ./b

hi ./a/b

\$ QEMU: Terminated

vboxuser@Ubuntu-OS-Course:~/xv6-labs-2026\$./grade-lab-util

make: 'kernel/kernel' is up to date.

== Test sleep, no arguments == sleep, no arguments: OK (3.7s)

== Test sleep, returns == sleep, returns: OK (7.9s)

== Test sleep, makes syscall == sleep, makes syscall: OK (4.5s)

== Test sixfive_test == sixfive_test: OK (8.7s)

== Test sixfive_readme == sixfive_readme: OK (6.0s)

== Test sixfive_all == sixfive_all: OK (4.6s)

== Test memdump, examples == memdump, examples: OK (3.0s)

== Test memdump, format ii, S, p == memdump, format ii, S, p: OK (3.2s)

== Test find, in current directory == find, in current directory: OK (3.5s)

== Test find, in sub-directory == find, in sub-directory: OK (3.4s)

== Test find, recursive == find, recursive: OK (5.2s)

== Test exec == exec: OK (4.4s)

== Test exec, multiple args == exec, multiple args: OK (3.4s)

== Test exec via sh script == exec via sh script: OK (4.4s)

```
6
$ echo deadc0de | memdump ii
1684104548
1701064803
$ echo > b
$ mkdir a
$ echo > a/b
$ find . b
./b
./a/b
$ find . b -exec echo hi
hi ./b
hi ./a/b
$ QEMU: Terminated
vboxuser@Ubuntu-OS-Course:~/xv6-labs-2026$ ./grade-lab-util
make: 'kernel/kernel' is up to date.
== Test sleep, no arguments == sleep, no arguments: OK (3.7s)
== Test sleep, returns == sleep, returns: OK (7.9s)
== Test sleep, makes syscall == sleep, makes syscall: OK (4.5s)
== Test sixfive_test == sixfive_test: OK (8.7s)
== Test sixfive_readme == sixfive_readme: OK (6.0s)
== Test sixfive_all == sixfive_all: OK (4.6s)
== Test memdump, examples == memdump, examples: OK (3.0s)
== Test memdump, format ii, S, p == memdump, format ii, S, p: OK (3.2s)
== Test find, in current directory == find, in current directory: OK (3.5s)
== Test find, in sub-directory == find, in sub-directory: OK (3.4s)
== Test find, recursive == find, recursive: OK (5.2s)
== Test exec == exec: OK (4.4s)
== Test exec, multiple args == exec, multiple args: OK (3.4s)
== Test exec via sh script == exec via sh script: OK (4.4s)
== Test sleep, zero and non-numeric args return == sleep, zero and non-numeric args return: OK (2.9s)
== Test sixfive, stdin and missing file == sixfive, stdin and missing file: OK (3.5s)
== Test memdump, formats h c, bounds checking, usage == memdump, formats h c, bounds checking, usage: OK (3.2s)
== Test find, missing target, no duplicates, directory match == find, missing target, no duplicates, directory match: OK (4.6s)
== Test time ==
time: OK
Score: 156/156
vboxuser@Ubuntu-OS-Course:~/xv6-labs-2026$ echo Samiah Saud 30602
```