

Working with Selenium 2

practiceautomation.com

Step 1: create a maven project on terminal by typing the command **mvn**

archetype:generate -DgroupId=com.example -

DartifactId=MyMavenPracticeAutomation -DarchetypeArtifactId=maven-

archetype-quickstart -DinteractiveMode=false

```
samiksha@samiksha:~/Devops00$ mvn archetype:generate -DgroupId=com.example -DartifactId=MyMavenPracticeAutomation -DarchetypeArtifactId=maven-archetype-quickstart -DinteractiveMode=false
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 4.456 s
[INFO] Finished at: 2026-03-17T20:40:07+05:30
[INFO] -----
```

Step 2 : edit the pom.xml file and add the dependencies

The pom.xml has the code

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
  xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
  <modelVersion>4.0.0</modelVersion>
  <groupId>com.example</groupId>
  <artifactId>MyMavenPracticeAutomationApp</artifactId>
  <packaging>jar</packaging>
  <version>1.0-SNAPSHOT</version>
  <name>MyMavenPracticeAutomationApp</name>
  <url>http://maven.apache.org</url>

  <dependencies>
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>3.8.1</version>
      <scope>test</scope>
    </dependency>

    <!-- https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-java -->
    <dependency>
      <groupId>org.seleniumhq.selenium</groupId>
      <artifactId>selenium-java</artifactId>
      <version>4.29.0</version>
    </dependency>
  </dependencies>
```

```

    <!-- Build: Configuring plugins and build settings -->
<build>
<plugins>
<!-- Example: Maven Compiler Plugin to compile Java code -->
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-compiler-plugin</artifactId>
<version>3.8.1</version>
<configuration>
<source>1.7</source>
<target>1.7</target>
</configuration>
</plugin>
<!-- Example: Maven Surefire Plugin to run tests -->
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-surefire-plugin</artifactId>
<version>2.22.2</version>
</plugin>
<plugin>
    <groupId>org.apache.maven.plugins</groupId>

    <artifactId>maven-jar-plugin</artifactId>
    <version>3.0.1</version>
    <configuration>
        <archive>
            <manifestEntries>
                <Main-Class>com.example.App</Main-Class>
            </manifestEntries>
        </archive>
    </configuration>
</plugin>

</plugins>
</build>
</project>

```

Step 3: Edit the App.java

```

package com.example;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.chrome.ChromeDriver;
public class App
{
    public static void main( String[] args )
    {
        WebDriver driver = new ChromeDriver();
        driver.get("https://practicetestautomation.com/practice-test-login/");
        driver.manage().window().maximize();
        driver.findElement(By.id("username")).sendKeys("student");
        driver.findElement(By.id("password")).sendKeys("Password123");
        driver.findElement(By.id("submit")).click();
    }
}

```

Step 4: build and run the maven application

To execute type the command **mvn exec:java -Dexec.mainClass="com.example.App"** it opens practiceautomation.com and we can login using the credentials



**Practice
Test Automation**

[HOME](#) [PRACTICE](#) [COURSES](#) [BLOG](#) [CONTACT](#)

Logged In Successfully

Congratulations student. You successfully logged in!

Log out