

Working with Selenium 3

automationexercise.com

Step 1: create a maven project on terminal by typing the command **mvn archetype:generate -DgroupId=com.example -DartifactId=MyMavenAutomationExercise -DarchetypeArtifactId=maven-archetype-quickstart -DinteractiveMode=false**

```
samiksha@samiksha:~/Devops60/MyMavenPracticeAutomationApp$ mvn archetype:generate -DgroupId=com.example -DartifactId=MyMavenExerciseAutomationApp -DarchetypeArtifactId=maven-archetype-quickstart -DinteractiveMode=false
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 4.456 s
[INFO] Finished at: 2026-03-17T20:40:07+05:30
[INFO] -----
```

Step 2 : edit the pom.xml file and add the dependencies

The pom.xml has the code

```
<project xmlns="http://maven.apache.org/POM/4.0.0"
  xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
    xsi:schemaLocation="http://maven.apache.org/POM/4.0.0
http://maven.apache.org/maven-v4_0_0.xsd">
```

```
  <modelVersion>4.0.0</modelVersion>
  <groupId>com.example</groupId>
  <artifactId>MyMavenExerciseAutomationApp</artifactId>
  <packaging>jar</packaging>
  <version>1.0-SNAPSHOT</version>
  <name>MyMavenExerciseAutomationApp</name>
  <url>http://maven.apache.org</url>
```

```
<dependencies>
```

```
  <dependency>
```

```
    <groupId>junit</groupId>
```

```
    <artifactId>junit</artifactId>
```

```
    <version>3.8.1</version>
```

```
    <scope>test</scope>
```

```
  </dependency>
```

```
<!-- https://mvnrepository.com/artifact/org.seleniumhq.selenium/selenium-java -->
```

```
<dependency>
```

```
  <groupId>org.seleniumhq.selenium</groupId>
```

```
  <artifactId>selenium-java</artifactId>
```

```
  <version>4.29.0</version>
```

```
</dependency>
```

```
<dependency>
```

```
  <groupId>io.github.bonigarcia</groupId>
```

```
  <artifactId>webdrivermanager</artifactId>
```

```

        <version>5.8.0</version>
    </dependency>
</dependencies>
<!-- Build: Configuring plugins and build settings -->
<build>
<plugins>
<!-- Example: Maven Compiler Plugin to compile Java code -->
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-compiler-plugin</artifactId>
<version>3.8.1</version>
<configuration>
<source>1.7</source>
<target>1.7</target>
</configuration>
</plugin>
<!-- Example: Maven Surefire Plugin to run tests -->
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-surefire-plugin</artifactId>
<version>2.22.2</version>
</plugin>
<plugin>
    <groupId>org.apache.maven.plugins</groupId>

    <artifactId>maven-jar-plugin</artifactId>
    <version>3.0.1</version>
    <configuration>
        <archive>
            <manifestEntries>
                <Main-Class>com.example.App</Main-Class>
            </manifestEntries>
        </archive>
    </configuration>
</plugin>
</plugins>
</build>
</project>

```

Step 3: Edit the App.java

package com.example;

import org.openqa.selenium.By;

```

import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.support.ui.WebDriverWait;
import org.openqa.selenium.support.ui.ExpectedConditions;

import io.github.bonigarcia.wdm.WebDriverManager;
import java.time.Duration;

public class App {
    public static void main(String[] args) {

        WebDriverManager.chromedriver().setup();
        WebDriver driver = new ChromeDriver();
        driver.manage().window().maximize();

        WebDriverWait wait = new WebDriverWait(driver, Duration.ofSeconds(10));

        try {
            driver.get("https://automationexercise.com");

            // Click Products page

            wait.until(ExpectedConditions.elementToBeClickable(By.xpath("//a[@href='/products']"
            ))).click();

            // Find first Add to Cart button
            WebElement addToCart = wait.until(ExpectedConditions.elementToBeClickable(
                By.xpath("//a[@data-product-id='1']")));

            // Scroll and click using JavaScript (avoids ad overlay)
            ((JavascriptExecutor) driver).executeScript("arguments[0].scrollIntoView(true);",
            addToCart);
            ((JavascriptExecutor) driver).executeScript("arguments[0].click();", addToCart);

            // Wait for confirmation modal
            wait.until(ExpectedConditions.visibilityOfElementLocated(By.id("cartModal")));

            // Click View Cart
            wait.until(ExpectedConditions.elementToBeClickable(By.linkText("View
            Cart"))).click();

            System.out.println("Product successfully added to cart!");
        }
    }
}

```

```

    } catch (Exception e) {
        System.out.println("TEST FAILED: " + e.getMessage());
    }

    System.out.println("Browser will remain open for inspection.");
}
}

```

Step 4: build and run the maven application

To execute type the command **mvn exec:java -Dexec.mainClass="com.example.App"**
it opens automationexercise.com and automatically adds a product to cart

Chrome is being controlled by automated test software



- Home
- Products
- Cart**
- Signup / Login
- Test Cases
- API Testing
- Video Tutorials
- Contact us

Home Shopping Cart

Proceed To Checkout

Item	Description	Price	Quantity	Total
	Blue Top Women > Tops	Rs. 500	1	Rs. 500