1. INTRODUCTION

The rise of the Internet and its connected devices, known as the Internet of Things (IoT), has significantly transformed our world. While the internet connects us and fulfills our basic needs, the IoT allows us to interact with physical objects equipped with sensors and software.

This project harnesses the power of the IoT to develop an automated irrigation system specifically designed for farms in India, a nation where agriculture remains a cornerstone of the economy. This system utilizes data collected by sensors to measure key environmental factors like temperature and humidity by using a DHT11 sensor and then intelligently adjusts irrigation based on these readings. Irrigation will be automatically controlled by using a self-designed machine-learning algorithm.

Additionally, the project aims to analyze soil conditions and suggest suitable crops for optimal growth while also offering insights into potential plant diseases by using the Convolution Neural Network algorithm. This innovative approach presents several advantages over traditional manual irrigation methods.

Manual irrigation is not only susceptible to human error but also demands significant time, labor, and maintenance costs. Moreover, it remains heavily reliant on the uncertainties of rainfall. This automated system, in contrast, promises to not only conserve precious water by delivering the optimal amount for each crop but also liberate farmers from the burden of manual irrigation, allowing them to dedicate their time and resources to other crucial aspects of their agricultural endeavors, ultimately fostering efficient and sustainable farming practices.

1.1 Problem Statement

Developing an automated irrigation system with IoT technology to improve agricultural output, save labor expenses, and optimize water use in Indian agriculture while solving issues with human error, expensive maintenance, and dependence on unpredictable rainfall.

DYPCOE, Akurdi 2 AI&DS Department

1.2 Motivation

Irrigation System:

- Saves water: Makes sure plants get just the right amount of water, saving water and preventing over or underwatering.
- Saves time: Automates watering, freeing up time for other important tasks.
- Promotes healthy growth: Provides plants with consistent water supply, helping them grow better.

Crop Prediction:

- Helps plan better: Predicts when crops will be ready for harvest, making planning easier for farmers.
- Matches demand: Predicts how much crop will be available, allowing farmers to meet market demand efficiently.
- Manages risks: Predicting yields helps farmers prepare for market fluctuations and reduces financial risks.

Disease Detection:

- Early action: Spots diseases early, enabling farmers to take action quickly and prevent further damage.
- Saves crops: Prevents widespread crop damage by catching diseases early and applying treatments promptly.
- Environmentally friendly: Reduces the need for harmful pesticides by detecting diseases early, promoting sustainable farming practices.

1.3 Objectives

1. Automated Plant Care:

Develop a system that automates essential plant care tasks such as watering, monitoring, and adjusting environmental conditions based on sensor data.

2. Water Conservation:

Irrigation schedules are based on plant needs and weather conditions, reducing water consumption and minimizing environmental impact.

3. Real-time Monitoring:

Continuously monitor critical environmental parameters such as soil moisture, temperature, humidity, and light levels, providing valuable insights into plant needs.

4. User-Friendly Interface:

Create a user-friendly interface for users to interact with the system, set preferences, and access data and alerts.

5. Cost-Effective Design:

Develop a cost-effective solution that can be easily replicated by hobbyists, small-scale farmers, and gardeners.

6. Labor Reduction:

Automate routine tasks like irrigation, nutrient dosing, and climate control, reducing manual labor and increasing efficiency.

1.4 Scope of Work

- Research and Analysis:
 - 1. Conduct research on existing plant care systems and technologies.
 - 2. Analyze requirements for irrigation, crop prediction, and disease detection modules.
- Hardware and Software Development:
 - 1. Design and develop hardware components for soil moisture and humidity sensors, water motor control, and image analysis.
 - 2. Develop software algorithms for analyzing sensor data, predicting crop yields, and detecting plant diseases.
- Irrigation System Module:
 - 1. Implement automated watering system based on soil moisture and humidity levels.
 - 2. Integrate sensors and actuators for precise control of water flow.
- Crop Prediction Module:
 - 1. Develop predictive models based on environmental factors and plant characteristics.
 - 2. Implement algorithms to recommend suitable plants for specific environments.
- Disease Detection Module:
 - 1. Design image recognition algorithms to identify signs of plant diseases.
 - 2. Develop a database of common plant diseases and their symptoms for reference

- Integration and Testing:
 - 1. Integrate all modules into a unified smart plant care system.
 - 2. Conduct rigorous testing to ensure accuracy and reliability of each module.
- User Interface and Experience:
 - 1. Design user-friendly interfaces for accessing and managing the system.
 - 2. Provide detailed instructions and guides for users on system operation and troubleshooting.

2. <u>LITERATURE REVIEW</u>

The literature survey conducted aims to provide an overview of the existing research, platforms, and key concepts related to the domain of Smart Plant Care System for Farming and Gardening. This review summarizes the foundational research, technical advancements, and key challenges within this burgeoning field.

Paper Title	Authors	Publication Year	Advantages / Disadvantages
Smart Plant	Prachi Chavan,	2023	Advantages - Enhanced Farming
Monitoring	Sunakshi Gaikwad,		Technology, Continuous Monitoring,
System	Shruti Manwar		User-Friendly Interface, Remote Control
			Disadvantages - Dependence on Technology, Cost, Internet Connectivity, Limited Scale
Smart irrigation	Vishal Saraswat,	2021	Advantages - Optimized Water Usage,
system using	Ananth Rama M,		Improved Crop Yields, Data-Driven
machine learning	Rohit Gandhi,		Decision Making, Automation
	Rajath Raj guru		
			Disadvantages - Complexity, Data Quality,
			Cost, Maintenance and Support
Plant Disease	Gurleen Kaur	2021	Advantages - Advancement in Plant
Detection	Sandhu, Dr. Rajbir		Disease Detection, Potential for
Techniques	Kaur		Automation, Scalability, Improved
			Accuracy, Awareness and Prevention
			Disadvantages - Complexity of Outdoor
			Lighting, Harsh Environmental
			Conditions, Dependency on Data Quality,
			Computational Resources

Smart Garden Automated and Real Time Plant Watering and Lighting System with Security Features	Md. Adib Muhtasim, Syeda Ramisa Fariha, Ashique Mohaimin Ornab	2020	Advantages - Effortless Maintenance, Increased Efficiency, Time Savings, Improved Monitoring Disadvantages - Technical Challenges, Cost, Reliability, Complexity
Smart Waterin Control System	gPareena Jariyayothin , Kachaporn Jeravong-aram , Nattakarn Ratanachaijaroen , Tantidham , Puwadech Intakot	2020	Advantages - Automated Watering Control, User-Friendly Mobile App, Customizable Plant Profiles, Remote Monitoring Disadvantages - Initial Setup Complexity, Reliance on Technology, Cost, Internet Connectivity
A Smart Interactive System for Houseplants Caring	Arno Penders, Johanna Renny Octavia, Michiel Caron, Fay de Haan	2020	Advantages - Improved Plant Care, Mobile Application Interface, Personalized Feedback, Enhanced User Engagement, Promotes Plant Health Disadvantages - Cost, Technical Complexity, Reliability, Limited Compatibility
Analysing Soil Data using Data Mining Classification Techniques	V. Rajeswari and K. Arunesh	2019	Advantages - Comparative Analysis, Empirical Evidence, Clear Recommendation, Relevance to Agriculture Disadvantages - Limited Scope, Lack of Context, Evaluation Metrics, Absence of Future Directions

DYPCOE, Akurdi 8 AI&DS Department

3. ANALYSIS PHASE

3.1 Project Plan:

Our goal of this project is to develop an automated irrigation system using IoT sensors and AI to optimize water usage, suggest suitable crops, and analyze potential plant diseases, promoting efficient and sustainable agriculture for Indian farms. In this project for the hardware parts, we are using equipment like water motor, battery, DHT11 sensor and materials used are jumper cables, soil moisture sensor, Node MCU, ESP, relay. Also, for network connectivity Wi-Fi is used. In the software parts programming for sensor data acquisition and processing, machine learning model for crop recommendation based on soil data, Image recognition or disease detection algorithm, User interface for data visualization and control.

Automated Irrigation System:

The core objective of the project is to design and implement an automated irrigation system leveraging IoT (Internet of Things) sensors and AI (Artificial Intelligence) algorithms. This system aims to optimize water usage in agricultural practices, thereby contributing to sustainable farming practices.

Hardware Components:

Water Motor: Responsible for pumping water from a water source (such as a well or reservoir) to the irrigation system.

Battery: Provides power supply to the system, ensuring continuous operation even in areas with unreliable electricity.

DHT11 Sensor: Measures temperature and humidity levels in the environment, providing crucial data for irrigation scheduling and plant health monitoring.

Jumper Cables: Used for connecting various components of the system, ensuring seamless communication and operation.

Soil Moisture Sensor: Monitors soil moisture content, enabling precise irrigation scheduling based on the actual water needs of the crops.

Node MCU and ESP: Microcontroller units responsible for collecting data from sensors, processing information, and controlling the irrigation system.

Relay: Controls the operation of the water motor, allowing for precise and efficient water delivery to the crops.

Wi-Fi Connectivity: Enables communication between the system and external devices (such as smartphones or computers) for remote monitoring and control.

Software Components:

Sensor Data Acquisition and Processing: Involves programming the Node MCU or ESP to collect data from sensors (e.g., DHT11, soil moisture sensor) and process it for further analysis.

Machine Learning Model for Crop Recommendation: Utilizes historical soil data, climate information, and crop characteristics to train a machine learning model. This model suggests suitable crops based on the soil conditions and environmental factors, enhancing crop productivity and profitability.

Image Recognition for Disease Detection: Implements computer vision algorithms to analyze images of plants and detect potential diseases or pests. This enables early detection and intervention, preventing the spread of diseases and minimizing crop losses.

User Interface for Data Visualization and Control: Develops a user-friendly interface (e.g., mobile app or web dashboard) that allows farmers to visualize sensor data, receive crop recommendations, and control the irrigation system remotely. This interface enhances user experience and facilitates efficient decision-making in farm management.

By integrating these hardware and software components, the project aims to revolutionize agriculture in India by promoting water-efficient practices, optimizing crop selection, and enhancing disease management strategies.

Phase 1: System Design and Research

1. Target Users:

The system is designed to cater to a wide range of users, including individual gardeners, small-scale farms, and large-scale agriculture operations.

2. Environmental Factors Monitored:

- **Soil Moisture:** Critical for determining the water needs of plants and preventing over- or under-irrigation.
- **Temperature:** Influences plant growth rates, developmental stages, and overall health.
- **Humidity:** Affects transpiration rates, nutrient uptake, and susceptibility to diseases.

3.Data Collection and Research:

- Gathering a substantial dataset comprising soil moisture levels, temperature variations, and humidity readings.
- Conducting extensive research to analyze the dataset and identify correlations between environmental factors and crop performance.
- Utilizing machine learning techniques to predict suitable crops based on the collected data.

Phase 2: Hardware Assembly and Testing

1. Hardware Assembly:

- Assembling the hardware components according to the design specifications outlined in Phase 1.
- Ensuring proper connections and integration of sensors, microcontrollers, relay modules, and the water pump.

2. Testing and Verification:

- Connecting the system to a Wi-Fi network for remote monitoring and control.
- Testing the functionality of sensors for soil moisture, temperature, and humidity measurements.
- Verifying the operation of the water pump and its responsiveness to sensor data.

3.Debugging and Troubleshooting:

- Identifying and resolving any hardware issues or malfunctions encountered during testing.
- Ensuring the reliability and stability of the hardware components for long-term operation in agricultural settings.

Phase 3: Software Development and Integration

1.Streamlit Website:

- Creating a user-friendly and interactive web interface using Streamlit.
- Allowing users to input data manually, such as crop preferences or specific environmental conditions.

2. Firebase Integration:

- Leveraging Firebase's client-side SDKs and APIs to simplify backend services integration.
- Automatically generating inputs from sensors embedded in the soil to capture real-time data on temperature, humidity, and moisture levels.

Phase 4: Data Analysis and Improvement

1.Data Analysis:

- Analyzing the collected dataset on soil moisture, temperature, and humidity levels.
- Evaluating the system's effectiveness in optimizing irrigation practices, accurately suggesting crops, and detecting plant diseases.

2.Continuous Improvement:

- Identifying areas for system enhancement based on data analysis insights and feedback from users and farmers.
- Empowering users with actionable insights to make informed decisions regarding crop selection, irrigation management, and disease prevention strategies.
- Offering features such as automated irrigation control based on real-time soil moisture data to further improve water efficiency and crop yield.

3.2 Requirement Analysis:

1.User Requirements:

Remote Monitoring of Plant Health and Environmental Conditions:

Users should have the ability to access real-time data regarding the health and environmental conditions of their plants from anywhere, anytime. This includes information such as temperature, humidity, soil moisture levels, and any other relevant parameters.

The mobile app or web interface should provide intuitive visualization of this data through graphs, charts, or dashboards, allowing users to easily interpret and analyze the information.

Automation for Watering and Fertilization:

The system should automate the process of watering and fertilizing plants based on their specific requirements. This involves leveraging sensor data (e.g., soil moisture levels) to determine when and how much water or fertilizer should be applied to the plants.

Users should have the option to set custom watering and fertilization schedules or rely on predefined algorithms that adjust watering and fertilization levels dynamically based on environmental conditions and plant health metrics.

Data-Driven Recommendations for Plant Growth Optimization:

The system should utilize data analytics and machine learning algorithms to provide users with personalized recommendations and insights for optimizing plant growth and health.

These recommendations may include suggestions for selecting appropriate plant species based on soil conditions, climate, and other factors, as well as guidance on irrigation and fertilization practices to maximize crop yield and quality.

Detection of Plant Diseases:

The system should be equipped with capabilities for detecting and identifying plant diseases or abnormalities early on.

This may involve the use of image recognition algorithms to analyze photos of plants and detect symptoms of diseases such as discoloration, lesions, or deformities.

Upon detecting a potential disease outbreak, the system should alert users and provide recommendations for appropriate treatment or management strategies to mitigate the spread of the disease and minimize crop losses.

2. Functional Requirements:

Sensor Integration:

- Soil Moisture Sensor: Monitors the moisture content of the soil, providing crucial information about when and how much to water the plants.
- **Humidity Sensor:** Measures the acidity or alkalinity of the soil, which is essential for ensuring optimal nutrient uptake by the plants.
- **Temperature Sensor:** Tracks the temperature of the environment, helping users understand how temperature variations affect plant growth and development.
- **Air Humidity Sensor:** Monitors the humidity levels in the air, which is vital for assessing the plant's transpiration rate and preventing issues such as mold or fungal growth.

Data Analysis and Reporting:

- The system collects data from the integrated sensors at regular intervals.
- Utilizing AI and machine learning algorithms, the collected data is analyzed to derive actionable insights.
- These insights may include recommendations for watering schedules, adjustments to pH levels, temperature control strategies, and suggestions for optimizing light exposure.
- The system generates reports summarizing the analyzed data and insights, which users can access through the user interface.

User Interface:

- The user interface provides a visually appealing and intuitive platform for users to interact with the system.
- Users can monitor real-time data from sensors, such as soil moisture levels, temperature, and light intensity, displayed in easy-to-understand charts or graphs.

- The interface allows users to adjust settings, such as irrigation schedules or temperature thresholds, based on the recommendations provided by the system.
- Users receive notifications and alerts regarding critical events, such as low soil moisture levels
 or extreme temperature fluctuations, enabling timely intervention to prevent plant stress or
 damage.
- Additionally, the user interface may include features for accessing historical data, viewing trend
 analyses, and receiving personalized recommendations for plant care based on the collected data
 and analysis.

3. Technical Requirements:

Sensor Accuracy:

The system relies on high-precision sensors to measure key environmental parameters critical for agricultural management:

- **Soil Moisture:** Accurate measurement of soil moisture content helps in determining the water requirements of crops, facilitating precise irrigation scheduling.
- **pH:** Monitoring soil pH levels is essential for assessing soil health and nutrient availability to plants.
- **Temperature:** Measurement of ambient temperature aids in understanding the environmental conditions affecting plant growth and development.
- **Humidity:** Tracking humidity levels is crucial for assessing microclimate conditions and preventing moisture-related issues such as fungal diseases.

Utilizing high-precision sensors ensures reliable and precise data collection, enabling the system to make informed decisions for efficient farm management.

Communication Protocols:

Secure and efficient communication protocols are essential for transmitting data between various components of the system:

• **Between Sensors and Central Control Unit:** Reliable communication ensures that sensor data is accurately captured and transmitted to the central control unit for processing.

• **Between Central Control Unit and User Interface:** Efficient communication enables seamless interaction between the system's backend and frontend components, facilitating real-time data visualization and control for users.

Implementing robust communication protocols enhances data integrity, confidentiality, and system reliability, ensuring smooth operation of the automated irrigation system.

Python for Website Creation:

- Python is a versatile programming language commonly used for web development due to its simplicity, readability, and extensive ecosystem of libraries and frameworks.
- In this project, Python is utilized for creating websites or web applications that serve as the user interface for interacting with the automated irrigation system.
- Python's rich ecosystem offers various web frameworks such as Django or Flask, which streamline the development process and provide tools for building feature-rich and responsive web interfaces.

Embedded C for ESP:

- Embedded C is a programming language specifically designed for embedded systems, making it well-suited for programming microcontrollers like the ESP (Espresso if Systems' microcontroller).
- In this project, Embedded C is employed for programming the ESP microcontroller, which serves as the central control unit responsible for collecting sensor data, executing control algorithms, and managing communication with external devices.
- Embedded C offers low-level control over hardware peripherals, memory management, and system resources, enabling efficient utilization of the ESP microcontroller in the automated irrigation system.

Remote Access:

Remote access and control capabilities are crucial for enabling farmers to monitor and manage the irrigation system from anywhere, anytime:

- **Mobile Apps:** Developing mobile applications allows users to remotely access the system's functionalities, receive real-time alerts, and adjust irrigation settings on-the-go.
- Web Interfaces: Creating web-based interfaces provides users with a convenient means of
 accessing the system via desktop or mobile browsers, offering a comprehensive view of sensor
 data and irrigation controls.

Remote access enhances operational flexibility, enabling farmers to respond promptly to changing environmental conditions and optimize resource utilization for sustainable agriculture practices.

4.Integration Requirements:

IoT Device Compatibility:

- The system must be designed to support integration with other IoT devices, particularly smart irrigation systems, to augment overall automation and control capabilities.
- Integration with smart irrigation systems enables the exchange of data and commands between different IoT devices, allowing for coordinated irrigation schedules and optimized water usage.
- Compatibility ensures seamless interoperability between the automated irrigation system and other IoT devices, facilitating holistic farm management and enhancing the efficiency of agricultural operations.
- For example, the system may integrate with soil moisture sensors, weather stations, or water quality sensors to gather additional environmental data for better decision-making in irrigation management.

Cloud Services:

Incorporating cloud services into the system architecture provides several benefits:

- **Data Storage:** Cloud platforms offer scalable and secure storage solutions for storing sensor data, crop analytics, and user preferences. Storing data in the cloud ensures data integrity, accessibility, and durability.
- Remote Access: Cloud-based platforms enable users to access the system remotely from any location with an internet connection. This facilitates real-time monitoring, control, and management of the automated irrigation system via web interfaces or mobile apps.

- Scalability: Cloud services offer scalability to accommodate growing data volumes and user demands. As the system expands or additional features are introduced, cloud infrastructure can seamlessly scale to meet evolving requirements.
- Data Backup and Recovery: Cloud-based storage solutions provide automated data backup and recovery mechanisms, ensuring data resilience and continuity in the event of system failures or disasters.

Integration with cloud services may involve leveraging platforms such as Amazon Web Services (AWS), Microsoft Azure, or Google Cloud Platform (GCP) to host the backend infrastructure and manage data storage, processing, and access.

Implementing cloud integration enhances accessibility, flexibility, and reliability of the automated irrigation system, empowering farmers with actionable insights and control over their agricultural operations, even from remote locations.

4. **DESIGN PHASE**

Hardware Components:

ESP8266 (ESP):

The ESP8266 microcontroller serves as the central processing unit of the system.

It is responsible for:

Establishing and maintaining a Wi-Fi connection to communicate with external servers or services such as Firebase.

Collecting data from various sensors placed in the field.

Controlling the irrigation system based on sensor inputs and predefined algorithms.

The ESP8266 is chosen for its low cost, built-in Wi-Fi capabilities, and compatibility with various sensors and peripherals.

DHT11 Sensor:

The DHT11 sensor is connected to GPIO 2 (General Purpose Input/Output pin 2) of the ESP8266 microcontroller.

It measures temperature and humidity levels in the plant environment.

Temperature and humidity data collected by the DHT11 sensor provide crucial insights into environmental conditions affecting plant growth and health.

The sensor's low cost, simplicity, and adequate accuracy make it suitable for applications requiring basic environmental monitoring.

Soil Moisture Sensor:

The soil moisture sensor is connected to the analog pin A0 of the ESP8266 microcontroller.

It measures the moisture level in the soil at the root zone of the plants.

Soil moisture data obtained from this sensor guide the irrigation system in determining the optimal timing and duration of watering.

By continuously monitoring soil moisture levels, the system can prevent overwatering or underwatering, promoting efficient water usage and healthy plant growth.

12-Volt Battery:

The 12-volt battery serves as the power source for the water pump motor used for watering plants.

It supplies the necessary electrical energy to drive the motor, ensuring consistent and reliable operation of the irrigation system.

The battery's voltage and capacity are selected to match the requirements of the water pump motor and provide sufficient power for extended periods of operation.

Relay:

The relay is connected to GPIO pin D1 (Digital pin 1) of the ESP8266 microcontroller.

It serves as a switch to control the operation of the water pump motor.

The relay receives commands from the microcontroller to either activate or deactivate the water pump motor based on the irrigation schedule and soil moisture conditions.

By controlling the relay, the system can precisely regulate the timing and duration of watering, optimizing water usage and promoting plant health.

Hardware Connections:

ESP8266:

The ESP8266 module serves as the central processing unit in the system, responsible for collecting sensor data, controlling the relay to manage the water pump motor, and facilitating communication with the Wi-Fi network for internet connectivity.

Connect the ESP8266 to the Wi-Fi network using the appropriate firmware and configuration settings to establish internet connectivity, enabling remote access and control of the irrigation system.

Configure the GPIO (General Purpose Input/Output) pins of the ESP8266 to establish connections with various peripheral devices such as sensors and the relay.

DHT11 Sensor:

The DHT11 sensor is utilized for measuring temperature and humidity levels in the environment, providing crucial data for irrigation scheduling and plant health monitoring.

Connect the data pin of the DHT11 sensor to GPIO 2 (also known as D4) of the ESP8266 module. GPIO 2 is commonly used for digital input/output operations and can be configured as a digital input pin to receive data from the DHT11 sensor.

Soil Moisture Sensor:

The soil moisture sensor is employed to measure the moisture content of the soil, enabling precise irrigation scheduling based on the actual water needs of the crops.

Connect the data pin of the soil moisture sensor to the analog pin A0 of the ESP8266 module. Analog pin A0 is used for analog input operations and can read analog signals, allowing the ESP8266 to measure the output voltage from the soil moisture sensor and convert it into a digital value for further processing.

Relay:

The relay is used to control the operation of the water pump motor, allowing for precise and efficient water delivery to the crops based on the irrigation schedule and sensor data.

Connect the relay to GPIO pin D1 (also known as GPIO 5 or SCL) of the ESP8266 module. GPIO pin D1 can be configured as a digital output pin to control the relay's switching operation, thereby turning the water pump motor on or off based on the irrigation requirements determined by the system.

12-Volt Battery:

The 12-volt battery serves as the power source for the water pump motor, providing the necessary electrical energy to pump water from the water source (such as a well or reservoir) to the irrigation system.

Connect the positive (+) terminal of the 12-volt battery to the positive (+) terminal of the water pump motor, and connect the negative (-) terminal of the battery to the ground (GND) terminal of the motor. Ensure proper wiring and insulation to prevent short circuits and electrical hazards.

Firebase Integration:

ESP8266 Connection with Firebase:

The ESP8266 microcontroller establishes a secure connection with Firebase, leveraging Firebase's real-time database service.

Firebase authentication and authorization mechanisms are implemented to ensure that only authorized devices can access and interact with the Firebase database, enhancing the security of communication.

Data Collection and Storage:

The ESP8266 is configured to collect sensor data from various sensors such as temperature, humidity, and soil moisture.

This collected sensor data is then transmitted to Firebase for storage in the real-time database.

Firebase database nodes are organized to correspond to each sensor, allowing for efficient organization and retrieval of sensor data.

Remote Control:

Remote control functionality is implemented using Firebase to enable users to control the water pump motor from anywhere.

A designated node in the Firebase database is updated to trigger the activation or deactivation of the water pump motor.

Firebase Cloud Messaging (FCM) is utilized to send push notifications to users' devices when watering is initiated or completed, providing real-time updates and status notifications.


System Architecture:

The ESP8266 serves as the central controller in the system architecture, responsible for collecting sensor data and controlling the water pump motor based on inputs received from Firebase.


Firebase acts as the backend database and communication platform, storing sensor data in real-time and facilitating remote control of the system.

The integration of Firebase provides a scalable and reliable solution for data storage, real-time communication, and remote-control functionality, enhancing the overall performance and user experience of the automated irrigation system.

5. MODELING PHASE



1.Irrigation System



In the irrigation system, we utilize various software and hardware components. The hardware includes a water motor, battery, NodeMCU board, soil moisture sensor, humidity sensor, temperature sensor, and relay. The NodeMCU board, serving as the Wi-Fi module, connects with the relay, water motor, soil moisture sensor, and humidity sensor. It senses the soil moisture and transmits the data to Firebase.

Firebase acts as the platform for collecting real-time data from the sensors. This data is then relayed to Streamlit, which functions as a web application. Streamlit provides a user-friendly interface where users can monitor the status of the motor (on or off). Additionally, users have the

Option to manually control the motor's operation through the Streamlit interface.

Understanding Requirements:

Define the goals of the smart irrigation system, such as optimizing water usage, maintaining soil moisture levels, and minimizing water waste.

Identify the types of crops or plants to be irrigated and their specific water needs.

Data Collection:

Gather data on environmental factors like temperature, humidity, wind speed, and sunlight intensity.

Utilize soil sensors to measure moisture levels and soil composition.

Collect data on plant types, growth stages, and water requirements.

Data Preprocessing:

Clean and filter collected data to remove outliers and errors.

Normalize data to ensure consistency and compatibility across different sensors and sources.

Handle missing data through techniques like interpolation or estimation.

Feature Selection:

Identify relevant features from the collected data that will be used to train the model.

Features may include soil moisture levels, weather conditions, plant type, and historical irrigation patterns.

Model Selection:

Choose appropriate machine learning algorithms for the task, such as regression, decision trees, or neural networks.

Consider factors like model complexity, interpretability, and computational efficiency.

Model Training:

Split the collected data into training and validation sets.

Train the chosen model using the training data, adjusting parameters to optimize performance.

Validate the model using the validation set to ensure it generalizes well to unseen data.

Model Evaluation:

Assess the performance of the trained model using evaluation metrics such as Mean Absolute Error (MAE) or Root Mean Square Error (RMSE).

Compare the model's predictions against actual irrigation needs to gauge accuracy and reliability.

Integration and Deployment:

Integrate the trained model into the smart irrigation system's software architecture.

Implement real-time data streaming and processing to continuously update the model with fresh sensor data.

Deploy the system in the field, ensuring compatibility with existing irrigation infrastructure and user interfaces.


Monitoring and Maintenance:

Establish monitoring mechanisms to track system performance and detect anomalies.

Regularly update the model with new data to adapt to changing environmental conditions and evolving crop needs.

Provide ongoing maintenance and support to address any issues and ensure the system operates effectively over time.

UML Diagram:



2.Crop Prediction System

Crop Prediction System Crop Prediction System dataset machineLearningModel streamlitPlatform predictCrop() CMachineLearningModel train(dataset) predict(features) CStreamlitPlatform userInterface() uploadData() displayPrediction()



In the crop prediction system, we employ the decision tree algorithm to make predictions. We utilize a single dataset which has been trained using this algorithm. The Streamlit platform serves as our web interface, providing a user-friendly webpage.

On Streamlit, users can manually adjust various parameters such as Nitrogen, Phosphorus, Potassium, temperature, humidity, pH, and rainfall. These values are then passed to the machine learning model. The model fetches the provided values and utilizes them to predict the suitable crop based on the input parameters.

Data Collection:

Gather various types of data relevant to crop growth and yield. This includes historical weather data, soil characteristics, crop varieties, farming practices, pest and disease incidence, etc.

Ensure data quality by cleaning it, removing any inconsistencies or errors.

Feature Selection:

Identify the most important factors (features) that influence crop growth and yield.

Features could include temperature, rainfall, humidity, soil pH, fertilizer usage, etc.

Data Preprocessing:

Normalize or scale the data to ensure that all features have a similar influence on the model.

Handle missing values, outliers, and other data imperfections.

Splitting Data:

Divide the dataset into training, validation, and testing sets.

Training set: Used to train the model.

Validation set: Used to fine-tune model parameters and avoid overfitting.

Testing set: Used to evaluate the final model's performance.

Model Selection:

Choose the appropriate machine learning or statistical model for crop prediction.

Common models include regression, decision trees, random forests, support vector machines, or neural networks.

Model Training:

Feed the training data into the chosen model.

The model learns patterns and relationships between input features (e.g., weather, soil conditions) and output (crop yield).

Validation:

Evaluate the model's performance using the validation set.

Measure metrics like accuracy, precision, recall, or mean squared error, depending on the type of problem (classification or regression).

Model Evaluation:

Once the model is trained and validated, evaluate its performance using the testing set.

Ensure that the model generalizes well to unseen data.

Iterative Improvement:

If the model performance is not satisfactory, iterate through steps 5-9, adjusting parameters, trying different models, or collecting more data if necessary.

Continuously refine the model to improve its accuracy and reliability.

Deployment:

Once satisfied with the model's performance, deploy it into the crop prediction system.


Ensure that the system is user-friendly and accessible to farmers or stakeholders who will benefit from the predictions.

Monitoring and Maintenance:

Regularly monitor the model's performance in the real-world environment.


Update the model as needed with new data or retraining to keep it accurate and up to date.

UML Diagram:



3.Disease Detection System

Disease Detection System





In the plant disease detection system, we implement a Convolutional Neural Network (CNN) to aid in disease detection. We train a model using this algorithm to effectively identify plant diseases. Our web application, Streamlit, facilitates the process by allowing users to upload images of plant diseases. The application then analyzes the uploaded images using the trained model to determine the type of disease affecting the plant. Finally, it displays the identified disease to the user.

Data Collection:

Gather a diverse set of data including images of healthy plants and plants affected by various diseases. Ensure the dataset represents different plant species, growth stages, lighting conditions, and disease severities.

Data Preprocessing:

Clean the data by removing any irrelevant or noisy information.

Resize and normalize the images to ensure consistency in the dataset.

Split the dataset into training, validation, and testing sets to evaluate the model's performance.

Model Selection:

Choose an appropriate deep learning architecture such as Convolutional Neural Networks (CNNs) known for their effectiveness in image classification tasks.

Consider pre-trained models like VGG, ResNet, or Inception, which have been trained on large datasets like ImageNet and can be fine-tuned for plant disease detection.

Model Architecture Design:

Design the layers of the neural network, including convolutional layers for feature extraction and fully connected layers for classification.

Experiment with different architectures, adjusting the number of layers, kernel sizes, and activation functions to optimize performance.

Training:

Feed the training data into the model and adjust the weights of the neural network through backpropagation.

Utilize techniques like data augmentation to artificially increase the size of the training dataset and improve the model's ability to generalize.

Monitor the training process by tracking metrics such as loss and accuracy to ensure the model is learning effectively.

Validation:

Evaluate the model's performance on the validation set to fine-tune hyperparameters and prevent overfitting.

Adjust parameters like learning rate or dropout rate based on validation metrics to improve generalization.

Testing:

Assess the model's performance on the testing set, which contains data that the model hasn't seen during training or validation.

Calculate metrics such as precision, recall, and F1-score to measure the model's ability to correctly classify healthy and diseased plants.

Iterative Improvement:

Analyze the model's performance and identify areas for improvement.


Iterate on the modeling process by adjusting parameters, collecting more data, or trying different algorithms to enhance the system's accuracy and reliability.

Deployment:


Once satisfied with the model's performance, deploy it to real-world applications such as mobile apps or IoT devices for on-field disease detection.

Continuously monitor the model's performance in the deployed environment and update it as needed to adapt to changing conditions or new disease strains.


UML Diagram:



Sequence Diagram:




Block Flow Diagram:



6. CODING / IMPLEMENTATION

6.1 Algorithms



Decision Tree Algorithm (Used for Crop Prediction):

Step 1:

Decision tree algorithm for crop price prediction works like a flowchart, where each decision is based on a specific feature of the crop.

Step 2:

It starts with the entire dataset of crop information and splits it into smaller subsets based on the most important feature that helps predict the crop price.

Step 3:

This process continues, creating a tree-like structure where each node represents a decision based on a feature, and each branch represents a possible outcome.

Step 4:

The algorithm keeps splitting the data until it reaches a point where it can confidently predict the crop price based on the input features.

Step 5:

To make a prediction for a specific crop, the algorithm follows the path in the tree, starting from the top and moving down to reach a final predicted price at a leaf node.

Step 6:

The decision tree algorithm is easy to understand and interpret, making it a useful tool for predicting crop prices based on various factors like weather conditions, soil quality, and market demand.

Starting Point:

At the top of the decision tree, you have a question about one of the factors, let's say soil type. The tree starts with this question.

Branches:

Depending on the answer to the first question (e.g., whether the soil is sandy or clay), the tree branches out into different paths, each representing a different possible crop.

More Questions:

Along each branch, there are more questions about other factors like sunlight and water. For example, if the soil is sandy, the next question might be about how much sunlight that area gets.

End Points:

Eventually, you reach the end of each branch, which is called a leaf node. At these points, you have a specific crop recommendation based on the answers to all the questions along that path. For instance, if the soil is sandy and there's plenty of sunlight, the recommended crop might be tomatoes.

Decision Making:

To make a prediction for a new area of the garden, you start at the top of the tree and follow the branches, answering the questions based on the conditions of that area. Eventually, you reach a leaf node, which gives you the predicted crop for that area.

Training the Tree:

To create the decision tree, you use a dataset of past gardening experiences. Each example in the dataset represents a different area of the garden with its conditions (e.g., soil type, sunlight, water), along with the crop that was planted there.

The decision tree algorithm learns from this data to create a tree structure that best predicts the crop based on the conditions.

Making Predictions:

Once the tree is trained, you can use it to predict the best crop for new areas of the garden by inputting the conditions of those areas into the tree.

Convolutional Neural Network Algorithm (Used for Disease Detection):

Step 1:

Convolutional Neural Network (CNN) is a type of deep learning algorithm used for image analysis and pattern recognition.

Step 2:

CNN works by breaking down an image into smaller parts called "filters" or "feature maps" and then analyzing these parts to detect patterns and features.

Step 3:

In disease detection, CNN can be trained on a dataset of medical images (like X-rays or MRIs) to learn patterns and features associated with different diseases.

Step 4:

The network consists of layers of neurons that process the image data through convolution, pooling, and activation functions to extract important features.

Step 5:

These features are then passed through fully connected layers to make predictions about the presence or absence of a particular disease in the image.

Step 6:

CNN algorithms can identify complex patterns and structures in medical images, making them valuable tools for assisting healthcare professionals in diagnosing diseases accurately and efficiently.

Imagine Layers of Filters:

Picture a series of filters, like layers of glass, placed over an image. Each filter looks for specific patterns, like shapes or colors.

Spotting Patterns:

The first filters might detect simple things, like edges or curves, while deeper filters look for more complex patterns, like textures or arrangements of features.

Learning from Examples:

During training, the network sees lots of examples of healthy and diseased plants. It adjusts its filters to better recognize the patterns associated with each.

Putting it All Together:

The network learns to combine these patterns to make predictions. For example, it might notice that certain combinations of colors, shapes, and textures tend to indicate a particular disease.


Fine-Tuning:


After training, we test the network on new images it hasn't seen before. If it makes mistakes, we adjust the filters to improve accuracy.

Real-World Use:

Once the network is trained and tested, it can be deployed to automatically analyze images of plants. Farmers can then use this technology to quickly detect diseases and take action to protect their crops.

6.2 Flowcharts





DYPCOE, Akurdi 43 AI&DS Department

6.3 Software Used

1.Python IDE

- A Python IDE is a software application that provides comprehensive tools and features for writing, editing, debugging, and executing Python code.
- It offers an integrated environment where developers can streamline their development workflow and manage projects efficiently.
- Selecting the right Python IDE is crucial for the development of the smart plant care system, considering factors such as ease of use, feature set, compatibility, and community support.
- There are several popular Python IDEs available, each with its own set of features and capabilities so here we are using them.
- Visual Studio Code (VS Code): A lightweight and customizable IDE developed by Microsoft, known for its extensibility and vast ecosystem of extensions.
- **Jupyter Notebook:** A web-based interactive computing environment widely used for data analysis, visualization, and machine learning, featuring support for code, markdown, and rich media content.

2.Streamlit:

- Streamlit is a popular open-source platform that allows you to easily create web applications using Python.
- It is designed for data scientists and developers to quickly build interactive and customizable apps for data visualization, machine learning models, and more.
- With Streamlit, you can write simple Python scripts to create user-friendly interfaces with interactive elements like sliders, buttons, and plots.
- The platform automatically updates the app in real-time as you make changes to the code, making it easy to see the results instantly.
- Streamlit is beginner-friendly and does not require extensive web development knowledge, making it a great tool for rapid prototyping and sharing data-driven applications.

3. Firebase:

- Firebase is a comprehensive mobile and web application development platform provided by Google.
- It offers a suite of tools and services to help developers build high-quality apps quickly and efficiently.
- Firebase provides features such as authentication, real-time database, cloud storage, hosting, analytics, and more, all in one integrated platform.
- Developers can easily integrate Firebase services into their apps using SDKs and APIs,
 reducing the need for complex backend infrastructure.
- Firebase also offers tools for app testing, monitoring, and optimization to improve the overall user experience.
- Overall, Firebase simplifies the app development process by providing a scalable and reliable platform for building modern applications.

6.4 Hardware Used

1. NodeMCU(esp8266)



Firmware and Chip Compatibility:

- NodeMCU firmware is built on the LUA programming language and is specifically designed for the ESP8266 Wi-Fi chip.
- This firmware offers an affordable and accessible solution for connecting IoT (Internet of Things) devices to the internet, enabling seamless communication and data exchange.

ESP8266 Wi-Fi Chip:

- The ESP8266 Wi-Fi chip features a variable clock frequency ranging from 80 to 160 MHz and operates on a 32-bit RISC CPU architecture.
- It supports the Real-Time Operating System (RTOS), providing multitasking capabilities and efficient resource management for complex IoT applications.

NodeMCU Development Board:

The NodeMCU Development Board serves as a platform for prototyping and deploying IoT projects using the ESP8266 Wi-Fi chip.

It offers a range of features including:

- **Serial Communication Protocol:** Enables communication with external devices via UART (Universal Asynchronous Receiver-Transmitter).
- Analog and Digital Pins: Provides both analog and digital input/output pins for interfacing with various sensors, actuators, and external circuits.
- Wi-Fi Module Connectivity: Facilitates wireless communication and internet connectivity, allowing IoT devices to connect to local networks and cloud services.
- Total of 30 Pins: Including power, GND (ground), I2C, GPIO (General Purpose Input/Output), ADC (Analog to Digital Converter), PWM (Pulse Width Modulation), UART (Universal Asynchronous Receiver-Transmitter), SDIO (Secure Digital Input Output), and control pins for interfacing external circuits.
- 17 Dedicated GPIOs: Provide flexibility for connecting and controlling a variety of digital devices and peripherals.
- Operating Voltage Range: Supports voltage levels between 2.5V to 3.3V, ensuring compatibility with a wide range of electronic components and power sources.
- **Power Options:** Can be powered via the integrated micro-B USB port or renewable energy sources such as solar power, making it suitable for remote and off-grid applications.

Limitations:

Despite its versatility, NodeMCU has some limitations, including:

- **Single Analog Pin:** Limiting the number of analog sensors that can be connected directly to the board.
- Limited Output Pins: The number of available output pins for controlling external devices may be insufficient for complex projects requiring a large number of actuators or peripherals.

2.DHT11 Sensor (Digital Humidity and Temperature sensor)



Functionality and Purpose:

- The DHT11 sensor is specifically designed to measure temperature and relative humidity of the surrounding air.
- It serves as a low-cost digital sensor, making it widely accessible for various applications requiring temperature and humidity monitoring.

Affordability and Compatibility:

- One of the key advantages of the DHT11 sensor is its affordability, making it suitable for projects with budget constraints.
- It is compatible with a range of microcontrollers, including popular platforms such as Arduino and NodeMCU, allowing for easy integration into different projects.

Working Principle:

- The DHT11 sensor utilizes both a thermistor and a capacitive sensing component for temperature and humidity measurements, respectively.
- Temperature Measurement: It employs a negative temperature coefficient (NTC) thermistor, were changes in temperature lead to corresponding changes in electrical resistance. Higher temperatures result in lower resistance values, allowing the sensor to detect temperature variations.
- Humidity Measurement: The capacitive sensing mechanism involves two electrodes separated by a substrate acting as a dielectric. Variations in humidity cause changes in capacitance between the electrodes, which the sensor detects and translates into relative humidity readings.

Temperature and Humidity Range:

- The DHT11 sensor is capable of measuring temperatures ranging from 0 to 50 degrees Celsius.
- For humidity measurement, the sensor covers a range from 20% to 80%.

Components:

- The DHT11 sensor comprises essential components such as the thermistor for temperature detection and a capacitive sensing element for humidity measurement.
- These components, combined with an integrated circuit, enable the sensor to accurately capture temperature and humidity data.

Accuracy and Reliability:

- While the DHT11 sensor provides cost-effective temperature and humidity monitoring, it is important to note that its accuracy may vary compared to more expensive sensors.
- It is suitable for applications where high precision is not critical but reliable performance is sufficient.

3. Jumper Cable



Purpose and Functionality:

- Female-to-female jumper wires serve the purpose of establishing connections between components with female headers or pins.
- They eliminate the need for soldering by providing a simple and convenient method for linking two female ports, sockets, or pins.
- These wires enable easy and temporary connections in electronics projects, facilitating rapid prototyping, experimentation, and testing.

Applications:

- Female-to-female jumper wires are commonly used in breadboard-based prototyping and circuit design.
- They allow for the interconnection of various components such as microcontrollers, sensors, LEDs, and other electronic modules.
- These wires are indispensable in projects involving Arduino, Raspberry Pi, and other development platforms, where components with female headers need to be interconnected without permanent modifications.

Variety in Lengths and Colors:

- Female-to-female jumper wires are available in various lengths, typically ranging from a few centimeters to several inches.
- Different colors are used to distinguish between connections and facilitate organization within a project.
- The availability of diverse lengths and colors enables users to create complex circuits with ease and maintain clarity in wiring arrangements.


Flexibility and Modularity:

- These wires contribute to the flexibility and modularity of circuits, allowing for quick adjustments and modifications without the need for desoldering or rewiring.
- They facilitate the creation of flexible and modular circuit designs, enabling rapid iteration and development in electronics projects.
- Female-to-female jumper wires promote a non-destructive approach to circuit prototyping, where changes can be made easily without damaging components or circuit boards.

Versatility and Ease of Use:

- Female-to-female jumper wires are versatile tools suitable for hobbyists, students, and professionals alike.
- They are essential components in electronics toolkits and prototyping environments, offering a hassle-free solution for establishing temporary connections.
- Their ease of use makes them ideal for educational purposes, allowing beginners to learn and experiment with electronics without the complexity of soldering.

4. Soil Moisture Sensor



Purpose and Functionality:

- The soil moisture sensor is specifically designed to measure the moisture level in the soil, which is a crucial parameter in agriculture.
- It helps in determining the soil's water content, which directly affects plant growth and health.
- By detecting moisture levels, the sensor enables the irrigation system to activate only when necessary, thus preventing water waste and promoting efficient water usage in agriculture.

Output Behavior:

- When the soil lacks moisture, the sensor output registers high values.
- Conversely, when the soil is adequately moist, the output is low.
- This output behavior allows for the activation of the irrigation system only when the soil moisture falls below a predetermined threshold, ensuring optimal water management.

Components:

- The sensor incorporates an LM393 comparator and a potentiometer to facilitate its operation.
- The LM393 comparator is responsible for comparing the measured moisture content with the predefined threshold value.

- Based on this comparison, the output LED is either turned on or off accordingly, indicating
 the soil moisture status.
- The potentiometer allows for the adjustment of the threshold value, providing flexibility in setting the desired moisture level for irrigation activation.

Output Connections:

- The sensor offers both analog and digital output connections, providing versatility in interfacing with different microcontroller platforms.
- In analog mode, the output values range from 0 to 1023, representing the moisture level measured by the sensor.
- However, moisture levels are typically expressed as percentages for easier interpretation by users.
- To facilitate this, the analog output is mapped to a scale of 0 to 100, allowing for direct interpretation of soil moisture levels in percentage terms.

Mapping of Analog Output:

- Mapping the analog output to a scale of 0 to 100 enables users to directly interpret soil
 moisture levels in percentage terms, simplifying the decision-making process for irrigation
 scheduling.
- This mapping process ensures that the sensor output is presented in a format that aligns with the common units used in agricultural practices, enhancing usability and practicality.

5.DC Water Motor Pump



Components of a DC Water Pump:

- **Motor:** The motor is the primary component responsible for converting electrical energy from the DC power source into mechanical energy to drive the pump.
- **Impeller:** The impeller is a rotating component within the pump that is responsible for generating centrifugal force to move the water. It is typically mounted on the shaft of the motor.
- Inlet/Outlet Ports: These are openings on the pump through which water enters (inlet) and exits (outlet). The design and configuration of these ports may vary depending on the specific application and pump model.

Working Principle:

- When the DC power supply is connected to the pump, it energizes the motor.
- The motor, typically a brushless DC motor in modern DC water pumps, starts rotating.
- As the motor rotates, it drives the impeller, which creates a centrifugal force.
- This centrifugal force pushes the water from the inlet port towards the outlet port, effectively pumping water through the system.
- The speed and flow rate of the pump can often be controlled by adjusting the voltage or current supplied to the motor.

Advantages of DC Water Pumps:

- Efficiency: DC water pumps are known for their efficiency, as they can convert a high percentage of electrical energy into mechanical energy, resulting in minimal energy loss during operation.
- **Versatility:** These pumps come in various sizes and capacities, making them suitable for a wide range of applications, from small-scale irrigation to large-scale aquaculture systems.
- **Reliability:** Due to their simple and robust design, DC water pumps are often highly reliable and have long operational lifespans with minimal maintenance requirements.
- Low Power Consumption: Compared to traditional AC-powered pumps, DC water pumps typically consume less power, making them cost-effective and environmentally friendly.
- **Remote Operation:** DC water pumps can be powered by solar panels or batteries, allowing them to operate in remote locations without access to the electrical grid. This feature makes them ideal for off-grid applications and areas with unreliable power supply.

6.Relay



Functioning of Relays:

Relays are electromechanical devices that control the flow of electricity by opening or closing electrical contacts. They operate based on the principle of electromagnetism. When a small current flows through the coil of the relay, it generates a magnetic field that attracts or repels a movable armature, thereby opening or closing the contacts to control the flow of a larger electrical current.

Types of Relays:

- Electromagnetic Relays: These relays use coils and metal contacts. When current flows through the coil, it creates a magnetic field that attracts a ferrous metal armature, causing the contacts to close. When the current is removed, the contacts open due to spring action.
- Solid-State Relays (SSRs): SSRs utilize semiconductor elements such as thyristors or MOSFETs to perform switching without any moving parts. They are often faster, quieter, and more durable than electromagnetic relays, making them suitable for high-speed and high-frequency applications.
- Reed Relays: Reed relays consist of two ferromagnetic reeds enclosed in a glass tube containing inert gas. When a magnetic field is applied, the reeds are attracted, closing the contacts. Reed relays offer fast switching speeds and high reliability due to the absence of mechanical wear.

Applications of Relays:

Relays find widespread applications across various industries due to their versatility and reliability:

- **Industrial Automation:** Used in control systems for machinery, process automation, and safety interlocks.
- **Automotive Systems:** Found in vehicle electronics for functions like ignition, lighting, and power distribution.
- **Household Appliances:** Employed in appliances such as refrigerators, air conditioners, washing machines, and microwave ovens for control and safety functions.
- **Power Systems:** Utilized in power distribution, protection, and switching applications to control electrical currents.
- **Telecommunications:** Used in communication equipment for signal routing, line switching, and isolation.

Advantages of Relays:

- **Reliability:** Relays offer robust operation with minimal risk of failure, ensuring consistent performance over extended periods.
- Low Power Consumption: They consume minimal power to maintain the relay's state, making them energy-efficient and suitable for battery-powered applications.
- **Isolation:** Relays provide electrical isolation between the control circuit and the load, preventing voltage spikes or interference from affecting sensitive electronics.
- Control of Multiple Circuits: A single relay can control multiple circuits simultaneously, simplifying system design and reducing component count.
- **Versatility:** Relays are available in various configurations and form factors to suit different application requirements, offering flexibility in design and implementation.

7.Battery



Batteries are indispensable electrochemical devices that play a crucial role in modern society by storing and delivering energy in the form of electricity. They typically consist of one or more cells, each containing positive and negative electrodes separated by an electrolyte. When a battery is connected to an electrical circuit, chemical reactions take place within its cells, causing electrons to flow from the negative electrode (anode) to the positive electrode (cathode). This flow of electrons generates an electric current, which can power a wide range of devices and systems.

There are several types of batteries available, each with its own characteristics and applications:

Alkaline Batteries:

- Alkaline batteries are commonly used in everyday household devices such as remote controls, flashlights, and portable electronics.
- They offer a relatively high energy density and are disposable, making them convenient for single-use applications.

Lead-Acid Batteries:

- Lead-acid batteries are among the oldest and most widely used rechargeable batteries.
- They are commonly found in automotive applications, powering vehicles' starter motors and electrical systems.
- Lead-acid batteries are also used in uninterruptible power supplies (UPS) and off-grid renewable energy systems.

Lithium-Ion Batteries:

- Lithium-ion batteries have become increasingly popular due to their high energy density, lightweight design, and rechargeable nature.
- They are widely used in portable electronics such as smartphones, laptops, and tablets, as well as in electric vehicles (EVs) and energy storage systems.
- Lithium-ion batteries offer long cycle life and fast charging capabilities, making them ideal for applications requiring high performance and reliability.

Nickel-Metal Hydride (NiMH) Batteries:

- NiMH batteries are another type of rechargeable battery commonly used in consumer electronics, power tools, and hybrid vehicles.
- They offer a good balance of energy density, durability, and cost-effectiveness, making them suitable for a wide range of applications.

Advancements in battery technology have led to significant improvements in energy density, charging speed, and overall performance. Researchers and engineers continue to innovate in areas such as materials science, electrode design, and manufacturing processes to further enhance battery performance, safety, and sustainability.

Key areas of ongoing research and development in battery technology include:

- Materials Innovation: Developing new electrode materials and electrolytes to improve energy density, cycle life, and safety.
- Safety: Enhancing battery safety through the development of advanced thermal management systems, flame-retardant materials, and fault detection mechanisms.
- Sustainability: Increasing the recyclability of battery materials and reducing the environmental impact of battery production and disposal.
- Energy Storage Solutions: Designing batteries for grid-scale energy storage, renewable energy integration, and other emerging applications to meet the growing demand for energy storage solutions worldwide.

6.5 Programming Languages

1. Python

- Python provides libraries like Pandas and NumPy for handling data, allowing users to collect and preprocess datasets related to crop growth, weather conditions, soil health, and disease patterns.
- Python's scikit-learn library offers various machine learning algorithms, including Decision
 Trees which can be used to build predictive models for crop yield or type.
- Using these algorithms, historical data on factors like weather, soil moisture, and crop characteristics can be analyzed to predict future crop yields or identify suitable crop types for specific conditions.
- Python can be used to develop control algorithms for automated irrigation systems, ensuring
 optimal water supply based on factors like soil moisture, weather forecasts, and crop water
 requirements.
- By integrating with hardware components such as NodeMCU boards and sensors, Python
 programs can receive real-time data and adjust irrigation schedules or water flow rates
 accordingly.

Python is a programming language, like a set of instructions that computers understand. It's known for its simplicity and readability, making it great for beginners and experts alike.

Smart Plant Care System:

Think of a smart plant care system like a digital caretaker for your plants. It helps you monitor and take care of your plants more efficiently using technology.

Using Python:

With Python, we can write code to control sensors, collect data, and make decisions about watering, light, and temperature for our plants.

Python has lots of ready-made libraries and tools that make it easy to work with data from sensors, control devices like pumps or lights, and even communicate with other systems.

Reading Sensors:

Python can be used to read data from sensors like moisture sensors to check if the soil is dry or wet. It's like having a little digital finger that can feel the soil and tell us if it needs water.

Making Decisions:

Based on the data from sensors, Python can make decisions about when to water the plants, adjust the lighting, or even alert you if something seems wrong. It's like having a smart assistant that knows exactly what your plants need and when.

Automation:

Python allows us to automate tasks, so once we write the code, the system can take care of your plants without you needing to do anything manually. It's like having a plant caretaker that works tirelessly in the background, ensuring your plants are healthy and happy.

Customization:

One of the great things about Python is that it's flexible and customizable. You can easily tweak the code to fit your specific needs or add new features as you learn more about plant care and technology.

2.Embedded C

- Embedded C allows developers to interact directly with the hardware peripherals of the ESP microcontroller, such as GPION pins, ADC (Analog to Digital Converter).
- Embedded C is a programming language specifically designed for programming microcontrollers like ESP.
- This enables control and communication with various sensors (e.g., soil moisture sensors, humidity sensors) and actuators (e.g water pumps, relays) used in the smart plant care system.
- Embedded C enables developers to implement real-time tasks and responses required for time-sensitive operations in smart plant care systems.

• Tasks such as reading sensor data, processing it, and controlling actuators must be performed within strict time constraints to ensure timely and accurate plant care.

Embedded C is a special type of programming language used to write software for tiny computers called microcontrollers. Now, imagine these microcontrollers as the brains of devices, like those used in smart plant care systems.

Small and Mighty:

Embedded C is designed to work on microcontrollers, which are small computers with limited memory and processing power. It's like using a language that speaks directly to these tiny brains, allowing them to perform specific tasks efficiently.

Direct Control:

With Embedded C, programmers can directly control the hardware of the microcontroller, such as sensors, actuators, and displays. It's like giving precise instructions to each component of the smart plant care system, telling them what to do and when to do it.

Efficient Memory Usage:

Embedded C is optimized for efficient memory usage since microcontrollers have limited memory compared to regular computers. It's like using space-saving techniques to fit as much functionality as possible into these small devices.

Real-Time Operations:

Many smart plant care systems require real-time responsiveness, such as reading sensor data or controlling water pumps. Embedded C allows programmers to write code that responds quickly to events as they happen. It's like having a system that reacts instantly to changes in the plant's environment, ensuring optimal care at all times.

Low-Level Programming:

Embedded C involves low-level programming, which means working closely with the hardware and writing code that directly interacts with it. It's like building a custom engine for your car, where every component is precisely tuned for maximum performance.

Reliability and Stability:

Since smart plant care systems may run continuously for long periods, reliability and stability are crucial. Embedded C allows programmers to write code that is efficient, robust, and resistant to errors, ensuring the system operates smoothly without interruptions.

6.6 Platforms

1.Streamlit:

What is Streamlit?

Streamlit is a platform that allows you to build and deploy web applications for data science and machine learning projects without needing to be an expert in web development.

How does it work?

Simple Python Scripts:

With Streamlit, you write your web application using Python, a programming language that's widely used in data science and machine learning.

Easy-to-Use Interface:

You create your app by writing code that describes the different elements you want to include, like buttons, sliders, or charts. Streamlit provides simple commands that make it easy to add these elements to your app.

Automatic Updates:

When you make changes to your Python script and save it, Streamlit automatically updates your app in real-time. This means you can see the effects of your changes immediately without needing to restart or refresh the app.

Interactive Features:

Streamlit lets you add interactive features to your app, like sliders that let users adjust parameters or buttons that trigger actions. This makes it easy to create apps that respond to user input in real-time.

Integration with Data Science Tools:

Streamlit integrates seamlessly with popular data science libraries like Pandas, Matplotlib, and TensorFlow, allowing you to use your existing skills and workflows to build powerful web applications.

Deployment Made Easy:

Once you've built your app, Streamlit makes it simple to deploy it to the web. You can deploy your app with just a few clicks using Streamlit's built-in sharing platform, or you can host it on your own server.

Who is it for?

Streamlit is designed for data scientists, machine learning engineers, and anyone else who wants to create interactive web applications for their data science projects. It's especially useful for people who don't have a lot of experience with web development but still want to build polished and professional-looking apps.

- Streamlit is a popular open-source platform that allows you to easily create web applications using Python.
- It is designed for data scientists and developers to quickly build interactive and customizable apps for data visualization, machine learning models, and more.
- With Streamlit, you can write simple Python scripts to create user-friendly interfaces with interactive elements like sliders, buttons, and plots.
- The platform automatically updates the app in real-time as you make changes to the code, making it easy to see the results instantly.
- Streamlit is beginner-friendly and does not require extensive web development knowledge, making it a great tool for rapid prototyping and sharing data-driven applications.

2. Firebase:

Database:

Firebase offers a real-time database where you can store and sync data between your app and the cloud. It's like a big digital filing cabinet where your app can keep track of user information, messages, scores, and more. And the cool thing is, changes made by one user are instantly visible to others.

Authentication:

Want users to sign up or log in securely? Firebase has got your back. It provides built-in authentication services, allowing users to create accounts, sign in with email or social media, and even use phone numbers for verification—all while keeping their data safe.

Hosting:

Need to put your app or website online? Firebase Hosting lets you do that quickly and easily. It's like renting space on the internet where you can showcase your app to the world without worrying about server management or complex configurations.

Storage:

Got files like images, videos, or documents that need to be stored and served to your users? Firebase Storage offers a secure and scalable solution. It's like having a virtual warehouse where you can store and retrieve your digital assets with ease.

Analytics:

Want to understand how users interact with your app? Firebase Analytics provides valuable insights into user behavior, such as which features they use the most, where they're coming from, and how they navigate through your app. It's like having a set of tools to peek into the minds of your users.

Notifications:

Need to keep users engaged and informed? Firebase Cloud Messaging allows you to send push notifications to your app users, keeping them up to date with the latest news, promotions, or updates. It's like tapping them on the shoulder to say, "Hey, check out what's new!"

Performance Monitoring:

Want to make sure your app is running smoothly for all users? Firebase Performance Monitoring helps you track app performance metrics like response time, app startup time, and network latency. It's like having a dashboard that alerts you if anything's slowing down your app's performance.

- Firebase is a comprehensive mobile and web application development platform provided by Google.
- It offers a suite of tools and services to help developers build high-quality apps quickly and efficiently.
- Firebase provides features such as authentication, real-time database, cloud storage, hosting, analytics, and more, all in one integrated platform.
- Developers can easily integrate Firebase services into their apps using SDKs and APIs,
 reducing the need for complex backend infrastructure.
- Firebase also offers tools for app testing, monitoring, and optimization to improve the overall user experience.
- Overall, Firebase simplifies the app development process by providing a scalable and reliable platform for building modern applications.

7. TEST DATA SETS, RESULT

7.1 Data Sets


Crop Recommendations Data Set


A	В	C	D	E	F	G	H
V	Р	K	temperature	humidity	ph	rainfall	label
90	42	43	20,87974	82.00274	6.502985	202.9355	rice
85	58	41	21.77046	80.31964	7.038096	226.6555	rice
60	55	44	23.00446	82.32076	7.840207	263,3642	rice
7.4	35	40	26,4911	80,15836	6.380401	242.864	rice
78	42	42	20,13017	81.60487	7.628473	262,7173	rice
69	37	42	23.05805	83.37012	7.073454	251.055	rice
69	55	38	22.70884	82.63941	5.700806	271.3249	rice
94	53	40	20,27774	82.83403	5.718627	241.9742	rice
89	54	38	24.51588	83.53522	6.685346	230.4462	rice
68	58	38	23.22397	83.03323	6,336254	221.2092	rice
91	53	40	26.52724	81.41754	5.386168	264.6149	rice
90	46	42	23.97898	81.45062	7.502834	250.0832	rice
78	58	44	26,8008	80.88685	5.108682	284.4365	rice
93	56	36	24.01438	82.05687	6.984354	185,2773	rice
94	50	37	25.66585	80.66385	6.94802	209.587	rice
60	48	39	24.28209	80.30026	7.042299	231.0863	rice
85	38	41	21.58712	82.78837	6.249051	276,6552	rice
91	35	39	23.79392	80.41818	6,97086	206.2612	rice
77	38	36	21.86525	80.1923	5.953933	224.555	rice
88	35	40	23,57944	83,5876	5,853932	291.2987	rice
89	45	36	21.32504	80.47476	6.442475	185.4975	rice
76	40	43	25.15746	83,11713	5.070176	231.3843	rice
67	59	41	21.94767	80.97384	6.012633	213.3561	rice
83	41	43	21.05254	82.6784	6.254028	233,1076	rice
98	47	37	23.48381	81.33265	7.375483	224.0581	rice
66	53	41	25.07564	80.52389	7.778915	257.0039	rice
97	59	43	26.35927	84.04404	6.2865	271.3586	rice
97	50	.41	24.52923	80.54499	7.07096	260,2634	rice
60	49	44	20.77576	84.49774	6.244841	240.0811	rice
84	51	35	22.30157	80.64416	6.043305	197.9791	rice
73	57	41	21.44654	84.94376	5.824709	272.2017	rice
92	35	40	22,17932	80.33127	6.357389	200.0883	rice
85	37	39	24.52784	82.73686	6.364135	224.6757	rice
98	53	38	20.26708	81,63895	5.014507	270.4417	rice
88	54	44	25.73543	83.88266	6.149411	233,1321	rice


A	В	C	D	E	F	G	- +
92	44	16	18.87751	65.76816	6.082974	94.76189	maize
66	54	21	25.19009	60.20017	5.919046	72.12376	maize
63	58	22	18.25405	55.2822	6.204748	63.72358	maize
70	47	17	24.61291	70.41624	6.600827	104.1626	maize
61	41	17	25.14206	65.26185	6.021902	76.68456	maize
66	53	19	23.09348	60.11594	6.03355	65.49731	maize
74	55	19	18,05034	62.89367	6.288868	84.23613	maize
77	57	21	24.93216	73.80435	6.550564	79.74079	maize
99	50	15	18.1471	71.09445	5.573286	88.07754	maize
74	56	22	18.28362	66,65953	6.829199	80.97573	maize
83	45	21	18.83344	58.75082	5.716223	79.75329	maize
100	48	16	25.71896	67.22191	5.549902	74.51491	maize
79	51	16	25.33798	68.49836	6.586245	96.4638	maize
94	39	18	23.89115	57.48776	5.893093	102.8302	maize
75	49	15	21.53574	71.50906	5.918264	102.4853	maize
78	48	22	23.08975	63.1046	5.588651	70.43474	maize
87	54	20	25.61707	63.47118	6.576418	108.8304	maize
87	35	25	21.44527	63,16216	6.178056	65.88951	maize
63	43	19	18.51817	55.53128	6.641306	90.98805	maize
84	57	25	22.53511	67.99257	6.48904	64.40866	maize
64	35	23	23.02038	61.89472	5.680361	63.03843	maize
60	46	22	24.89365	65.61419	6.625404	87.92981	maize
98	44	21	25.77175	74.08911	6.524478	107.4932	maize
75	56	18	19,39852	62.35751	5.696205	60.95197	maize
86	55	21	21.54156	53.64024	6.803932	109.7515	maize
98	35	18	23.79746	74.82914	6.252798	91.76337	maize
76	57	18	18.98027	74.52601	6.092726	34.26243	maize
99	56	17	24.10859	73.13112	6.23433	71.07562	maize
60	44	23	24.79471	70.04557	5.72258	76.7286	maize
74	48	17	21.63163	60.27766	6.430616	69.21803	maize
89	60	17	25.37549	57.21026	5.983953	101.7004	maize
69	51	23	22.21738	72.85463	6.801639	106.6213	maize
96	46	22	20.58314	69.00129	6.499936	66.2939	maize
61	60	15	24.87503	68.74248	6.265564	91.26057	maize
74	58	18	20.03728	56.35607	6.727303	109.0241	maize
74	43	23	25.95263	61.89082	6.325235	99,57981	maize


7.2 Result


Streamlit













Firebase





8. TESTING

8.1 Test cases:

Test Case 1 - Testing the soil moisture level identification.

- a) Connecting the sensor to the board and initializing it.
- b) Keeping it for a while without adding water in order to get dry soil (Low level).
- c) Placing the soil moisture sensor and obtaining the value from it.
- d) Preparing a cup of water and placing the soil moisture sensor in it.
- e) Obtaining sensor reading and noting down the value (High level).

Test Case 2 - Testing the relay mechanism.

A. Testing the relay module.

- a) Connecting the relay module to the board and initializing it.
- b) Connecting a 12V battery with the relay module.
- c) Testing the relay module by turning the battery on and off using it.

B. Testing the integrated soil moisture identification mechanisms.

- a) Connecting all the items to the board and initializing them.
- b) Placing dry soil to check whether it is displayed on the website and the soil moisture level will be less.
- c). Placing wet soil to check whether it is displayed in the website and the soil moisture level is high.

Test Case 3 – Testing the plant health identification mechanism.

A. Testing the humidity sensor.

- a) Connecting the humidity sensor to the board and initializing it.
- b) Placing it in a sunny and dry location. Obtain the readings. (Low Humidity)
- c) Placing it in indoors and sprinkling some water to the air. Obtaining the readings. (High Humidity)

B. Testing the temperature sensor.

- a) Connecting the temperature sensor to the board and initializing it.
- b) Placing it in a sunny location for some time and obtaining the readings. (High level)
- c) Placing it in a cool area and obtaining the readings. (Low level)
- d) Determining the temperature level ranges.

9.ARTIFICIAL INTELLIGENCE & DATA SCIENCE

Artificial Intelligence (AI):

AI is like giving brains to machines. It enables them to think, learn, and make decisions, much like humans do.

In a smart irrigation system, AI can analyze factors like weather forecasts, soil moisture levels, and plant water needs to automatically adjust the watering schedule. It's like having a smart assistant that knows exactly when and how much water each plant needs to thrive.

Data Science:

Data science is all about turning raw data into valuable insights. It involves collecting, analyzing, and interpreting data to solve complex problems and make informed decisions.

For plant disease detection, data science uses techniques like image processing and machine learning to analyze images of plants and identify signs of diseases. It's like having a detective that can spot even the tiniest clues of illness in plants and help farmers act before it spreads.

Crop Prediction:

Crop prediction involves forecasting things like yield, growth patterns, and harvest times based on various factors such as weather, soil conditions, and historical data.

AI and data science come together in crop prediction by analyzing vast amounts of data to predict future outcomes. For example, machine learning algorithms can learn from past crop yields and environmental conditions to predict how crops will perform in the future. It's like having a crystal ball that helps farmers make informed decisions about planting, harvesting, and managing their crops.

For our project, which focuses on developing a smart plant care system for farming and gardening, we are employing several algorithms in the field of data science. Specifically, we are utilizing the decision tree algorithm for plant prediction and Convolutional Neural Network (RNN) for disease detection.

Decision Tree Algorithm (Used for Crop Prediction):

Step 1:

Decision tree algorithm for crop price prediction works like a flowchart, where each decision is based on a specific feature of the crop.

Step 2:

It starts with the entire dataset of crop information and splits it into smaller subsets based on the most important feature that helps predict the crop price.

Step 3:

This process continues, creating a tree-like structure where each node represents a decision based on a feature, and each branch represents a possible outcome.

Step 4:

The algorithm keeps splitting the data until it reaches a point where it can confidently predict the crop price based on the input features.

Step 5:

To make a prediction for a specific crop, the algorithm follows the path in the tree, starting from the top and moving down to reach a final predicted price at a leaf node.

Step 6:

The decision tree algorithm is easy to understand and interpret, making it a useful tool for predicting crop prices based on various factors like weather conditions, soil quality, and market demand.

Convolutional Neural Network Algorithm (Used for Disease Detection):

Step 1:

Convolutional Neural Network (CNN) is a type of deep learning algorithm used for image analysis and pattern recognition.

Step 2:

CNN works by breaking down an image into smaller parts called "filters" or "feature maps" and then analyzing these parts to detect patterns and features.

Step 3:

In disease detection, CNN can be trained on a dataset of medical images (like X-rays or MRIs) to learn patterns and features associated with different diseases.

Step 4:

The network consists of layers of neurons that process the image data through convolution, pooling, and activation functions to extract important features.

Step 5:

These features are then passed through fully connected layers to make predictions about the presence or absence of a particular disease in the image.

Step 6:

CNN algorithms are capable of identifying complex patterns and structures in medical images, making them valuable tools for assisting healthcare professionals in diagnosing diseases accurately and efficiently.

10. CONCLUSION

In conclusion, our smart plant care system represents a significant advancement in farming and gardening practices, offering comprehensive solutions for plant management. By analyzing soil moisture and humidity levels, the system accurately predicts and recommends suitable plants for specific environments, empowering users to make informed decisions about their cultivation choices. Additionally, the inclusion of a plant disease monitoring system, capable of analyzing uploaded plant images to predict diseases and provide necessary precautions, enhances the system's utility and ensures the health and productivity of plants. Moreover, the integration of a smart watering system, which autonomously activates and deactivates the water motor based on soil moisture and humidity analysis, not only conserves water but also optimizes plant hydration, fostering sustainable and efficient plant care practices. Overall, our smart plant care system offers a comprehensive and innovative solution to enhance farming and gardening processes, promoting healthier plants and greater yields.

11. FUTURE SCOPE

- 1. The current model utilizes the NodeMCU board. In the future, we can also Use the Arduino boards or Raspberry Pi.
- 2. Presently, all sensors are connected to the NodeMCU board via physical wires. However, in the future, we can replace these connections with Wireless system various such as ZigBee or Bluetooth, connecting the sensors to Arduino boards.
- **3.** We can utilize Arduino boards to link machines in the field, such as tractors. This allows for the monitoring of various parameters like fuel levels and overall machinery condition directly from the Arduino board system.
- **4.** In the current model, only images present in the dataset are analyzed. However, in the future, I will be able to detect plant diseases in real time and provide appropriate treatments and precautions to overcome them.
- **5.** Currently, the model detects plant diseases using photographs. In the future, it will not only identify diseases but also recommend precautions to mitigate them.
- **6.** Image sensors and algorithms can be employed to identify common issues like pesticide presence in the field. This aids in quickly identifying any pesticide contamination.

REFERENCES

- Prachi Chavan, Sunakshi Gaikwad, Shruti Manwar (2023) Smart Plant Monitoring System IEEE
- 2. Vishal Saraswat, Ananth Rama M, Rohit Gandhi, Rajath Raj guru (2021) Smart irrigation system using machine learning IEEE
- 3. Gurleen Kaur Sandhu, Dr. Rajbir Kaur (2021) Plant Disease Detection Techniques IEEE
- 4. Md. Adib Muhtasim, Syeda Ramisa Fariha, Ashique Mohaimin Ornab (2020) Smart Garden Automated and Real Time Plant Watering and Lighting System with Security Features IEEE
- 5. Pareena Jariyayothin, Kachaporn Jeravong-aram , Nattakarn Ratanachaijaroen , Tantidham , Puwadech Intakot (2020) Smart Watering Control System IEEE
- 6. Arno Penders, Johanna Renny Octavia, Michiel Caron, Fay de Haan (2020) A Smart Interactive System for Houseplants Caring IEEE
- 7. V. Rajeswari and K. Arunesh (2019) Analysing Soil Data using Data Mining Classification Techniques IEEE
- 8. M. R. Bendre, R. C. Thool, V. R. Thool (2019) Big Data in Precision Agriculture: Weather Forecasting for Future Farming IEEE
- 9. Konlakorn Wongpatikaseree, Promprasit Kanka† Arunee Ratikan (2019) Developing Smart Farm and Traceability System for Agricultural Products using IoT Technology IEEE
- 10. Rohit Kumar*1, Shubh Sankalp*2, Mayank Dabas*3, Shristy Goswami*4 (2019) IOT BASED SMART PLANT MONITORING SYSTEM IEEE
- 11. Abinaya, V., & Umarani, R. (2019). IoT-based Smart Agriculture Monitoring System. 2019 International Conference on Automation, Computational and Technology Management (ICACTM), 1-5.

- 12. Alsina-Pagès, R. M., Alsina-Pagès, M. R., & Guàrdia-Olmos, J. (2018). Application of IoT to Smart Agriculture. 2018 IEEE International Congress on Internet of Things (ICIOT), 90-93.
- 13. Bormann, C., & Lemay, S. (Eds.). (2015). RFC 7228: Terminology for Constrained-Node Networks. Internet Engineering Task Force (IETF).
- 14. Capra, L., & Luchetta, A. (2018). Smart Agriculture: IoT and Machine Learning for Smart Irrigation and Crop Prediction. 2018 International Conference on Information and Digital Technologies (IDT), 129-134.
- 15. Das, M., Sahu, P. K., & Das, S. (2019). IoT Based Smart Irrigation System for Efficient Use of Water and Enhancing Crop Yield. 2019 5th International Conference on Advanced Computing & Communication Systems (ICACCS), 1129-1133.
- 16. De Oliveira, R. A. C., De Melo Filho, G. A., & De Albuquerque, V. H. C. (2017). IoT-based Monitoring System for Precision Agriculture. 2017 IEEE 3rd International Forum on Research and Technologies for Society and Industry (RTSI), 1-6.
- 17. Eka, N. N., Suryanto, H., & Kusumawati, D. (2017). IoT-Based Smart Agriculture Monitoring and Control System. 2017 3rd International Conference on Science in Information Technology (ICSITech), 70-75.
- 18. Gope, P., Islam, S. H., & Jindal, P. (2018). IoT Based Smart Agriculture using ESP8266. 2018 International Conference on Communication, Computing and Internet of Things (IC3IoT), 1-4.
- 19. Hossain, M. S., & Hasan, M. M. (2019). IoT Based Smart Agriculture: A Review. In Proceedings of the 4th International Conference on Electrical Information and Communication Technology (pp. 1-6). ACM.
- 20. Khan, M. A., Siddiqui, S. A., Khan, I., & Malik, A. W. (2019). IoT Based Smart Agriculture Monitoring and Control System. 2019 IEEE International Conference on Internet of Things, Embedded Systems and Communications (IINTEC), 1-6.
- 21. Mekala, S., & Sreenivasulu, K. (2017). A Smart Agriculture Monitoring System Using IoT. 2017 International Conference on Inventive Communication and Computational Technologies (ICICCT), 354-358.

DYPCOE, Akurdi 80 AI&DS Department

- 22. Mohana, R. S., & Sivasamy, R. (2019). A Review on IoT Based Smart Agriculture System Using Sensors. 2019 International Conference on Electronics, Computing and Communication Technologies (CONECCT), 1-4.
- 23. Sharma, A., & Jha, P. (2018). Smart Agriculture using IoT. 2018 2nd International Conference on Electronics, Communication and Aerospace Technology (ICECA), 848-852.
- 24. Shinde, V. V., & Takale, P. (2018). IoT based Smart Irrigation System. 2018 International Conference on Advances in Computing, Communication Control and Networking (ICACCCN), 191-195.
- 25. Singh, S., & Singh, M. (2019). IoT Based Smart Agriculture System for Environmental Monitoring. 2019 International Conference on Automation, Computational and Technology Management (ICACTM), 1-5.
- 26. Singh, V., & Lal, A. (2019). IoT based Smart Agriculture Monitoring and Controlling System. 2019 International Conference on Computing, Communication, and Intelligent Systems (ICCCIS), 119-123.