Topologia



PC0



PC1


PC1
Physical
Config
Desktop
Programming
Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.3
Pinging 192.168.2.3 with 32 bytes of data:
Reply from 192.168.2.3: bytes=32 time=4ms TTL=128
Reply from 192.168.2.3: bytes=32 time=10ms TTL=128
Reply from 192.168.2.3: bytes=32 time=16ms TTL=128
Reply from 192.168.2.3: bytes=32 time=19ms TTL=128
Ping statistics for 192.168.2.3:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 4ms, Maximum = 19ms, Average = 12ms

PC2


PC2
Physical
Config
Desktop
Programming
Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.4
Pinging 192.168.2.4 with 32 bytes of data:
Reply from 192.168.2.4: bytes=32 time=4ms TTL=128
Reply from 192.168.2.4: bytes=32 time=18ms TTL=128
Reply from 192.168.2.4: bytes=32 time=11ms TTL=128
Reply from 192.168.2.4: bytes=32 time=16ms TTL=128
Ping statistics for 192.168.2.4:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 4ms, Maximum = 18ms, Average = 12ms

PC3


PC3
Physical
Config
Desktop
Programming
Attributes
Command Prompt
Cisco Packet Tracer PC Command Line 1.0
C:\>ping 192.168.2.5
Pinging 192.168.2.5 with 32 bytes of data:
Reply from 192.168.2.5: bytes=32 time<1ms TTL=128
Reply from 192.168.2.5: bytes=32 time=9ms TTL=128
Reply from 192.168.2.5: bytes=32 time=3ms TTL=128
Reply from 192.168.2.5: bytes=32 time=8ms TTL=128
Ping statistics for 192.168.2.5:
Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
Approximate round trip times in milli-seconds:
Minimum = 0ms, Maximum = 9ms, Average = 5ms