

Contents

CBAM Corridor Cost Model — Project Overview for the Team	1
1. What this model answers	1
2. Who owns which input, and how it flows into the model	1
3. The three cost layers, and how they combine	2
4. The join between Gayu’s and Riya’s halves of the study	3
5. What changed most recently (5 August 2026)	4
6. What is real vs. what is still a placeholder	4
7. Errors already found and fixed (worth knowing before you cite a number)	5
8. Headline results (medium price scenario)	5
9. How to run it / where to look	6
10. Open items that still need an owner	7

CBAM Corridor Cost Model — Project Overview for the Team

Written 5 August 2026, for Gayu, Riya and Alex to understand what the integrated model does with the inputs each of you has supplied, so each of you can write the dissertation section you own with an accurate picture of how it fits together.

1. What this model answers

The dissertation compares the delivered cost of shipping **hydrogen** and **ammonia** along two real trade corridors, under two different carbon-regulation regimes:

Corridor	Route	Regime that applies
Halifax → Hamburg	Canada to Germany	EU CBAM, EU ETS Maritime, FuelEU Maritime
Ningbo → Felixstowe	China to UK	UK CBAM (from 2027), UK ETS Maritime. No FuelEU (Felixstowe is outside EU jurisdiction)

The central question: **what does carbon regulation cost per tonne of product on each corridor, and how does that cost compare between hydrogen and ammonia, between production pathways, and between the EU and UK regimes?**

The model is *not* yet a full “delivered cost” model (see §6 — two of six cost terms still have no owner). What it *does* fully answer, end to end, is the **carbon compliance cost per tonne** — CBAM plus maritime ETS plus FuelEU — for every corridor/product/pathway/year/price-scenario combination, and a bounded but real answer to which production pathway is worth switching to on carbon-cost grounds alone (marginal abatement cost).

A methodological point worth stating explicitly if you’re writing the methodology chapter: this is a **deterministic scenario calculator, not an optimisation model**. There is no objective function, no decision variables being solved for, and no search over a solution space. It enumerates a fixed scenario matrix and computes a closed-form cost for each combination. Where it does identify a “best” option (cheapest pathway, cheaper corridor — see §8), that is a ranking over a small enumerated candidate set of routes that actually exist in the literature, not a solver result. Describing it as an optimisation model would overclaim.

2. Who owns which input, and how it flows into the model

The model is built from three “layers” that plug into three data tables, one per teammate:

Riya (Student 1) --> emissions_table.csv --> CBAM layer (cbam.py)
 Gayu (Student 2) --> corridor_logistics.csv --> Maritime layer (ets_maritime.py, fueleu.py)
 Samir (Student 3) --> regulatory_constants.py, the model code, the join, the analysis
 Riya (partial) --> commercial_inputs.csv --> Delivered-cost layer (still blocked)
 Alex (Student 4) --> origin carbon price research (Canada, feeds regulatory_constants.py)

Riya → embedded emissions. For every corridor/product/pathway combination, the tCO₂e emitted per tonne of product produced. Four production pathways are modelled per product where the literature supports them: `green_electrolysis`, `grey_smr` (or `coal_gasification` on the China side), `blue_smr_ccs` (or `blue_ccs`), and `cbam_default` — the IR 2025/2621 regulatory default value the EU/UK impose when a declarant doesn't supply verified actual data. Riya's 4 August 2026 delivery also added real, literature-sourced **production cost** per pathway (the largest single term in a delivered cost), converted from USD to EUR at a fixed ECB reference rate.

Gayu → maritime voyage data. Distance, vessel specification, fuel burn, and the resulting voyage CO₂ (and now CO₂e — see §5) for each corridor, at three speed scenarios and (for Ningbo-Felixstowe) two routes (Suez vs. the Cape of Good Hope diversion). Also delivered the **cargo tonnage per voyage** (§4), which is the number that lets the model convert her per-voyage maritime costs into the per-tonne unit CBAM works in.

Alex → origin carbon price for Canada. Under EU CBAM Article 9, an importer can deduct any carbon price already effectively paid in the country of origin. Alex sourced and corrected Canada's federal industrial (OBPS) carbon price schedule on 5 August 2026 (see §7 for the correction that was needed).

Samir → everything that turns those two/three tables into a cost. The regulatory formulas (CBAM, ETS, FuelEU), the constants each formula depends on (all sourced from primary legislation, see `regulatory_constants.py`), the join between the maritime and CBAM layers, the validation that rejects malformed inputs before they reach the model, and the analysis/sensitivity/plotting layer that turns model output into results-chapter material.

3. The three cost layers, and how they combine

Layer 1 — CBAM (the border carbon tax)

A tax/certificate liability charged **per tonne of product**, based on its embedded emissions, when it crosses into the EU or UK.

EU CBAM:

```
emissions_used = embedded_emissions * (1 + markup(year)) [only if using a regulatory-default value]
EU CBAM cost/t = max(0, emissions_used * cbam_factor(year) * (cert_price - origin_carbon_price))
```

- `cbam_factor(year)` is the EU's certificate-surrender phase-in: **2.5% in 2026, rising to 100% by 2034**. (Note: this is *not* the free-allocation share, which is the inverse — confusing the two has inverted the whole result twice already in this project, hence the loud warning comment in the code.)
- `markup(year)` — 10%/20%/30% (2026/2027/2028+) — penalises using the regulatory default instead of a verified actual emissions figure. It applies **only** to the `cbam_default` pathway row, never to a literature pathway (this was a real bug, fixed 29 July — see §7).
- The origin carbon price is credited **1-for-1 against the liability**, scaled by the same emissions and factor as the obligation itself, and floors at zero (also a fixed bug — the original spec had a units error here, see §7).

UK CBAM (from 2027 only — Ningbo-Felixstowe carries zero CBAM liability in 2026):

```
UK CBAM cost/t = embedded_emissions * rate_fraction * (UK_carbon_price - origin_carbon_price)
rate_fraction = 1 - (baseline_free_allocation% * Article_16(14)_factor)
```

The UK scheme is structurally different from the EU's: it's a flat tax, not a certificate-surrender system, and there's no smooth phase-in curve — **rate_fraction** rises from **15.7% of the UK ETS price in 2027 to 33.0% by 2030**, derived from a real UK installation's (Teesside Hydrogen Plant) historical free-allocation performance

under the retained EU ETS and the UK ETS. This was the single hardest regulatory fact in the whole model to resolve (§7).

Layer 2 — Maritime (the ship’s own voyage emissions, priced per voyage)

This is entirely Gayu’s domain, translated into cost. The asymmetry between the two maritime regimes is **one of the study’s central findings**:

- **EU ETS** charges **50%** of an extra-EEA voyage’s emissions (Halifax-Hamburg is extra-EEA) plus 100% of in-port emissions (currently disabled by default so results match Gayu’s published figures exactly).
- **UK ETS** charges **0%** of the international ocean leg and **100%** of time spent in a UK port. For Ningbo-Felixstowe, that means the entire multi-week ocean crossing contributes nothing to UK ETS cost — only the Felixstowe berth call does. This was re-verified against 7 independent sources after two earlier drafts of this project got it wrong by assuming EU-equivalent coverage.
- **FuelEU** (EU corridor only) is a pass/fail fuel-intensity penalty, not a smooth emissions charge: if the vessel’s actual well-to-wake GHG intensity is above a yearly-tightening target, it pays €2,400 per tonne of VLSFO-equivalent deficit. Felixstowe is outside EU jurisdiction, so Ningbo-Felixstowe carries **no FuelEU cost at all** — a real cost difference between the corridors, not a modelling gap.

Underneath all three: daily fuel burn is fixed by engine power $\times$ load $\times$ SFOC (does **not** vary with speed — a stated simplification, not a real ship’s fuel curve); voyage days = distance $\div$ speed; voyage fuel = days $\times$ daily fuel; voyage CO₂ = fuel $\times$ VLSFO carbon factor (3.151 tCO₂/t, from IMO MEPC 82/6/38).

Layer 3 — Marginal abatement cost (a separate question, not a border charge)

What does it cost to avoid one tonne of CO₂ by switching from the dirtiest literature pathway to a cleaner one, compared against that corridor’s own carbon price?

$$\text{MAC} = (\text{production_cost_alt} - \text{production_cost_ref}) / (\text{emissions_ref} - \text{emissions_alt})$$

This is the one delivered-cost-style question the model can answer **exactly** despite conversion and shipping cost being unsourced, because both terms are pathway-invariant and cancel out of the comparison. Verdicts are reported as **justified** / **marginal** / **not justified** (a 10%-band “too close to call” middle state was added deliberately — see §7, the China green ammonia case is a real example of why this matters).

The join

$$\text{Total compliance cost/t} = \text{CBAM cost/t} + (\text{EU ETS} + \text{FuelEU} + \text{UK ETS, per voyage}) / \text{cargo_tonnes}$$

Only one regime’s maritime terms are ever non-zero for a given corridor. EUR and GBP are **never converted or combined** in a result — this is a deliberate modelling choice that runs through the entire codebase (see §4).

4. The join between Gayu’s and Riya’s halves of the study

Gayu’s maritime costs are per **voyage**. CBAM liability is per **tonne of product**. Nothing in either original brief specified how many tonnes a voyage actually carries — this was a real gap, closed on 25 July when Gayu delivered her cargo-capacity notebook.

An 84,000 m³ carrier (the same peer-reviewed vessel class used for speed and port time) at the IMO’s 98% filling limit gives 82,320 m³ usable, which is:

- **56,142 t of ammonia** (density 682 kg/m³, NIH PubChem)
- **5,828 t of liquid hydrogen** (density 70.8 kg/m³, peer-reviewed corroboration)
- a ratio of **9.6 : 1**

This ratio is not a footnote — it drives the hydrogen-vs-ammonia comparison on its own: every tonne of hydrogen absorbs 9.6 $\times$ more of a voyage’s carbon cost than a tonne of ammonia does, purely from cargo density, before any pathway or regulatory difference is even considered.

Important caveat to carry into any write-up that uses the hydrogen figures: the 84,000 m³ vessel is an ammonia carrier (operates at -33°C). It cannot physically hold liquid hydrogen, which needs -253°C cryogenic containment — the largest liquid hydrogen carrier ever built is 1,250 m³, and 40,000 m³ designs are still in development. Applying the ammonia carrier’s geometry to hydrogen is a **deliberate counterfactual** to isolate the effect of cargo density alone, not a real shipping option today. Boil-off losses for liquid hydrogen are not modelled. Label this explicitly wherever hydrogen per-tonne figures appear.

5. What changed most recently (5 August 2026)

Two independent deliveries landed the same day and are both folded into the model:

1. **Gayu’s maritime CO2e update.** From 1 Jan 2026, EU ETS maritime scope expanded beyond CO2 to also cover CH4 and N2O on a CO2-equivalent basis (UK ETS mirrors this from 1 July 2026 with identical factors). This moves the two headline maritime carbon costs up slightly (EU ETS Halifax-Hamburg mid-price: €43,208 → **€43,880**; UK ETS Ningbo-Felixstowe official price: £2,891 → **£2,936**). Distances, engine assumptions, and the FuelEU penalty are unaffected.
2. **Alex’s Canada origin carbon price correction.** The figure used through 4 August (CAD 110/tCO2e flat) was an extrapolation from a superseded December 2020 policy document, never checked against a primary source. The real, currently-published path (after Bill C-4 permanently repealed the *consumer* carbon charge but left the *industrial* system in place) is **CAD 95 (2026) → 100 (2027-29) → 115 (2030)** — a materially lower and flatter schedule than the old figure implied, and now year-varying rather than flat throughout the whole 2026-2030 run.
3. **A second Canada hydrogen production-cost cross-check** (Ayub et al. 2024), added by Riya as a robustness check, not a primary input — see §6.

6. What is real vs. what is still a placeholder

This matters a lot for how confidently each of you can state results in your section.

Table	Status
<code>emissions_table.csv</code>	Real. Riya, both products, both corridors, literature + IR 2025/2621 defaults.
<code>corridor_logistics.csv</code>	Real. Generated directly from Gayu’s notebooks, pinned by 31 automated reproduction checks.
<code>commercial_inputs.csv</code> — production cost	Real as of 4 Aug 2026 (Riya).
<code>commercial_inputs.csv</code> — conversion & shipping cost	Still placeholder, no owner assigned. This is the main open gap.

Because two of six delivered-cost terms (conversion, shipping) are still unsourced, `run_delivered_cost()` in the code deliberately **raises an error** rather than silently returning a wrong number. What *does* run end to end without any placeholder involved is `run_compliance_matrix()` — the carbon-regulation cost per tonne (CBAM + maritime), which is the dissertation’s actual headline metric. The marginal abatement cost (Layer 3) also runs cleanly despite the gap, because those two missing terms cancel out of a pathway-to-pathway comparison.

The directory is still called `data/placeholder/` for historical reasons even though most of what it now holds is real, sourced data — worth knowing before assuming “placeholder” means “fake” when reading the code.

7. Errors already found and fixed (worth knowing before you cite a number)

Several genuine bugs and regulatory misreadings were caught during development. All are fixed and each is now covered by an automated test so it can't silently reappear — but they're worth knowing about because early/cached numbers or intuitions from before the fixes are wrong.

1. **Halifax-Hamburg distance was overstated by more than 2×** in the original build spec (~6,300 nm vs. the actual SeaRoute figure of 2,962 nm), which would have overstated that corridor's entire voyage emissions by the same factor.
2. **The origin-carbon-price deduction had a units error** — the spec subtracted a EUR-per-tonne *price* from a EUR *total*, which could even flip a positive liability negative. Fixed to scale the deduction by the same emissions and CBAM factor as the liability itself.
3. **The FuelEU penalty formula was missing a divisor**, overstating the penalty by roughly 90×. Re-derived from Annex IV Part B before implementing.
4. **The default-value markup (10/20/30%) was applied to every emissions row**, not just the `cbam_default` pathway rows it's legally meant to penalise — found and fixed 29 July 2026. This changed literature-pathway EU CBAM figures by the markup percentage (9% too high in 2026, growing toward 30% too high by 2028+). UK CBAM figures were never affected by this bug.
5. **UK ETS maritime scope was assumed to mirror the EU's 50% international-voyage coverage** in two earlier drafts. It doesn't — the UK charges 0% of the international leg. Re-verified against 7 independent sources before finalising.
6. **The Canada origin carbon price was a stale, superseded extrapolation (§5).**
7. **A bare justified/not justified boolean would have hidden a 1%-margin call.** China green ammonia's abatement cost sits within 1% of the UK carbon price in 2030 — a genuine coin-flip given how the underlying cost gap is sourced, not a clean pass/fail. A three-state verdict (`justified/marginal/not justified`) was added so this can't be reported as more confident than it is.

There is also one **known, currently unresolved modelling simplification** worth flagging for the discussion chapter: the EU CBAM obligation in the model uses `chargeable = embedded × CBAM_factor`, but Regulation (EU) 2023/956 Article 31 actually requires `max(0, embedded - benchmark × (1 - CBAM_factor))` — i.e. the obligation should be adjusted against a product benchmark, not just scaled by the phase-in factor. The two formulas only agree in 2034. Reproducing a published external result (Ramsook et al. 2025, Trinidad & Tobago ammonia) confirms the benchmark form is the legally correct one — the code currently understates that paper's published CBAM burden by roughly a third under the simpler form. Switching is blocked on reading out the Commission's revised 2026-2030 product benchmarks (adopted 29 June 2026, not yet transcribed into the model). Both formulas are implemented side by side in `validation/reference_case.py` so the size of the effect is already visible, even though the headline model hasn't switched over.

8. Headline results (medium price scenario)

2026, hydrogen: Halifax-Hamburg's primary scenario (CBAM-default anchor) pays **€15.97/t** in total carbon compliance cost. Ningbo-Felixstowe pays **£0.50/t** — over 30× less, because UK CBAM hasn't started yet and UK ETS doesn't price the ocean leg at all in 2026.

2030, hydrogen, with UK CBAM running at its real legislated rate (33.0% of the UK ETS price): Ningbo-Felixstowe's primary scenario reaches **£434.41/t**, against **€389.90/t** for Halifax-Hamburg. By 2030, CBAM dominates the total cost on both corridors and the maritime terms become close to irrelevant.

The corridor ordering flips in 2027, not 2030. Ningbo-Felixstowe is cheaper in 2026 *only* because UK CBAM doesn't exist yet; it starts in 2027 and the ordering reverses immediately. From there the gap **narrows** each year as the EU's CBAM factor ramps (hydrogen: £181/t in 2027 down to £102/t by 2030). So the correct characterisation is one sharp flip in 2027 followed by convergence — not a gradual UK overtake completing in 2030. If you're writing the discussion chapter, this is the shape to describe.

IMPORTANT — if you have an earlier copy of this document or the README, the Halifax-Hamburg figures changed. They previously read €13.07 (2026) and €411.00 (2030). Those predate the 5 August Canada origin carbon price correction and Gayu's CO2e update. Do not

cite them. Ningbo-Felixstowe’s figures are unaffected — Canada’s origin price is an EU-side Article 9 deduction, and China’s is zero either way. The 2026 figure went *up* and the 2030 figure went *down* for the same reason: the corrected Canada price path is lower than the old flat CAD 110 in 2026 (less deducted, so CBAM costs more) and higher by 2030 (more deducted, so CBAM costs less).

In every year and both corridors, the CBAM-default anchor sits **above** the literature “high” bracket — a direct consequence of the regulation’s deliberate conservative mark-up design (it’s meant to penalise not using verified data), not a modelling artefact.

Does carbon pricing actually change what a producer would choose? (added 5 Aug)

Four new analyses answer the “so what should they do” question rather than just reporting cost. The headline answer is **no, not at these carbon prices**:

At 2030 medium prices, the **dirtiest pathway is still the cheapest** on every corridor and every product, and that holds under the low, medium *and* high carbon price scenarios. The recommendation doesn’t flip — which means it isn’t a restatement of the price assumption, it’s a finding.

The reason is a straightforward magnitude comparison. CBAM does penalise the dirty route, but nowhere near enough to close the production cost gap:

Corridor	Product	Green production premium	CBAM advantage to green	Share of gap closed
Halifax-Hamburg	hydrogen	€2,993/t	€233/t	7.8%
Halifax-Hamburg	ammonia	€481/t	€41/t	8.5%
Ningbo-Felixstowe	hydrogen	€4,235/t	€339/t	8.0%
Ningbo-Felixstowe	ammonia	€306/t	€102/t	33.3%

Three of the four sit near 8%. The outlier is **Chinese ammonia at 33%** — and that is exactly why China green ammonia is the one pathway in the whole study whose abatement verdict comes out **marginal** rather than **not justified**. The two results are the same fact seen from two directions, which is a useful consistency check on both.

For the discussion chapter: this is arguably the study’s most policy-relevant finding. CBAM at its legislated 2030 rates does not make green hydrogen or ammonia commercially competitive on either corridor. It closes roughly a twelfth of the gap. Note the honest caveat though — this rests on production cost figures where green hydrogen has a $2.6\times$ spread across three sources (see §7 and the Ayub cross-check), so the *direction* is solid but the precise percentage is not.

9. How to run it / where to look

- `run_model.ipynb` — the entry point, produces every output end to end.
- `dashboard.py` (Streamlit) — interactive scenario explorer over the same tested model, for exploring corridor/product/pathway/year/price combinations without touching code. Placeholder inputs and policy-uncertain what-ifs (e.g. UK CBAM phase-in overrides) are explicitly labelled in the UI rather than presented as forecasts.
- `tests/test_model.py` — 168 tests, including 31 that pin Gayu’s published maritime figures exactly so any future drift shows up as a test failure, not a silent divergence.

Output CSVs in `cbam_model/outputs/`. The five added 5 August 2026 for the choice and timing questions:

File	What it answers
<code>pathway_cost_ranking.csv</code>	Which production pathway is cheapest, per corridor/product

File	What it answers
<code>pathway_choice_price_robustness.csv</code>	Does that answer survive the low/medium/high price scenarios?
<code>corridor_cost_comparison.csv</code>	Both corridors side by side, per year, in one currency
<code>corridor_crossover_year.csv</code>	The year the cheaper corridor flips (2027)
<code>abatement_breakeven_year.csv</code>	The year a pathway switch starts paying for itself

Two caveats to read before quoting any of these. **pathway_cost_ranking is not a delivered cost** — it’s production cost plus CBAM only, because conversion, shipping and maritime cost are all pathway-invariant and therefore cancel out of the *ranking* even though they’d be needed for an absolute figure. That cancellation holds only while conversion and shipping stay pathway-invariant, which is a property of how they’re currently populated, not a law of nature. **abatement_breakeven_year has a carbon_price_varies_by_year column that must be read** — it’s **False** on the UK corridor because the UK ETS price is frozen (only 2026 was ever sourced), so a UK row reporting no breakeven year is an artefact of that assumption, *not* evidence that switching never pays there. - `docs/cost_model_formulas.md` — the complete formula reference, one layer at a time, with a direct link from every formula to the function that implements it. - `README.md` — the fullest narrative account of the project, including every correction and open item in more detail than this summary. - `cbam_model/data/README.md` — the data contract for each of the three input tables: exact columns, units, and what’s enforced automatically.

10. Open items that still need an owner

1. **Conversion and shipping cost per tonne** — no owner assigned. This is what blocks a true delivered-cost figure (as opposed to the compliance-cost figure, which is unblocked and complete).
2. **UK ETS price held flat 2026-2030** — only the 2026 figure was ever sourced from a primary source; a labelled EU-UK linkage scenario exists as an alternative but isn’t the baseline.
3. **The EU CBAM benchmark-adjustment question (§7)** — needs the Commission’s revised 2026-2030 benchmarks read out before the model can switch to the legally correct functional form.
4. **Two production-cost gaps still span separate studies** (Canada hydrogen, China ammonia) rather than one internally-consistent source each. Every finding that depends on these has already been re-run against an independent IEA cost sourcing as a robustness check, and every verdict holds its sign under both — but this should still be stated as a limitation, not silently smoothed over.