



# Anzeige



Optokoppler

HCPL 263L / 063L




15 kBd/s

4,14 Mouser

I<sup>2</sup>C  
400 kHz

Bus-Controller

P82396



2,70 Reichelt SO  
3,34 Mouser DP

S<sub>x</sub> ≈ SA } I<sup>2</sup>C-Bus 5V

S<sub>y</sub> ≈ SL

R<sub>x</sub>, R<sub>y</sub> } bis 12V  
T<sub>x</sub>, T<sub>y</sub> }

HCPL 2630H  
2631H

10 kBd/s

2,64 Mouser

HCPL 2530H  
2531H

1 kBd/s

1,73 Mouser


TLP 2662  
2662F

10 kBd/s

1,80 Mouser

ADuM 1250  
SO


PCA 9517



5V

5V

1,13 Mouser



5V      5V

1 kBd/s

1,30 Amazon

## Starter

| Vorrt |             |
|-------|-------------|
| Amp.  | Verbrauch   |
| Amp.  | Laden Land  |
| Amp.  | Laden solar |
| Amp.  | Laden Wind  |
| Amp.  | Laden Motor |

## Licht

| Vorrt |           |
|-------|-----------|
| LA    | Verbr     |
| A     | Land      |
| A     | Solar     |
| A     | Wind      |
| A     | Kolor     |
| A     | Anker     |
| A     | Autopilot |

Bilgenalarm

Tief | Hoch

