

http

h → hyper

t → text

t → transfer


p → protocol

HTML



it is responsible for web communication between web server and client.

it is based on application layer.

it is based on client server architecture




Postal network




analysis

- increase no. of servers.
- increase the capability of your system.




capability: 100 request/hr



capability: 1000 request/hr


Jio cinema



10000 user
1 crore user

• http is a stateless protocol.

when you click on a link you navigate to other page.




Home → product → men/women . . .
independent.

each request is independent with each other and does not remember any previous request.

(eg: Home → product → men/women . . .
independent.

amazon

(user id)



• first it's verify the user

request { cookies }
↓
session id

db check that the cookies and match the session id.

if it is correct then it's send the response otherwise if it is expired then you have to relogin.

flipkart / amazon → it's create long session

etc → it's create small session


cookies maintain the state

it is connectionless



after getting response server closed the connection
request response cycle. is independent.

request:



when we request everytime we send
url to the server

URL (uniform request locator)

https://flipkart.com/

http / https

↓
it is secured
encrypted form

* domain name / ip address

* port number optional

* Path

* request methods

1) GET → it is used to fetch the
data from server.
it does not modify.

2) POST : it is used to send data
to the server.

sign up → user detail

3) **PUT** :- it is used to update or replace the resource on the server.

profile picture, dob

4) **DELETE** :- it is used to remove data from the server.

searching a product on amazon.


get / post

if has a limit to fetch data

server provides limited data in get method

we use post method because of limitation.

break till 10:22



Page not found 404
server error

response
response (codes)

status/response code → it signifies the outcome of the request.

• 1xx codes

100


101

102

⋮

⋮

102 → it indicates that your request is processing



it is time taken process.

• 2xx codes

200

201

⋮

⋮

it indicates that request is successful.
received.

• 3xx {
300
301
⋮
} redirected

old url →
301 → permanently moved to a new location

• 4xx :- client error

- if there is an client error it shows this type of code
- request cannot be fulfilled.

404 → it is not found

• 5xx → server error

500 → internal server error.

501
⋮
503
⋮
⋮

