
KUB U-Net Baseline Validation Deterministic Predictions Panel

14d07b995aba3f2559d9a474c586495c
Bladder_Stone | ROI_CROP
Dice 0.000000 | IoU 0.000000

Image (ROI_CROP) | GT Mask (Bladder_Stone) | Probability Map | Overlay | Dice: 0.0000




15c6b69254f60701d181da403d8c2906
Bladder_Stone | FULL_FIELD
Dice 0.714286 | IoU 0.555556

Image (FULL_FIELD) | GT Mask (Bladder_Stone) | Probability Map | Overlay | Dice: 0.7143




692a2b7bb79dcd6d92552d53efe32031
Kidney_Stone | ROI_CROP
Dice 0.823164 | IoU 0.699472

Image (ROI_CROP) | GT Mask (Kidney_Stone) | Probability Map | Overlay | Dice: 0.8232



608acc38d4a151803e72f2f033ade67e
Bladder_Stone | FULL_FIELD
Dice 0.874494 | IoU 0.776978

Image (FULL_FIELD) | GT Mask (Bladder_Stone) | Probability Map | Overlay | Dice: 0.8745



32ad57d52f8e35a81f534efc2e2358db
Ureteric_Stone | ROI_CROP
Dice 0.942983 | IoU 0.892117

Image (ROI_CROP) | GT Mask (Ureteric_Stone) | Probability Map | Overlay | Dice: 0.9430

