Deconstructing the Instagram Algorithm: A Multi-Disciplinary Analysis of its Technical Architecture, Psychological Mechanisms, and Societal Impact

Author: Technical Analyst & Researcher, Advanced Systems Group
Institution: The Digital Futures Institute
Date: October 26, 2025
Course/Seminar: CS-485: Socio-Technical Systems and Algorithmic Governance

Abstract / Introduction

Instagram, a subsidiary of Meta Platforms, Inc., represents more than a simple photo-sharing application; it is one of the most sophisticated and influential socio-technical systems in modern society. At its core is a complex recommendation engine that curates a unique, personalized reality for each of its billions of users. This report provides a comprehensive deconstruction of this engine, moving beyond the colloquial term "the algorithm" to reveal a multi-layered ecosystem of artificial intelligence (AI) systems, vast technical infrastructure, and deeply embedded psychological principles.[1]

The central thesis of this analysis is that Instagram's algorithmic architecture is not a monolithic entity but a dynamic portfolio of over a thousand distinct machine learning (ML) models designed to achieve a singular, overarching objective: the maximization of user engagement.[3] This objective is pursued through a highly optimized, multi-stage ranking funnel that processes petabytes of data daily to predict and shape user behavior. The system is further nuanced by the deployment of surface-specific AI, where distinct algorithms govern the content displayed in the Feed, Stories, Reels, and the Explore page, each tailored to fulfill a different user need and business goal—from fostering intimate connections to driving viral discovery.[4]

This report will systematically dissect this entire process. It begins by tracing the journey of a single piece of content, from the moment a user initiates an upload, through Meta's global data center infrastructure and Content Delivery Networks (CDNs), to its processing and storage. It then delves into the logical architecture of the ranking funnel, explaining the roles of candidate generation, multi-stage ranking, and the specific ML models employed, such as Two Tower Neural Networks and Multi-Task Multi-Label (MTML) models.[7]

Following the technical deconstruction, the analysis shifts to the data that fuels these systems, defining the concept of "signals" and detailing how thousands of data points on user activity, content characteristics, and inferred relationships are used to build a probabilistic model of each user's preferences and future actions.[6] Finally, the report provides a critical examination of the profound psychological and societal implications of this system. It explores how principles like variable reward schedules and social validation loops are engineered into the platform to create habit-forming, and potentially addictive, experiences.[10] It concludes with an analysis of the significant ethical challenges posed by Instagram's model, including concerns over data privacy, user consent, mental well-being, and the creation of ideological echo chambers.[12] Through this multi-disciplinary lens, the report aims to provide a holistic and nuanced understanding of one of the most powerful algorithmic forces shaping contemporary digital life.

Report Objectives

This report is designed to provide a comprehensive, expert-level analysis of the Instagram algorithm for an academic audience. The primary objectives are as follows:

1. **Technical Deconstruction:** To provide a complete, step-by-step explanation of the entire content processing and delivery pipeline. This includes detailing the journey of a media payload from client-side upload, through server-side ingestion and storage in Meta's global infrastructure, to its final ranking and delivery to a user's device.
2. **Algorithmic Elucidation:** To define and categorize the specific data signals that Instagram's AI systems collect and process. The objective is to analyze how these thousands of signals are weighted and interpreted by different, surface-specific algorithms to generate the highly personalized content feeds experienced by users.[1]
3. **Psychological Analysis:** To investigate and explain the core psychological principles that are embedded within the algorithm's design and user interface. This involves examining mechanisms such as variable reward schedules, social validation loops, and social proof, and analyzing how they are leveraged to predict user desires, maximize engagement, and foster habitual use.[10]
4. **Ethical and Societal Critique:** To critically examine the significant dangers and complex

ethical dilemmas posed by Instagram's data-driven business model. This objective covers a critical analysis of issues related to data privacy, informed consent, the mental well-being of users, the formation of filter bubbles and echo chambers, and the mechanics of its targeted advertising system.[12]

5. **Practical Demonstration:** To demystify a core algorithmic concept by illustrating its fundamental principles through a practical, commented Python code sample. The specific goal is to demonstrate a basic implementation of a collaborative filtering recommendation system, providing a tangible link between theoretical concepts and their application.[18]

The Instagram Recommendation Engine: Architecture and Implementation

The seamless experience of scrolling through an Instagram feed belies an immensely complex and globally distributed technical infrastructure. This system is engineered to ingest, process, store, and deliver exabytes of data with minimal latency and maximum reliability. Understanding this physical and logical architecture is the first step in deconstructing the platform's algorithmic power. It reveals a system designed for planetary scale, where every component is optimized for efficiency, speed, and, ultimately, the capacity to collect and act upon user data in real-time.

The Content Journey: From Upload Payload to Global Delivery

The life cycle of an Instagram post begins the moment a user taps the "Share" button and ends when it is rendered on the screens of millions of other users across the globe. This journey involves a sophisticated interplay of client-side packaging, a distributed microservices architecture, massive-scale storage solutions, and a global content delivery network.

The Upload Process and Server-Side Ingestion

When a user uploads a photo or video, the client application on their device packages the media file along with its associated metadata—caption text, user tags, location data,

hashtags, and the user's unique ID—into a single digital payload. This payload is then transmitted via an Application Programming Interface (API) call, typically a POST /media request, to Instagram's backend servers.[19]

This request does not go to a single, monolithic server. Instead, it first encounters a series of network entry points, including a Gateway Service and an Anti-DDoS layer, which provide security and filter malicious traffic.[20] From there, a Load Balancer intelligently distributes the incoming request across a vast network of application servers. This distribution prevents any single server from becoming a bottleneck and is a foundational element of the system's high availability.[20]

The application server then initiates a critical architectural process: the decoupling of media and metadata. The large, binary media file (a photo or video, which can be many megabytes in size) is handed off to a dedicated Asset Service. This service is responsible for routing the file to a highly scalable and durable object storage system.[20] While Instagram leverages commercial cloud solutions like Amazon S3, it also operates its own private data warehouses built on technologies like Ceph for this purpose.[19] Object storage is ideal for these large, "write-once, read-many" files, as it is cost-effective and provides the necessary redundancy to ensure that user-uploaded content is never lost, a key non-functional requirement of the system.[19]

Simultaneously, the much smaller, structured metadata associated with the post is sent to a separate storage system. This system is optimized not for large file storage but for high-throughput, low-latency read and write operations, as this data (likes, comments, user relationships) is constantly being accessed and updated to generate user feeds.[20] This architectural separation is fundamental to the platform's scalability. It allows the media storage infrastructure, which handles petabytes of new data daily, to scale independently of the high-performance databases that power the core application logic and the recommendation engine. As video resolutions increase and file sizes grow, Meta can expand its object storage capacity without impacting the speed and responsiveness of the metadata-driven parts of the application.

Meta's Global Infrastructure and Content Delivery

The physical home for this data is Meta's global fleet of data centers. These massive facilities are strategically located across North America, Europe, and Asia to serve a worldwide user base.[21] These are not merely server farms; they are highly optimized ecosystems designed for extreme energy efficiency and are increasingly powered by renewable energy sources as part of Meta's sustainability initiatives.[21] Furthermore, Meta is investing heavily in developing its own custom hardware tailored to its unique workloads. This includes specialized silicon like

the Meta Scalable Video Processor (MSVP) for efficient video transcoding and the Meta Training and Inference Accelerator (MTIA) for running its AI models.[23] This vertical integration of hardware and software allows for performance optimizations that are impossible with off-the-shelf components, giving Meta a significant competitive advantage in the efficiency and power of its recommendation systems.

However, storing content in a data center, even one on the same continent as a user, is not sufficient to provide the instantaneous loading experience that users expect. The final and most critical step in the delivery process is the use of a Content Delivery Network (CDN). Instagram leverages a massive, globally distributed CDN (identifiable by domains such as cdninstagram.com) to cache content at the "edge" of the network, physically close to end users.[24]

When a user in London scrolls their feed, the app does not request a video file from a data center in Oregon. Instead, it requests it from a CDN edge server located in or near London. This server stores a cached copy of popular content. This process dramatically reduces latency—the delay between a request and the start of a response—which is the single most important factor in user experience for media-rich applications.[26] By minimizing the physical distance data must travel, the CDN ensures that videos start playing almost instantly, which in turn generates positive engagement signals that are fed back into the very algorithm that ranked the content in the first place.[26] The CDN, therefore, is not just a delivery mechanism; it is an integral part of the engagement loop that the entire platform is built upon.

The Ranking Funnel: A Multi-Stage Filtration System

Once content is stored and ready for delivery, the central challenge for Instagram is to decide which of the billions of available posts should be shown to a specific user at a specific moment. To solve this problem at scale, Instagram employs a multi-stage ranking architecture, often referred to as a "ranking funnel".[3] This system is not a single algorithm but a cascade of multiple layers of machine learning models, with over 1,000 distinct models operating across the platform.[3] The funnel is designed to efficiently and progressively filter an enormous pool of content down to the few hundred posts that will ultimately appear in a user's feed, with each stage employing a more computationally intensive—and therefore more accurate—model on a smaller set of candidates.[7]

This multi-stage approach is not merely a technical choice but an economic necessity. Executing the most complex and precise AI models on billions of content items for every user in real-time would be computationally and financially prohibitive. The funnel architecture represents a sophisticated cost-optimization strategy. It uses the cheapest and fastest models to perform the broadest culls at the top of the funnel, reserving the most powerful

and expensive models for the final, small set of candidates where the return on investment, measured in predictive accuracy and user engagement, is highest. This design reveals a direct link between algorithmic architecture and the financial realities of operating a platform at Meta's scale.

Stage 1: Retrieval (Candidate Generation)

The first stage of the funnel is Retrieval, also known as Candidate Generation. Its goal is to drastically narrow the universe of all available content—billions of photos, videos, and Reels—down to a manageable subset of several thousand potential items that might be relevant to a particular user.[7]

This initial filtering is accomplished using a combination of simple heuristics and highly efficient, lightweight machine learning models. Heuristics might include sourcing all content from accounts the user explicitly follows, posts that are currently trending globally or locally, or content related to topics the user has shown an interest in.[8]

The key technology powering the ML-based retrieval is the **Two Tower Neural Network**. This model architecture is exceptionally well-suited for large-scale recommendation systems. It works by creating two separate neural networks, or "towers." One tower ingests a wide range of features about the user (their past interactions, demographic information, device type, etc.) and outputs a compact numerical representation of that user, known as a "user embedding vector." The second tower does the same for every piece of content, ingesting its features (caption text, visual elements, author information, etc.) to produce a "content embedding vector".[7] These embeddings place users and content into a shared multi-dimensional space where proximity indicates similarity of interest. The retrieval task then becomes a highly efficient similarity search: finding the content embeddings that are mathematically closest to the user's embedding.[7] A crucial advantage of the Two Tower approach is that these embedding vectors can be pre-computed during off-peak hours and stored in a cache. When a user opens the app, the system can perform this massive candidate generation step almost instantaneously by comparing the user's cached embedding against billions of pre-computed content embeddings.[7]

Stage 2: First-Pass Ranking (Early-Stage Ranking - ESR)

After the Retrieval stage has produced a list of several thousand candidates, the First-Pass Ranking stage (or ESR) applies a slightly more complex model to further refine this list. The

goal here is to reduce the pool from thousands down to a few hundred of the most promising items—approximately 500 for the main Feed or around 100 for discovery surfaces like Explore and Reels.[8]

Interestingly, Meta's engineering teams often use another Two Tower model at this stage, but with a different and more sophisticated learning objective. Instead of just predicting general relevance, this model is trained to predict the score that the *next*, much heavier ranking model will assign to a piece of content.[7] It essentially acts as a fast and computationally cheap proxy for the more powerful model in the next stage. By quickly estimating which candidates are likely to be ranked highly by the final model, the system can confidently discard the rest, saving significant computational resources.[7]

Stage 3: Second-Pass Ranking (Late-Stage Ranking - LSR)

This is the heart of the personalization engine, where the most powerful and computationally expensive models are brought to bear on the filtered set of 100-500 candidates.[3] The goal of this stage is to produce a precise, final score for each item, representing its predicted value to the user.

The primary technology used here is a **Multi-Task Multi-Label (MTML) neural network**.[3] This model is significantly larger and more complex than the Two Tower models used in earlier stages. Its power lies in its ability to simultaneously predict the probabilities of many different user actions for each candidate post. This is the "multi-task" aspect. These tasks correspond to the various ways a user can engage with content, such as liking, commenting, sharing, saving, spending more than a few seconds viewing, clicking on the author's profile, or even negative actions like hiding the post or reporting it.[7] Each of these potential outcomes is a "label," making the model "multi-label."

The output of the MTML model is not a single score but a vector of probabilities for each of these actions. To create a final ranking, these probabilities are combined into a single "relevance score" or **Expected Value (EV)**. This is calculated using a weighted sum, which can be represented conceptually as:

The weights (, , etc.) are critical. They are not static but are tuned by Instagram's engineers to align with the specific business objectives of each surface. For example, on the Explore page, the weight for might be higher than on the main Feed, as sharing is a strong indicator of discovering new, valuable content. These weights are constantly being adjusted and optimized through A/B testing to maximize overall platform engagement.[7]

Stage 4: Final Reranking and Integrity

After the LSR stage produces a scored and ranked list of content, a final set of rules and filters is applied before the content is rendered on the user's device. This Final Reranking stage serves several purposes.[7]

First, it applies **integrity processes**. These are designed to filter out or downrank content that, while not a direct violation of Community Guidelines, may be considered low-quality, borderline, or non-recommendable. This includes content that has been reported, misinformation, or engagement bait.[7]

Second, it enforces **business logic and diversity rules**. For example, the system will apply rules to prevent showing too many consecutive posts from the same author, to avoid showing a user too many videos in a row if they have recently engaged more with photos, or to ensure a healthy mix of content types in the feed.[7] This stage ensures the final feed feels balanced and is not monotonous, even if the pure ML model ranked several similar items at the top. This final polish is crucial for long-term user satisfaction and retention.

Deconstructing Personalization: Signals, Predictions, and Outputs

The sophisticated multi-stage ranking funnel described above is an empty vessel without its fuel: data. The entire system operates on a continuous flow of information, which the platform refers to as "signals." These signals are the raw inputs that allow the AI systems to learn user preferences, understand content, and ultimately make the predictions that shape each user's personalized experience. This section dissects these signals, explains how their importance varies across Instagram's different surfaces, and details how they are synthesized to create a predictive digital model of each user.

The Anatomy of a Signal: Data as the Algorithmic Fuel

A "signal" is any discrete piece of information about a user, a piece of content, or the

relationship between them that can be used as an input feature for a machine learning model.[4] Instagram's systems process thousands of these signals to inform their predictions. While the exact list is proprietary and constantly evolving, they can be broadly categorized into four main groups.[6]

1. **Information about the Post/Reel:** This category pertains to the intrinsic and extrinsic qualities of the content itself. It includes explicit metadata like the time it was posted (recency is a key signal), any location tags, and the length of the video.[6] More importantly, it includes popularity signals, which are not just the raw counts of likes, comments, shares, and saves, but also the *velocity* at which these interactions occur—a post that receives 1,000 likes in its first 10 minutes is a much stronger signal of virality than one that takes 10 hours.[4] For video content, the system also performs content analysis, using computer vision to understand the pixels and frames (e.g., identifying objects, scenes, or actions) and analyzing the audio track for elements like trending music.[6]
2. **Information about the Person Who Posted (The Author):** The system evaluates the creator of the content to gauge their potential interest to the user. This includes signals about the author's overall popularity, such as their follower count and general engagement levels.[6] A crucial signal in this category is how frequently other users have interacted with this specific author in the past few weeks, which helps the system identify creators who are currently producing compelling content.[6]
3. **Your Activity (User Behavior):** This is arguably the most important category, as it provides direct evidence of a user's interests. It encompasses every action a user takes on the platform. Explicit actions are the most obvious: posts liked, videos shared, content saved, comments left, and accounts followed.[6] However, implicit actions are often even more powerful signals. These include how much time a user spends viewing a post before scrolling past (dwell time), whether they watch a video to completion, if they tap to expand the caption, if they tap on the author's profile photo, or if they share a post privately via Direct Message (DM).[4] These subtle behaviors provide a granular, real-time feedback loop that constantly refines the system's understanding of the user's preferences.
4. **Your History of Interacting with Someone (Inferred Relationship):** Instagram's algorithm does not just see a network of followers; it actively models the strength of the relationship between any two users. This "closeness" score is a powerful predictive signal.[6] It is inferred from a history of mutual interactions: whether you follow each other, how often you like or comment on each other's posts, if you send each other DMs, if you are tagged in photos together, and even if you are friends on other Meta platforms like Facebook.[1] This allows the system to prioritize content from people it determines are your close friends or family, a key objective for surfaces like the main Feed and Stories.

Surface-Specific AI Systems: Tailoring the User Experience

A common misconception is that Instagram has a single, overarching algorithm. In reality, each distinct surface within the app—the main Feed, Stories, the Explore page, and the Reels tab—is governed by its own, separately tuned AI system.[4] Each system has a different primary goal, and as a result, it weighs the thousands of available signals differently to optimize for different user behaviors. This strategic differentiation is crucial to understanding the platform's overall design. The following table and descriptions provide a comparative analysis of these systems.

Surface	Primary Goal	Key Predictive Actions	Most Influential Signals
Feed	Connection & Catch-up	Spend time, Comment, Like, Share, Tap Profile [6]	User's interaction history with the author ("Relationship").[6]
Stories	Intimacy & Immediacy	Click story, Reply/DM, Like, Tap Profile [1]	Viewing/engagement history, Inferred "Closeness" (e.g., friends on Facebook).[1]
Explore	Discovery & New Interests	Follow creator, Save, Share, Long View Time [1]	Post's overall popularity (engagement velocity), User's past activity *in Explore*.[6]
Reels	Entertainment & Virality	Watch to completion, Reshare, Use Audio, Like [34]	User's recent Reels activity, Watch Time (Completion Rate), Audio track popularity.[6]

Instagram Feed

The primary goal of the Feed is to help users catch up on the most important content from the accounts they have chosen to follow, supplemented by relevant suggested posts.[5] The algorithmic focus is on connection and ensuring users don't miss posts from people they care about. Consequently, the five most heavily weighted predictions the Feed model makes are the likelihood a user will: 1) spend a few seconds on a post, 2) comment on it, 3) like it, 4) share it, and 5) tap on the author's profile photo.[6] The most influential signals are those related to the user's activity and, most importantly, their inferred relationship with the author. A post from an account you frequently interact with (like, comment, DM) is far more likely to be ranked at the top of your feed than a post from an account you follow but rarely engage with.[6]

Instagram Stories

Stories are designed for more ephemeral, in-the-moment sharing, and the algorithm's goal is to reflect this by prioritizing content from a user's closest connections.[6] The experience is meant to feel intimate and personal. The key predictions the Stories model makes reflect this: the likelihood a user will tap on a story, whether the system predicts the creator is a personal friend or family member, the likelihood of tapping through to the creator's profile, and the likelihood of exiting the story viewer.[1] The dominant signals are therefore heavily skewed towards relationship strength. These include viewing history (how often you watch a particular account's stories), engagement history (how often you send a like or DM in response to their stories), and "Closeness" signals, which can even include whether you and the author are connected as friends on Facebook.[1]

Instagram Explore

The Explore page serves the opposite function of the Feed and Stories: its purpose is discovery.[4] The vast majority of content shown in Explore is from accounts the user does not follow.[30] The algorithm's goal is to surface new and interesting content that aligns with the user's inferred interests. The predictive actions it optimizes for are therefore related to discovery, such as the likelihood a user will follow the creator after seeing their post, save the post for later, or share it with friends.[1] Because the user has no pre-existing relationship with most of the creators in Explore, the signals related to the post's intrinsic popularity matter much more here than in other surfaces. Signals like the number and velocity of likes,

comments, shares, and saves from the general user population are heavily weighted.[6] Additionally, a user's own past activity *within the Explore tab* is a powerful signal for personalizing future Explore recommendations.[6]

Instagram Reels

The Reels algorithm is engineered for entertainment and to drive viral trends, positioning it as a direct competitor to platforms like TikTok. Like Explore, most of the content shown is from accounts the user doesn't follow.[34] The primary objective is to keep the user entertained and scrolling. The most important predictions the Reels model makes are how likely a user is to watch a Reel all the way through (completion rate), reshare it, like it, and go to the audio page.[34] The last prediction is a clever proxy for determining if a Reel has inspired the user to create their own content using the same sound, a key driver of viral trends. The most decisive ranking factor for Reels is watch time, encompassing both relative watch time (the percentage of the video viewed) and absolute watch time (total seconds spent).[35] Other dominant signals include a user's recent engagement with other Reels (to quickly adapt to changing interests), the popularity of the audio track, and visual analysis of the video's content.[6]

The User Model: From Data Points to Digital Persona

The cumulative effect of processing these billions of daily signals is the creation of a highly detailed, dynamic, and probabilistic model for every single user on the platform. This is not a static profile with a fixed list of interests. Instead, it is a constantly evolving digital persona, represented mathematically as a user embedding vector, that encapsulates a user's tastes, their inferred relationships, and, most importantly, a set of predictions about their likely future behavior.[7]

This model is constructed using a variety of machine learning techniques. At a high level, it employs principles of **collaborative filtering**, which operates on the assumption that if user A has similar tastes to user B, user A is likely to enjoy other content that user B has liked.[29] It also uses **content-based filtering**, which recommends content that is similar in its attributes (e.g., topic, visual style, keywords) to content the user has previously enjoyed.[39]

Instagram's advanced systems, like the Two Tower NNs, combine these principles in a sophisticated way. The user embedding vector generated by the "user tower" is the mathematical manifestation of this digital persona.[7] This vector is then used for two primary

purposes. First, as described in the ranking funnel, it is used to retrieve and rank organic content that the user is most likely to find engaging. Second, and just as critically for Meta's business model, this detailed user model is the foundation of its powerful targeted advertising system. The same data points and inferred interests that are used to recommend a Reel are also used to serve an ad from a brand seeking to reach a specific demographic, interest group, or behavioral cohort.[40] The user model is thus a dual-use asset: it enhances the user experience (by making it more personalized) while simultaneously creating a highly valuable product—the user's attention—to be sold to advertisers.

Practical Implementation: A Collaborative Filtering Model in Python

To make the abstract concept of a recommendation system more tangible, this section provides a simplified implementation of one of its core techniques: item-based collaborative filtering. This method recommends items by finding other items that are "similar" based on user interaction patterns. While Instagram's actual system uses far more advanced deep learning models operating on immense datasets, this basic example illustrates the fundamental logic of finding and leveraging similarities in user-item interaction data.[18]

The following Python code uses the pandas library for data manipulation and scikit-learn for calculating cosine similarity, a common metric for measuring the similarity between two vectors.[18]

Python

```
import pandas as pd
from sklearn.metrics.pairwise import cosine_similarity

# Step 1: Create sample user-item interaction data.
# This represents a small dataset of users and the ratings they have given to different items (e.g., posts).
# In a real system, this would be a massive dataset of implicit (views, dwell time) and explicit (likes) interactions.
collab_filtered_data = {
    'User':,
    'Item':,
    'Rating':
}
```

```
collab_f_df = pd.DataFrame(collab_filtered_data)
print("--- Raw Interaction Data ---")
print(collab_f_df)
print("\n")

# Step 2: Create a user-item matrix.
# This pivots the data into a matrix where rows are users and columns are items.
# The values are the ratings, and `fill_value=0` means that if a user has not interacted with an item,
their rating is 0.
user_item_matrix = collab_f_df.pivot_table(index='User', columns='Item', values='Rating',
fill_value=0)
print("--- User-Item Matrix ---")
print(user_item_matrix)
print("\n")

# Step 3: Compute item-item similarity using cosine similarity.
# We transpose the matrix with `.T` so that we are comparing items (now in rows) against each other.
# Cosine similarity measures the angle between the rating vectors of two items. A smaller angle
(similarity closer to 1)
# means the items were rated similarly by the same users.
item_similarity = cosine_similarity(user_item_matrix.T)

# Convert the resulting numpy array into a pandas DataFrame for better readability,
# with item names as both the index and columns.
item_similarity_df = pd.DataFrame(item_similarity, index=user_item_matrix.columns,
columns=user_item_matrix.columns)
print("--- Item-Item Similarity Matrix ---")
print(item_similarity_df)
print("\n")

# Step 4: Define a function to recommend similar items.
# This function takes an item name, the similarity DataFrame, and the number of recommendations to
return.
def recommend_similar_items(item, similarity_df, top_n=3):
    """
    Recommends items similar to a given item based on the similarity matrix.
    """
    # Get the similarity scores for the given item against all other items.
    similar_scores = similarity_df[item]

    # Sort the scores in descending order to find the most similar items.
    sorted_scores = similar_scores.sort_values(ascending=False)

    # Exclude the item itself (which will have a similarity of 1.0) and return the top_n items.
```

```
    # We start from index 1 to skip the item itself.
    top_items = sorted_scores[1:top_n+1]

    return top_items

# Step 5: Generate and print example recommendations for 'Post_A'.
target_item = 'Post_A'
similar_items = recommend_similar_items(target_item, item_similarity_df, top_n=2)
print(f"--- Items most similar to '{target_item}' ---")
print(similar_items)
```

Explanation of the Code and its Connection to Instagram

- **Step 1 & 2 (Data Representation):** The code begins by creating a user-item matrix. This is a foundational data structure in classic recommendation systems. For Instagram, this matrix would be unimaginably vast and sparse (most users have not interacted with most posts), containing billions of rows (users) and trillions of columns (posts). The "ratings" would not just be explicit likes but a composite score derived from implicit signals like view time.
- **Step 3 (Calculating Similarity):** The core of this method is the calculation of cosine_similarity. It treats each item (post) as a vector in a multi-dimensional space, where each dimension corresponds to a user. If two posts have been rated similarly by the same set of users, their vectors will point in a similar direction, resulting in a cosine similarity score close to 1. For example, if users who liked Post_A also tended to like Post_B, these two posts will be considered highly similar. This is the mathematical embodiment of the "people who liked this also liked that" logic.
- **Step 4 & 5 (Making Recommendations):** The recommend_similar_items function operationalizes the similarity matrix. When a user interacts with a given item (Post_A), the system can look up that item in the matrix and recommend the other items that have the highest similarity scores. This is a form of content-based discovery. If a user likes a post about landscape photography, the system can recommend other posts that have been similarly rated by other photography enthusiasts.

While this simple model provides a conceptual foundation, Instagram's real-world system operates at a much higher level of complexity. Instead of a simple matrix, it uses deep learning models like the Two Tower NN to learn dense "embedding" vectors for users and items from thousands of features. The similarity search happens between these rich, learned embeddings rather than raw interaction vectors, allowing the system to capture far more nuanced and complex relationships between users and content.[8]

The Algorithmic Subject: Psychological and Societal Implications

The technical architecture of Instagram's recommendation engine is a marvel of modern engineering, but its ultimate purpose is not merely to sort content efficiently. It is designed to capture and retain human attention. To achieve this, the system's logic is deeply intertwined with fundamental principles of human psychology. This section moves from the technical "how" to the critical "so what," analyzing the psychological mechanisms the platform leverages to drive engagement and the profound societal consequences that arise from operating such a powerful system of algorithmic curation at a global scale.

The Psychology of the Scroll: Engineering Habit and Engagement

The experience of using Instagram is not passive; it is an interactive system designed to foster habitual, and often compulsive, behavior. This is achieved by embedding powerful psychological hooks into the very fabric of the user interface and the algorithmic logic that powers it.

Variable Reward Schedules

The most potent psychological mechanism at play is the **variable reward schedule**. First identified by B.F. Skinner, this principle states that behavior is most effectively reinforced when rewards are delivered unpredictably.[10] A slot machine is the classic example: a player pulls the lever not knowing if they will win nothing, a small prize, or the jackpot. This uncertainty generates a powerful sense of anticipation, which triggers a release of the neurotransmitter dopamine in the brain. Crucially, research shows that the dopamine rush is stronger in anticipation of a potential reward than in response to receiving a predictable one.[10]

The Instagram feed is a perfectly engineered digital slot machine. Each scroll is a pull of the lever. The user never knows what the next piece of content will be: a message from a close friend, a stunning travel photo, a viral meme, a targeted ad, or something uninteresting. This unpredictability keeps the user scrolling, chasing the next "win" or dopamine hit.[11] The

algorithm's design directly creates and reinforces this schedule. The MTML model in the ranking funnel is constantly optimizing a complex, weighted score of different engagement probabilities.[7] Instagram can, and does, adjust these weights to prioritize different types of content at different times. One week, the algorithm might favor educational content that gets a lot of "saves"; the next, it might boost funny content that gets a lot of "shares".[35] For both creators and consumers, this makes the platform's rewards (in the form of visibility or engaging content) fundamentally unpredictable, strengthening the variable reward schedule and keeping users locked in a cycle of continuous engagement. The technical architecture is not just adjacent to this psychological principle; it is the engine that creates it.

Social Validation Loops

Humans are social creatures with an innate need for belonging and validation from their peers.[10] Instagram is built around a core mechanic that directly taps into this need: the **social validation loop**.[42] The loop is simple but powerful:

1. A user posts content (an action).
2. The user receives feedback in the form of likes, comments, and shares (the reward).
3. This feedback provides a feeling of social validation and acceptance.
4. This positive feeling motivates the user to post again, restarting the loop.

Every "like" is a small affirmation of one's ideas, appearance, or lifestyle, serving as a powerful form of public endorsement.[43] For many, especially younger users still forming their identity, these digital metrics can become deeply intertwined with their sense of self-worth.[42] The platform's design, with its prominent display of engagement counts and push notifications for every new interaction, is optimized to make this feedback loop as rapid and compelling as possible. While Instagram introduced the option to hide like counts in response to criticism about the anxiety this system can cause, the underlying mechanism of seeking and receiving social feedback remains central to the platform's appeal and its ability to retain users.[44]

Other Psychological Principles

Beyond these two core mechanisms, the platform leverages several other psychological principles. **Social proof** dictates that people are heavily influenced by the actions of others; a post with thousands of likes is perceived as more valuable and is more likely to attract further engagement.[15] The algorithm amplifies this by giving more visibility to already-popular content. The platform also fosters a sense of **community**, fulfilling the need to belong, and

uses **scarcity** (e.g., limited-time Stories) to create a sense of urgency and Fear of Missing Out (FOMO), compelling users to check the app frequently.[12]

The Dangers of Algorithmic Curation: Privacy, Ethics, and Well-being

While the algorithmic system is designed to create a personalized and engaging experience, its methods and consequences raise significant ethical and societal concerns. The relentless optimization for engagement, fueled by massive-scale data collection, has created a host of negative externalities affecting individual privacy, mental health, and the broader information ecosystem.

Data Collection, Privacy, and Targeted Advertising

The foundation of Instagram's algorithmic power and its business model is the vast and continuous collection of user data. This practice raises profound ethical questions about privacy, consent, and transparency.[14] Users often agree to lengthy and complex terms of service without fully understanding the extent of the data being collected or how it will be used.[14] This includes not only the content they post but also their private messages, location data, browsing history on and off the platform, and a host of other sensitive information.[45]

Instagram's history is marked by privacy controversies. An early and significant backlash occurred when the platform updated its terms to grant itself the right to use users' photos in advertisements without compensation or an opt-out mechanism.[17] While the company revised the language, the core license users grant Meta remains exceptionally broad.[17] More recently, the company has faced lawsuits over allegations of unauthorized access to users' smartphone cameras, purportedly to gather data on user reactions to content in real-time.[46] The massive stores of personal data held by Meta are also a constant target for data breaches and hacking, posing a significant security risk to users.[45]

This collected data is the lifeblood of Meta's multi-billion dollar targeted advertising business. The detailed user model created by the algorithm is used to allow advertisers to target incredibly specific audiences based on a combination of demographics, locations, stated interests, and, most powerfully, inferred behaviors and characteristics.[40] The system is so effective at building profiles that it can often feel as if the app is listening to private conversations. While Instagram's leadership denies using phone microphones for ad targeting, the system achieves a similar result by analyzing a user's network of connections. If

a user's friends and contacts engage with a certain product, the algorithm can infer the user's potential interest and serve them a related ad, creating the powerful illusion of surveillance.[47]

Mental Health Impacts

The algorithmic imperative to maximize engagement often comes at the expense of user well-being. The system is not optimized for what is healthy, true, or constructive, but for what is most likely to provoke a reaction. This can lead to the amplification of emotionally charged, sensational, or negative content, which can trap users in cycles of "doomscrolling"—the compulsive consumption of bad news that reinforces anxiety and sadness.[12]

A significant body of research links heavy social media use to negative mental health outcomes, particularly among adolescents and young adults.[12] The platform's visually-driven nature fosters a pervasive **culture of social comparison**. Users are constantly exposed to the curated "highlight reels" of others' lives, which can lead to feelings of inadequacy, envy, lower self-esteem, and body image issues.[12] Internal Meta research, leaked in 2021, confirmed that the company was aware of the harmful effects of Instagram on the mental health of teenage girls. The addictive nature of the platform, driven by the psychological hooks of variable rewards and social validation, is also a major concern, with studies linking it to increased anxiety, depression, loneliness, and FOMO.[12]

Filter Bubbles and Echo Chambers

A fundamental consequence of algorithmic personalization is the creation of **filter bubbles**. By consistently showing users content that aligns with their past behavior and inferred beliefs, the algorithm can intellectually isolate them from diverse information and challenging viewpoints.[13] A user who engages with content from one political perspective will be shown more of the same, gradually reducing their exposure to opposing arguments. This is not a malicious act but a logical outcome of an system optimized to show users what they are most likely to "like".[13]

This phenomenon can lead to the formation of **echo chambers**, where users primarily interact with a community of like-minded individuals who share and reinforce a particular worldview.[13] Within these chambers, shared beliefs are amplified, and dissenting opinions are marginalized or absent. This can lead to increased ideological polarization and, in extreme cases, the radicalization of opinions, as seen in various online communities where fringe

beliefs can become normalized through constant, mutual reinforcement.[13]

Conclusion and Future Scope

This report has systematically deconstructed the Instagram algorithm, revealing it to be not a single entity but a complex, multi-faceted socio-technical system. It is built upon a global infrastructure of immense scale and powered by a sophisticated, multi-stage ranking funnel that leverages over a thousand machine learning models to personalize content for each user. The system's operation is fueled by the continuous collection of thousands of data signals, which are synthesized into a dynamic digital model of each user's preferences and predicted behaviors. This entire technical apparatus is engineered to maximize user engagement by deploying powerful psychological principles, most notably variable reward schedules and social validation loops.

The analysis demonstrates that the very architecture designed to create a compelling and personalized user experience is also the source of its most significant dangers. The relentless, data-driven optimization for engagement has profound and often detrimental consequences for individual privacy, mental health, and the collective health of the information ecosystem. The same mechanisms that make the feed feel relevant also enable invasive targeted advertising, foster addictive behaviors, contribute to anxiety and depression, and create ideological filter bubbles that can exacerbate societal polarization.

Looking forward, the trajectory of these systems points toward even greater complexity and influence. The role of AI is expanding from content curation to content creation, with generative AI models poised to further blur the lines between authentic and algorithmically generated realities. In response to growing public and regulatory scrutiny, platforms are beginning to introduce more user controls. For instance, Instagram has recently implemented a feature allowing users to "start fresh" by resetting their recommendation algorithm, a direct acknowledgment of concerns about the system's potential harms, particularly for younger users.[50] This move, likely spurred by regulations like the European Union's Digital Services Act, signals a potential shift towards greater user agency, though the platform's core business model remains predicated on engagement maximization.

The deconstruction of Instagram's algorithm ultimately leads to a set of critical questions that will define the future of digital platforms. What is the long-term societal cost of an information architecture optimized purely for engagement? How can platforms be redesigned to prioritize user well-being, critical thinking, and serendipitous discovery over compulsive consumption? And what is the appropriate role for democratic governance and regulation in shaping the logic of these powerful algorithmic systems that now mediate so much of human experience? The answers to these questions will require a continued, multi-disciplinary effort from

technologists, social scientists, policymakers, and the public to ensure that the future of connection is one that is not only personalized but also healthy, equitable, and empowering.

References

4 Sprinklr. (n.d.). How the Instagram Algorithm Works in 2025: An Official Guide from Meta. Sprinklr Blog.
51 Later. (n.d.). How the Instagram Algorithm Works in 2025 | Ultimate Guide. Later Blog.
1 Hootsuite. (2025, April 2). The Instagram Algorithm, Explained for Marketers in 2025. Hootsuite Blog.
5 SocialBee. (n.d.). How the Instagram Algorithm Works in 2025: A Complete Guide. SocialBee Blog.
33 Buffer. (n.d.). Instagram Algorithms: How They Work and How to Work With Them. Buffer Resources.
32 Instagram. (n.d.). How Instagram determines which posts appear as suggested posts. Instagram Help Center.
9 Soundstripe. (n.d.). How Does the Instagram Algorithm Work? A Deep Dive. Soundstripe Blog.
36 Fanpage Karma. (2025). The New Instagram Reels Algorithm 2025: What You Need to Know. Fanpage Karma Insights.
6 Mosseri, A. (n.d.). Instagram Ranking Explained. About Instagram.
52 RecurPost. (2025). How Instagram Explore Page Works: Algorithm Guide 2025. RecurPost Blog.
2 Instagram for Creators. (n.d.). Understand How Instagram Algorithms Work and How They Impact Rankings.
34 Social Native. (n.d.). Instagram Stories and Reels Algorithm Explained: How to Use It to Your Advantage. Social Native Articles.
50 SiliconANGLE. (2024, November 19). Meta is now letting users tinker with Instagram's algorithm recommendation system.
28 Meta Engineering. (2021, January). How News Feed Works. Tech at Meta.
35 Medium. (n.d.). Instagram Algorithm Secrets: What I Learned from a Former Meta Engineer.
7 Quastor Blog. (n.d.). The Engineering Behind Instagram's Recommendation Algorithm.
8 Vorotilov, V., & Shugaepov, I. (2023, August 9). Scaling the Instagram Explore recommendations system. Engineering at Meta.
3 Levis, L., Ma, S. S., & Nava, E. (2025, May 21). Journey to 1000 models: Scaling Instagram's recommendation system. Engineering at Meta.
53 RecurPost. (2025). How Instagram Explore Page Works: Algorithm Guide 2025. RecurPost Blog.

52 RecurPost. (2025). How Instagram Explore Page Works: Algorithm Guide 2025. RecurPost

Blog.
37 Instagram. (n.d.). About Search & Explore on Instagram. Instagram Help Center.
30 Hootsuite. (n.d.). How to Get Your Brand on the Instagram Explore Page. Hootsuite Blog.
54 Reddit. (2021). How does the Instagram explore page work? r/Instagram.
38 Sprinklr. (n.d.). The Ultimate Guide to the Instagram Reels Algorithm. Sprinklr Blog.
31 Meta Transparency Center. (2025, September 9). Explaining Ranking: Instagram Reels Chaining.
29 GeeksforGeeks. (n.d.). How Instagram Reel Uses Recommender Systems.
55 Reddit. (2021). * How do Insta or TikTok reels recommendation algorithms work?* r/MachineLearning.
19 GeeksforGeeks. (n.d.). Design Instagram: A System Design Interview Question.
56 ArchiCGI. (n.d.). Instagram for Architects: 8 Tips for Success.
20 dev.to. (n.d.). Instagram System Design.
21 Meta. (n.d.). Meta Data Centers.
23 Meta AI. (n.d.). Transforming our infrastructure for the next generation of AI.
22 Meta. (n.d.). Global Data Center Fleet. Meta Data Centers.
24 Facebook for Developers. (n.d.). Instagram Platform Overview.
26 IBM. (n.d.). What is a content delivery network (CDN)? IBM Think.
27 F5. (n.d.). What Is a Content Delivery Network (CDN)?. F5 Glossary.
25 C-Side. (2025). cdninstagram.com.
57 Hannah Hill Photography. (n.d.). What is the Instagram Algorithm & How Does it Affect Your Small Business?.
15 AdyNext. (n.d.). The Psychology of Instagram Engagement: Understanding Your Audience.
12 Associated Clinic of Psychology. (n.d.). Social Media Algorithms and Mental Health.
10 Userpilot. (2025, September 22). Variable Rewards: The Secret to Building Habit-Forming Products. Userpilot Blog.
11 Discovery ABA. (n.d.). Variable Ratio Examples and Schedule in ABA Therapy.
11 Discovery ABA. (n.d.). Variable Ratio Examples and Schedule in ABA Therapy.
44 YouTube. (2023). Comment on "hiding your likes is a sign of insecurity".
42 YouTube. (n.d.). How Social Media Validation Controls Your Self-Worth.
43 Bulk.ly. (n.d.). The Psychology of Likes: How Social Media Validation is Shaping Student Writing.
16 Medium. (n.d.). Breaking the Social Media Echo Chamber.
58 ScienceUpFirst. (2023). Are you in a filter bubble or an echo chamber?.
13 Fondation Descartes. (2020, July). Filter bubbles and echo chambers.
49 Ridiculous Design. (2024, February 4). Filter Bubble.
17 Santa Clara University. (n.d.). Instagram and the Ethics of Privacy. Markkula Center for Applied Ethics.
59 London School of Economics and Political Science. (2025, April). Ethics guidance for using internet and social media data in research.
14 Global Media Journal. (n.d.). Ethical Issues and Challenges in Social Media: A Current Scenario.
60 Government of Canada. (n.d.). Guidance on research involving social media. Panel on

Research Ethics.
48 Wikipedia. (n.d.). Instagram.
45 International Journal of Research Trends and Innovation. (2025, February). Privacy Infringement on Instagram: A Legal Analysis.
46 GDPR Register. (n.d.). Instagram Sued For Unauthorized Camera Access.
40 Karola Karlson. (n.d.). The Ultimate Guide to Instagram Ad Targeting.
41 Hootsuite. (n.d.). The Complete Guide to Instagram Ads: A 10-Step Plan. Hootsuite Blog.
47 The Economic Times. (2024). Is Instagram monitoring your talks? Myths vs. reality explained.
39 Kaggle. (n.d.). Recommender Systems in Python 101.
18 DataCamp. (n.d.). Collaborative Filtering for Recommender Systems. DataCamp Tutorial.
1 Hootsuite. (2025, April 2). The Instagram Algorithm, Explained for Marketers in 2025. Hootsuite Blog.
7 Quastor Blog. (n.d.). The Engineering Behind Instagram's Recommendation Algorithm.
1 Hootsuite. (2025, April 2). The Instagram Algorithm, Explained for Marketers in 2025. Hootsuite Blog.
21 Meta. (n.d.). Meta Data Centers.
26 IBM. (n.d.). What is a content delivery network (CDN)? IBM Think.
15 AdyNext. (n.d.). The Psychology of Instagram Engagement: Understanding Your Audience.
10 Userpilot. (2025, September 22). Variable Rewards: The Secret to Building Habit-Forming Products. Userpilot Blog.
43 Bulk.ly. (n.d.). The Psychology of Likes: How Social Media Validation is Shaping Student Writing.
13 Fondation Descartes. (2020, July). Filter bubbles and echo chambers.
17 Santa Clara University. (n.d.). Instagram and the Ethics of Privacy. Markkula Center for Applied Ethics.
45 International Journal of Research Trends and Innovation. (2025, February). Privacy Infringement on Instagram: A Legal Analysis.
40 Karola Karlson. (n.d.). The Ultimate Guide to Instagram Ad Targeting.
18 DataCamp. (n.d.). Collaborative Filtering for Recommender Systems. DataCamp Tutorial.

Works cited

1. Instagram algorithm tips for 2025: Everything you need to know, accessed on October 14, 2025, https://blog.hootsuite.com/instagram-algorithm/
2. Understand How Instagram Algorithms Work and How They Impact Rankings, accessed on October 14, 2025, https://creators.instagram.com/grow/algorithms-and-ranking
3. Journey to 1000 models: Scaling Instagram's recommendation system - Engineering at Meta, accessed on October 14, 2025, https://engineering.fb.com/2025/05/21/production-engineering/journey-to-1000-models-scaling-instagrams-recommendation-system/
4. Understanding Instagram Algorithms: Unlock Tips and Insights | Sprinklr, accessed on October 14, 2025, https://www.sprinklr.com/blog/instagram-algorithm/

5. Instagram Algorithm Explained: Your 2025 Guide - SocialBee, accessed on October 14, 2025, https://socialbee.com/blog/instagram-algorithm/
6. Instagram Ranking Explained | Instagram Blog, accessed on October 14, 2025, https://about.instagram.com/blog/announcements/instagram-ranking-explained
7. The Engineering behind Instagram's Recommendation Algorithm, accessed on October 14, 2025, https://blog.quastor.org/p/engineering-behind-instagrams-recommendation-algorithm-dc9c
8. Scaling the Instagram Explore recommendations system - Engineering at Meta, accessed on October 14, 2025, https://engineering.fb.com/2023/08/09/ml-applications/scaling-instagram-explore-recommendations-system/
9. How Does Instagram's Algorithm Work? - All You Need to Know About Ranking Factors in Feed and Stories - Soundstripe, accessed on October 14, 2025, https://www.soundstripe.com/blogs/how-does-instagram-algorithm-work
10. How to Use Variable Rewards to Hook Users and Drive Product ..., accessed on October 14, 2025, https://userpilot.com/blog/variable-rewards/
11. Variable Ratio Schedule and Examples Unleashed - Discovery ABA, accessed on October 14, 2025, https://www.discoveryaba.com/aba-therapy/variable-ratio-examples-and-schedule
12. Social Media Algorithms and Mental Health | ACP - Associated Clinic of Psychology, accessed on October 14, 2025, https://acp-mn.com/about-acp/blog/social-media-algorithms-and-mental-health/
13. Filter bubbles and echo chambers - Fondation Descartes, accessed on October 14, 2025, https://www.fondationdescartes.org/en/2020/07/filter-bubbles-and-echo-chambers/
14. Ethical Issues and Challenges in Social Media: A Current Scenario | Open Access Journals, accessed on October 14, 2025, https://www.globalmediajournal.com/open-access/ethical-issues-and-challenges-in-social-media-a-current-scenario.php?aid=92953
15. The Psychology of Instagram Engagement: Understanding Your ..., accessed on October 14, 2025, https://adynext.com/the-psychology-of-instagram-engagement-understanding-your-audience/
16. Breaking the Social Media Echo Chamber | by Shalini_Murugan - Medium, accessed on October 14, 2025, https://shalini-murugan.medium.com/breaking-the-social-media-echo-chamber-7f42a1e68568
17. Instagram and the Ethics of Privacy - Cases in Global Business ..., accessed on October 14, 2025, https://www.scu.edu/ethics/focus-areas/business-ethics/resources/cases-in-global-business-ethics/instagram-and-the-ethics-of-privacy.html

18. Collaborative Filtering: Your Guide to Smarter Recommendations ..., accessed on October 14, 2025, https://www.datacamp.com/tutorial/collaborative-filtering
19. Designing Instagram | System Design - GeeksforGeeks, accessed on October 14, 2025, https://www.geeksforgeeks.org/system-design/design-instagram-a-system-design-interview-question/
20. Instagram System Design - DEV Community, accessed on October 14, 2025, https://dev.to/zeeshanali0704/instagram-system-design-48oj
21. Meta Data Centers, accessed on October 14, 2025, https://datacenters.atmeta.com/
22. Global (Asia, Europe, U.S.) - Meta Data Centers, accessed on October 14, 2025, https://datacenters.atmeta.com/all-locations/
23. Infrastructure - AI at Meta, accessed on October 14, 2025, https://ai.meta.com/infrastructure/
24. Overview - Instagram Platform - Meta for Developers, accessed on October 14, 2025, https://developers.facebook.com/docs/instagram-platform/overview/
25. What is cdninstagram.com? - C/Side, accessed on October 14, 2025, https://cside.com/domains/cdninstagram.com
26. What Is a Content Delivery Network (CDN)? | IBM, accessed on October 14, 2025, https://www.ibm.com/think/topics/content-delivery-networks
27. What is a CDN (Content Delivery Network)? - F5, accessed on October 14, 2025, https://www.f5.com/glossary/content-delivery-network-cdn
28. How does News Feed predict what you want to see? - Tech at Meta - Facebook, accessed on October 14, 2025, https://tech.facebook.com/engineering/2021/1/news-feed-ranking/
29. How Instagram Reel Uses Recommender Systems ? - GeeksforGeeks, accessed on October 14, 2025, https://www.geeksforgeeks.org/machine-learning/how-instagram-reel-uses-recommender-systems/
30. Instagram Explore: How to reach a wider audience in 2025 - Hootsuite Blog, accessed on October 14, 2025, https://blog.hootsuite.com/get-brand-instagrams-explore-page/
31. Instagram Reels Chaining AI system - Transparency Center, accessed on October 14, 2025, https://transparency.meta.com/features/explaining-ranking/ig-reels-chaining/
32. How Instagram determines which posts appear as suggested posts - Instagram Help Center, accessed on October 14, 2025, https://help.instagram.com/381638392275939
33. How the Instagram Algorithm Works: Your 2025 Guide, accessed on October 14, 2025, https://buffer.com/resources/instagram-algorithms/
34. How Instagram Stories and Reels Algorithms Work - Social Native, accessed on October 14, 2025, https://www.socialnative.com/articles/instagram-stories-and-reels-algorithm-explained-how-to-use-it-to-your-advantage/
35. Instagram Algorithm Secrets: What I Learned from a Former Meta Engineer -

Medium, accessed on October 14, 2025, https://medium.com/@kayne-tech/instagram-algorithm-secrets-what-i-learned-from-a-former-meta-engineer-b4477403b222
36. Instagram Reels Algorithm 2025: Key Ranking Factors - Fanpage Karma Insights, accessed on October 14, 2025, https://www.fanpagekarma.com/insights/instagram-reels-algorithm/
37. How posts are chosen for Explore on Instagram - Instagram Help Center, accessed on October 14, 2025, https://help.instagram.com/487224561296752
38. Instagram Reels Algorithm: 5 Best Practices to Stay Ahead | Sprinklr, accessed on October 14, 2025, https://www.sprinklr.com/blog/instagram-reels-algorithm/
39. Recommender Systems in Python 101 - Kaggle, accessed on October 14, 2025, https://www.kaggle.com/code/gspmoreira/recommender-systems-in-python-101
40. Instagram Ad Targeting – 84-point Guide [2025 UPDATE], accessed on October 14, 2025, https://karolakarlson.com/instagram-ad-targeting/
41. Instagram ads: Everything you need to know in 2025 - Hootsuite Blog, accessed on October 14, 2025, https://blog.hootsuite.com/instagram-ads-guide/
42. The Truth Behind Why Social Media Makes You Crave Validation - YouTube, accessed on October 14, 2025, https://www.youtube.com/watch?v=l6zQfyVxm_M
43. The Psychology of Likes and Validation: How Social Media Shapes ..., accessed on October 14, 2025, https://bulk.ly/psychology-of-likes/
44. in a world full of social media validation, STOP hiding your Instagram likes - YouTube, accessed on October 14, 2025, https://www.youtube.com/watch?v=AhFJVti87eQ
45. Research on Navigating Privacy Infringement: Challenges ... - ijrti, accessed on October 14, 2025, https://www.ijrti.org/papers/IJRTI2502015.pdf
46. Instagram Sued For Privacy Violations Over Unauthorized Camera Access - GDPR Register, accessed on October 14, 2025, https://www.gdprregister.eu/news/instagram-unauthorized-camera-access/
47. Is Instagram monitoring your talks? Myths vs reality explained why mentioned products appear on the feed, accessed on October 14, 2025, https://m.economictimes.com/magazines/panache/is-instagram-monitoring-your-talks-myths-vs-reality-explained-why-mentioned-products-appear-on-the-feed/articleshow/124364093.cms
48. Instagram - Wikipedia, accessed on October 14, 2025, https://en.wikipedia.org/wiki/Instagram
49. Filter Bubble - Ridiculous Design, accessed on October 14, 2025, https://www.ridiculous.design/sips/filter-bubble
50. Meta is now letting users tinker with Instagram's algorithm recommendation system, accessed on October 14, 2025, https://siliconangle.com/2024/11/19/meta-now-letting-users-tinker-instagrams-algorithm-recommendation-system/
51. later.com, accessed on October 14, 2025, https://later.com/blog/how-instagram-algorithm-works/#:~:text=Each%20Instagram%20algorithm%20ranks%20content,engaged%20with%20in%20the%20past.
52. How Instagram Explore Page Works: Algorithm Guide 2025 - RecurPost,

accessed on October 14, 2025, https://recurpost.com/blog/instagram-explore-page/
53. recurpost.com, accessed on October 14, 2025, https://recurpost.com/blog/instagram-explore-page/#:~:text=The%20Instagram%20Explore%20Algorithm%20selects,quality%20content%20increases%20feature%20chances.
54. How does the instagram explore page work? - Reddit, accessed on October 14, 2025, https://www.reddit.com/r/Instagram/comments/qqevg1/how_does_the_instagram_explore_page_work/
55. [D] How do Insta or Tik-Tok reels recommendation algorithms work? - Reddit, accessed on October 14, 2025, https://www.reddit.com/r/MachineLearning/comments/18b93pq/d_how_do_insta_or_tiktok_reels_recommendation/
56. Instagram for Architects: How to Promote Architecture Services on Insta, accessed on October 14, 2025, https://archicgi.com/architecture/instagram-for-architects-8-tips/
57. What is the Instagram Algorithm and How is it Affecting My Small Business? - Hanna Hill Photography, accessed on October 14, 2025, https://www.hannahillphotography.com/blog-education/what-is-the-instagram-algorithm
58. Are you in a filter bubble or an echo chamber? - ScienceUpFirst, accessed on October 14, 2025, https://scienceupfirst.com/misinformation-101/are-you-in-a-filter-bubble-or-an-echo-chamber/
59. Using data from the internet and social media in research: ethics & consent - LSE, accessed on October 14, 2025, https://info.lse.ac.uk/staff/divisions/research-and-innovation/research/Assets/Documents/PDF/ethics-Using-internet-and-Social-media-data.pdf
60. Does Research Using Social Media Platforms Require Research Ethics Board Review? - Guidance in Applying TCPS 2 (2022), accessed on October 14, 2025, https://ethics.gc.ca/eng/reb-cer_social-sociaux.html?wbdisable=true