WhoAreWe? Tutorial

By Raymond DiDonato, Gabriel Ball, Samuel Belanger and Charrette--Hubinois Lohann.

Project Setup

- Start up Apache and MySQL in XAMPP
- Bring entire project (flashcard_app as root) into C:/xampp/htdocs
- Go to localhost/phpmyadmin in browser
- Create new database called “flashcard_app”
- Import schema.sql
- Import data.sql and ensure Foreign Key Checks is disabled before running
- Open flashcard_app folder in VSCode
- Open a Bash terminal and enter “cd frontend”
    - Enter “npm install”
    - Enter “npm run dev”
    - Go to the localhost link that “npm run dev” command returns you
- You should now see the login page
- You can login as regular user with id: 100 and password: raymo
- You can login as admin user with id: 101 and password: sammo

User Tutorial

First, the user must login with the credentials given from the administrator :

In case a login error occurs, it will be shown just above the input fields.

Then, the user can consult the leaderboard on the left, read the rules in the middle, or click one of the play buttons to launch a game. The full game plays with every user in the database, while the short game only plays with up to 5 users.

In a game, the user must look at the picture at the top, then answer the questions below. If the user doesn't know, it can skip the question. After answering any amount of questions, the user can click the check answer button. This will reveal which of their questions were correct and incorrect.



After that, the user can click the ‘next person’ button to load questions about another user. This will repeat until either every user has appeared, or 5 users have appeared in the case of the short game.



At any point, the user can return to the dashboard using the button at the bottom.



Administrator Tutorial

Like a normal user, the administrator must first login in the same way.

At the top, the administrator can switch between the administrator dashboard and the normal dashboard. On the normal dashboard, the administrator has the same options as a regular user.



On the left, the administrator can add a new user. Any error will be shown above the user list table in the middle.



In the middle, the administrator can consult the user list, and edit or delete any of them.

Name	Role	Department	Location	Score	Actions
"0", "0"	integer	computing	your walls	100	Edit Delete
Ball, Gabriel	Front-end Dev	HR	Desk -1	20	Edit Delete
Didonato, Raymond	Some kind of Dev	Development	Desk 1984	1	Edit Delete
Belanger, Samuel	Back-end Dev	Department of snacks	Building Alpha, 39th	1	Edit Delete
Helldiver, John	Helldiver	Super Earth	Super Destroyer #358	1	Edit Delete
Minecraft, Steve	Builder	Gaming	The Nether	1	Edit Delete
The hobbit, Bilbo	Ring Carrier	The Fellowship of the Ring	Middle-Earth	1	Edit Delete
T, Rexy	None	None	Jurassic Park	1	Edit Delete
Lord, Farquaad	Useless	Executive Board	The Castle	1	Edit Delete
Dr. J's, Cat	being Cute	Cuteness	Dr. J's house	1	Edit Delete
B. Benson, Barry	Lawyer	Legal	Yellow Flower Pot	1	Edit Delete
poiu, poiu	poiu	opiu	opiu	0	Edit Delete
spy_tf2, Lohann	Creative lead	Department of the sinkhole	The sinkhole	0	Edit Delete

On the edit user page, the administrator can change any attribute of the user at the top. It can even change the user's password using the previous one.