Test Run Report



Test Run Overview

Started 20 Nov 2024, 21:37:12 Ended 20 Nov 2024, 21:38:51

Duration (mm:ss) 01:38.610

Test Results Summary

Passed 1 Failed 0 Skipped 0



Test Case Summary



successfulsuccessful

Test Case 2.testcase

Summary

Started 20 Nov 2024, 21:37:12 Ended 20 Nov 2024, 21:38:47

Duration (mm:ss) 01:34.876
Outcome successful

Output



① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL:


(i) Opening Salesforce user home page

chrome://new-tab-page/


- (i) Successfully opened user home page
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- Click the New button © 21:37:45(00:32.607)

★- ■ ♠ ? 🌣 📮 🗑

Q Search.



Before Screenshot : 2024/11/20 21:37:45



After Screenshot : 2024/11/20 21:37:51

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action %3DNew, before wait: default, after wait: default, auto retry; ui:wait:autoRetry; timeout=10
- ① Locator: ui:locator?name=New&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3DNew
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/o/Account/list?filterName=Recent
- i Interaction: ui:interaction?name=action
- (i) Sending screenshot. Data length: 111374
- ① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]// div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'forceObjectHomeDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//*[self::ul[contains(@class, 'oneActionsRibbon')] or self::runtime_platform_actions-actions-ribbon] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])// a[contains(@data-aura-rendered-by, '733:0')]
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on windows (c3d614d45214fcf4ae17808044f57921)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]/*[self::ul[contains(@class, 'oneActionsRibbon')] or self::runtime_platform_actions-actions-ribbon] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])// a[contains(@data-aura-rendered-by, '733:0')]
- ⑤ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Sending screenshot. Data length: 113046
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- 1 Main window reselected. Window: main
- ① Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=173211886978645695&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

On SF Account New screen

- 0 21:37:54(00:41.504)
- ① Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Account&action=New&noOverride=true
- ① Opening Page context. Name: screen, data: null, frame: null

- 1 Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]
- Going to update browser window handles.
- Successfully updated browser window handles.

Set the Account Name field to Test Account demo

0 21:38:01(00:48.144)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DName, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10
- ⑤ Locator: ui:locator?name=Name&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DName
- i) Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=173211886978645695&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forcePageError')]][last()]/*[contains(@class, 'forcePageError')]/*[(self::records-record-layout-section) or ((self::section or self::div or self::fieldset) and contains(@class, 'forcePageBlockSection '))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'iightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or ./text() = 'Account Name')]/ancestor::div[1]
- i) Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- i End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c84dd689 -> unknown locator]] -> xpath: .//input]
- (i) Got webElement. tagName: INPUT, id: input-193, type: text, class: slds-input
- ① Typing value. tagName: INPUT, type: text, value: Test Account demo, blur: false
- ① Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.

Set the Rating picklist to Hot

0 21:38:06(00:54.040)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field %3DRating, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10
- ① Locator: ui:locator?name=Rating&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DRating
- i Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=173211886978645695&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- (i) Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]//*[(self::records-record-layout-section) or ((self::section or self::div or self::fieldset) and contains(@class, 'forcePageBlockSection '))][1]/*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Rating'] or .//text() = 'Rating']/ ancestor::div[1]
- ⑤ Find field using relative xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]
- (i) Waiting for element to be present. Timeout(seconds): 10
- 1 Doing before wait. waitUrl: default
- i End of <default> wait.
- ① Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c84dd62c -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox_input')]]]
- ① Got webElement. tagName: BUTTON, id: combobox-button-186, type: button, class: slds-combobox_input slds-input_faux fix-slds-input_faux slds-combobox_input-value

- ① Typing value. tagName: BUTTON, type: button, value: Hot, blur: false
- ① Clicking WebElement. WebElement [tag: button, text: --None--]
- (1) Clicking WebElement. WebElement [tag: div, text: --None-- --None-- Hot Warm Cold]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- Doing after wait. waitUrl: default
- End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.

Set the SLA Expiration Date field to 2024-11-22

0 21:38:12(00:59.402)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=SLAExpirationDate__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DSLAExpirationDate__c, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10
- ① Locator: ui:locator?name=SLAExpirationDate__c&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26field%3DSLAExpirationDate__c
- 1 Interaction: ui:interaction?name=set
- ① Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=173211886978645695&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- i Interaction: ui:interaction?name=set
- ① Finding field placehoder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//*[contains(@class, 'forcePageError')])][last()]//*[contains(@class, 'forcePageError')]//*[(self::records-record-layout-section) or ((self::section or self::div or self::fieldset) and contains(@class, 'forcePageBlockSection'))][3]//*[((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element_label')) and not(contains(@class, 'hide'))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element_label'))) or (self::div and contains(@class, 'test-id_field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='SLA Expiration Date'])/ancestor::div[1]
- i Find field using relative xpath: .//input
- (i) Waiting for element to be present. Timeout(seconds): 10
- i Doing before wait. waitUrl: default
- End of <default> wait.
- ⑤ Found element: [[[org.openqa.selenium.remote.RemoteWebElement@c84de90c -> unknown locator]] -> xpath: .//input]
- ① Typing value. Element: [[[org.openqa.selenium.remote.RemoteWebElement@c84de90c -> unknown locator]] -> xpath: .//input], value: 2024-11-22, blur: false
- (i) Clicking WebElement. WebElement [tag: td, text: 22]
- Doing after wait. waitUrl: default
- End of <default> wait.
- (1) Going to update browser window handles.
- Successfully updated browser window handles.

Click the Save button

0 21:38:16(01:03.897)

- ① Start of Interact. Connection: admin, Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action %3Dsave, before wait: default, after wait: default, auto retry: ui:wait:autoRetry:timeout=10
- 🛈 Locator: ui:locator?name=save&binding=sf%3Aui%3Abinding%3Aobject%3Fobject%3DAccount%26action%3Dsave
- i Interaction: ui:interaction?name=action
- ① Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/o/Account/new? count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=173211886978645695&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- 1 Interaction: ui:interaction?name=action
- ① Find action link element using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or (self::records-base-record-form/parent::records-lwc-detail-panel)]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]
- (i) Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default> wait.

- ① Found element: [[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on windows (c3d614d45214fcf4ae17808044f57921)] -> xpath: // div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]//div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or (self::records-base-record-form/parent::records-lwc-detail-panel)]//runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']//*[self::a or self::button]]
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]
- i Doing after wait. waitUrl: default
- i End of <default> wait.
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- ① Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/r/Account/001J400000NCRFhIAP/view
- (i) Injecting script to get created object ID from aura component
- Storing created Salesforce Object ID. Result Name: accountId, created ID: 001J400000NCRFhIAP, location: https://provar-d2-deved.lightning.force.com/lightning/r/Account/001J400000NCRFhIAP/view
- Logging Salesforce Object Id for clean up. Object Name: Account, id: 001J400000NCRFhIAP
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/r/Account/001J400000NCRFhIAP/view
- (i) Going to update browser window handles.
- (i) Successfully updated browser window handles.

On SF Account View screen

0 21:38:22(01:10.082)

- ① Start of With Screen. Connection Name: admin, target: sf:ui:target?object=Account&action=View&noOverride=true
- (i) Opening Page context. Name: screen, data: null, frame: null
- Activating detailTab tab
- ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]
- (i) Going to update browser window handles.
- Successfully updated browser window handles.
- UI Assert
 © 21:38:40(01:27.138)
 - (i) Start of UiAssert. Connection: admin
 - Resolving field Name
 - Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/r/Account/001J400000NCRFhIAP/view
 - Activating detailTab tab
 - ① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]
 - ① Finding field placehoder using xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))] and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')])))]//*[contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') or ((self::div or self::fieldset) and (contains(@class, 'forcePageBlockSectionView')))][1]//*[self::div or self::dt][(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/ancestor::div[1]//*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]
 - (i) Waiting for element to be present. Timeout(seconds): 10
 - ① Finding field elements using relativePath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]
 - (1) Waiting for element to be present. Timeout(seconds): 10
 - i Doing before wait. waitUrl: default
 - i End of <default> wait.
 - ① Found element: [[[[ChromeDriver\$\$EnhancerByCGLIB\$\$dace278c: chrome on windows (c3d614d45214fcf4ae17808044f57921)] -> xpath: (//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPcinedRegionTemplate') and contains(@class, 'hasActiveSubtab'))]) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace')) or contains(@class, 'navexWorkspace')) and contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace') and contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace')) and contains(@class, 'navexWorkspace') and cont

'forcePageBlockSectionView')))][1]//*[self::div or self::dt][(contains(@class,'labelCol') or contains(@class,'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/ancestor::div[1]//*[(self::div and contains(@class,'dataCol')) or (self::span and contains(@class,'test-id__field-value'))]]] -> xpath: .//*[self::lightning-formatted-name or self::lightning-formatted-text]]

- (i) Asserting field attributes: Name
- (i) Asserting Attribute: value to Test Account demo
- Assertion successful. Test Account demo EqualTo Test Account demo
- (i) Object read successfully. Result Name: Values
- Going to update browser window handles.
- Successfully updated browser window handles.
- (i) All Sub-Test Steps were successful.
- (i) Closing Page context. Name: screen, data: null, frame: null
- (i) Main window reselected. Window: main
- 1 Switched focus to main window. URL: https://provar-d2-dev-ed.lightning.force.com/lightning/r/Account/001J400000NCRFhIAP/view
- Going to update browser window handles.
- (i) Successfully updated browser window handles.
- ① Handling managed resource. Name: admin
- (i) Salesforce Connection handled successfully. Name: admin