

Test Run Report




Test Run Overview

Started 14 Jun 2022, 00:08:52
Ended 14 Jun 2022, 00:10:11
Duration (mm:ss) 01:18.873

Test Results Summary

Passed 1
Failed 0
Skipped 0



Test Case Summary

- plans
 - Smoke
 - UsingTestBuilder.testinstance
 - UsingTestBuilder.testcase
 - Smoke
 - UsingTestBuilder.testinstance

- successful
- successful
- successful
- successful
 - 00:08:52(00:00.000)
 - 00:08:52(00:00.009)

UsingTestBuilder.testcase

Summary

Started	14 Jun 2022, 00:08:52
Ended	14 Jun 2022, 00:10:01
Duration (mm:ss)	01:09.133
Outcome	● successful

Output

- **Salesforce Connect: CrukTrainingOrg (Test)** 00:08:52(00:00.042)
 - ① Connecting to Salesforce as CrukTrainingOrg
 - ⚙ Connection details. Connection name: CrukTrainingOrg, result name: CrukTrainingOrg, result scope: Test, urlString: sf:user=cruk@provartesting.com.training;password={password};environment=SANDBOX;lightningMode=true, environment: UAT, userName: cruk@provartesting.com.training, password: [supplied] securityToken: [empty]
 - ⚙ Create object id log file.
Absolute path: C:\Users\SAMART~1.SHE\AppData\Local\Temp\ProvartestArtifacts11285233950118394592385801914824600\CrukTrainingOrg-objectids.log
 - ⚙ Opening Partner connection
Connection configurations: userName: cruk@provartesting.com.training, password: [supplied], securityToken: [empty], authEndpoint: https://test.salesforce.com/services/Soap/u/54.0, serviceEndpoint: https://test.salesforce.com/services/Soap/u/54.0
 - ⚙ Opening SOAP connection
Connection configurations: userName: cruk@provartesting.com.training, password: [supplied], securityToken: [empty], authEndpoint: https://test.salesforce.com/services/Soap/u/54.0, serviceEndpoint: https://test.salesforce.com/services/Soap/u/54.0
 - ⚙ Opening Metadata connection
Connection configurations: userName: cruk@provartesting.com.training, password: [supplied], securityToken: [empty], authEndpoint: https://test.salesforce.com/services/Soap/u/54.0, serviceEndpoint: https://test.salesforce.com/services/Soap/u/54.0
 - ① Successfully connected to Salesforce as CrukTrainingOrg
 - **On SF Account Home screen** 00:08:59(00:07.421)
 - ① Start of With Screen. Connection Name: CrukTrainingOrg, target: sf:ui:target?object=Account&action=ObjectHome
 - ① Opening Edge (Chromium) webdriver instance to https://test.salesforce.com/
 - ⚙ Add Edge (Chromium) browser specific capabilities
 - ⚠ [1655145544.269][WARNING]: This version of MSEDgeDriver has not been tested with MSEDge version 102.
 - ① Successfully opened Edge (Chromium) webdriver to https://test.salesforce.com/
 - ① Opening Page context. Name: screen, data: null, frame: null
 - ① Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: data;
 - ① Opening Salesforce user home page
 - ⚙ Navigate to home page
Opening page. URL: https://test.salesforce.com/?startURL=/lightning/app/06m1t000000n973AAA&pw={password}&un=cruk@provartesting.com.training
 - ⚙ Perform page load wait
Start of waitForPageToLoad. Timeout(ms): 90000
Re-attempting of waitForPageToLoad. Timeout(ms): 90000
End of waitForPageToLoad. Duration(ms): 108
Polling for field. attempt: 1, by: By.xpath: /*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]
Waited for lightning page to load. Attempts: 1, duration: 0.130
Polling for field. attempt: 1, by: By.xpath: /*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]
Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]

Waited for lightning page to load. Attempts: 1, duration: 0.132

Qualified relative URL. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/001/list?filterName=Recent

Opening page. Requested URL: /lightning/o/001/list?filterName=Recent, Absolute URL: https://provar-trial-org--training.lightning.force.com/lightning/o/001/list?filterName=Recent

⚙️ Perform page load wait

Polling for field. attempt: 1, by: By.xpath: //*[self::div and contains(@class, 'oneGlobalNav')] or (@id='oneHeader')]

Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]

Polling for field. attempt: 2, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]

Waited for lightning page to load. Attempts: 1, duration: 0.159

① Successfully opened user home page

Waited for lightning page to load. Attempts: 1, duration: 0.163

① Going to update browser window handles.

⚙️ Update browser window handles.

① Successfully updated browser window handles.

● Click the New button ⌚ 00:09:32(00:39.992)

① Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew

① Interaction: ui:interaction?name=action

① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent

① Interaction: ui:interaction?name=action

① Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '602:0')]

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: [[EdgeDriver: msedge on ANY (ad85323b42e4034990851e629b495fd0)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]/div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]/ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')]/a[contains(@data-aura-rendered-by, '602:0')]

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙️ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165514557373264736&backgroundContext=%2Fflightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙️ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account New screen ⌚ 00:09:37(00:44.978)

① Start of With Screen. Connection Name: CrukTrainingOrg, target: sf:ui:target?object=Account&action=New&noOverride=true

📘 Opening Page context. Name: screen, data: null, frame: null

Waited for lightning page to load. Attempts: 1, duration: 0.135

Waited for lightning page to load. Attempts: 1, duration: 0.187

📘 Going to update browser window handles.

⚙️ Update browser window handles.

📘 Successfully updated browser window handles.

● Set the Account Name field to TestAccount

🕒 00:09:43(00:51.001)

📘 Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

📘 Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

📘 Interaction: ui:interaction?name=set

📘 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165514557373264736&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

📘 Interaction: ui:interaction?name=set

📘 Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div and contains(@class, 'forcePageBlockSection'))][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))] or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')/ancestor::div[1]

📘 Find field using relative xpath: ./input

📘 Waiting for element to be present. Timeout(seconds): 10

📘 Doing before wait. waitUrl: default

📘 End of <default>; wait.

📘 Found element: [[[org.openqa.selenium.remote.RemoteWebElement@2cc23bf1 -> unknown locator]] -> xpath: ./input]

📘 Got webElement. tagName: INPUT, id: input-154, type: text, class: slds-input

📘 Typing value. tagName: INPUT, type: text, value: TestAccount, blur: false

📘 Doing after wait. waitUrl: default

📘 End of <default>; wait.

📘 Going to update browser window handles.

⚙️ Update browser window handles.

📘 Successfully updated browser window handles.

● Clear the Account Name field

🕒 00:09:46(00:54.298)

📘 Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

📘 Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

📘 Interaction: ui:interaction?name=clear

📘 Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165514557373264736&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

📘 Interaction: ui:interaction?name=clear

📘 Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div and contains(@class, 'forcePageBlockSection'))][1]/*[self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide'))] or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (.//text()[normalize-space()='Account Name'] or .//text() = 'Account Name')/ancestor::div[1]

📘 Find field using relative xpath: ./input

📘 Waiting for element to be present. Timeout(seconds): 10

📘 Doing before wait. waitUrl: default

- End of <default> wait.
- Found element: [[[org.openqa.selenium.remote.RemoteWebElement@2cc23bf1 -> unknown locator]] -> xpath: ./input]
- Got webElement. tagName: INPUT, id: input-154, type: text, class: slds-input
- Typing value. tagName: INPUT, type: text, value: , blur: false
- Doing after wait. waitUrl: default
- End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Set the Type picklist to Analyst 00:09:49(00:57.382)

- Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=Type&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DType, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=Type&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DType
- Interaction: ui:interaction?name=set
- Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165514557373264736&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Interaction: ui:interaction?name=set
- Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]last()/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div and contains(@class, 'forcePageBlockSection'))][1]/*[not(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Type'] or ./text() = 'Type')]/ancestor::div[1]
- Find field using relative xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]
- Waiting for element to be present. Timeout(seconds): 10
- Doing before wait. waitUrl: default
- End of <default> wait.
- Found element: [[[org.openqa.selenium.remote.RemoteWebElement@1b220fc5 -> unknown locator]] -> xpath: //*[self::a or self::input or self::button[contains(@class, 'slds-combobox__input')]]]
- Got webElement. tagName: BUTTON, id: combobox-button-174, type: button, class: slds-combobox__input slds-input_faux slds-combobox__input-value
- Typing value. tagName: BUTTON, type: button, value: Analyst, blur: false
- Clicking WebElement using Javascript Click. WebElement: WebElement [tag: lightning-base-combobox-item]
- Doing after wait. waitUrl: default
- End of <default> wait.
- Going to update browser window handles.
- Update browser window handles.
- Successfully updated browser window handles.

Set the Account Name field to TESTAccount1123 00:09:52(01:00.739)

- Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default
- Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName
- Interaction: ui:interaction?name=set
- Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165514557373264736&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent
- Interaction: ui:interaction?name=set
- Finding field placeholder using xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError'))]]last()/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[self::records-record-layout-section or (self::section or self::div and contains(@class, 'forcePageBlockSection'))][1]/*[not(self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide '))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-

form-element__label')) or (self::div and contains(@class,'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class,'forceTextEnumLookup')) or (self::div and contains(@class,'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name')/ancestor::div[1]

Find field using relative xpath: ./input

Waiting for element to be present. Timeout(seconds): 10

Doing before wait. waitUrl: default

End of <default> wait.

Found element: [[[org.openqa.selenium.remote.RemoteWebElement@2cc23bf1 -> unknown locator]] -> xpath: ./input]

Got webElement. tagName: INPUT, id: input-154, type: text, class: slds-input

Typing value. tagName: INPUT, type: text, value: TESTAccount1123, blur: false

Doing after wait. waitUrl: default

End of <default> wait.

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

Click the Save button

00:09:56(01:03.956)

Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave, before wait: default, after wait: default, auto retry: default

Locator: ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave

Interaction: ui:interaction?name=action

Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165514557373264736&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

Interaction: ui:interaction?name=action

Find action link element using xpath: //div[contains(@class,'open') and (contains(@class,'forceModal') or contains(@class,'uiModal')) and (contains(@class,'active') or following-sibling::div[contains(@class,'forceFormPageError')])][last()]/div[(contains(@class,'footer') and contains(@class,'active')) or contains(@class,'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]

Waiting for element to be present. Timeout(seconds): 10

Doing before wait. waitUrl: default

End of <default> wait.

Found element: [[EdgeDriver: msedge on ANY (ad85323b42e4034990851e629b495fd0)] -> xpath: //div[contains(@class,'open') and (contains(@class,'forceModal') or contains(@class,'uiModal')) and (contains(@class,'active') or following-sibling::div[contains(@class,'forceFormPageError')])][last()]/div[(contains(@class,'footer') and contains(@class,'active')) or contains(@class,'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]

Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

Doing after wait. waitUrl: default

End of <default> wait.

Going to update browser window handles.

Update browser window handles.

Successfully updated browser window handles.

All Sub-Test Steps were successful.

Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000011zdHhQAI/view

Start of waitForPageToLoad. Timeout(ms): 90000

Re-attempting of waitForPageToLoad. Timeout(ms): 90000

End of waitForPageToLoad. Duration(ms): 67

Injecting script to get created object ID from aura component

Storing created Salesforce Object ID. Result Name: accountId, created ID: 0011X000011zdHhQAI, location: https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000011zdHhQAI/view

Logging Salesforce Object Id for clean up. Object Name: Account, id: 0011X000011zdHhQAI

❗ Closing Page context. Name: screen, data: null, frame: null

❗ Main window reselected. Window: main

❗ Switched focus to main window. URL: <https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000011zdHhQAI/view>

❗ Going to update browser window handles.

⚙ Update browser window handles.

❗ Successfully updated browser window handles.

⚠ On SF Account View screen 00:10:01(01:09.079)

⚠ On SF Account View screen 00:10:01(01:09.128)

❗ Handling managed resource. Name: CrukTrainingOrg

⚙ Closing Salesforce Connection because it is no longer being used. Name: CrukTrainingOrg

⚙ Closing web connection.

⚙ Closing Selenium driver

⚙ Shutting down Soap Connections. logFilePath: CrukTrainingOrg-objectids.log

❗ Salesforce Connection handled successfully. Name: CrukTrainingOrg