

Test Run Report




Test Run Overview

Started 07 Jun 2022, 17:05:29
Ended 07 Jun 2022, 17:07:23
Duration (mm:ss) 01:54.119

Test Results Summary

Passed 1
Failed 0
Skipped 0



Test Case Summary

- tests
 - Training day 1
 - UsingTestBuilder.testcase

- successful
- successful
- successful

UsingTestBuilder.testcase

Summary


Started 07 Jun 2022, 17:05:29
Ended 07 Jun 2022, 17:07:19
Duration (mm:ss) 01:49.523
Outcome  successful

Output

Salesforce Connect: CrukTrainingOrg (Test)

17:05:29(00:00.016)

 Connecting to Salesforce as CrukTrainingOrg

 Connection details. Connection name: CrukTrainingOrg, result name: CrukTrainingOrg, result scope: Test, urlString: sf:user=cruk@provartesting.com.training;password={password};environment=SANDBOX;lightningMode=true, environment: <default>, userName: cruk@provartesting.com.training, password: [supplied] securityToken: [empty]

 Create object id log file.

Absolute path: C:\Users\SAMART-1.SHE\AppData\Local\Temp\ProvarTestArtifacts71039744559754686811841970980038000\CrukTrainingOrg-objectids.log

 Opening Partner connection


Connection configurations: userName: cruk@provartesting.com.training, password: [supplied], securityToken: [empty], authEndpoint: https://test.salesforce.com/services/Soap/u/54.0, serviceEndpoint: https://test.salesforce.com/services/Soap/u/54.0

 Opening SOAP connection

Connection configurations: userName: cruk@provartesting.com.training, password: [supplied], securityToken: [empty], authEndpoint: https://test.salesforce.com/services/Soap/u/54.0, serviceEndpoint: https://test.salesforce.com/services/Soap/u/54.0

 Opening Metadata connection

Connection configurations: userName: cruk@provartesting.com.training, password: [supplied], securityToken: [empty], authEndpoint: https://test.salesforce.com/services/Soap/u/54.0, serviceEndpoint: https://test.salesforce.com/services/Soap/u/54.0

 Successfully connected to Salesforce as CrukTrainingOrg

 Opening Chrome webdriver instance to https://test.salesforce.com/

 Add Chrome browser specific capabilities

Using executable from UserHome Provar. executable: C:\Users\samarth.shekhar\Provar\chromeDriver\chromedriver.exe


Added Chrome command line switch to bypass proxy for local addresses: --proxy-bypass-list=localhost,127.0.0.1,192.168.1.198

Added desired capability for Chrome browser proxy Null


Using executable from UserHome Provar. executable: C:\Users\samarth.shekhar\Provar\chromeDriver\chromedriver.exe

 Successfully opened Chrome webdriver to https://test.salesforce.com/

 Opening Salesforce user home page

 Navigate to home page

Opening page. URL: https://test.salesforce.com/?startURL=/lightning/app/06m1t000000n973AAA&pw={password}&un=cruk@provartesting.com.training

 Perform page load wait

Start of waitForPageToLoad. Timeout(ms): 90000

Re-attempting of waitForPageToLoad. Timeout(ms): 90000


End of waitForPageToLoad. Duration(ms): 66

Polling for field. attempt: 1, by: By.xpath: //*(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]

Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]

Polling for field. attempt: 1, by: By.xpath: //*(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]

Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]

 Successfully opened user home page

 Going to update browser window handles.

 Update browser window handles.

⚙ Starting Page Object change watcher. Page Object bin folder: C:\Users\samarth.shekhar\Provar\CRUKTainng\CrukTraining\bin\pageobjects

⚙ Not watching Page Object folder because it does not yet exists. Page Object bin folder: C:\Users\samarth.shekhar\Provar\CRUKTainng\CrukTraining\bin\pageobjects

ℹ Successfully updated browser window handles.

● On SF Account Home screen

⌚ 17:05:54(00:24.284)

ℹ Start of With Screen. Connection Name: CrukTrainingOrg, target: sf:ui:target?object=Account&action=ObjectHome

ℹ Opening Page context. Name: screen, data: null, frame: null

ℹ Opening Salesforce page. Object: Account, RelatedList: null, Action: ObjectHome, Page URL: /lightning/o/001/list?filterName=Recent, Current URL: https://provar-trial-org--training.lightning.force.com/lightning/page/home

ℹ Opening Salesforce user home page

⚙ Navigate to home page

Qualified relative URL. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/001/list?filterName=Recent

Opening page. Requested URL: /lightning/o/001/list?filterName=Recent, Absolute URL: https://provar-trial-org--training.lightning.force.com/lightning/o/001/list?filterName=Recent

⚙ Perform page load wait

Polling for field. attempt: 1, by: By.xpath: //*[(self::div and contains(@class, 'oneGlobalNav')) or (@id='oneHeader')]

Polling for field. attempt: 1, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]

Polling for field. attempt: 2, by: By.xpath: //div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]

Waited for lightning page to load. Attempts: 1, duration: 0.101

ℹ Successfully opened user home page

Waited for lightning page to load. Attempts: 1, duration: 0.131

ℹ Going to update browser window handles.

⚙ Update browser window handles.

ℹ Successfully updated browser window handles.

● Click the New button

⌚ 17:06:04(00:34.447)

ℹ Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew, before wait: default, after wait: default, auto retry: default

ℹ Locator: ui:locator?name=New&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3DNew

ℹ Interaction: ui:interaction?name=action

ℹ Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/list?filterName=Recent

ℹ Interaction: ui:interaction?name=action

ℹ Find action link element using xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '601:0')]

ℹ Waiting for element to be present. Timeout(seconds): 10

ℹ Doing before wait. waitUrl: default

ℹ End of <default> wait.

ℹ Found element: [[ChromeDriver: chrome on XP (7075389fd833c989cff61b2a8866b6f8)] -> xpath: (//div[contains(@class, 'active') and (contains(@class, 'oneContent') or contains(@class, 'main-content'))]//div[contains(@class, 'forceObjectHomeDesktop') or contains(@class, 'oneConsoleObjectHome') or contains(@class, 'forceRelatedListDesktop') or (contains(@class, 'slds-table_joined') and contains(@class, 'test-listViewManager'))]//ul[contains(@class, 'oneActionsRibbon')] | //div[contains(@class, 'forceActionsDropDownMenuList') and contains(@class, 'visible')])//a[contains(@data-aura-rendered-by, '601:0')]

ℹ Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: New, href: javascript:void(0);]

ℹ Doing after wait. waitUrl: default

ℹ End of <default> wait.

ℹ Going to update browser window handles.

⚙ Update browser window handles.

ℹ Successfully updated browser window handles.

ℹ All Sub-Test Steps were successful.

ℹ Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165460176529447862&backgroundContext=%2Fighting%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account New screen

⌚ 17:06:08(00:38.971)

① Start of With Screen. Connection Name: CrukTrainingOrg, target: sf:ui:target?object=Account&action=New&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

Waited for lightning page to load. Attempts: 1, duration: 0.163

① Hover>Clicking WebElement. WebElement [tag: h2, text: New Account]

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Set the Account Name field to TestAccount

⌚ 17:06:14(00:44.854)

① Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=set

① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165460176529447862&backgroundContext=%2Fighting%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=set

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))]/1/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name')]/ancestor::div[1]`

① Find field using relative xpath: `./input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@7e3c57d6 -> unknown locator]] -> xpath: ./input]`

① Got webElement. tagName: INPUT, id: input-151, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: TestAccount, blur: false

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● Clear the Account Name field

⌚ 17:06:17(00:47.781)

① Start of Interact. Connection: CrukTrainingOrg, Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName, before wait: default, after wait: default, auto retry: default

① Locator: ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName

① Interaction: ui:interaction?name=clear

① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165460176529447862&backgroundContext=%2Fighting%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=clear

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))]/1/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name'))/ancestor::div[1]`

① Find field using relative xpath: `//input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of `<default>`; wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@7e3c57d6 -> unknown locator]] -> xpath: //input]`

① Got webElement. tagName: INPUT, id: input-151, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: , blur: false

① Doing after wait. waitUrl: default

① End of `<default>`; wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Set the Account Name field to TESTAccount1

🕒 17:06:20(00:50.297)

① Start of Interact. Connection: CrukTrainingOrg, Locator: `ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=Name&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26field%3DName`

① Interaction: `ui:interaction?name=set`

① Switched focus to main window. URL: `https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165460176529447862&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent`

① Interaction: `ui:interaction?name=set`

① Finding field placeholder using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[((self::records-record-layout-section) or ((self::section or self::div) and contains(@class, 'forcePageBlockSection')))]/1/*[(((self::label and (contains(@class, 'uiLabel') or contains(@class, 'slds-form-element__label')) and not(contains(@class, 'hide')))) or (self::span and (contains(@class, 'inputLabel') or contains(@class, 'slds-form-element__label')))) or (self::div and contains(@class, 'test-id__field-label-container')) or (self::lightning-grouped-combobox and contains(@class, 'forceTextEnumLookup')) or (self::div and contains(@class, 'lightningInputRichText') or self::lightning-input-rich-text)) and (./text()[normalize-space()='Account Name'] or ./text() = 'Account Name'))/ancestor::div[1]`

① Find field using relative xpath: `//input`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of `<default>`; wait.

① Found element: `[[[org.openqa.selenium.remote.RemoteWebElement@7e3c57d6 -> unknown locator]] -> xpath: //input]`

① Got webElement. tagName: INPUT, id: input-151, type: text, class: slds-input

① Typing value. tagName: INPUT, type: text, value: TESTAccount1, blur: false

① Doing after wait. waitUrl: default

① End of `<default>`; wait.

① Going to update browser window handles.

✳ Update browser window handles.

① Successfully updated browser window handles.

● Click the Save button

🕒 17:06:22(00:52.982)

① Start of Interact. Connection: CrukTrainingOrg, Locator: `ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave`, before wait: default, after wait: default, auto retry: default

① Locator: `ui:locator?name=save&binding=sf%3Aui%3AAbinding%3Aobject%3Fobject%3DAccount%26action%3Dsave`

① Interaction: `ui:interaction?name=action`

① Switched focus to main window. URL: https://provar-trial-org--training.lightning.force.com/lightning/o/Account/new?count=1&nooverride=1&useRecordTypeCheck=1&navigationLocation=LIST_VIEW&uid=165460176529447862&backgroundContext=%2Flightning%2Fo%2FAccount%2Flist%3FfilterName%3DRecent

① Interaction: ui:interaction?name=action

① Find action link element using xpath: `//div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[ChromeDriver: chrome on XP (7075389fd833c989cff61b2a8866b6f8)] -> xpath: //div[contains(@class, 'open') and (contains(@class, 'forceModal') or contains(@class, 'uiModal')) and (contains(@class, 'active') or following-sibling::div[contains(@class, 'forceFormPageError')])][last()]/div[(contains(@class, 'footer') and contains(@class, 'active')) or contains(@class, 'footer-visible')]/ancestor::*[self::force-form-footer or self::records-base-record-form][@records-lwcdetailpanel_lwcdetailpanel]/runtime_platform_actions-action-renderer[@apiname='save' or @apiname='SaveEdit']/*[self::a or self::button]]`

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: button, text: Save]

① Doing after wait. waitUrl: default

① End of <default> wait.

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

① All Sub-Test Steps were successful.

① Switched focus to main window. URL: <https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000010oDCBQA2/view>

Start of waitForPageToLoad. Timeout(ms): 90000

Re-attempting of waitForPageToLoad. Timeout(ms): 90000

End of waitForPageToLoad. Duration(ms): 112

① Injecting script to get created object ID from aura component

📋 Storing created Salesforce Object ID. Result Name: accountId, created ID: 0011X000010oDCBQA2, location: <https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000010oDCBQA2/view>

① Logging Salesforce Object Id for clean up. Object Name: Account, id: 0011X000010oDCBQA2

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000010oDCBQA2/view>

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

● On SF Account View screen

⌚ 17:06:27(00:57.870)

① Start of With Screen. Connection Name: CrukTrainingOrg, target: sf:ui:target?object=Account&action=View&noOverride=true

① Opening Page context. Name: screen, data: null, frame: null

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

Waited for lightning page to load. Attempts: 1, duration: 0.119

① Going to update browser window handles.

⚙ Update browser window handles.

① Successfully updated browser window handles.

⚠ UI Assert

⌚ 17:06:34(01:05.100)

● UI Assert

⌚ 17:06:34(01:05.108)

① Start of UiAssert. Connection: CrukTrainingOrg

① Resolving field Name

① Switched focus to main window. URL: <https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000010oDCBQA2/view>

① Activating detailTab tab

① Clicking WebElement using Javascript Click. WebElement: WebElement [tag: a, text: Details, href: javascript:void(0)]

Waited for lightning page to load. Attempts: 1, duration: 0.103

① Finding field placeholder using xpath: `//*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::records-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/following-sibling::div[1]/*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]`

① Waiting for element to be present. Timeout(seconds): 10

① Finding field elements using relativePath: `./*[self::lightning-formatted-name or self::lightning-formatted-text]`

① Waiting for element to be present. Timeout(seconds): 10

① Doing before wait. waitUrl: default

① End of <default> wait.

① Found element: `[[[ChromeDriver: chrome on XP (7075389fd833c989cff61b2a8866b6f8)] -> xpath: //*[contains(@class, 'active') and ((self::div and contains(@class, 'oneContent')) or (self::section and ((contains(@class, 'oneConsoleTab') and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and not(contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab')))) or (contains(@class, 'tabContent') and ancestor::div[contains(@class, 'wsTabset') and not(contains(@class, 'wsTabBarHidden'))]) and ancestor::div[contains(@class, 'active') and (contains(@class, 'oneWorkspace') or contains(@class, 'navexWorkspace')) and contains(@class, 'hasPinnedRegionTemplate') and contains(@class, 'hasActiveSubtab'))))]//*[contains(@class, 'forceDetailPanel') or contains(@class, 'detail-panel-root')]/*[(self::records-record-layout-section) or (self::div and (contains(@class, 'forcePageBlockSectionView') or contains(@class, 'test-id__section slds-section ')))][1]//div[(contains(@class, 'labelCol') or contains(@class, 'field-label-container')) and (span/text()[normalize-space()='Account Name' or (.) ='Account Name'])]/following-sibling::div[1]//*[(self::div and contains(@class, 'dataCol')) or (self::span and contains(@class, 'test-id__field-value'))]] -> xpath: ./*[self::lightning-formatted-name or self::lightning-formatted-text]`

① Asserting field attributes: Name

① Asserting Attribute: value to PrimitiveValueImpl [value: TESTAccount1, valueId=0, createdUpdateSeq=-1, updatedUpdateSeq=-1]

✅ Assertion successful. TESTAccount1 EqualTo TESTAccount1

① Object read successfully. Result Name: Values

① Going to update browser window handles.

🔗 Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① All Sub-Test Steps were successful.

① Closing Page context. Name: screen, data: null, frame: null

① Main window reselected. Window: main

① Switched focus to main window. URL: <https://provar-trial-org--training.lightning.force.com/lightning/r/Account/0011X000010oDCBQA2/view>

① Going to update browser window handles.

🔗 Update browser window handles.

① Successfully updated browser window handles.

① Pausing at end of Test Case

① Handling managed resource. Name: CrukTrainingOrg

🔗 Closing Salesforce Connection because it is no longer being used. Name: CrukTrainingOrg

🔗 Closing web connection.

🔗 Closing Selenium driver

🔗 Stopping Page Object change watcher.

🔗 Shutting down Soap Connections. logFilePath: CrukTrainingOrg-objectids.log

① Salesforce Connection handled successfully. Name: CrukTrainingOrg