

FREEBOARD

Prove you have room to maneuver, without showing what you hold.

Proving you're creditworthy today means showing your whole book.



Take it or leave it

Collateral, debt, liquidation threshold, all exposed, or no deal at all.



Watched and front-run

Positions get hunted the moment a health factor slips.



Still not optional

Lenders, DAOs and insurers still need some proof before they extend terms.

Midnight names this exact use case first,
on its own site.

“Prove solvency ... without disclosing balances.”

Midnight, on what businesses can build for Finance

Freeboard is that sentence, built.

What a verifier sees. And what they never do.

ABOVE THE LINE · PUBLIC

Verdict: SAFE / AT_RISK

Attestation timestamp

Checks performed

waterline

BELOW THE LINE · NEVER LEAVES YOUR MACHINE


collateral	
------------	--

debt	
------	--

liq. threshold (bps)	
----------------------	--

A proof over numbers nobody signed proves nothing.

So the signature is checked first, inside the circuit, before any arithmetic runs.



*No register or rotate circuit for the attester key, on purpose:
an unauthenticated rotate would let a prover install their own key and self-attest.*

Two real runs, against a real deployed contract.

```
freeboard --check --read
```

- Attester signs the position
- Proving and submitting ...

✓ **Accepted. Verdict: SAFE**

Public ledger state:

Verdict: SAFE

Checks: 2

*no collateral, no debt,
no threshold.*

```
freeboard --check --tamper
```

⚠ collateral inflated ×1000
after signing

Local signature check: INVALID

⛔ **REJECTED IN-CIRCUIT**
position is not signed by
the registered attester.

No verdict was written.

0.4s, against 45s for an accepted proof

The whole public record. Not a summary of it.

ON-CHAIN	NEVER LEAVES YOUR MACHINE
lastVerdict	collateral
lastAttestationAt	debt
checkCount	liquidationThresholdBps
attesterPk	the signature itself

Three layers. The contract is the product.

1

Compact contract

Verifies the oracle signature, computes the health factor in private state, discloses only the verdict.

2

Local proof server

Docker container. Generates the ZK proof on your machine. Raw numbers never leave the client.

3

CLI / landing page

The interface. Published on npm. A static page shows a real captured run without installing anything.

Shipped on the beta SDK. On purpose.

5.0.0-beta.7

Every installable Compact compiler emits a runtime the stable SDK can't serialize. The beta line is the only stack internally consistent with the current compiler, and with the schnorr attestation feature this project rests on.

What it is not, yet.



The oracle is a stand-in

Its signing key sits on the same machine as the prover. The check proves the mechanism, not that any position is real.



Local devnet only

Not deployed to a public testnet yet. No chain persists between restarts.

Three steps from mechanism to product.

1

Real attester

An independent oracle. The contract needs no changes to support this: the check was built in-circuit from the start.

2

Public testnet

Move off local devnet. Freeboard becomes verifiable by anyone, not just reproducible.

3

Cross-protocol solvency

From a single attested position to portfolio-level proofs across protocols.



FREEBOARD

Prove the property. Not the position.

REPOSITORY

`github.com/Sammy949/freeboard`

PACKAGE

`npmjs.com/package/freeboard-cli`

LIVE SITE

`freeboard.samuelyahaya.com`