



ព្រះរាជាណាចក្រកម្ពុជា
ជាតិ សាសនា ព្រះមហាក្សត្រ

Software Engineering

Project : Student Internship Management System

Group: B2

Name of Student	ID of Student	Score
SAM NANGALEX	e20220253	
PENG SEYHA	e20220620	
OUN RITHI	e20220420	
SOEUN SEREYVATH	e20220907	
YI MONIROM	e20220175	

Lecturer: Roeun Pacharoth

Academic year 2025-2026

Progress Report 3

Name: SAM NANGALEX

☒ User service

```
import project.demo.repository.UserRepository;
import org.springframework.stereotype.Service;
import project.demo.entity.User;
import project.demo.entity.UserRole;
import project.demo.entity.UserRoleId;
import project.demo.enums.RoleName;
import project.demo.entity.Role;
import project.demo.repository.RoleRepository;
import java.util.List;
import org.springframework.security.crypto.password.PasswordEncoder;

@Service
public class UserService {
    private UserRepository userRepository;
    private RoleRepository roleRepository;
    private PasswordEncoder passwordEncoder;

    public UserService(UserRepository userRepository, RoleRepository roleRepository, PasswordEncoder passwordEncoder) {
        this.userRepository = userRepository;
        this.roleRepository = roleRepository;
        this.passwordEncoder = passwordEncoder;
    }

    public List<User> getAllUsers(){
        return userRepository.findAll();
    }

    public User createUserWithRole(User user, RoleName roleName) {
        if(userRepository.existsByEmail(user.getEmail())){
            throw new IllegalArgumentException("Email already exists");
        }

        Role role = roleRepository.findByRoleName(roleName)
            .orElseThrow(() -> new RuntimeException("Role not found"));

        user.setPassword(passwordEncoder.encode(user.getPassword()));
        User savedUser = userRepository.save(user);
    }
}
```

☒ Encrypt password in Database

```
snalex@snalex-GF63-Thin-10SC:~$ mysql -u internship_app -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 38
Server version: 8.0.44-0ubuntu0.24.04.2 (Ubuntu)

Copyright (c) 2000, 2025, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> use internship
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A

Database changed
mysql> select * from users;
+----+-----+-----+-----+-----+-----+
| id | email          | username | password | enable | created_at | create_at |
+----+-----+-----+-----+-----+-----+
| 1  | Alex@gmail.com | Alex    | 123      | 1      | NULL       | NULL       |
| 5  | Test@gmail.com | Alex    | 123      | 1      | NULL       | NULL       |
| 7  | Test11@gmail.com | Alex    | 123      | 1      | NULL       | NULL       |
| 8  | Test10@gmail.com | Alex    | $2a$10$Dow1Xr4v7Zx9L1pY6Hk0SeVJbUuZ7X2j5FF7sQ3nCQyZ37pX7yQwW | 1      | NULL       | NULL       |
| 9  | Zoro@gmail.com | Zoro    | 123      | 1      | NULL       | NULL       |
| 10 | Test200@gmail.com | Alex    | {noop}123 | 1      | NULL       | NULL       |
| 11 | Test100@gmail.com | Test    | 123      | 1      | NULL       | NULL       |
| 12 | admin@gmail.com | Admin   | $2a$10$Z7/P3fjTV8/vRVL/3YkDhu1PRQ.c/qbGqCgBdRx8sIXLOVQpUQvqS | 1      | NULL       | NULL       |
| 13 | test0@gmail.com | NULL    | $2a$10$1Tv1dKad0KHvrdZix/eQR.rPZzxfCs0wC9mAmJ9Kj2k6f1pr9N/lW | 1      | NULL       | NULL       |
+----+-----+-----+-----+-----+-----+
9 rows in set (0.01 sec)
```

☒ Login SuccessHandle

```

src > main > java > project > demo > security > LoginSuccessHandler.java > Language Support for Java(TM) by Red Hat >
package project.demo.security;

import jakarta.servlet.http.HttpServletRequest;
import jakarta.servlet.http.HttpServletResponse;
import org.springframework.security.core.Authentication;
import org.springframework.security.core.authority.SimpleGrantedAuthority;
import org.springframework.security.web.authentication.AuthenticationSuccessHandler;
import org.springframework.stereotype.Component;

import java.io.IOException;

@Component
public class LoginSuccessHandler implements AuthenticationSuccessHandler {

    @Override
    public void onAuthenticationSuccess(
        HttpServletRequest request,
        HttpServletResponse response,
        Authentication authentication
    ) throws IOException {

        if (authentication.getAuthorities()
            .contains(new SimpleGrantedAuthority(role: "ADMIN"))) {
            response.sendRedirect(location: "/admin/dashboard");
            return;
        }

        if (authentication.getAuthorities()
            .contains(new SimpleGrantedAuthority(role: "SUPERVISOR"))) {
            response.sendRedirect(location: "/supervisor/dashboard");
            return;
        }

        response.sendRedirect(location: "student/dashboard");
    }
}

```

☒ UsersRequest for login

```

src > main > java > project > demo > model > CreateUserRequest.java > Language Support for Java(TM) by Red Hat >
package project.demo.Model;

import project.demo.enums.RoleName;

public class CreateUserRequest {

    private String email;
    private String password;
    private RoleName roleName;

    public String getEmail() {
        return email;
    }

    public void setEmail(String email) {
        this.email = email;
    }

    public String getPassword() {
        return password;
    }


    public void setPassword(String password) {
        this.password = password;
    }

    public RoleName getRoleName() {
        return roleName;
    }


    public void setRoleName(RoleName roleName) {
        this.roleName = roleName;
    }
}

```


☒ ~~Test login to Admin successfully~~



A sign-in form titled "Sign In" is centered on a light purple background. The form contains two input fields: "Email" with the value "admin@gmail.com" and "Password" with three dots indicating a masked password. Below the fields are two buttons: a blue "Sign In" button and a blue "Forgot Password?" link.




☒ ~~Update admin CRUD on student~~



A table titled "Students" with the subtitle "Manage students records". It includes a "+ Add Student" button in the top right corner. The table has four columns: "ID", "Full Name", "Email", and "Actions". There is one data row with the following values: ID 1, Full Name test0, Email test0@gmail.com, and Actions with "Edit" and "Delete" buttons.

ID	Full Name	Email	Actions
1	test0	test0@gmail.com	<button>Edit</button> <button>Delete</button>



Name: OUN RHITI

4. Frontend

4.1 Company Pages

- ☒ ~~Company list page UI~~
- ☒ ~~Company detail page~~
- ☒ ~~Form for add company~~
- ☒ ~~Form for edit company~~

4.2 Document Upload UI

- ☒ ~~Create file upload form~~
- ☒ ~~Add preview UI~~
- ☒ ~~Connect to backend API~~
- ☒ ~~Display upload success or failure~~

Name: PENG SEYHA

Name: YI MONIROM

Backend

- ☒ ~~Create supervisor service~~
- ☒ ~~Create supervisor repository~~
- ☒ ~~Create supervisor entity~~
- ☒ ~~Implement Create supervisor~~
- ☒ ~~Implement Read supervisor~~
- ☒ ~~Implement Update supervisor~~
- ☒ ~~Implement Delete supervisor~~
- ☒ ~~Validate inputs (e.g., name, email, dept)~~

2.2 Routes



- ☒ ~~Add REST routes (GET/POST/PUT/DELETE)~~


2.3 Testing

- ☒ ~~Test CRUD with Postman~~
- ☒ ~~Test DB insert/update/delete~~

```
PS D:\year4\softt\mysql -u intership_app -prnship_Managment\Student-internship-management-system>
mysql> use intership ;
Database changed
mysql> select*from supervisors;
+-----+-----+-----+-----+-----+-----+
| id | user_id | full_name | email | phone_number | department |
+-----+-----+-----+-----+-----+-----+
| 4 | 2 | ROM | monirom@gmail.com | 16309227 | GIC |
+-----+-----+-----+-----+-----+-----+
1 row in set (0.00 sec)

mysql>
```





Name: SOEUN SEREYVATH

☒ ~~Add company page~~