







1

2

3

4



Title

Size

A4

Number

Revision

Date: 2019/9/14

Sheet

of

File: E:\AD制作\JLINK_V9\Jlink_V9.SchDoc


Drawn By:

1

2

3

4



Comment	Description	Designator	Footprint	LibRef	Quantity
Cap	Polarized Capacitor (Radial)	C1, C2, C5, C6, C7, C8, C9, C10, C11	LC-0603_C	Cap	9
12pf		C3, C4	LC-0603_C	CAP	2
白灯 0603	发光二极管	D1, D2	0603_LED_S1	0603 白灯	2
USB type C		J1	USB Type-C-16Pin_A	USB_C	1
Resistor Chip	Resistor Chip	R1, R2, R3, R4, R5, R6, R7, R8, R9, R10, R11, R12, R13, R14, R15, R16, R17, R18, R19, R20, R21, R22, R23, R24	LC-0603_R	Resistor	24
Res2	Resistor	R25, R26	LC-0603_R	Res2	2
HDR2x6_2.54	Header	SWDOUT1	HDR2X4_2.54_180H	HDR2x4_2.54	1
RT9193-3.3	3.3V超低压差LDO	U1	SOT23-5N	RT9193-33	1
STM32F205RET6	Microcontroller ST	U2	LQFP64 10x10_N	STM32F205RET6	1
12Mhz	Crystal Oscillator	Y1	XT_5032_2	XTAL_1	1