

Note...



just_samuel33 ⚙️

Sampriyan Mahendran

0 posts 50 followers 28 following

Living life with purpose and elegance.

Edit profile

View archive



Dev Journey



New



LINE EDITOR IN C

SALFORD & CO.

```
11 left: 50%;  
12 transform: translate(-50%,  
13 width: 400px;  
14 padding: 40px;  
15 background: rgba(0, 0, 0,  
16 box-sizing: border-box;  
17 box-shadow: 0 15px 25px r  
18 border-radius: 10px;  
19 }  
20 .box h2{  
21 margin: 0 0 30px;  
22 padding: 0;  
23 color: #fff;  
24 text-align: center;  
25 }  
26 .box p{
```



just_samuel33



No comments yet.

Start the conversation.



Be the first to like this
24 seconds ago



Add a comment...

Post



SIMPLE LINE EDITOR (MINIMAL EDITION)

Team APEX GP:
M. Sampriyan (Lead Dev),
Dilip Naidhruva (Case
Eng), Shrirama
Venkataraman (Docs)



just_samuel33

FRONT-END DEVELOPMENT

Under the hood, our editor maintains the document state in memory using an array of dynamic strings. Instead of using 0-based index bounds exposed to the end-user, we implement 1-based indexing so that line numbers match natural human reading. We established safe hard limits of 500 lines with up to 255 characters per line to manage memory efficiently. Every user command goes through a robust loop: the prompt captures input, identifies the keyword regardless of case, evaluates boundary safety, and updates the active document buffer



just_samuel33

Our line editing operations prioritize pointer and index shifting. When running INS, all elements from the target line onwards shift down by one position before inserting new text. DEL reverses this process by shifting lower lines up to close the gap. For persistent storage, SAVE writes every active string sequentially out to disk, while LOAD safely replaces current memory buffer contents only if the file exists and opens successfully.



just_samuel33

ADDITIONAL SYSTEM HANDLING

- **Boundary Guarding:** Out-of-bounds line numbers print clean error usage messages without crashing.
- **Missing Argument Safety:** Empty payloads on INS or EDIT are rejected.
- **Safe File Operations:** Failed file reads/writes retain existing memory.
- **Non-Destructive Failures:** Unmatched FIND/REPLACE or empty UNDO report 0 matches or Nothing to undo




just_samuel33



THANK YOU

Stay curious, continue learning, and keep building meaningful, secure, and impactful digital solutions for the modern web.



just_samuel33



AD HA
• Bound
numbe
withou
• Missin
INS or
• Safe F
retain
• Non-D
FIND/
match

Sn

Scree
Auton



gdgcblr ...

GDG Cloud Bengaluru

99 posts 733 followers 6 following

Official handle of GDG Cloud Bengaluru

gdg.community.dev/gdg-cloud-bengaluru

Following ▾

Message



DeployFest 2...



Cloud For All



COS



Come for Clo...



CCDBLR25



devfolioco ...

Devfolio

66 posts 3,739 followers 19 following


Internet company

Building a thriving builder ecosystem from IN for the 🌐

devfolio.co

Following ▾

Message



Team



Hackathons



Push to Prod




HMF



BlockTrain



NSB ✨



Merch ✨



codewithharry  ...

Haris Ali Khan

1,009 posts 800K followers 451 following

Digital creator

YouTuber (9.8M+) | IIT Kharagpur | Coding & Programming Tutorials | Memes
Developer Expert @google

 www.codewithharry.com/courses/the-ultimate-job-ready-ai-powered-dat...

 codewithharry

Following 

Message



Mercedes



Imp Lectures



Dubai



Data Science



Paris



San Francisco...



DaNang 