




Problem List

Accepted

Editorial

Solutions

Submissions

SammyKnight submitted at Sep 09, 2026 14:01

₹583.25/mo

Save over 58%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

3 ms | Beats 45.05%

Memory

23.51 MB | Beats 20.46%

60%

40%

Code

Python3

Auto

```
1 class Solution:
2     def reverseString(self, s: list[str]) -> None:
3         left, right = 0, len(s) - 1
4         while left < right:
5             s[left], s[right] = s[right], s[left]
6             left += 1
7             right -= 1
8
9 # Local Test Cases
10 if __name__ == "__main__":
11     sol = Solution()
12
13     # Test Case 1: Standard input
14     s1 = ["h", "e", "l", "l", "o"]
15     sol.reverseString(s1)
16     print("Test Case 1 Output:", s1) # Expected: ['o', 'l', 'l', 'e', 'h']
17
18     # Test Case 2: Edge case (Single element array)
19     s2 = ["A"]
```

SavedLn 21, Col 56

TestcaseTest Result

Problem List

Submit

Premium

Description

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

65 / 65 testcases passed

SammyKnight

submitted at Sep 09, 2026 13:53

₹583.25/mo

Save over 58%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

1 ms | Beats 61.20%

Memory

20.44 MB | Beats 41.54%

75%

50%

Code

Python3

Auto

```
1 class Solution:
2     def twoSum(self, nums: list[int], target: int) -> list[int]:
3         seen = {}
4         for i, num in enumerate(nums):
5             diff = target - num
6             if diff in seen:
7                 return [seen[diff], i]
8             seen[num] = i
9         return []
10
11 # Local Test Cases
12 if __name__ == "__main__":
13     sol = Solution()
14
15     # Test Case 1: Standard input
16     print("Test Case 1 Output:", sol.twoSum([2, 7, 11, 15], 9)) # Expected:
17     [0, 1]
18
```

Saved

Ln 22, Col 5

Testcase

Test Result

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 55 / 55 testcases passed  
SammyKnight submitted at Sep 09, 2026 14:02

₹583.25/mo  
Save over 58%

Unlock the Full LeetCode Experience  
Company problems, Ask Leet, and expert editorials—all in one plan.

Runtime  
18 ms | Beats 18.86%

Memory  
19.53 MB | Beats 29.48%

30%

20%

Code

Python3

```
1  for char in s:
2      count[char] = count.get(char, 0) + 1
3
4  for char in t:
5      if char not in count or count[char] == 0:
6          return False
7      count[char] -= 1
8
9  return True
10
11 # Local Test Cases
12 if __name__ == "__main__":
13     sol = Solution()
14
15     # Test Case 1: Valid anagram
16     print("Test Case 1 Output:", sol.isAnagram("anagram", "nagaram")) # Expected: True
17
18     # Test Case 2: Edge case (Different lengths)
19     print("Test Case 2 Output:", sol.isAnagram("rat", "car")) # Expected: False
```

SavedLn 23, Col 89

TestcaseTest Result

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

213 / 213 testcases passed

SammyKnight

submitted at Sep 16, 2026 12:54

583.25/mo

Save over 58%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

27 ms | Beats 88.57%

Memory

28.76 MB | Beats 21.64%

6%

4%

Code

Python3

Auto

```
1 class Solution:
2     def maxProfit(self, prices: list[int]) -> int:
3         min_price = float('inf')
4         max_profit = 0
5
6         for price in prices:
7             if price < min_price:
8                 min_price = price
9             elif price - min_price > max_profit:
10                 max_profit = price - min_price
11
12         return max_profit
13
14 # Local Test Cases
15 if __name__ == "__main__":
16     sol = Solution()
17
18     # Test Case 1: Standard input
19     print("Test Case 1 Output:", sol.maxProfit([7, 1, 5, 3, 6, 4])) #
20     Expected: 5
```

Saved

Ln 22, Col 83

Testcase | Test Result

The screenshot shows the LeetCode interface after submitting a solution. The top navigation bar includes links for Description, Accepted (126 / 126 testcases passed), Editorial, Solutions, and Submissions. The submission status is "Accepted" by user "SammyKnight" at Sep 16, 2026 12:56.

A promotional banner for LeetCode Premium is visible, offering ₹583.25/mo and saving over 98% compared to other plans.

The performance metrics are:

- Runtime:** 0 ms | Beats 100.00%
- Memory:** 19.16 MB | Beats 94.82%

A memory usage chart is shown below the metrics, indicating a peak usage of approximately 19.16 MB.

The code editor displays the Python3 solution for finding the longest common prefix among an array of strings. The code uses a loop to find the common prefix between the first string and each subsequent string.

```
Python3
def longestCommonPrefix(strs):
    if not strs:
        return ""
    prefix = strs[0]
    for s in strs[1:]:
        while not s.startswith(prefix):
            prefix = prefix[:-1]
        if not prefix:
            return ""
    return prefix

# Local Test Cases
if __name__ == "__main__":
    sol = Solution()

    # Test Case 1: Standard input
    print("Test Case 1 Output:", sol.longestCommonPrefix(["flower", "flow", "flight"])) # Expected: 'fl'

    # Test Case 2: Edge case (No common prefix)
    print("Test Case 2 Output:", sol.longestCommonPrefix(["dog", "racecar", "car"])) # Expected: ''
```

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted 47 / 47 testcases passed

SammyKnight submitted at Sep 16, 2026 12:57

School's in. Leet's on.

Get LeetCode Annual Premium for \$99!

Runtime

0 ms | Beats 100.00%

Memory

20.43 MB | Beats 76.87%

150%

100%

Code

Python3

Auto

```
7         if nums[mid] == target:
8             return mid
9         elif nums[mid] < target:
10             left = mid + 1
11         else:
12             right = mid - 1
13
14     return -1
15
16 # Local Test Cases
17 if __name__ == "__main__":
18     sol = Solution()
19
20     # Test Case 1: Target exists in array
21     print("Test Case 1 Output:", sol.search([-1, 0, 3, 5, 9, 12], 9)) #
22     Expected: 4
23
24     # Test Case 2: Edge case (Target not found in array)
25     print("Test Case 2 Output:", sol.search([-1, 0, 3, 5, 9, 12], 2)) #
26     Expected: -1
```

Saved

Ln 24, Col 86

Testcase | Test Result

Problem List

<

>

Submit

🔍

🔧

🔔

🔥 0

🔄

👤

🌐

Premium

Description

Accepted ×

Editorial

Solutions

Submissions

← All Submissions

🔗

Accepted 75 / 75 testcases passed

🔍

📄

SammyKnight submitted at Sep 16, 2026 12:59

 School's in. Leet's on.  
Get LeetCode Annual Premium for \$99!

→


🕒 Runtime

3 ms | Beats 81.84% 🏆

💾 Memory

20.70 MB | Beats 5.25%

100%



50%

Code

Python3

🔒 Auto

⋮

🔖

{ }

↶

↷

```
1
2
3     insert_pos = 0
4
5     for i in range(len(nums)):
6         if nums[i] != 0:
7             nums[insert_pos], nums[i] = nums[i], nums[insert_pos]
8             insert_pos += 1
9
10 # Local Test Cases
11 if __name__ == "__main__":
12     sol = Solution()
13
14     # Test Case 1: Standard input with mixed numbers and zeroes
15     nums1 = [0, 1, 0, 3, 12]
16     sol.moveZeroes(nums1)
17     print("Test Case 1 Output:", nums1) # Expected: [1, 3, 12, 0, 0]
18
19     # Test Case 2: Edge case (Array consisting entirely of zeroes)
20     nums2 = [0, 0, 0]
21     sol.moveZeroes(nums2)
22     print("Test Case 2 Output:", nums2) # Expected: [0, 0, 0]
```

Saved

Ln 22, Col 63

📄 Testcase

🔍 Test Result

Problem List

Accepted

Editorial

Solutions

Submissions

All Submissions

Accepted

103 / 103 testcases passed

SammyKnight

submitted at Sep 16, 2026 13:01

₹583.25/mo

Save over 55%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms | Beats 100.00%

Memory

19.28 MB | Beats 63.66%

75%

50%

Code

Python3

Auto

```
5
6
7     for char in s:
8         if char in mapping:
9             top_element = stack.pop() if stack else '#'
10            if mapping[char] != top_element:
11                return False
12        else:
13            stack.append(char)
14
15    return not stack
16
17 # Local Test Cases
18 if __name__ == "__main__":
19     sol = Solution()
20
21     # Test Case 1: Standard input with matching nested brackets
22     print("Test Case 1 Output:", sol.isValid("{}[]{}")) # Expected: True
23
24     # Test Case 2: Edge case (Mismatched bracket types)
25     print("Test Case 2 Output:", sol.isValid("{}")) # Expected: False
```

Saved

Ln 24, Col 75

Testcase | Test Result

Problem List

Accepted

Editorial

Solutions

Submissions

Submit

Ctrl

Enter

e

Python3

Auto

All Submissions

Accepted 28 / 28 testcases passed

SammyKnight submitted at Sep 16, 2026 13:02

₹583.25/mo

Save over 58%

Unlock the Full LeetCode Experience

Company problems, Ask Leet, and expert editorials — all in one plan.

Runtime

0 ms | Beats 100.00%

Memory

20.60 MB | Beats 28.92%

100%

50%

34

return dummy.next

35

36

# Local Test Cases

37

if \_\_name\_\_ == "\_\_main\_\_":

38

sol = Solution()

39

40

# Test Case 1: Standard linked list

41

head1 = create\_linked\_list([1, 2, 3, 4, 5])

42

print("Test Case 1 Output:", to\_list(sol.reverseList(head1))) #

Expected: [5, 4, 3, 2, 1]

43

44

# Test Case 2: Edge case (Single element list)

45

head2 = create\_linked\_list([1])

46

print("Test Case 2 Output:", to\_list(sol.reverseList(head2))) #

Expected: [1]

47

48

# Test Case 3: Edge case (Empty list)

49

head3 = create\_linked\_list([])

50

print("Test Case 3 Output:", to\_list(sol.reverseList(head3))) #

Expected: []

Saved

Ln 50, Col 82

Testcase

Test Result

 Problems Contest Discuss Interview  Store  

 Search

  0  Premium

Practice History  Filter

| Last Submitted  | Problem                                                | Last Result | Submissions  |
|--------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|-------------|------------------------------------------------------------------------------------------------|
| 2 minutes ago                                                                                    |  <b>206. Reverse Linked List</b><br>Easy               | Accepted    | 1             |
| 3 minutes ago                                                                                    |  <b>20. Valid Parentheses</b><br>Easy                  | Accepted    | 1             |
| 5 minutes ago                                                                                    |  <b>283. Move Zeroes</b><br>Easy                     | Accepted    | 1           |
| 6 minutes ago                                                                                    |  <b>704. Binary Search</b><br>Easy                   | Accepted    | 1           |
| 8 minutes ago                                                                                    |  <b>14. Longest Common Prefix</b><br>Easy            | Accepted    | 1           |
| 9 minutes ago                                                                                    |  <b>121. Best Time to Buy and Sell Stock</b><br>Easy | Accepted    | 1           |
| Sep 9                                                                                            |  <b>242. Valid Anagram</b><br>Easy                   | Accepted    | 1           |
| Sep 9                                                                                            |  <b>344. Reverse String</b><br>Easy                  | Accepted    | 1           |
| Sep 9                                                                                            |  <b>1. Two Sum</b><br>Easy                           | Accepted    | 7           |



**SammyKnight**  
Access all features with our Premium subscription!

 My Lists

 Notebook

 Progress

 Points

 Try New Features

 Orders

 My Playgrounds

 Settings

 Appearance 

 Sign Out

Beats 1%

0

SampriyanR25EJ060 / leetcode-solutions

Q Type / to search

+

<> Code Issues Pull requests Agents Actions Projects Wiki Security and quality Insights Settings

leetcode-solutionsPublic

PinWatch 0Fork 0Star 0

main1 Branch0 Tags

Go to file

Add file

<> Code

About

SampriyanR25EJ060

Removes README.md

8a31b3e · 7 minutes ago

2 Commits

|                         |                   |               |
|-------------------------|-------------------|---------------|
| Linked Lists and Stacks | Removes README.md | 7 minutes ago |
| array_strings           | Removes README.md | 7 minutes ago |
| basic _ Algorithms      | Removes README.md | 7 minutes ago |
| README.md               | Removes README.md | 7 minutes ago |
| progress.md             | Removes README.md | 7 minutes ago |

README

No description, website, or topics provided.

Readme

Activity

0 stars

0 watching

0 forks

Releases

No releases published

Create a new release

Packages

https://github.com/SampriyanR25EJ060/leetcode-solutions/commit/8a31b3e7c3fce321170de842952038c6d64d1c3

# LeetCode Practice & Portfolio Solutions[cite: 1]

**Name:** Sampriyan

**Course:** Portfolio Building for Engineering Students - GitHub-Integrated Edition (B25GE0101)[cite: 1]

Personal LeetCode practice log - part of B25GE0101 portfolio[cite: 1]

## Overview

This repository contains local implementations, edge-case test setups, time/space complexity documentation, and verification screenshots for algorithmic problems solved on LeetCode[cite: 1]. All solutions were written and verified locally in VS Code prior to submission[cite: 1].

## Table of Contents

- [Arrays & Strings](#)[cite: 1]
  - [01-two-sum](#) [cite: 1]
  - [02-reverse-string](#) [cite: 1]
  - [03-valid-anagram](#) [cite: 1]
  - [04-best-time-to-buy-and-sell-stock](#) [cite: 1]
  - [05-longest-common-prefix](#) [cite: 1]
- [Basic Algorithms](#)[cite: 1]
  - [06-binary-search](#) [cite: 1]
  - [07-move-zeroes](#) [cite: 1]
- [Stacks & Linked Lists](#)[cite: 1]
  - [08-valid-parentheses](#) [cite: 1]
  - [09-reverse-linked-list](#) (Bonus)[cite: 1]
- [Progress Tracker](#)[cite: 1]

## Repository Structure

```
leetcode-solutions/
├─ README.md
├─ PROGRESS.md
├─ arrays-strings/
│   ├── 01-two-sum.py
│   ├── 01-two-sum.md
│   └─ 01-two-sum-result.png
├─ basic-algorithms/
├─ stacks/
└─ linked-lists/
```[cite: 1]
```

---

### ## Verification & Workflow

1. **Local Testing:** Written in VS Code using edge-case driver tests before online submission[cite: 1].
2. **Documentation:** Accompanied by approach details and  $O(N)$  /  $O(1)$  complexity notes[cite: 1].
3. **Tracking:** Activity status and timelines logged in [`PROGRESS.md`](./PROGRESS.md)[cite: 1].

The screenshot shows a GitHub web interface for the repository "leetcode-solutions". The left sidebar displays the file explorer with folders like "Linked Lists and Stacks", "array\_strings", and "basic\_Algorithms", along with files "README.md" and "progress.md". The main area shows the "progress.md" file, which has been modified by user "SampryanR25EJ060".

The file content includes a title "LeetCode Progress Tracker" and a growth log for a course. Below this is a table tracking progress:

| Date       | Problem                         | Topic                 | Difficulty   | Status | Time Taken |
|------------|---------------------------------|-----------------------|--------------|--------|------------|
| 16/09/2026 | Two Sum                         | Arrays & Strings      | Easy         | Solved | 12 min     |
| 16/09/2026 | Reverse String                  | Arrays & Strings      | Easy         | Solved | 8 min      |
| 16/09/2026 | Valid Anagram                   | Arrays & Strings      | Easy         | Solved | 10 min     |
| 16/09/2026 | Best Time to Buy and Sell Stock | Arrays & Strings      | Easy-Medium  | Solved | 15 min     |
| 16/09/2026 | Longest Common Prefix           | Arrays & Strings      | Easy-Medium  | Solved | 14 min     |
| 16/09/2026 | Binary Search                   | Basic Algorithms      | Easy-Medium  | Solved | 10 min     |
| 16/09/2026 | Move Zeroes                     | Basic Algorithms      | Easy-Medium  | Solved | 12 min     |
| 16/09/2026 | Valid Parentheses               | Stacks & Linked Lists | Easy-Medium  | Solved | 15 min     |
| 16/09/2026 | Reverse Linked List             | Stacks & Linked Lists | Easy (Bonus) | Solved | 12 min     |